



BATTERIES FOR ALL MAJOR MAKES

APPLICATION GUIDE



Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1997	Acura	CL	2.2L L4 2156cc	Heat shield may need removed or modified if not using OE battery.; OE battery has flush vents. Check battery box before installing	1AM124700A	700	24 Months
1999-1998	Acura	CL	2.3L L4 2254cc	Heat shield may need removed or modified if not using OE battery.; OE battery has flush vents. Check battery box before installing	1AM124700A	700	24 Months
1995-1991	Acura	Legend	3.2L V6 3206cc		1AM024700B	700	24 Months
2015-2014,2004-2001	Acura	MDX	3.5L V6 3471cc		1AM035550A	550	24 Months
2016	Acura	MDX	3.5L V6 3471cc	Battery located in engine compartment; Exc Advance Package; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Acura	MDX	3.5L V6 3471cc	Battery located in engine compartment; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2016	Acura	MDX	3.5L V6 3471cc	Exc. Advance Pkg.	1AM0H6770A	770	24 Months
2017-2016	Acura	MDX	3.5L V6 3471cc	AGM Valve-Regulated Battery Required.; Advance Package; Battery located in engine compartment; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1995-1991	Acura	NSX	3.0L V6 2977cc		1AM035550A	550	24 Months
1995-1991	Acura	NSX	3.0L V6 2977cc		2AM035500A	500	18 Months
2005-1996	Acura	NSX	3.0L V6 2977cc; w/ Standard Trans.		1AM035550A	550	24 Months
2005-1996	Acura	NSX	3.0L V6 2977cc; w/ Standard Trans.		2AM035500A	500	18 Months
2005-1997	Acura	NSX	3.2L V6 3179cc; w/ Standard Trans.		1AM035550A	550	24 Months
2005-1997	Acura	NSX	3.2L V6 3179cc; w/ Standard Trans.		2AM035500A	500	18 Months
2012-2007	Acura	RDX	2.3L L4 2300cc		1AM035550A	550	24 Months
2012-2007	Acura	RDX	2.3L L4 2300cc		2AM035500A	500	18 Months
2012-2011	Acura	RDX	2.3L L4 2300cc 140 CID		1AM035550A	550	24 Months
2012-2011	Acura	RDX	2.3L L4 2300cc 140 CID		2AM035500A	500	18 Months
2016-2013	Acura	RDX	3.5L V6 3471cc		1AM035550A	550	24 Months
2004-1996	Acura	RL	3.5L V6 3475cc		1AM024700B	700	24 Months
2008-2005	Acura	RL	3.5L V6 3471cc		1AM024700B	700	24 Months
2017-2014	Acura	RLX	3.5L V6 3471cc		1AM035550A	550	24 Months
1997-1996	Acura	SLX	3.2L V6 3165cc		1AM024700B	700	24 Months
1999-1998	Acura	SLX	3.5L V6 3494cc		1AM024700B	700	24 Months
1998-1995	Acura	TL	2.5L L5 2451cc		1AM035550A	550	24 Months
1998-1995	Acura	TL	2.5L L5 2451cc		2AM035500A	500	18 Months
2006-2004	Acura	TL	3.2L V6 3210cc	OE battery has flush vents. Check battery box before installing	1AM124700A	700	24 Months
2015	Acura	TLX	3.5L V6 3471cc		2AM048615A	615	18 Months
2015	Acura	TLX	3.5L V6 3471cc		BB0H6600AA	600	36 Months
2015	Acura	TLX	3.5L V6 3471cc	Battery located in engine compartment; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Acura	TLX	3.5L V6 3471cc; Base	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; Exc Start/Stop; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Acura	TLX	3.5L V6 3471cc; Advance	Battery located in engine compartment; Exc Start/Stop; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Acura	TLX	3.5L V6 3471cc		1AM0H6770A	770	24 Months
2017-2015	Acura	TLX	3.5L V6 3471cc; SH-AWD	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 650; OE Group: 48; Reserve Capacity: 100; Start/Stop	BBAH6650AA	650	36 Months
2017-2016	Acura	TLX	3.5L V6 3471cc; Base	Battery located in engine compartment; Exc Start/Stop; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2010	Acura	TSX	3.5L V6 3471cc		1AM035550A	550	24 Months
1994-1992	Acura	Vigor	2.5L L5 2451cc		1AM035550A	550	24 Months
1994-1992	Acura	Vigor	2.5L L5 2451cc		2AM035500A	500	18 Months
2011	Acura	ZDX	3.7L V6 3664cc 224 CID		1AM035550A	550	24 Months
2013-2010	Acura	ZDX	3.7L V6 3664cc		1AM035550A	550	24 Months
1953-1951	Alfa Romeo	1900	1.9L L4 1884cc 115 CID		1AM024700B	700	24 Months
1955-1954	Alfa Romeo	1900	2.0L L4 1975cc 121 CID		1AM024700B	700	24 Months
1953-1951	Alfa Romeo	1900C	1.9L L4 1884cc 115 CID		1AM024700B	700	24 Months
1955-1954	Alfa Romeo	1900C	2.0L L4 1975cc 121 CID		1AM024700B	700	24 Months
1968-1962	Alfa Romeo	2600	2.6L L6 2584cc 158 CID		1AM024700B	700	24 Months
1952-1950	Alfa Romeo	6C 2500	2.4L L6 2443cc 149 CID		1AM024700B	700	24 Months
1977-1975	Alfa Romeo	Alfetta	2.0L L4 1961cc 120 CID		1AM024700B	700	24 Months
1971-1969	Alfa Romeo	Berlina	1.8L L4 1779cc 109 CID		1AM024700B	700	24 Months
1972	Alfa Romeo	Berlina	1.8L L4 1779cc		1AM024700B	700	24 Months
1974-1970	Alfa Romeo	Berlina	2.0L L4 1961cc 120 CID		1AM024700B	700	24 Months
1974-1970	Alfa Romeo	Berlina	2.0L L4 1962cc 120 CID		1AM024700B	700	24 Months
1968-1966	Alfa Romeo	Duetto 1600	1.6L L4 1570cc 96 CID	New cables may be required.	1AM024700B	700	24 Months
1968-1962	Alfa Romeo	Giulia	1.6L L4 1570cc 96 CID	OE battery has non-standard terminal location. May require cable modifications.	1AM024700B	700	24 Months
1968-1962	Alfa Romeo	Giulia Sprint	1.6L L4 1570cc 96 CID	OE battery has non-standard terminal location. May require cable modifications.	1AM024700B	700	24 Months
1971-1969	Alfa Romeo	GT Veloce	1.8L L4 1779cc 109 CID		1AM024700B	700	24 Months
1974-1970	Alfa Romeo	GT Veloce	2.0L L4 1962cc 120 CID		1AM024700B	700	24 Months
1974-1972	Alfa Romeo	GT Veloce	2.0L L4 1961cc 120 CID		1AM024700B	700	24 Months
1965	Alfa Romeo	GTA	1.6L L4 1570cc 96 CID		1AM024700B	700	24 Months
1964	Alfa Romeo	GTC	1.6L L4 1570cc 96 CID		1AM024700B	700	24 Months
1968-1967,1965	Alfa Romeo	GTV	1.6L L4 1570cc 96 CID		1AM024700B	700	24 Months
1985-1981	Alfa Romeo	GTV-6	2.5L V6 2492cc		1AM024700B	700	24 Months
1986	Alfa Romeo	GTV-6	2.5L V6 2492cc		1AM035550A	550	24 Months
1986	Alfa Romeo	GTV-6	2.5L V6 2492cc		2AM035500A	500	18 Months
1986	Alfa Romeo	GTV-6	2.5L V6 2492cc		2AM240530A	530	18 Months
1964	Alfa Romeo	GTZ	1.6L L4 1570cc 96 CID		1AM024700B	700	24 Months
1989-1987	Alfa Romeo	Milano	2.5L V6 2492cc	Check polarity before connecting cables.; Factory installed	1AM035550A	550	24 Months
1989-1987	Alfa Romeo	Milano	3.0L V6 2959cc	Check polarity before connecting cables.; Factory installed	1AM035550A	550	24 Months
1989-1987	Alfa Romeo	Milano	2.5L V6 2492cc	Check polarity before connecting cables.; Factory installed	2AM035500A	500	18 Months
1989-1987	Alfa Romeo	Milano	3.0L V6 2959cc	Check polarity before connecting cables.; Factory installed	2AM035500A	500	18 Months
1989-1987	Alfa Romeo	Milano	2.5L V6 2492cc	Check polarity before connecting cables.; Factory installed	2AM240530A	530	18 Months
1989-1987	Alfa Romeo	Milano	3.0L V6 2959cc	Check polarity before connecting cables.; Factory installed	2AM240530A	530	18 Months
1975-1972	Alfa Romeo	Montreal	2.6L V8 2593cc 158 CID		1AM024700B	700	24 Months
1971-1969	Alfa Romeo	Spider	1.8L L4 1779cc 109 CID		1AM024700B	700	24 Months
1974-1970	Alfa Romeo	Spider	2.0L L4 1962cc 120 CID		1AM024700B	700	24 Months
1985-1970	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID		1AM024700B	700	24 Months
1987-1986	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1987-1986	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID		2AM035500A	500	18 Months
1987-1986	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID		2AM240530A	530	18 Months
1990-1988	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID	Check polarity before connecting cables.; Factory installed	1AM035550A	550	24 Months
1990-1988	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID	Check polarity before connecting cables.; Factory installed	2AM035500A	500	18 Months
1990-1988	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID	Check polarity before connecting cables.; Factory installed	2AM240530A	530	18 Months
1994-1991	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID	Check polarity before connecting cables.; Factory installed	1AM260575A	575	24 Months
1994-1991	Alfa Romeo	Spider	2.0L L4 1961cc 120 CID	Check polarity before connecting cables.; Factory installed	BB26R540AD	540	36 Months
1979-1978	Alfa Romeo	Sport	2.0L L4 1961cc 120 CID		1AM024700B	700	24 Months
1979-1977	Alfa Romeo	Sprint	2.0L L4 1961cc 120 CID		1AM024700B	700	24 Months
1993-1992	AM General	Hummer	6.2L V8 379 CID		BB078800AB	800	36 Months
1996-1995	AM General	Hummer	5.7L V8 350 CID		BB078800AB	800	36 Months
2001-1994	AM General	Hummer	6.5L V8 395 CID		BB078800AB	800	36 Months
1966	American Motors	Ambassador	4.7L V8 4703cc 287 CID		1AM024700B	700	24 Months
1966,1963-1958	American Motors	Ambassador	5.4L V8 327 CID		1AM024700B	700	24 Months
1966-1960	American Motors	Ambassador	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1967	American Motors	Ambassador	4.7L V8 287 CID		1AM024700B	700	24 Months
1967-1966	American Motors	Ambassador	3.3L L6 199 CID		1AM024700B	700	24 Months
1967-1966	American Motors	Ambassador	3.3L L6 3261cc 199 CID		1AM024700B	700	24 Months
1968	American Motors	Ambassador	4.8L V8 290 CID		1AM024700B	700	24 Months
1968-1965	American Motors	Ambassador	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1968-1967,1965	American Motors	Ambassador	3.8L L6 232 CID		1AM024700B	700	24 Months
1969	American Motors	Ambassador	5.1L V8 309 CID		1AM024700B	700	24 Months
1969	American Motors	Ambassador	4.8L V8 290 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1969	American Motors	Ambassador	4.8L V8 290 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1969-1967	American Motors	Ambassador	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1969-1967	American Motors	Ambassador	5.6L V8 343 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969-1967	American Motors	Ambassador	5.6L V8 5585cc 343 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1970-1968	American Motors	Ambassador	6.4L V8 390 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1970-1968	American Motors	Ambassador	6.4L V8 6391cc 390 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1970-1969	American Motors	Ambassador	3.8L L6 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970-1969	American Motors	Ambassador	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970-1969	American Motors	Ambassador	3.8L L6 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1969	American Motors	Ambassador	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1971	American Motors	Ambassador	4.2L L6 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1971	American Motors	Ambassador	4.2L L6 4228cc 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1971	American Motors	Ambassador	4.2L L6 4229cc 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1971	American Motors	Ambassador	4.2L L6 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1971	American Motors	Ambassador	4.2L L6 4228cc 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1971	American Motors	Ambassador	4.2L L6 4229cc 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1972-1970	American Motors	Ambassador	5.0L V8 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1972-1970	American Motors	Ambassador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1972-1970	American Motors	Ambassador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1972-1970	American Motors	Ambassador	5.0L V8 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1972-1970	American Motors	Ambassador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1972-1970	American Motors	Ambassador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1970	American Motors	Ambassador	5.9L V8 360 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1974-1971	American Motors	Ambassador	6.6L V8 401 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1974-1971	American Motors	Ambassador	6.6L V8 6571cc 401 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1974-1971	American Motors	Ambassador	6.6L V8 6572cc 401 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 304 CID	Check polarity before connecting cables.; w/AC	1AM024700B	700	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.; w/AC	1AM024700B	700	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.; w/AC	1AM024700B	700	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 304 CID	Check polarity before connecting cables.; w/o AC	1AM260575A	575	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.; w/o AC	1AM260575A	575	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.; w/o AC	1AM260575A	575	24 Months
1974-1973	American Motors	Ambassador	5.0L V8 304 CID	Check polarity before connecting cables.; w/o AC	BB26R540AD	540	36 Months
1974-1973	American Motors	Ambassador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.; w/o AC	BB26R540AD	540	36 Months
1974-1973	American Motors	Ambassador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.; w/o AC	BB26R540AD	540	36 Months
1965-1958	American Motors	American	3.2L L6 3206cc 196 CID		1AM024700B	700	24 Months
1968-1964	American Motors	American	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1968-1966	American Motors	American	3.3L L6 3261cc 199 CID		1AM024700B	700	24 Months
1968-1966	American Motors	American	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1968-1967	American Motors	American	5.6L V8 5585cc 343 CID		1AM024700B	700	24 Months
1969-1968	American Motors	AMX	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1969-1968	American Motors	AMX	4.8L V8 290 CID		1AM024700B	700	24 Months
1969-1968	American Motors	AMX	5.6L V8 343 CID		1AM024700B	700	24 Months
1969-1968	American Motors	AMX	5.6L V8 5585cc 343 CID		1AM024700B	700	24 Months
1970	American Motors	AMX	5.9L V8 360 CID		1AM024700B	700	24 Months
1970-1968	American Motors	AMX	6.4L V8 390 CID		1AM024700B	700	24 Months
1970-1968	American Motors	AMX	6.4L V8 6391cc 390 CID		1AM024700B	700	24 Months
1978	American Motors	AMX	5.0L V8 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1978	American Motors	AMX	5.0L V8 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1979	American Motors	AMX	5.0L V8 304 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979-1978	American Motors	AMX	4.2L L6 258 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979-1978	American Motors	AMX	4.2L L6 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1979-1978	American Motors	AMX	4.2L L6 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1962-1961	American Motors	Classic	4.1L V8 4097cc 250 CID		1AM024700B	700	24 Months
1965-1961	American Motors	Classic	3.2L L6 3206cc 196 CID		1AM024700B	700	24 Months
1966	American Motors	Classic	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1966-1963	American Motors	Classic	4.7L V8 4703cc 287 CID		1AM024700B	700	24 Months
1966-1964	American Motors	Classic	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1966-1965	American Motors	Classic	3.3L L6 3261cc 199 CID		1AM024700B	700	24 Months
1966-1965	American Motors	Classic	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1978	American Motors	Concord	2.0L L4 121 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1978	American Motors	Concord	2.0L L4 121 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1979-1978	American Motors	Concord	3.8L L6 232 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979-1978	American Motors	Concord	4.2L L6 258 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979-1978	American Motors	Concord	5.0L V8 304 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979-1978	American Motors	Concord	3.8L L6 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1979-1978	American Motors	Concord	4.2L L6 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1979-1978	American Motors	Concord	5.0L V8 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1979-1978	American Motors	Concord	3.8L L6 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1979-1978	American Motors	Concord	4.2L L6 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1979-1978	American Motors	Concord	5.0L V8 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1962-1961	American Motors	Custom	3.2L L6 3206cc 196 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1971	American Motors	Javelin	4.2L L6 4229cc 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1966-1965	American Motors	Marlin	4.7L V8 4703cc 287 CID		1AM024700B	700	24 Months
1966-1965	American Motors	Marlin	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1967	American Motors	Marlin	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1967	American Motors	Marlin	5.6L V8 5585cc 343 CID		1AM024700B	700	24 Months
1967-1965	American Motors	Marlin	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1967-1966	American Motors	Marlin	3.3L L6 3261cc 199 CID		1AM024700B	700	24 Months
1974-1971	American Motors	Matador	6.6L V8 6571cc 401 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1974-1971	American Motors	Matador	6.6L V8 6572cc 401 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1974-1971	American Motors	Matador	3.8L L6 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1974-1971	American Motors	Matador	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1974-1971	American Motors	Matador	4.2L L6 4228cc 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1974-1971	American Motors	Matador	4.2L L6 4229cc 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1974-1971	American Motors	Matador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1974-1971	American Motors	Matador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1974-1971	American Motors	Matador	3.8L L6 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1971	American Motors	Matador	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1971	American Motors	Matador	4.2L L6 4228cc 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1971	American Motors	Matador	4.2L L6 4229cc 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1971	American Motors	Matador	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1971	American Motors	Matador	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1976-1971	American Motors	Matador	6.6L V8 401 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1977-1971	American Motors	Matador	5.0L V8 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1977-1971	American Motors	Matador	5.0L V8 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1978	American Motors	Matador	4.2L L6 258 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1978-1971	American Motors	Matador	5.9L V8 360 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1978-1971	American Motors	Matador	4.2L L6 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1978-1971	American Motors	Matador	4.2L L6 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1978	American Motors	Pacer	5.0L V8 304 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1978	American Motors	Pacer	5.0L V8 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1978	American Motors	Pacer	5.0L V8 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1978-1975	American Motors	Pacer	3.8L L6 232 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1978-1975	American Motors	Pacer	3.8L L6 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1978-1975	American Motors	Pacer	3.8L L6 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1979-1975	American Motors	Pacer	4.2L L6 258 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1980-1975	American Motors	Pacer	4.2L L6 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1980-1975	American Motors	Pacer	4.2L L6 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1960-1958	American Motors	Rambler	3.2L L6 3206cc 196 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969	American Motors	Rambler	3.3L L6 3261cc 199 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969	American Motors	Rambler	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969	American Motors	Rambler	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1969	American Motors	Rambler	5.6L V8 5585cc 343 CID		1AM024700B	700	24 Months
1969	American Motors	Rambler	6.4L V8 6391cc 390 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969	American Motors	Rambler	3.3L L6 3261cc 199 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1969	American Motors	Rambler	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1969	American Motors	Rambler	3.3L L6 3261cc 199 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1969	American Motors	Rambler	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1960-1958	American Motors	Rebel	4.1L V8 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1961	American Motors	Rebel	4.1L V8 4097cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1966	American Motors	Rebel	4.7L V8 4703cc 287 CID		1AM024700B	700	24 Months
1966	American Motors	Rebel	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1967	American Motors	Rebel	3.3L L6 199 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1967	American Motors	Rebel	3.3L L6 3261cc 199 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1967	American Motors	Rebel	3.3L L6 199 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1967	American Motors	Rebel	3.3L L6 3261cc 199 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1968	American Motors	Rebel	6.4L V8 6391cc 390 CID		1AM024700B	700	24 Months
1968-1967	American Motors	Rebel	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1968-1967	American Motors	Rebel	5.6L V8 5585cc 343 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969	American Motors	Rebel	5.1L V8 309 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969-1967	American Motors	Rebel	5.6L V8 343 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969-1968	American Motors	Rebel	4.8L V8 290 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1969-1968	American Motors	Rebel	4.8L V8 290 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970	American Motors	Rebel	5.9L V8 360 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1970	American Motors	Rebel	6.4L V8 6391cc 390 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1970	American Motors	Rebel	5.0L V8 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970	American Motors	Rebel	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970	American Motors	Rebel	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970	American Motors	Rebel	5.0L V8 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970	American Motors	Rebel	5.0L V8 4982cc 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970	American Motors	Rebel	5.0L V8 4983cc 304 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970,1968-1967	American Motors	Rebel	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970,1968-1967	American Motors	Rebel	3.8L L6 3802cc 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1967	American Motors	Rebel	3.8L L6 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970-1967	American Motors	Rebel	3.8L L6 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1969	American Motors	Rebel	6.4L V8 390 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1966	American Motors	Rogue	4.7L V8 4753cc 290 CID		1AM024700B	700	24 Months
1979	American Motors	Spirit	3.8L L6 232 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979	American Motors	Spirit	4.2L L6 258 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1979	American Motors	Spirit	3.8L L6 232 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1979	American Motors	Spirit	4.2L L6 258 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1979	American Motors	Spirit	3.8L L6 232 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1979	American Motors	Spirit	4.2L L6 258 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1962-1961	American Motors	Super Six	3.2L L6 3206cc 196 CID		1AM024700B	700	24 Months
2016-2005	Aston Martin	DB9	6.0L V12 5935cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
1971-1967	Aston Martin	DBS	4.0L L6 3995cc 244 CID		1AM024700B	700	24 Months
1971-1969	Aston Martin	DBS	5.3L V8 5340cc 326 CID		1AM024700B	700	24 Months
2012-2008	Aston Martin	DBS	6.0L V12 5935cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
1989-1977	Aston Martin	Lagonda	5.3L V8 5340cc 326 CID		1AM024700B	700	24 Months
2017-2011	Aston Martin	Rapide	6.0L V12 5935cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
2017-2015,2013-2010	Aston Martin	V12 Vantage	6.0L V12 5935cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
1988-1972	Aston Martin	V-8	5.3L V8 5340cc 326 CID		1AM024700B	700	24 Months
2008-2006	Aston Martin	V8 Vantage	4.3L V8 4282cc 261 CID	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
2017-2009	Aston Martin	V8 Vantage	4.7L V8 4735cc 289 CID	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2014,2006-2001	Aston Martin	Vanquish	6.0L V12 5935cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
1974-1972	Aston Martin	Vantage	4.0L L6 3995cc 244 CID		1AM024700B	700	24 Months
1994-1989	Aston Martin	Virage	5.3L V8 5340cc		1AM024700B	700	24 Months
2012	Aston Martin	Virage	6.0L V12 5935cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
1988-1987	Aston Martin	Zagato	5.3L V8 5340cc		1AM024700B	700	24 Months
1993	Asuna	Sunfire	1.8L L4 1809cc 110 CID		1AM035550A	550	24 Months
1993	Asuna	Sunfire	1.8L L4 1809cc 110 CID		2AM035500A	500	18 Months
1983-1982	Audi	4000	1.6L L4 1588cc 97 CID		2AM049850A	850	18 Months
1983-1982	Audi	4000	1.6L L4 1588cc 97 CID		BB0H8800AC	800	36 Months
1983-1982	Audi	4000	1.6L L4 1588cc 97 CID	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1983-1982	Audi	4000	1.6L L4 1588cc 97 CID		BBEH8800AA	800	36 Months
1987	Audi	4000 Quattro	2.2L L5 2226cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
1987	Audi	4000 Quattro	2.2L L5 2226cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
1987	Audi	4000 Quattro	2.2L L5 2226cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1987	Audi	4000 Quattro	2.2L L5 2226cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
1985-1982	Audi	5000	2.0L L5 1986cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
1985-1982	Audi	5000	2.0L L5 1986cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
1985-1982	Audi	5000	2.0L L5 1986cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1982	Audi	5000	2.0L L5 1986cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2006	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 600; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008-2006	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2008-2006	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2008-2006	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2008-2006	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2008-2006	Audi	A3	2.0L L4 1984cc 121 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008-2007	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 600; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010-2009	Audi	A3	2.0L L4 1984cc 121 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L, PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2009	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L,J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2009	Audi	A3	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2009	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013-2010	Audi	A3	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L,J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2010	Audi	A3	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L, PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013-2011	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L, PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Audi	A3	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	A3	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015	Audi	A3	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015	Audi	A3	1.8L L4 1798cc 110 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015	Audi	A3	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016-2015	Audi	A3	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2015	Audi	A3	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2015,2013-2010	Audi	A3	2.0L L4 1968cc 120 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015,2013-2010	Audi	A3	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017	Audi	A3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Audi	A3	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017	Audi	A3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 600; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2008-2006	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008-2007	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 600; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2009	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2009	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2009	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2009	Audi	A3 Quattro	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2009	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L,J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2009	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L, PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2015,2013-2009	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2015	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2015	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2015,2013-2009	Audi	A3 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	A3 Sportback e-tron	1.4L L4 1395cc 85 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	A3 Sportback e-tron	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Audi	A3 Sportback e-tron	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017	Audi	A3 Sportback e-tron	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017	Audi	A3 Sportback e-tron	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	A3 Sportback e-tron	1.4L L4 1395cc 85 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
1997	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1997	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
1997	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.	BBOH6600AA	600	36 Months
1997	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
1997	Audi	A4	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2000-1996	Audi	A4	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2000-1996	Audi	A4	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2000-1997	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2000-1997	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2001	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2001	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months
2001	Audi	A4	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2001	Audi	A4	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2001	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2001-1996	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2001-1996	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2001-1996	Audi	A4	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2002	Audi	A4	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2002	Audi	A4	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2002-2001	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2002-2001	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2002-2001	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2002-2001	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2002-2001	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2004-1997	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2004-2002	Audi	A4	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2004-2002	Audi	A4	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2004-2002	Audi	A4	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2004-2002,2000-1997	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2004-2002,2000-1997	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2005	Audi	A4	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005	Audi	A4	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005	Audi	A4	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005-2002	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2002	Audi	A4	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2003	Audi	A4	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	Audi	A4	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006-2003	Audi	A4	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006-2005	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	1AM0H6770A	770	24 Months
2006-2005	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	1AM0H6770A	770	24 Months
2006-2005	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	2AM048615A	615	18 Months
2006-2005	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	2AM048615A	615	18 Months
2006-2005	Audi	A4	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	BB0H6600AA	600	36 Months
2006-2005	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	BB0H6600AA	600	36 Months
2007	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	1AM940800A	800	24 Months
2007	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	BB0H7730AB	730	36 Months
2007	Audi	A4	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2007	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	BBEH7680AA	680	36 Months
2007,2005	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2007-2005	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	1AM940800A	800	24 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	BB0H7730AB	730	36 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	BBEH7680AA	680	36 Months
2007-2006	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2008	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2008	Audi	A4	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2008	Audi	A4	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008	Audi	A4	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012-2011	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2012-2011	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2013	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2013	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2013	Audi	A4	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2013	Audi	A4	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Audi	A4	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B,B0A,B0L,B0M,B0N,B0R,B1C,B1D,B1Q,B1Z,B2E,B2H,B3D,B3E,B4G,B4K; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2016	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016-2013	Audi	A4	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015,2012-2009	Audi	A4	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017	Audi	A4	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2009	Audi	A4	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2009	Audi	A4	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID; FLEX	Battery gasses need to be vented to outside; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JON, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM048615A	615	18 Months
2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BB0H6600AA	600	36 Months
2017,2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2017,2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM048615A	615	18 Months
2017,2015-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BB0H6600AA	600	36 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2013	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A4 allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
1996	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
1997	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
1997-1996	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2000,1996	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2000-1997	Audi	A4 Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2000-1998	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2000-1999	Audi	A4 Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2001	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2001	Audi	A4 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2001,1998-1997	Audi	A4 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2001,1998-1997	Audi	A4 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM048615A	615	18 Months
2001,1998-1997	Audi	A4 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H6600AA	600	36 Months
2001-1996	Audi	A4 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2001-1996	Audi	A4 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2001-1996	Audi	A4 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2002	Audi	A4 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2002	Audi	A4 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2002-2001	Audi	A4 Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2002-2001	Audi	A4 Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004-1997	Audi	A4 Quattro	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2004-1997	Audi	A4 Quattro	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2004-1997	Audi	A4 Quattro	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2004-2002	Audi	A4 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2004-2002	Audi	A4 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2004-2002	Audi	A4 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005	Audi	A4 Quattro	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2005	Audi	A4 Quattro	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2005	Audi	A4 Quattro	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2002	Audi	A4 Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2002	Audi	A4 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2003	Audi	A4 Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	Audi	A4 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	Audi	A4 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006-2003	Audi	A4 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006-2005	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006-2005	Audi	A4 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2006-2005	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006-2005	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006-2005	Audi	A4 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2005	Audi	A4 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2007	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2007	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2007	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2007,2005	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2007,2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2005	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2007-2005	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM948000A	800	24 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM948000A	800	24 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2009	Audi	A4 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012-2011	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2012-2011	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2014-2013	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B+B0A,B0L,B0M,B0N,B0R,B1C,B1Q,B1Z,B2E,B2H,B3D,B3E,B4G,B4K; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016-2013	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2016-2015,2012-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2017	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017,2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2017,2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BB0H7730AB	730	36 Months
2017,2015-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BBEH7680AA	680	36 Months
2017,2015-2013	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2017,2015-2013	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM048615A	615	18 Months
2017,2015-2013	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BB0H6600AA	600	36 Months
2017-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2017-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2017-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2017-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2009	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A4 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2008	Audi	A5	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009	Audi	A5	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2010	Audi	A5	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2012-2011	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH6600AA	600	36 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2014-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2012	Audi	A5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2010	Audi	A5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2008	Audi	A5 Quattro	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2009-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2009-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010	Audi	A5 Quattro	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010	Audi	A5 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010-2008	Audi	A5 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2015-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2016-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2016-2012	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2010	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2016	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A5 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2001-1999	Audi	A6	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2001-1999	Audi	A6	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM048615A	615	18 Months
2001-1999	Audi	A6	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H6600AA	600	36 Months
2001-1999	Audi	A6	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2002	Audi	A6	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2004-2002	Audi	A6	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2004-2002	Audi	A6	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2004-2002	Audi	A6	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2004-2002	Audi	A6	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004-2002	Audi	A6	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004-2002	Audi	A6	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004-2002	Audi	A6	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2004-2002	Audi	A6	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset. contact your service specialist	BBEH7680AA	680	36 Months
2005	Audi	A6	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2005	Audi	A6	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
2005	Audi	A6	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2006	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2007-2006	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2006	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009-2008	Audi	A6	2.8L V6 2773cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010	Audi	A6	2.8L V6 2773cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2010	Audi	A6	3.1L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2010-2006	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010-2007	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010-2007	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2007	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2008	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011	Audi	A6	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011	Audi	A6	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2011	Audi	A6	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2011	Audi	A6	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2011	Audi	A6	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016-2012	Audi	A6	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2012	Audi	A6	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016-2012	Audi	A6	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2012	Audi	A6	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	A6	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	A6	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	A6	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A6	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2001-1999	Audi	A6 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2001-1999	Audi	A6 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM048615A	615	18 Months
2001-1999	Audi	A6 Quattro	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H6600AA	600	36 Months
2001-1999	Audi	A6 Quattro	2.8L V6 2771cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001-2000	Audi	A6 Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2001-2000	Audi	A6 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM049850A	850	18 Months
2001-2000	Audi	A6 Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2001-2000	Audi	A6 Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2001-2000	Audi	A6 Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2001-2000	Audi	A6 Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2003-2002	Audi	A6 Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004	Audi	A6 Quattro	2.7L V6 2671cc	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004-2002	Audi	A6 Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2004-2002	Audi	A6 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2004-2002	Audi	A6 Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2004-2002	Audi	A6 Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2004-2002	Audi	A6 Quattro	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004-2002	Audi	A6 Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004-2002	Audi	A6 Quattro	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2976cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004-2002	Audi	A6 Quattro	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004-2002	Audi	A6 Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2950cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2004-2002	Audi	A6 Quattro	3.0L V6 2976cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM94800A	800	24 Months
2005	Audi	A6 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM94800A	800	24 Months
2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005	Audi	A6 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005	Audi	A6 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2006	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2006	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2007-2005	Audi	A6 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2006	Audi	A6 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2007-2006	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	Audi	A6 Quattro	3.1L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008-2005	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008-2007,2005	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2008-2007,2005	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2008-2007,2005	Audi	A6 Quattro	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2009-2008	Audi	A6 Quattro	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010-2007,2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010-2007,2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2007,2005	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2008	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2009	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2009	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010-2009	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010-2009	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2009	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2011	Audi	A6 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	Audi	A6 Quattro	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2015-2011	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2011	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2011	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2011	Audi	A6 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. <u>Contact your service specialists.</u>	BBAH7700AA	700	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. <u>Contact your service specialists.</u>	BBAH8800AB	800	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. <u>Contact your service specialists.</u>	BBAH9850AA	850	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset. <u>contact your service specialist</u>	BBEH7680AA	680	36 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset. <u>contact your service specialist</u>	BBEH7680AA	680	36 Months
2016	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset. <u>contact your service specialist</u>	BBEH8800AA	800	36 Months
2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset. <u>contact your service specialist</u>	BBEH8800AA	800	36 Months
2016-2011	Audi	A6 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	1AM0H6770A	770	24 Months
2016-2011	Audi	A6 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	1AM940800A	800	24 Months
2016-2011	Audi	A6 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	2AM049850A	850	18 Months
2016-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	1AM0H6770A	770	24 Months
2016-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	1AM940800A	800	24 Months
2016-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	2AM049850A	850	18 Months
2016-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	1AM0H6770A	770	24 Months
2016-2014	Audi	A6 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. <u>contact your service specialist</u>	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2013	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A6 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2016	Audi	A6 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2012	Audi	A7 Quattro	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2016	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016-2012	Audi	A7 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2012	Audi	A7 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016-2012	Audi	A7 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016-2014	Audi	A7 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017,2015-2012	Audi	A7 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2012	Audi	A7 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A7 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2000-1997	Audi	A8	3.7L V8 3697cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2003-2000	Audi	A8 Quattro	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2004	Audi	A8 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2004-1997	Audi	A8 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005	Audi	A8 Quattro	6.0L W12 5998cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2006-2004	Audi	A8 Quattro	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2006-2005	Audi	A8 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006-2005	Audi	A8 Quattro	6.0L W12 5998cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007	Audi	A8 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2009-2006	Audi	A8 Quattro	6.0L W12 5998cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2009-2007	Audi	A8 Quattro	6.0L W12 5998cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009-2007	Audi	A8 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2007	Audi	A8 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2009-2008,2006-2005	Audi	A8 Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2010	Audi	A8 Quattro	4.2L V8 4172cc 255 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-0K1; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BB0H8800AC	800	36 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2012-2010	Audi	A8 Quattro	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	Audi	A8 Quattro	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2013	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-0K1; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-0K1; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2013-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-0K1; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2012	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2014	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JOZ Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JOZ Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	A8 Quattro	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	A8 Quattro	6.3L W12 6299cc 384 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016-2014	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017	Audi	A8 Quattro	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2013	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	A8 Quattro	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	A8 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	A8 Quattro	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2016	Audi	A8 Quattro	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H6770A	770	24 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM0H9950A	950	24 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	1AM940800A	800	24 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM048615A	615	18 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	2AM049850A	850	18 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BBOH6600AA	600	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BBOH7730AB	730	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset. contact your service specialist	BBOH8800AC	800	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JOL Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JOR Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JOZ Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2016-2013	Audi	allroad	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2002-2001	Audi	Allroad Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2004,2002-2001	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2004,2002-2001	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2004,2002-2001	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2004-2003	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM049850A	850	18 Months
2004-2003	Audi	Allroad Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM049850A	850	18 Months
2005	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2005	Audi	Allroad Quattro	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2005	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
2005	Audi	Allroad Quattro	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2005-2004	Audi	Allroad Quattro	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2015	Audi	Q3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, J1N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Audi	Q3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2015	Audi	Q3	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2015	Audi	Q3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Audi	Q3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, J1N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2016	Audi	Q3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016-2015	Audi	Q3 Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2015	Audi	Q3 Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2015	Audi	Q3 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, J1N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2015	Audi	Q3 Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2012-2009	Audi	Q5	3.2L V6 3123cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	Audi	Q5	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2012-2011	Audi	Q5	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2012-2011	Audi	Q5	3.2L V6 3197cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2012-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2013	Audi	Q5	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2013	Audi	Q5	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2013	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2013	Audi	Q5	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2013-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2013-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2011	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2013	Audi	Q5	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2013	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2014	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear under spare tire.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2016	Audi	Q5	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017	Audi	Q5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	Q5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2016	Audi	Q5	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	Q5	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	Q5	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	Q5	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	Q5	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2016	Audi	Q5	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008	Audi	Q7	3.0L V6 2967cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2008	Audi	Q7	3.0L V6 2967cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2009	Audi	Q7	3.0L V6 2967cc 181 CID	AGM Valve-Regulated Battery Required.; Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2009-2007	Audi	Q7	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2009-2007	Audi	Q7	4.2L V8 4163cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010	Audi	Q7	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010	Audi	Q7	4.2L V8 4163cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010	Audi	Q7	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010	Audi	Q7	4.2L V8 4163cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2007	Audi	Q7	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2010-2007	Audi	Q7	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2010-2007	Audi	Q7	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2007	Audi	Q7	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2010-2007	Audi	Q7	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2010-2008	Audi	Q7	3.0L V6 2967cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012	Audi	Q7	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2012-2011	Audi	Q7	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012-2011	Audi	Q7	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2012-2011	Audi	Q7	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2014	Audi	Q7	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2014	Audi	Q7	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2009	Audi	Q7	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2014-2011	Audi	Q7	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2014-2011	Audi	Q7	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Audi	Q7	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	Audi	Q7	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	Audi	Q7	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015	Audi	Q7	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015	Audi	Q7	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015	Audi	Q7	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015	Audi	Q7	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Audi	Q7	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015	Audi	Q7	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Audi	Q7	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2009	Audi	Q7	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2010	Audi	Q7	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2010	Audi	Q7	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2011	Audi	Q7	3.0L V6 2995cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2011	Audi	Q7	3.0L V6 2995cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2011	Audi	Q7	3.0L V6 2995cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017	Audi	Q7	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Audi	Q7	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	Audi	Q7	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	Audi	Q7	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017	Audi	Q7	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-JOB+B0A,B0L,B0M,B0R,B1C,B1P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2012-2008	Audi	R8	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2008	Audi	R8	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012-2008	Audi	R8	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012-2008	Audi	R8	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2012-2008	Audi	R8	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in front trunk; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012-2008	Audi	R8	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in front trunk; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2012-2010	Audi	R8	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2010	Audi	R8	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2012-2010	Audi	R8	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012-2010	Audi	R8	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2012-2010	Audi	R8	5.2L V10 5204cc	Battery gasses need to be vented to outside.; Battery located in front trunk; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012-2010	Audi	R8	5.2L V10 5204cc	Battery gasses need to be vented to outside.; Battery located in front trunk; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2012-2011	Audi	R8	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in front trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2012-2011	Audi	R8	5.2L V10 5204cc 318 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in front trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2015-2014,2012-2008	Audi	R8	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2014,2012-2010	Audi	R8	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in front trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Audi	R8	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017	Audi	R8	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B,B0A,B0D,B0E,B0G,B0H,B0L,B0M,B0N,B0R,B0W,B1C,B1P,B1Q,B1R,B1S,B2A,B2E,B2G,B2H,B3E,B3H,B4G,B1Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008-2007	Audi	RS4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2008-2007	Audi	RS4	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	RS5	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2014	Audi	RS5	4.2L V8 4163cc 254 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2004-2003	Audi	RS6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2014	Audi	RS7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2016	Audi	RS7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Audi	S3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015	Audi	S3	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015	Audi	S3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016-2015	Audi	S3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017	Audi	S3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017	Audi	S3	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	S3	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2001-2000	Audi	S4	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2001-2000	Audi	S4	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM048615A	615	18 Months
2001-2000	Audi	S4	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H6600AA	600	36 Months
2001-2000	Audi	S4	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	Audi	S4	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM940800A	800	24 Months
2002	Audi	S4	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H7730AB	730	36 Months
2002	Audi	S4	2.7L V6 2671cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2002	Audi	S4	2.7L V6 2671cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BBEH7680AA	680	36 Months
2004	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2004	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2004	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2004	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	Audi	S4	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2007,2005-2004	Audi	S4	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2007-2004	Audi	S4	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2007-2005	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2005	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2007-2005	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2007-2005	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008	Audi	S4	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2008	Audi	S4	4.2L V8 4163cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2009	Audi	S4	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009	Audi	S4	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2009	Audi	S4	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009	Audi	S4	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2009	Audi	S4	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2009	Audi	S4	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2008	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2009-2008	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009-2008	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2009-2008	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2009-2008	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2009-2008	Audi	S4	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013-2010	Audi	S4	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2015-2010	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2010	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2010	Audi	S4	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2010	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2013	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2013	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2013	Audi	S4	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2013	Audi	S4	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2014,2012-2010	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S4	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B,B0A,B0L,B0M,B0N,B0R,B1C,B1D,B1Q,B1Z,B2E,B2H,B3D,B3E,B4G,B4K; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2016	Audi	S4	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2016	Audi	S4	3.0L V6 2995cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Audi	S4	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2009	Audi	S5	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2011	Audi	S5	4.2L V8 4163cc 254 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012	Audi	S5	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012-2008	Audi	S5	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2012-2008	Audi	S5	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2012-2008	Audi	S5	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2009	Audi	S5	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2009	Audi	S5	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012-2009	Audi	S5	4.2L V8 4163cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2012-2009	Audi	S5	4.2L V8 4163cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2010	Audi	S5	4.2L V8 4163cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2013-2012	Audi	S5	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2013-2012	Audi	S5	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2013-2012	Audi	S5	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2010	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2010	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2010	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2010	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2012	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2010	Audi	S5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2010	Audi	S5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2010	Audi	S5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2010	Audi	S5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2010	Audi	S5	3.0L V6 2995cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Audi	S5	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2016	Audi	S5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2003	Audi	S6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM940800A	800	24 Months
2003	Audi	S6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H7730AB	730	36 Months
2003	Audi	S6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BBEH7680AA	680	36 Months
2003-2002	Audi	S6	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in engine compartment.; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2004-2001	Audi	S6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2004-2001	Audi	S6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H8800AC	800	36 Months
2004-2001	Audi	S6	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BBEH8800AA	800	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2010-2007	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011	Audi	S6	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011	Audi	S6	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	Audi	S6	5.2L V10 5204cc 318 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2011	Audi	S6	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2011	Audi	S6	5.2L V10 5204cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2011	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2011	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2011	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2011	Audi	S6	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2011	Audi	S6	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2013	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0L; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2016	Audi	S6	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016-2013	Audi	S7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2013	Audi	S7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM94800A	800	24 Months
2016-2013	Audi	S7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM94800A	800	24 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH8800AC	800	36 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2013	Audi	S7	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2016	Audi	S7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	S7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	S7	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2003-2001	Audi	S8	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2003-2002	Audi	S8	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2003-2002	Audi	S8	4.2L V8 4172cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-2002	Audi	S8	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2009-2007	Audi	S8	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009-2007	Audi	S8	5.2L V10 5204cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010	Audi	S8	5.2L V10 5204cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2013	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-0K1; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015-2013	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2014	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0P; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0Z; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0Z Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2017-2016	Audi	S8	4.0L V8 3993cc 243 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015-2014	Audi	SQ5	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2017-2014	Audi	SQ5	3.0L V6 2995cc	OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2017-2016	Audi	SQ5	3.0L V6 2995cc		1AM940800A	800	24 Months
2017-2016	Audi	SQ5	3.0L V6 2995cc		BB0H7730AB	730	36 Months
2017-2016	Audi	SQ5	3.0L V6 2995cc		BBEH7680AA	680	36 Months
2006-2000	Audi	TT	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006-2000	Audi	TT	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2008	Audi	TT	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2010-2007	Audi	TT	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood under fuse box.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
2005-2004	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
2005-2004	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005-2004	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 650; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2006-2000	Audi	TT Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006-2000	Audi	TT Quattro	1.8L L4 1781cc	Battery gasses need to be vented to outside.; Hold-down modifications may be necessary.; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2009-2006	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2009-2006	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.; See the vehicle owner's manual for safe and proper battery installation.	BBOH7730AB	730	36 Months
2009-2006	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2009-2008	Audi	TT Quattro	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010-2009	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood under fuse box.; See the vehicle owner's manual for safe and proper battery installation.	BBOH5500AB	500	36 Months
2013-2010	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013-2011	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBOH5500AB	500	36 Months
2013-2012	Audi	TT Quattro	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBOH5500AB	500	36 Months
2013-2012	Audi	TT Quattro	2.5L L5 2480cc 151 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH5500AB	500	36 Months
2014	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Audi	TT Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months
2015	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2015-2014	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1N; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0B; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0R Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1U Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J0R; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017-2016	Audi	TT Quattro	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1U; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1959	Austin	A35	0.9L L4 948cc 58 CID		1AM024700B	700	24 Months
1962-1961,1958	Austin	A40	0.9L L4 948cc 58 CID		1AM024700B	700	24 Months
1961-1955	Austin	Cambridge	1.5L L4 1489cc 91 CID		1AM024700B	700	24 Months
1964-1962	Austin	Cambridge	1.6L L4 1622cc 99 CID		1AM024700B	700	24 Months
1964	Austin	Mini Cooper	1.1L L4 1071cc 65 CID		1AM024700B	700	24 Months
1969-1962	Austin	Mini Cooper	1.0L L4 997cc 61 CID		1AM024700B	700	24 Months
1969-1962	Austin	Mini Cooper	1.0L L4 998cc 61 CID		1AM024700B	700	24 Months
1969-1964	Austin	Mini Cooper	1.0L L4 970cc 59 CID		1AM024700B	700	24 Months
1969-1964	Austin	Mini Cooper	1.3L L4 1275cc 78 CID		1AM024700B	700	24 Months
1957	Austin Healey	100	2.7L L4 2660cc 162 CID		1AM024700B	700	24 Months
1960-1956	Austin Healey	100-6	2.6L L6 2639cc 161 CID		1AM024700B	700	24 Months
1967-1959	Austin Healey	3000	2.9L L6 2912cc 178 CID	4-Seater;	1AM024700B	700	24 Months
1960-1958	Austin Healey	Sprite	0.9L L4 948cc 58 CID	4-Seater;	1AM024700B	700	24 Months
1961	Austin Healey	Sprite	0.9L L4 948cc 58 CID		1AM024700B	700	24 Months
1962	Austin Healey	Sprite	1.0L L4 1000cc 58 CID	New cables may be required.	1AM024700B	700	24 Months
1966	Austin Healey	Sprite	1.3L L4 1275cc 78 CID	New cables may be required.	1AM024700B	700	24 Months
1966-1963	Austin Healey	Sprite	1.1L L4 1098cc 67 CID	New cables may be required.	1AM024700B	700	24 Months
1967,1962	Austin Healey	Sprite	1.1L L4 1098cc 67 CID		1AM024700B	700	24 Months
1970-1967	Austin Healey	Sprite	1.3L L4 1275cc 78 CID		1AM024700B	700	24 Months
1986	Autocar	AT	10.5L -6 638 CID		1AM024700B	700	24 Months
1986	Autocar	AT	18.0L V8 18013cc 1099 CID		1AM024700B	700	24 Months
1986-1983	Autocar	AT	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1986-1983	Autocar	AT	14.6L L6 14636cc 893 CID		1AM024700B	700	24 Months
1985	Autocar	DK	18.0L V8 18013cc 1099 CID		1AM024700B	700	24 Months
1986	Autocar	DK	10.0L L6 10014cc 611 CID		1AM024700B	700	24 Months
1986-1983	Autocar	DK	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1986-1983	Autocar	DK	14.6L L6 14636cc 893 CID		1AM024700B	700	24 Months
1986-1984	Autocar	DK	10.5L -6 638 CID		1AM024700B	700	24 Months
1986-1985	Autocar	DK	-L --		1AM024700B	700	24 Months
1984-1983	Autocar	S	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
2007-2005	Avanti	Avanti	4.6L V8 281 CID		1AM960590A	590	24 Months
2003	Bentley	Continental	6.0L W12 5998cc 366 CID		1AM024700B	700	24 Months
2003-1989	Bentley	Continental	6.8L V8 6750cc 412 CID		1AM024700B	700	24 Months
2013	Bentley	Continental	4.0L V8 3993cc 244 CID	Auxiliary Battery - Left Side; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2013	Bentley	Continental	6.0L W12 5998cc 366 CID	Auxiliary Battery - Left Side; Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
2014-2009	Bentley	Continental	6.0L W12 5998cc 366 CID	Auxiliary Battery - Left Side; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2013	Bentley	Continental	4.0L V8 3993cc 243 CID	Auxiliary Battery - Left Side; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2013	Bentley	Mulsanne	6.8L V8 6752cc 412 CID	Auxiliary Battery - Left Side; Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
2014-2011	Bentley	Mulsanne	6.8L V8 6748cc	Auxiliary Battery - Left Side; Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
1998-1989	Bentley	Turbo R	6.8L V8 6750cc 412 CID		1AM0H6770A	770	24 Months
2013	BMW	128i	3.0L L6 2996cc 183 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2013	BMW	128i	3.0L L6 2996cc 183 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2013	BMW	128i	3.0L L6 2996cc 183 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013-2008	BMW	135i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013-2008	BMW	135i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2013-2008	BMW	135i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2013-2008	BMW	135i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2008	BMW	135i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013	BMW	135is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1971-1969	BMW	1600	1.6L L4 1573cc 96 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	1600	1.6L L4 1573cc 96 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	1600-2	1.6L L4 1573cc 96 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	1600-2	1.6L L4 1573cc 96 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1968	BMW	1600ti	1.6L L4 1573cc	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	1600ti	1.6L L4 1573cc 96 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	1600ti	1.6L L4 1573cc	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1968	BMW	1600ti	1.6L L4 1573cc 96 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1968	BMW	1602	1.6L L4 1573cc	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	1602	1.6L L4 1573cc	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	1602	1.6L L4 1573cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	1602	1.6L L4 1573cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	1800	1.8L L4 1766cc 108 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	1800	1.8L L4 1766cc 108 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971	BMW	2.8 Bavaria	2.8L L6 2788cc	OE CCA: 255; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1970-1968	BMW	2000c	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1970-1968	BMW	2000c	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1968	BMW	2000cs	2.0L L4 1990cc 121 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	2000cs	2.0L L4 1990cc 121 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1970-1969	BMW	2000cs	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1970-1969	BMW	2000cs	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1968	BMW	2000ti	2.0L L4 1990cc 121 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	2000ti	2.0L L4 1990cc 121 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	2000ti	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	2000ti	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1972-1969	BMW	2000tii	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1972-1969	BMW	2000tii	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1968	BMW	2002ti	2.0L L4 1990cc 121 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	2002ti	2.0L L4 1990cc 121 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	2002ti	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	2002ti	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	2002tii	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	2002tii	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1973	BMW	2002tii	2.0L L4 1990cc 121 CID	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	BMW	2500	2.5L L6 2495cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1968	BMW	2500	2.5L L6 2495cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1962-1961	BMW	2600	2.6L V8 2580cc 157 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1962-1961	BMW	2600	2.6L V8 2580cc 157 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1974-1968	BMW	2800	2.8L L6 2788cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1968	BMW	2800	2.8L L6 2788cc 170 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1968	BMW	2800	2.8L L6 2788cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1968	BMW	2800	2.8L L6 2788cc 170 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1968	BMW	2800	2.8L L6 2788cc 170 CID	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1968	BMW	2800CS	2.8L L6 2788cc	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	2800CS	2.8L L6 2788cc 170 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1968	BMW	2800CS	2.8L L6 2788cc	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1968	BMW	2800CS	2.8L L6 2788cc 170 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	2800CS	2.8L L6 2788cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	2800CS	2.8L L6 2788cc 170 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971-1969	BMW	2800CS	2.8L L6 2788cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971-1969	BMW	2800CS	2.8L L6 2788cc 170 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0CS	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	3.0CS	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	3.0CS	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0CS	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0CS	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1974-1971	BMW	3.0CSi	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	3.0CSi	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	3.0CSi	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0CSi	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0CSi	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971	BMW	3.0CSL	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971	BMW	3.0CSL	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971	BMW	3.0CSL	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971	BMW	3.0CSL	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971	BMW	3.0CSL	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1974-1971	BMW	3.0S	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	3.0S	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1974-1971	BMW	3.0S	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0S	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1974-1971	BMW	3.0S	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971	BMW	3.0Si	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1971	BMW	3.0Si	3.0L L6 2985cc 182 CID	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1971	BMW	3.0Si	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1976-1975	BMW	3.0Si	3.0L L6 2985cc	OE CCA: 255; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1976-1975, 1971	BMW	3.0Si	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	1AM260575A	575	24 Months
1976-1975, 1971	BMW	3.0Si	3.0L L6 2985cc	See the vehicle owner's manual for safe and proper battery installation.	BB26R540AD	540	36 Months
1962-1961	BMW	3200	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1962-1961	BMW	3200	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1979-1977	BMW	320i	2.0L L4 1990cc 121 CID	See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1979-1977	BMW	320i	2.0L L4 1990cc 121 CID	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1980	BMW	320i	1.8L L4 1766cc 107 CID	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1982	BMW	320i	1.8L L4 1766cc 107 CID	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1983-1980	BMW	320i	1.8L L4 1766cc 107 CID	See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005-2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2005-2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2005-2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2005-2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2005-2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2001	BMW	320i	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2005-2002	BMW	320i	2.2L L6 2171cc 132 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2005-2002	BMW	320i	2.2L L6 2171cc 132 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2000	BMW	323Ci	2.5L L6 2494cc 152 CID; Coupe	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2000	BMW	323Ci	2.5L L6 2494cc 152 CID; Convertible	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2000	BMW	323Ci	2.5L L6 2494cc 152 CID; Convertible	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2000	BMW	323Ci	2.5L L6 2494cc 152 CID; Convertible	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2000	BMW	323Ci	2.5L L6 2494cc 152 CID; Convertible	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2000	BMW	323i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2001,1999	BMW	323i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2011-2006	BMW	323i	2.5L L6 2497cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1999	BMW	323is	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
1999	BMW	323ti	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2000	BMW	323ti	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
1986	BMW	325	2.7L L6 2693cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1986	BMW	325	2.7L L6 2693cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1987-1986	BMW	325	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1987-1986	BMW	325	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1987-1986	BMW	325	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2002-2001	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2002-2001	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005-2003	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Exc SULEV; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Exc SULEV; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2006-2003	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Exc. SULEV; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2006-2003	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Exc. SULEV; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2003	BMW	325Ci	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Exc. SULEV; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
1985-1984	BMW	325e	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
1985-1984	BMW	325e	2.7L L6 2693cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987-1986	BMW	325e	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1987-1986	BMW	325e	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1987-1986	BMW	325e	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1987-1986	BMW	325e	2.7L L6 2693cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987-1986	BMW	325e	2.7L L6 2693cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1987-1986	BMW	325es	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1987-1986	BMW	325es	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1987-1986	BMW	325es	2.7L L6 2693cc	See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1987-1986	BMW	325es	2.7L L6 2693cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987-1986	BMW	325es	2.7L L6 2693cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1987	BMW	325i	2.5L L6 2494cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1987	BMW	325i	2.5L L6 2494cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1987	BMW	325i	2.5L L6 2494cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1987	BMW	325i	2.5L L6 2494cc 152 CID	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987	BMW	325i	2.5L L6 2494cc 152 CID	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1989-1988	BMW	325i	2.5L L6 2494cc 152 CID; Convertible	See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
2001	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2001	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2001	BMW	325i	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2001	BMW	325i	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2001	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2003-2002	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2003-2002	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2003-2002	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003-2002	BMW	325i	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Exc SULEV Opt; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2003-2002	BMW	325i	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Exc SULEV; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Engine Code 52; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; M54 Desig.	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; M54 Desig.	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM94800A	800	24 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Engine Code 52; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Engine Code 52; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Engine Code 52; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; M54 Desig.	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Engine Code 52; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; M54 Desig.	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; N52 Desig.	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Eng. Code N52 Opt; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; M54 Desig.	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Eng. Code N52 Opt; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID; M54 Desig.	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005-2004	BMW	325i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Engine Code 52; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	BMW	325i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2006	BMW	325i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2006	BMW	325i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006	BMW	325i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1987	BMW	325is	2.5L L6 2494cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1987	BMW	325is	2.5L L6 2494cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1987	BMW	325is	2.5L L6 2494cc 152 CID	See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1987	BMW	325is	2.5L L6 2494cc 152 CID	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987	BMW	325is	2.5L L6 2494cc 152 CID	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2003-2001	BMW	325xi	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2003-2001	BMW	325xi	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004	BMW	325xi	2.5L L6 2494cc 152 CID; M54 Desig.	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2004	BMW	325xi	2.5L L6 2494cc 152 CID; M54 Desig.	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005	BMW	325xi	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Eng. Code N52; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2005	BMW	325xi	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Eng. Code N52 Opt; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005	BMW	325xi	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; Eng. Code N52 Opt; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2001	BMW	325xi	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2005-2001	BMW	325xi	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2001	BMW	325xi	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2001	BMW	325xi	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006	BMW	325xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2000	BMW	328Ci	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
1999	BMW	328i	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2000	BMW	328i	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2012	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH7680AA	680	36 Months
2013	BMW	328i	3.0L L6 2979cc 182 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2007	BMW	328i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2009	BMW	328i xDrive	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008-2007	BMW	328xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2005-2001	BMW	330Ci	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2002	BMW	330Ci	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2002	BMW	330Ci	3.0L L6 2979cc	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005-2002	BMW	330Ci	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006	BMW	330Ci	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006	BMW	330Ci	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006	BMW	330Ci	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006	BMW	330Ci	3.0L L6 2979cc	Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2005-2001	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2002	BMW	330i	3.0L L6 2979cc	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006	BMW	330i	3.0L L6 2996cc	Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006	BMW	330i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006-2002	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2002	BMW	330i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005-2001	BMW	330xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2002	BMW	330xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2002	BMW	330xi	3.0L L6 2979cc	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2005-2002	BMW	330xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006	BMW	330xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006	BMW	330xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006	BMW	330xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006	BMW	330xi	3.0L L6 2996cc	Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2006	BMW	330xi	3.0L L6 2996cc	Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 49; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2010-2009	BMW	335d	3.0L L6 2993cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2011	BMW	335d	3.0L L6 2993cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2011	BMW	335d	3.0L L6 2993cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2011	BMW	335d	3.0L L6 2993cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2011-2009	BMW	335d	3.0L L6 2993cc	Battery Located in Trunk; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2011-2009	BMW	335d	3.0L L6 2993cc	Battery Located in Trunk; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2011-2009	BMW	335d	3.0L L6 2993cc	Battery Located in Trunk; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2013-2009	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013-2011	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2013-2011	BMW	335i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2011	BMW	335is	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2008-2007	BMW	335xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1960-1958	BMW	501	2.6L V8 2580cc 157 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1960-1958	BMW	501	2.6L V8 2580cc 157 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1961-1958	BMW	502	2.6L V8 2580cc 157 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1961-1958	BMW	502	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1961-1958	BMW	502	2.6L V8 2580cc 157 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1961-1958	BMW	502	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1960-1958	BMW	503	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1960-1958	BMW	503	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1960-1958	BMW	507	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM035550A	550	24 Months
1960-1958	BMW	507	3.2L V8 3168cc 193 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1986-1985	BMW	524td	2.4L L6 2443cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-2002	BMW	525i	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2003-2002	BMW	525i	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004-2001	BMW	525i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2004-2002	BMW	525i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2005	BMW	525i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2002	BMW	525i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2002	BMW	525i	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005-2004	BMW	525i	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2005-2004	BMW	525i	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2006	BMW	525i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2007-2006	BMW	525i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2007	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2007	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2007	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2007-2006	BMW	525xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1985-1982	BMW	528e	2.7L L6 2693cc	Installation may take up to 30 minutes.; Manufacturers recommended replacement battery shown, may vary from OE battery.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
1985-1982	BMW	528e	2.7L L6 2693cc	Installation may take up to 30 minutes.; Manufacturers recommended replacement battery shown, may vary from OE battery.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1985-1982	BMW	528e	2.7L L6 2693cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1986	BMW	528e	2.7L L6 2693cc	Installation may take up to 30 minutes.; Manufacturers recommended replacement battery shown, may vary from OE battery.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1986	BMW	528e	2.7L L6 2693cc	Installation may take up to 30 minutes.; Manufacturers recommended replacement battery shown, may vary from OE battery.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1986	BMW	528e	2.7L L6 2693cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1986	BMW	528e	2.7L L6 2693cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1987-1986	BMW	528e	2.7L L6 2693cc	Installation may take up to 30 minutes.; Manufacturers recommended replacement battery shown, may vary from OE battery.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1981	BMW	528i	2.8L L6 2788cc	Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1981-1979	BMW	528i	2.8L L6 2788cc	Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1981-1979	BMW	528i	2.8L L6 2788cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1999-1997	BMW	528i	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2000	BMW	528i	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009-2008	BMW	528i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009-2008	BMW	528i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2009-2008	BMW	528i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2009-2008	BMW	528i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2009-2008	BMW	528i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2009-2008	BMW	528i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2011	BMW	528i	3.0L L6 2979cc 182 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	BMW	528i	3.0L L6 2996cc 183 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011	BMW	528i	4.4L V8 4395cc 268 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2011-2010	BMW	528i	3.0L L6 2996cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2009	BMW	528i xDrive	3.0L L6 2996cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2009	BMW	528i xDrive	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2009	BMW	528i xDrive	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2009	BMW	528i xDrive	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2009	BMW	528i xDrive	3.0L L6 2996cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2010-2009	BMW	528i xDrive	3.0L L6 2996cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	BMW	528xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	BMW	528xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	BMW	528xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2008	BMW	528xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2008	BMW	528xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2008	BMW	528xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1978-1975	BMW	530i	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2001	BMW	530i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH8800AC	800	36 Months
2003-2001	BMW	530i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2003-2002	BMW	530i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2003-2002	BMW	530i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2005-2001	BMW	530i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2005-2001	BMW	530i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2005-2002	BMW	530i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months
2005-2004	BMW	530i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2005-2004	BMW	530i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2005-2004	BMW	530i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2007-2006	BMW	530i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2006	BMW	530i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months
2007-2006	BMW	530i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2007-2006	BMW	530i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2007-2006	BMW	530i	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2007-2006	BMW	530i	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2006	BMW	530xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2007-2006	BMW	530xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2007-2006	BMW	530xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2007-2006	BMW	530xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2007-2006	BMW	530xi	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2007-2006	BMW	530xi	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1984-1983	BMW	533i	3.2L L6 3210cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
1984-1983	BMW	533i	3.2L L6 3210cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1984-1983	BMW	533i	3.2L L6 3210cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2014	BMW	535d	3.0L L6 2993cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2014	BMW	535d xDrive	3.0L L6 2993cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
1987-1985	BMW	535i	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008	BMW	535i	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2010-2008	BMW	535i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2010-2008	BMW	535i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2010-2008	BMW	535i	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010-2009	BMW	535i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2009	BMW	535i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2010-2009	BMW	535i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2009	BMW	535i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	535i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	535i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	535i GT	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	535i GT xDrive	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2010-2009	BMW	535i xDrive	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2012-2011	BMW	535i xDrive	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	535i xDrive	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	535i xDrive	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2008	BMW	535xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008	BMW	535xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	BMW	535xi	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2008	BMW	535xi	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2008	BMW	535xi	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2008	BMW	535xi	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1999-1997	BMW	540i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2003-2000	BMW	540i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2003-2002	BMW	540i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH8800AC	800	36 Months
2003-2002	BMW	540i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2003-2002	BMW	540i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017	BMW	540i	3.0L L6 2998cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	BMW	540i	3.0L L6 2998cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	BMW	540i xDrive	3.0L L6 2998cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	BMW	540i xDrive	3.0L L6 2998cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2004	BMW	545i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2004	BMW	545i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004	BMW	545i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2005	BMW	545i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2005	BMW	545i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2005	BMW	545i	4.4L V8 4398cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2005-2004	BMW	545i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006-2005	BMW	545i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2006-2005	BMW	545i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH7730AB	730	36 Months
2006-2005	BMW	545i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2006	BMW	550i	4.8L V8 4799cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009-2006	BMW	550i	4.8L V8 4799cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2009-2006	BMW	550i	4.8L V8 4799cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 64R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2010-2006	BMW	550i	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2011	BMW	550i	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	550i	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	550i GT	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2010	BMW	550i GT xDrive	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	550i xDrive	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	550i xDrive	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
1978-1977	BMW	630CSI	3.0L L6 2985cc	Best-fit estimate, check clearance and polarity before connecting cables.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1978-1977	BMW	630CSI	3.0L L6 2985cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1980-1978	BMW	633CSI	3.2L L6 3210cc	OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1983-1981	BMW	633CSI	3.2L L6 3210cc	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1984-1978	BMW	633CSI	3.2L L6 3210cc	Manufacturers recommended replacement battery shown, may vary from OE battery.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1985	BMW	635CSI	3.5L L6 3430cc	Manufacturers recommended replacement battery shown, may vary from OE battery.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1986	BMW	635CSI	3.5L L6 3430cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1986	BMW	635CSI	3.5L L6 3430cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1987-1986	BMW	635CSI	3.5L L6 3430cc	Manufacturers recommended replacement battery shown, may vary from OE battery.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2012	BMW	640i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	640i	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	640i Gran Coupe	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	640i Gran Coupe	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014	BMW	640i xDrive	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	640i xDrive	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014	BMW	640i xDrive Gran Coupe	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	640i xDrive Gran Coupe	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2005-2004	BMW	645Ci	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2005-2004	BMW	645Ci	4.4L V8 4398cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2009-2006	BMW	650Ci	4.8L V8 4799cc	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2009-2006	BMW	650Ci	4.8L V8 4799cc	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2009-2006	BMW	650Ci	4.8L V8 4799cc	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2007-2006	BMW	650i	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2010-2006	BMW	650i	4.8L V8 4837cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2012	BMW	650i	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	650i	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	BMW	650i	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	650i Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	650i Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2012	BMW	650i xDrive	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	650i xDrive	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2013	BMW	650i xDrive Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	650i xDrive Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
1980-1978	BMW	733i	3.2L L6 3210cc	Battery located in trunk. Spare tire may have to be removed; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1983	BMW	733i	3.2L L6 3210cc	Battery located in trunk. Spare tire may have to be removed; Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; Check clearance before connecting cables.; OE CCA: 370; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1984-1983	BMW	733i	3.2L L6 3210cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
1984-1983	BMW	733i	3.2L L6 3210cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1985	BMW	735i	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
1985	BMW	735i	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0T5590AB	590	36 Months
1986	BMW	735i	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1986	BMW	735i	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1986	BMW	735i	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1995	BMW	740i	4.0L V8 3982cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
1999-1997	BMW	740i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2001	BMW	740i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2001-2000	BMW	740i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	BMW	740i	3.0L L6 2998cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	BMW	740i xDrive	3.0L L6 2998cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
1995	BMW	740iL	4.0L V8 3982cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
1999-1996	BMW	740iL	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2001	BMW	740iL	4.4L V8 4398cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2001-2000	BMW	740iL	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2002	BMW	745i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2003	BMW	745i	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2003-2002	BMW	745i	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2002	BMW	745Li	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2002	BMW	745Li	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 95R; OE battery is AGM; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2003	BMW	745Li	4.4L V8 4398cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset and battery registered using scan tool	BBAH9850AA	850	36 Months
2003-2002	BMW	745Li	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1998-1995	BMW	750iL	5.4L V12 5379cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
1999	BMW	750iL	5.4L V12 5379cc	Auxiliary Battery; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1999	BMW	750iL	5.4L V12 5379cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Starting Battery	1AM0H9950A	950	24 Months
2000	BMW	750iL	5.4L V12 5379cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2001	BMW	750iL	5.4L V12 5379cc	Auxiliary Battery; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2001	BMW	750iL	5.4L V12 5379cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Starting Battery; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2001	BMW	750iL	5.4L V12 5379cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2001,1999	BMW	750iL	5.4L V12 5379cc	Auxiliary Battery; Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008-2006	BMW	750Li	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2006	BMW	760i	6.0L V12 5972cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006	BMW	760i	6.0L V12 5972cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2006	BMW	760i	6.0L V12 5972cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2006	BMW	760i	6.0L V12 5972cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2008-2006	BMW	760Li	6.0L V12 5972cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008-2006	BMW	760Li	6.0L V12 5972cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008-2006	BMW	760Li	6.0L V12 5972cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset and battery registered using scan tool	BBAH8800AB	800	36 Months
2008-2006	BMW	760Li	6.0L V12 5972cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2012	BMW	ActiveHybrid 5	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Installation may take up to 45 minutes.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	ActiveHybrid 5	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016	BMW	Alpina B6 Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2015	BMW	Alpina B6 xDrive Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2008-2007	BMW	Alpina B7	4.4L V8 4398cc	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2008-2007	BMW	Alpina B7	4.4L V8 4398cc	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2008-2007	BMW	Alpina B7	4.4L V8 4398cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2008-2007	BMW	Alpina B7	4.4L V8 4398cc	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
1974-1972	BMW	Bavaria	2.8L L6 2788cc 170 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1972	BMW	Bavaria	3.0L L6 2985cc	OE CCA: 255; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1974-1972	BMW	Bavaria	3.0L L6 2985cc 182 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1960-1958	BMW	Isetta	0.6L H2 582cc 36 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM03550AA	550	24 Months
1960-1958	BMW	Isetta	0.6L H2 582cc 36 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1962-1958	BMW	Isetta	0.3L L1 298cc 18 CID	Connectors may need to be modified or replaced.; See the vehicle owner's manual for safe and proper battery installation.	1AM03550AA	550	24 Months
1962-1958	BMW	Isetta	0.3L L1 298cc 18 CID	Connectors may need to be modified or replaced.; See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1962-1959	BMW	Isetta	0.7L H2 697cc 43 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM03550AA	550	24 Months
1962-1959	BMW	Isetta	0.7L H2 697cc 43 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM035500A	500	18 Months
1987	BMW	L6	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1987	BMW	L6	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1987	BMW	L6	3.5L L6 3430cc	Best-fit estimate, check clearance and polarity before connecting cables.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1987	BMW	L6	3.5L L6 3430cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987	BMW	L6	3.5L L6 3430cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1986	BMW	L7	3.5L L6 3430cc	Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1986	BMW	L7	3.5L L6 3430cc	Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
1986	BMW	L7	3.5L L6 3430cc	Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
1986	BMW	L7	3.5L L6 3430cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1986	BMW	L7	3.5L L6 3430cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2002	BMW	M3	3.2L L6 3246cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 640; OE Group: 94R;	BBAH7700AA	700	36 Months
2006	BMW	M3	3.2L L6 3246cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2001	BMW	M3	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2006-2002	BMW	M3	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2002	BMW	M3	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2011	BMW	M3	4.0L V8 3999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011	BMW	M3	4.0L V8 3999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2011	BMW	M3	4.0L V8 3999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2013-2008	BMW	M3	4.0L V8 3999cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2013-2012,2010-2008	BMW	M3	4.0L V8 3999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013-2012,2010-2008	BMW	M3	4.0L V8 3999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013-2012,2010-2008	BMW	M3	4.0L V8 3999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2002-2001	BMW	M5	5.0L V8 4941cc	Battery gasses need to be vented to outside.; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2003	BMW	M5	5.0L V8 4941cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2003-2000	BMW	M5	4.9L V8 4941cc 302 CID	Battery is vented to outside of vehicle.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2003-2000	BMW	M5	5.0L V8 4941cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2006	BMW	M5	5.0L V10 4999cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2006	BMW	M5	5.0L V10 4999cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2010-2006	BMW	M5	5.0L V10 4999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2010-2006	BMW	M5	5.0L V10 4999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2006	BMW	M5	5.0L V10 4999cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2010-2006	BMW	M5	5.0L V10 4999cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2012	BMW	M5	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	M5	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2012	BMW	M6	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	M6	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	BMW	M6	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014	BMW	M6 Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	M6 Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	BMW	M6 Gran Coupe	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2013	BMW	X1	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2014-2013	BMW	X1	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015	BMW	X1	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	BMW	X1	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset and battery registered using scan tool	BBAH7700AA	700	36 Months
2015-2013	BMW	X1	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	BMW	X1	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015-2013	BMW	X1	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2013	BMW	X1	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2013	BMW	X1	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015-2013	BMW	X1	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Best performance estimate.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2005-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2005-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2005-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2006-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006-2004	BMW	X3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2009-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2009-2004	BMW	X3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2010-2007	BMW	X3	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2011	BMW	X3	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	X3	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	BMW	X4	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; OE manufacturer used various size batteries in production. Carefully size to fit.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2002	BMW	X5	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2002	BMW	X5	3.0L L6 2979cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2002	BMW	X5	4.6L V8 4598cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2002	BMW	X5	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2003	BMW	X5	4.4L V8 4398cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003	BMW	X5	4.6L V8 4598cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-2002	BMW	X5	4.6L V8 4598cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003-2002	BMW	X5	4.6L V8 4598cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2003-2002	BMW	X5	4.6L V8 4598cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2004	BMW	X5	4.8L V8 4837cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2004	BMW	X5	4.8L V8 4837cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2004,2002	BMW	X5	4.4L V8 4398cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2004-2002	BMW	X5	3.0L L6 2979cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005	BMW	X5	3.0L L6 2979cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006	BMW	X5	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006	BMW	X5	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Installation may take over 30 mins.; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2000	BMW	X5	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006-2002	BMW	X5	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2002	BMW	X5	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2006-2002	BMW	X5	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2006-2002	BMW	X5	4.4L V8 4398cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006-2003,2001	BMW	X5	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2006-2004	BMW	X5	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2006-2004	BMW	X5	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2004	BMW	X5	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2006-2005	BMW	X5	4.8L V8 4799cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006-2005	BMW	X5	4.8L V8 4799cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2006-2005	BMW	X5	4.4L V8 4398cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006-2005	BMW	X5	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2006-2005	BMW	X5	4.4L V8 4398cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006-2005	BMW	X5	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2006-2005	BMW	X5	4.8L V8 4799cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2010	BMW	X5	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2009	BMW	X5	3.0L L6 2993cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010-2009	BMW	X5	3.0L L6 2996cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2012-2011	BMW	X5	4.4L V8 4395cc 268 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2013-2009	BMW	X5	3.0L L6 2993cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2013-2011	BMW	X5	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2013-2012,2010	BMW	X5	4.4L V8 4395cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2015-2011	BMW	X5	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2011	BMW	X5	3.0L L6 2993cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015-2011	BMW	X5	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; OE manufacturer used various size batteries in production. Carefully size to fit.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	BMW	X5	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	BMW	X5	3.0L L6 2993cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2016	BMW	X5	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2010	BMW	X6	4.4L V8 4395cc; GAS	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2014	BMW	X6	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2014-2008	BMW	X6	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2014-2008	BMW	X6	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in rear.; See owner's manual for battery location.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016-2015	BMW	X6	3.0L L6 2979cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016-2015	BMW	X6	4.4L V8 4395cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017-2011,2009-2008	BMW	X6	4.4L V8 4395cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
2017-2015,2013-2008	BMW	X6	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset and battery registered using scan tool	BBAH6650AA	650	36 Months
1998-1996	BMW	Z3	1.9L L4 1895cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1999	BMW	Z3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1999-1996	BMW	Z3	1.9L L4 1895cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1999-1997	BMW	Z3	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
1999-1998	BMW	Z3	3.2L L6 3152cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2000	BMW	Z3	2.0L L6 1990cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2000	BMW	Z3	2.8L L6 2793cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2000	BMW	Z3	3.2L L6 3152cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2000-1997	BMW	Z3	2.8L L6 2793cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2000-1998	BMW	Z3	3.2L L6 3152cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001	BMW	Z3	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001	BMW	Z3	3.2L L6 3246cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001-1999	BMW	Z3	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	BMW	Z3	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2002	BMW	Z3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2002	BMW	Z3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2002	BMW	Z3	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2002	BMW	Z3	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2002	BMW	Z3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2002	BMW	Z3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2002	BMW	Z3	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2002	BMW	Z3	2.5L L6 2494cc 152 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	BMW	Z3	3.0L L6 2979cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	BMW	Z3	3.2L L6 3246cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2000	BMW	Z3	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2002-2001	BMW	Z3	2.2L L6 2171cc 132 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2002-2001	BMW	Z3	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2002-2001	BMW	Z3	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2003	BMW	Z4	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2003	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Telematics; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2003	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2005-2003	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Telematics; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Exc Telematics; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005-2003	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Telematics; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Telematics; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2004	BMW	Z4	3.0L L6 2979cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Telematics; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Exc Telematics; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005-2004	BMW	Z4	3.0L L6 2979cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Exc Telematics; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Exc Telematics; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120; Telematics	BBAH7700AA	700	36 Months
2005-2004	BMW	Z4	2.5L L6 2494cc 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Telematics; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2008-2006	BMW	Z4	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2008-2006	BMW	Z4	3.2L L6 3246cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2008-2006	BMW	Z4	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2008-2006	BMW	Z4	3.2L L6 3246cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2008-2006	BMW	Z4	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008-2006	BMW	Z4	3.0L L6 2996cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2002	BMW	Z8	5.0L V8 4941cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 720; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003	BMW	Z8	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2003	BMW	Z8	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2003	BMW	Z8	4.8L V8 4837cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003	BMW	Z8	5.0L V8 4941cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003	BMW	Z8	4.8L V8 4837cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2003-2000	BMW	Z8	5.0L V8 4941cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2003-2001	BMW	Z8	4.9L V8 4941cc 302 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2003-2001	BMW	Z8	4.9L V8 4941cc 302 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2003-2001	BMW	Z8	4.9L V8 4941cc 302 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2003-2002	BMW	Z8	5.0L V8 4941cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003-2002	BMW	Z8	5.0L V8 4941cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2010-2008	Bobcat	2100 (Gas)	-L -- 400cc		1AM075700A	700	24 Months
2009-2008	Bobcat	2200G (Gas)	-L -- 675cc		1AM075700A	700	24 Months
2010	Bobcat	2200G (Gas)	-L -- 719cc		1AM075700A	700	24 Months
2009-2008	Bobcat	2200S (Diesel)	-L -- 719cc		1AM075700A	700	24 Months
2010,2008	Bobcat	2200SG (Gas)	-L -- 680cc		1AM075700A	700	24 Months
2008	Bobcat	2300	-L -- 680cc		1AM075700A	700	24 Months
2010-2009	Bobcat	2300	-L -- 719cc		1AM075700A	700	24 Months
2012-2008	Bobcat	Toolcat 5600	-L --		1AM024700B	700	24 Months
2012-2008	Bobcat	Toolcat 5610	-L --		1AM024700B	700	24 Months
2010	Buick	Allure	3.0L V6 182 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010	Buick	Allure	3.0L V6 182 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2010	Buick	Allure	3.0L V6 182 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1974-1973	Buick	Apollo	5.7L V8 350 CID		1AM024700B	700	24 Months
1974-1973	Buick	Apollo	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1974-1973	Buick	Apollo	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1973	Buick	Apollo	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1975	Buick	Apollo	4.3L V8 260 CID		1AM075700A	700	24 Months
1975	Buick	Apollo	5.7L V8 350 CID		1AM075700A	700	24 Months
1975	Buick	Apollo	4.1L L6 250 CID		BB078800AB	800	36 Months
1975	Buick	Apollo	4.3L V8 260 CID		BB078800AB	800	36 Months
1975	Buick	Apollo	5.7L V8 350 CID		BB078800AB	800	36 Months
1975-1973	Buick	Apollo	4.1L L6 250 CID		1AM075700A	700	24 Months
1973	Buick	Centurion	5.7L V8 350 CID		1AM075700A	700	24 Months
1973	Buick	Centurion	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1973	Buick	Centurion	5.7L V8 350 CID		BB078800AB	800	36 Months
1973	Buick	Centurion	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1973-1971	Buick	Centurion	7.5L V8 455 CID		1AM075700A	700	24 Months
1973-1971	Buick	Centurion	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1973-1971	Buick	Centurion	7.5L V8 455 CID		BB078800AB	800	36 Months
1973-1971	Buick	Centurion	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1956-1955	Buick	Century	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1958-1957	Buick	Century	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
1974-1973	Buick	Century	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	Buick	Century	7.5L V8 455 CID		1AM075700A	700	24 Months
1974-1973	Buick	Century	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1973	Buick	Century	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1973	Buick	Century	7.5L V8 455 CID		BB078800AB	800	36 Months
1974-1973	Buick	Century	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1977	Buick	Century	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Buick	Century	6.6L V8 403 CID		BB078800AB	800	36 Months
1977-1976	Buick	Century	3.8L V6 231 CID		BB078800AB	800	36 Months
1979,1977-1975	Buick	Century	3.8L V6 231 CID		1AM075700A	700	24 Months
1979-1978	Buick	Century	3.2L V6 196 CID		1AM075700A	700	24 Months
1980-1979	Buick	Century	4.9L V8 301 CID		1AM075700A	700	24 Months
1980-1979	Buick	Century	4.9L V8 301 CID		BB078800AB	800	36 Months
1981	Buick	Century	4.4L V8 267 CID		1AM075700A	700	24 Months
1981	Buick	Century	4.4L V8 267 CID		BB078800AB	800	36 Months
1981,1979,1977-1973	Buick	Century	5.7L V8 350 CID		BB078800AB	800	36 Months
1981,1979-1973	Buick	Century	5.7L V8 350 CID		1AM075700A	700	24 Months
1981-1977	Buick	Century	5.0L V8 305 CID		1AM075700A	700	24 Months
1981-1977	Buick	Century	5.0L V8 305 CID		BB078800AB	800	36 Months
1981-1980	Buick	Century	4.3L V8 265 CID		1AM075700A	700	24 Months
1981-1980	Buick	Century	4.3L V8 265 CID		BB078800AB	800	36 Months
1983-1982	Buick	Century	4.3L V6 260 CID		1AM075700A	700	24 Months
1983-1982	Buick	Century	4.3L V6 260 CID		BB078800AB	800	36 Months
1985	Buick	Century	3.0L V6 181 CID		BB078800AB	800	36 Months
1985-1982	Buick	Century	3.0L V6 181 CID		1AM075700A	700	24 Months
1986-1984,1981-1980	Buick	Century	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1988-1982	Buick	Century	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1988-1982	Buick	Century	2.8L V6 173 CID		1AM075700A	700	24 Months
1988-1984,1981-1978	Buick	Century	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1989	Buick	Century	2.8L V6 173 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1992-1989	Buick	Century	2.5L L4 2474cc 151 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1993-1989	Buick	Century	3.3L V6 204 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1996-1993	Buick	Century	2.2L L4 2190cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1996-1995	Buick	Century	3.1L V6 3097cc 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-1994	Buick	Century	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-1997	Buick	Century	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1991	Buick	Commercial Chassis	5.0L V8 305 CID		1AM075700A	700	24 Months
1991	Buick	Commercial Chassis	5.0L V8 305 CID		BB078800AB	800	36 Months
1996-1992	Buick	Commercial Chassis	5.7L V8 350 CID		1AM075700A	700	24 Months
1996-1992	Buick	Commercial Chassis	5.7L V8 350 CID		BB078800AB	800	36 Months
1966	Buick	Electra	6.6L V8 401 CID		1AM024700B	700	24 Months
1966	Buick	Electra	7.0L V8 425 CID		1AM024700B	700	24 Months
1966-1959	Buick	Electra	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1966-1964	Buick	Electra	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1969-1967	Buick	Electra	7.0L V8 430 CID		1AM024700B	700	24 Months
1969-1967	Buick	Electra	7.0L V8 7047cc 430 CID		1AM024700B	700	24 Months
1970	Buick	Electra	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Buick	Electra	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Buick	Electra	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Buick	Electra	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1971	Buick	Electra	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1971	Buick	Electra	7.5L V8 455 CID		BB078800AB	800	36 Months
1979-1977	Buick	Electra	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Buick	Electra	6.6L V8 403 CID		BB078800AB	800	36 Months
1980	Buick	Electra	4.9L V8 301 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1980	Buick	Electra	4.9L V8 301 CID		BB078800AB	800	36 Months
1984-1980	Buick	Electra	4.1L V6 252 CID		1AM075700A	700	24 Months
1984-1983,1980	Buick	Electra	4.1L V6 252 CID		BB078800AB	800	36 Months
1985	Buick	Electra	3.0L V6 181 CID		1AM075700A	700	24 Months
1985	Buick	Electra	3.0L V6 181 CID		BB078800AB	800	36 Months
1985-1976	Buick	Electra	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1976	Buick	Electra	5.7L V8 350 CID		BB078800AB	800	36 Months
1987-1983,1981	Buick	Electra	5.0L V8 307 CID		BB078800AB	800	36 Months
1989-1981	Buick	Electra	5.0L V8 307 CID		1AM075700A	700	24 Months
1990-1985	Buick	Electra	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1990-1988,1985	Buick	Electra	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
2015-2011	Buick	Enclave	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	1AM0H6770A	770	24 Months
2013	Buick	Encore	1.4L L4 1364cc 83 CID	Battery gasses need to be vented to outside.; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2014	Buick	Encore	1.4L L4 1364cc 83 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017-2016	Buick	Encore	1.4L L4 1364cc 83 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90; w/o Start Stop	BBAH5550AA	550	36 Months
2017-2016	Buick	Encore	1.4L L4 1399cc 85 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90; w/o Start Stop	BBAH5550AA	550	36 Months
1964	Buick	Estate Wagon	4.9L V8 4917cc 300 CID		1AM024700B	700	24 Months
1964	Buick	Estate Wagon	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1964-1963	Buick	Estate Wagon	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1970	Buick	Estate Wagon	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	Buick	Estate Wagon	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	Buick	Estate Wagon	7.5L V8 455 CID		1AM024700B	700	24 Months
1971-1970	Buick	Estate Wagon	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1973	Buick	Estate Wagon	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1973	Buick	Estate Wagon	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Buick	Estate Wagon	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Buick	Estate Wagon	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1972	Buick	Estate Wagon	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Buick	Estate Wagon	7.5L V8 455 CID		BB078800AB	800	36 Months
1979-1977	Buick	Estate Wagon	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Buick	Estate Wagon	6.6L V8 403 CID		BB078800AB	800	36 Months
1980	Buick	Estate Wagon	4.9L V8 301 CID		1AM075700A	700	24 Months
1980	Buick	Estate Wagon	4.9L V8 301 CID		BB078800AB	800	36 Months
1983-1977,1973	Buick	Estate Wagon	5.7L V8 350 CID		1AM075700A	700	24 Months
1983-1977,1973	Buick	Estate Wagon	5.7L V8 350 CID		BB078800AB	800	36 Months
1983-1981	Buick	Estate Wagon	5.0L V8 307 CID		1AM075700A	700	24 Months
1983-1981	Buick	Estate Wagon	5.0L V8 307 CID		BB078800AB	800	36 Months
1966-1965	Buick	Gran Sport	6.6L V8 401 CID		1AM024700B	700	24 Months
1967	Buick	Gran Sport	5.6L V8 5573cc 340 CID		1AM024700B	700	24 Months
1967	Buick	Gran Sport	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Buick	GS	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	Buick	GS	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	Buick	GS	5.7L V8 350 CID		1AM075700A	700	24 Months
1972-1971	Buick	GS	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1972-1971	Buick	GS	5.7L V8 350 CID		BB078800AB	800	36 Months
1972-1971	Buick	GS	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1969-1968	Buick	GS 350	5.7L V8 350 CID		1AM024700B	700	24 Months
1969-1968	Buick	GS 350	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969-1968	Buick	GS 400	6.6L V8 400 CID		1AM024700B	700	24 Months
1969-1968	Buick	GS 400	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Buick	GS 455	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Buick	GS 455	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1972-1971	Buick	GS 455	7.5L V8 455 CID		1AM075700A	700	24 Months
1972-1971	Buick	GS 455	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1972-1971	Buick	GS 455	7.5L V8 455 CID		BB078800AB	800	36 Months
1972-1971	Buick	GS 455	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1963-1959	Buick	Invicta	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
2010	Buick	LaCrosse	3.0L V6 182 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010	Buick	LaCrosse	3.0L V6 182 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2010	Buick	LaCrosse	3.0L V6 182 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2010	Buick	LaCrosse	2.4L L4 2384cc 145 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011-2010	Buick	LaCrosse	2.4L L4 2384cc 145 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2010	Buick	LaCrosse	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2010	Buick	LaCrosse	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2010	Buick	LaCrosse	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2015-2014,2012	Buick	LaCrosse	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016,2013	Buick	LaCrosse	2.4L L4 2384cc 145 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1961-1959	Buick	LeSabre	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
1964	Buick	LeSabre	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1964-1960	Buick	LeSabre	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1965	Buick	LeSabre	4.9L V8 300 CID		1AM024700B	700	24 Months
1965-1964	Buick	LeSabre	4.9L V8 4917cc 300 CID		1AM024700B	700	24 Months
1967-1966	Buick	LeSabre	5.6L V8 340 CID		1AM024700B	700	24 Months
1967-1966	Buick	LeSabre	5.6L V8 5573cc 340 CID		1AM024700B	700	24 Months
1970	Buick	LeSabre	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Buick	LeSabre	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1970-1968	Buick	LeSabre	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1968	Buick	LeSabre	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1974-1971	Buick	LeSabre	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Buick	LeSabre	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Buick	LeSabre	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Buick	LeSabre	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1975	Buick	LeSabre	6.6L V8 400 CID		1AM075700A	700	24 Months
1976-1971	Buick	LeSabre	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1971	Buick	LeSabre	7.5L V8 455 CID		BB078800AB	800	36 Months
1977-1976	Buick	LeSabre	3.8L V6 231 CID		1AM075700A	700	24 Months
1978	Buick	LeSabre	5.0L V8 305 CID		1AM075700A	700	24 Months
1978	Buick	LeSabre	5.0L V8 305 CID		BB078800AB	800	36 Months
1978-1977	Buick	LeSabre	6.6L V8 403 CID		1AM075700A	700	24 Months
1978-1977	Buick	LeSabre	6.6L V8 403 CID		BB078800AB	800	36 Months
1980-1977	Buick	LeSabre	4.9L V8 301 CID		1AM075700A	700	24 Months
1980-1977	Buick	LeSabre	4.9L V8 301 CID		BB078800AB	800	36 Months
1982	Buick	LeSabre	4.4L V8 267 CID		1AM075700A	700	24 Months
1982	Buick	LeSabre	4.4L V8 267 CID		BB078800AB	800	36 Months
1984-1980	Buick	LeSabre	4.1L V6 252 CID		1AM075700A	700	24 Months
1984-1980	Buick	LeSabre	4.1L V6 252 CID		BB078800AB	800	36 Months
1985-1971	Buick	LeSabre	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1980,1977,1974-1971	Buick	LeSabre	5.7L V8 350 CID		BB078800AB	800	36 Months
1986	Buick	LeSabre	3.0L V6 181 CID		1AM075700A	700	24 Months
1990-1981	Buick	LeSabre	5.0L V8 307 CID		1AM075700A	700	24 Months
1990-1988,1985-1981	Buick	LeSabre	5.0L V8 307 CID		BB078800AB	800	36 Months
1994-1977	Buick	LeSabre	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1994-1988,1985-1981	Buick	LeSabre	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1999-1995	Buick	LeSabre	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1999-1995	Buick	LeSabre	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2005-2000	Buick	LeSabre	3.8L V6 3800cc 231 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat. Vent tube connections should go under the side terminals to reach the venting system.	BB078800AB	800	36 Months
1958	Buick	Limited	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
2008	Buick	Lucerne	3.8L V6 3800cc 231 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under rear seat.	1AM0H6770A	770	24 Months
2008	Buick	Lucerne	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under rear seat.	1AM0H6770A	770	24 Months
2011-2009	Buick	Lucerne	3.9L V6 3880cc 237 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under rear seat.	1AM940800A	800	24 Months
2011-2009	Buick	Lucerne	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under rear seat.	1AM940800A	800	24 Months
2011-2009	Buick	Lucerne	3.9L V6 3880cc 237 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under rear seat.	BB0H7730AB	730	36 Months
2011-2009	Buick	Lucerne	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under rear seat.	BB0H7730AB	730	36 Months
1979-1976	Buick	Opel	1.8L L4 1816cc		1AM024700B	700	24 Months
2002-1991	Buick	Park Avenue	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
2002-1991	Buick	Park Avenue	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
2007-2004	Buick	Rainier	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2007-2004	Buick	Rainier	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
1991-1988	Buick	Reatta	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1974-1973	Buick	Regal	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	Buick	Regal	7.5L V8 455 CID		1AM075700A	700	24 Months
1974-1973	Buick	Regal	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1973	Buick	Regal	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1973	Buick	Regal	7.5L V8 455 CID		BB078800AB	800	36 Months
1974-1973	Buick	Regal	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1979,1977-1975	Buick	Regal	3.8L V6 231 CID		1AM075700A	700	24 Months
1979,1977-1975	Buick	Regal	3.8L V6 231 CID		BB078800AB	800	36 Months
1979-1978	Buick	Regal	3.2L V6 196 CID		1AM075700A	700	24 Months
1980-1979	Buick	Regal	4.9L V8 301 CID		1AM075700A	700	24 Months
1980-1979	Buick	Regal	4.9L V8 301 CID		BB078800AB	800	36 Months
1981-1980	Buick	Regal	4.3L V8 265 CID		1AM075700A	700	24 Months
1981-1980	Buick	Regal	4.3L V8 265 CID		BB078800AB	800	36 Months
1982-1981	Buick	Regal	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1981	Buick	Regal	4.4L V8 267 CID		BB078800AB	800	36 Months
1983	Buick	Regal	4.1L V6 252 CID	w/Heated Back-lite	BB078800AB	800	36 Months
1983-1978	Buick	Regal	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1983-1981,1977-1973	Buick	Regal	5.7L V8 350 CID		BB078800AB	800	36 Months
1983-1982,1980-1977	Buick	Regal	5.0L V8 305 CID		BB078800AB	800	36 Months
1984,1982	Buick	Regal	4.1L V6 252 CID		BB078800AB	800	36 Months
1984-1982	Buick	Regal	4.1L V6 252 CID		1AM075700A	700	24 Months
1985,1983-1981,1977-1973	Buick	Regal	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1982	Buick	Regal	4.3L V6 260 CID		1AM075700A	700	24 Months
1985-1982	Buick	Regal	4.3L V6 260 CID		BB078800AB	800	36 Months
1987-1978	Buick	Regal	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1987-1982,1980-1977	Buick	Regal	5.0L V8 305 CID		1AM075700A	700	24 Months
1987-1986	Buick	Regal	5.0L V8 307 CID		1AM075700A	700	24 Months
1989	Buick	Regal	3.1L V6 189 CID		1AM075700A	700	24 Months
1989-1988	Buick	Regal	2.8L V6 173 CID		1AM075700A	700	24 Months
1995-1990	Buick	Regal	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM075700A	700	24 Months
1995-1990	Buick	Regal	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM075700A	700	24 Months
1996	Buick	Regal	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1996	Buick	Regal	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2004-1996	Buick	Regal	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2004-1996	Buick	Regal	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2011	Buick	Regal	2.4L L4 2384cc 145 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011	Buick	Regal	2.4L L4 2384cc 145 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011	Buick	Regal	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014	Buick	Regal	2.0L L4 1998cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014	Buick	Regal	2.0L L4 1998cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2015-2012	Buick	Regal	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Buick	Regal	2.4L L4 2384cc 145 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005-2002	Buick	Rendezvous	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
2007-2006	Buick	Rendezvous	3.5L V6 213 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
1965-1963	Buick	Riviera	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1966-1963	Buick	Riviera	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1966-1965	Buick	Riviera	7.0L V8 425 CID		1AM024700B	700	24 Months
1969-1967	Buick	Riviera	7.0L V8 7047cc 430 CID		1AM024700B	700	24 Months
1969-1968	Buick	Riviera	7.0L V8 430 CID		1AM024700B	700	24 Months
1970	Buick	Riviera	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Buick	Riviera	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Buick	Riviera	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Buick	Riviera	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1971	Buick	Riviera	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1971	Buick	Riviera	7.5L V8 455 CID		BB078800AB	800	36 Months
1978-1977	Buick	Riviera	6.6L V8 403 CID		1AM075700A	700	24 Months
1978-1977	Buick	Riviera	6.6L V8 403 CID		BB078800AB	800	36 Months
1984-1981	Buick	Riviera	4.1L V6 252 CID		1AM075700A	700	24 Months
1984-1981	Buick	Riviera	4.1L V6 252 CID		BB078800AB	800	36 Months
1985-1977	Buick	Riviera	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1979	Buick	Riviera	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1985-1980	Buick	Riviera	5.0L V8 307 CID		1AM075700A	700	24 Months
1985-1980	Buick	Riviera	5.0L V8 307 CID		BB078800AB	800	36 Months
1985-1980	Buick	Riviera	5.7L V8 350 CID		BB078800AB	800	36 Months
1993-1986, 1983-1981	Buick	Riviera	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1956-1955	Buick	Roadmaster	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1958-1957	Buick	Roadmaster	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
1991	Buick	Roadmaster	5.0L V8 305 CID		1AM075700A	700	24 Months
1994	Buick	Roadmaster	5.7L V8 350 CID; Sedan		1AM075700A	700	24 Months
1994-1993	Buick	Roadmaster	5.7L V8 350 CID; Wagon		BB078800AB	800	36 Months
1996-1995	Buick	Roadmaster	5.7L V8 350 CID		BB078800AB	800	36 Months
1996-1995, 1993-1992	Buick	Roadmaster	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	Buick	Skyhawk	3.8L V6 231 CID		1AM075700A	700	24 Months
1980-1978	Buick	Skyhawk	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1984	Buick	Skyhawk	1.8L L4 112 CID		BB078800AB	800	36 Months
1986-1982	Buick	Skyhawk	1.8L L4 112 CID		1AM075700A	700	24 Months
1989-1983	Buick	Skyhawk	2.0L L4 122 CID		1AM075700A	700	24 Months
1963-1961	Buick	Skylark	3.5L V8 3528cc 215 CID		1AM024700B	700	24 Months
1965-1964	Buick	Skylark	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1966-1965	Buick	Skylark	6.6L V8 401 CID		1AM024700B	700	24 Months
1967-1964	Buick	Skylark	4.9L V8 4917cc 300 CID		1AM024700B	700	24 Months
1967-1966	Buick	Skylark	5.6L V8 5573cc 340 CID		1AM024700B	700	24 Months
1967-1966	Buick	Skylark	3.7L V6 3687cc 225 CID		1AM260575A	575	24 Months
1967-1966	Buick	Skylark	3.7L V6 3687cc 225 CID		BB26R540AD	540	36 Months
1968	Buick	Skylark	6.6L V8 400 CID		1AM024700B	700	24 Months
1968-1967	Buick	Skylark	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Buick	Skylark	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Buick	Skylark	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1971	Buick	Skylark	7.5L V8 455 CID		1AM075700A	700	24 Months
1971	Buick	Skylark	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1971	Buick	Skylark	7.5L V8 455 CID		BB078800AB	800	36 Months
1971	Buick	Skylark	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1971-1968	Buick	Skylark	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1968	Buick	Skylark	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1968	Buick	Skylark	4.1L L6 250 CID		1AM260575A	575	24 Months
1971-1968	Buick	Skylark	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1971-1968	Buick	Skylark	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1971-1968	Buick	Skylark	4.1L L6 250 CID		BB26R540AD	540	36 Months
1971-1968	Buick	Skylark	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1971-1968	Buick	Skylark	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1972	Buick	Skylark	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1972	Buick	Skylark	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1976	Buick	Skylark	4.3L V8 260 CID		BB078800AB	800	36 Months
1976-1975	Buick	Skylark	4.3L V8 260 CID		1AM075700A	700	24 Months
1977	Buick	Skylark	4.9L V8 301 CID		1AM075700A	700	24 Months
1977	Buick	Skylark	4.9L V8 301 CID		BB078800AB	800	36 Months
1977-1975	Buick	Skylark	3.8L V6 231 CID		1AM075700A	700	24 Months
1977-1976	Buick	Skylark	3.8L V6 231 CID		BB078800AB	800	36 Months
1979-1975, 1972	Buick	Skylark	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1975, 1972	Buick	Skylark	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1977	Buick	Skylark	5.0L V8 305 CID		1AM075700A	700	24 Months
1979-1977	Buick	Skylark	5.0L V8 305 CID		BB078800AB	800	36 Months
1979-1978	Buick	Skylark	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1980	Buick	Skylark	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1980	Buick	Skylark	2.8L V6 173 CID		BB078800AB	800	36 Months
1984-1980	Buick	Skylark	2.8L V6 173 CID		1AM075700A	700	24 Months
1985	Buick	Skylark	2.8L V6 173 CID; 2BBL		1AM075700A	700	24 Months
1985	Buick	Skylark	2.8L V6 173 CID; MFI		BB078800AB	800	36 Months
1988-1986	Buick	Skylark	3.0L V6 181 CID		1AM075700A	700	24 Months
1991-1980	Buick	Skylark	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1993-1989	Buick	Skylark	3.3L V6 204 CID		1AM075700A	700	24 Months
1995-1988	Buick	Skylark	2.3L L4 138 CID		1AM075700A	700	24 Months
1998-1994	Buick	Skylark	3.1L V6 189 CID		1AM075700A	700	24 Months
1998-1996	Buick	Skylark	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
1987-1986	Buick	Somerset	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1987-1986	Buick	Somerset	3.0L V6 181 CID		1AM075700A	700	24 Months
1985	Buick	Somerset Regal	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1985	Buick	Somerset Regal	3.0L V6 181 CID		BB078800AB	800	36 Months
1955	Buick	Special	4.3L V8 4327cc 264 CID		1AM024700B	700	24 Months
1956	Buick	Special	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1958-1957	Buick	Special	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
1962-1961	Buick	Special	3.5L V8 3528cc 215 CID		1AM260575A	575	24 Months
1962-1961	Buick	Special	3.5L V8 3528cc 215 CID		BB26R540AD	540	36 Months
1963	Buick	Special	3.5L V8 3528cc 215 CID		1AM024700B	700	24 Months
1963-1962	Buick	Special	3.2L V6 3245cc 198 CID		1AM260575A	575	24 Months
1963-1962	Buick	Special	3.2L V6 3245cc 198 CID		BB26R540AD	540	36 Months
1965-1964	Buick	Special	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1967-1964	Buick	Special	4.9L V8 4917cc 300 CID		1AM024700B	700	24 Months
1967-1966	Buick	Special	5.6L V8 5573cc 340 CID		1AM024700B	700	24 Months
1967-1966	Buick	Special	3.7L V6 3687cc 225 CID		1AM260575A	575	24 Months
1967-1966	Buick	Special	3.7L V6 3687cc 225 CID		BB26R540AD	540	36 Months
1969-1968	Buick	Special	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969-1968	Buick	Special	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1969-1968	Buick	Special	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1969-1968	Buick	Special	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1969-1968	Buick	Special	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1964	Buick	Sportwagon	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1965-1964	Buick	Sportwagon	4.9L V8 4917cc 300 CID		1AM024700B	700	24 Months
1967-1966	Buick	Sportwagon	5.6L V8 5573cc 340 CID		1AM024700B	700	24 Months
1969-1968	Buick	Sportwagon	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Buick	Sportwagon	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1972-1968	Buick	Sportwagon	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1956-1955	Buick	Super	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1958-1957	Buick	Super	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
1966-1963	Buick	Wildcat	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1966-1964	Buick	Wildcat	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1966-1965	Buick	Wildcat	6.6L V8 401 CID		1AM024700B	700	24 Months
1966-1965	Buick	Wildcat	7.0L V8 425 CID		1AM024700B	700	24 Months
1969-1967	Buick	Wildcat	7.0L V8 430 CID		1AM024700B	700	24 Months
1969-1967	Buick	Wildcat	7.0L V8 7047cc 430 CID		1AM024700B	700	24 Months
1970	Buick	Wildcat	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Buick	Wildcat	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1993	Cadillac	60 Special	4.9L V8 300 CID		BB078800AB	800	36 Months
1988-1987	Cadillac	Allante	4.1L V8 250 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under driver's seat.	BB078800AB	800	36 Months
1992-1989	Cadillac	Allante	4.5L V8 273 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under driver's seat.	BB078800AB	800	36 Months
1993	Cadillac	Allante	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under driver's seat.	BB078800AB	800	36 Months
2008-2007	Cadillac	BLS	2.0L L4 1998cc 122 CID		1AM0H6770A	770	24 Months
1990-1987	Cadillac	Brougham	5.0L V8 307 CID		BB078800AB	800	36 Months
1992-1990	Cadillac	Brougham	5.7L V8 350 CID		BB078800AB	800	36 Months
1992-1991	Cadillac	Brougham	5.0L V8 305 CID		BB078800AB	800	36 Months
1967-1965	Cadillac	Calais	7.0L V8 7031cc 429 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	Calais	7.7L V8 472 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	Calais	7.7L V8 7735cc 472 CID		1AM024700B	700	24 Months
1974-1973	Cadillac	Calais	7.7L V8 472 CID		1AM075700A	700	24 Months
1974-1973	Cadillac	Calais	7.7L V8 7735cc 472 CID		1AM075700A	700	24 Months
1974-1973	Cadillac	Calais	7.7L V8 472 CID		BB078800AB	800	36 Months
1974-1973	Cadillac	Calais	7.7L V8 7735cc 472 CID		BB078800AB	800	36 Months
1976-1975	Cadillac	Calais	8.2L V8 500 CID		1AM075700A	700	24 Months
1976-1975	Cadillac	Calais	8.2L V8 500 CID		BB078800AB	800	36 Months
1982	Cadillac	Cimarron	1.8L L4 112 CID		1AM075700A	700	24 Months
1986-1983	Cadillac	Cimarron	2.0L L4 122 CID		1AM075700A	700	24 Months
1988-1985	Cadillac	Cimarron	2.8L V6 173 CID		1AM075700A	700	24 Months
1958-1957	Cadillac	Commercial Chassis	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.	1AM270710A	710	24 Months
1963-1959	Cadillac	Commercial Chassis	6.4L V8 6392cc 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.	1AM270710A	710	24 Months
1965-1964	Cadillac	Commercial Chassis	7.0L V8 7031cc 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.	1AM270710A	710	24 Months
1967-1966	Cadillac	Commercial Chassis	7.0L V8 7031cc 429 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	Commercial Chassis	7.7L V8 7735cc 472 CID		1AM024700B	700	24 Months
1974-1973	Cadillac	Commercial Chassis	7.7L V8 7735cc 472 CID		BB078800AB	800	36 Months
1976-1975	Cadillac	Commercial Chassis	8.2L V8 500 CID		1AM075700A	700	24 Months
1976-1975	Cadillac	Commercial Chassis	8.2L V8 500 CID		BB078800AB	800	36 Months
1979-1977	Cadillac	Commercial Chassis	7.0L V8 425 CID		1AM075700A	700	24 Months
1979-1977	Cadillac	Commercial Chassis	7.0L V8 425 CID		BB078800AB	800	36 Months
1984-1980	Cadillac	Commercial Chassis	6.0L V8 368 CID		1AM075700A	700	24 Months
1984-1980	Cadillac	Commercial Chassis	6.0L V8 368 CID		BB078800AB	800	36 Months
1985	Cadillac	Commercial Chassis	4.3L V6 260 CID		BB078800AB	800	36 Months
1987-1985	Cadillac	Commercial Chassis	4.1L V8 250 CID		BB078800AB	800	36 Months
1990-1988	Cadillac	Commercial Chassis	4.5L V8 273 CID		BB078800AB	800	36 Months
1993-1991	Cadillac	Commercial Chassis	4.9L V8 300 CID		BB078800AB	800	36 Months
1996-1992	Cadillac	Commercial Chassis	5.7L V8 350 CID		BB078800AB	800	36 Months
2012	Cadillac	CTS	6.2L V8 6200cc 378 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2012-2011	Cadillac	CTS	3.0L V6 2994cc 183 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2012-2011	Cadillac	CTS	3.6L V6 3564cc 217 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2013-2009	Cadillac	CTS	6.2L V8 6162cc 376 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2013-2010	Cadillac	CTS	3.0L V6 182 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2014	Cadillac	CTS	3.0L V6 182 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; w/o Start/Stop	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015-2014	Cadillac	CTS	6.2L V8 6162cc 376 CID	2 screws hold in the fuse box, remove and reposition the fuse box to pull out the battery.; Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; w/o Start/Stop	1AM0H6770A	770	24 Months
1958	Cadillac	DeVille	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1959	Cadillac	DeVille	6.4L V8 6392cc 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Cadillac	DeVille	7.0L V8 7031cc 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1965	Cadillac	DeVille	7.0L V8 7031cc 429 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	DeVille	7.7L V8 472 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	DeVille	7.7L V8 7735cc 472 CID		1AM024700B	700	24 Months
1974-1973	Cadillac	DeVille	7.7L V8 472 CID		1AM075700A	700	24 Months
1974-1973	Cadillac	DeVille	7.7L V8 7735cc 472 CID		1AM075700A	700	24 Months
1974-1973	Cadillac	DeVille	7.7L V8 472 CID		BB078800AB	800	36 Months
1974-1973	Cadillac	DeVille	7.7L V8 7735cc 472 CID		BB078800AB	800	36 Months
1976-1975	Cadillac	DeVille	8.2L V8 500 CID		1AM075700A	700	24 Months
1976-1975	Cadillac	DeVille	8.2L V8 500 CID		BB078800AB	800	36 Months
1979-1977	Cadillac	DeVille	7.0L V8 425 CID		1AM075700A	700	24 Months
1979-1977	Cadillac	DeVille	7.0L V8 425 CID		BB078800AB	800	36 Months
1981-1980	Cadillac	DeVille	6.0L V8 368 CID		1AM075700A	700	24 Months
1981-1980	Cadillac	DeVille	6.0L V8 368 CID		BB078800AB	800	36 Months
1982-1980	Cadillac	DeVille	4.1L V6 252 CID		1AM075700A	700	24 Months
1982-1980	Cadillac	DeVille	4.1L V6 252 CID		BB078800AB	800	36 Months
1983-1979	Cadillac	DeVille	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1979	Cadillac	DeVille	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1984	Cadillac	DeVille	4.1L V8 250 CID; Sold in United States		1AM075700A	700	24 Months
1987,1983-1982	Cadillac	DeVille	4.1L V8 250 CID		1AM075700A	700	24 Months
1987-1982	Cadillac	DeVille	4.1L V8 250 CID		BB078800AB	800	36 Months
1990-1988	Cadillac	DeVille	4.5L V8 273 CID		BB078800AB	800	36 Months
1990-1989	Cadillac	DeVille	4.5L V8 273 CID		1AM075700A	700	24 Months
1993-1991	Cadillac	DeVille	4.9L V8 300 CID		1AM075700A	700	24 Months
1993-1991	Cadillac	DeVille	4.9L V8 300 CID		BB078800AB	800	36 Months
1995-1994	Cadillac	DeVille	4.9L V8 300 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
1996	Cadillac	DeVille	4.6L V8 4565cc 279 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
1999-1994	Cadillac	DeVille	4.6L V8 281 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
2008	Cadillac	DTS	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	1AM0H6770A	770	24 Months
2011-2009	Cadillac	DTS	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	1AM940800A	800	24 Months
2011-2009	Cadillac	DTS	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	BB0H7730AB	730	36 Months
1958-1957	Cadillac	Eldorado	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963,1960-1959	Cadillac	Eldorado	6.4L V8 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1959	Cadillac	Eldorado	6.4L V8 6392cc 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Cadillac	Eldorado	7.0L V8 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Cadillac	Eldorado	7.0L V8 7031cc 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1965	Cadillac	Eldorado	7.0L V8 7031cc 429 CID		1AM024700B	700	24 Months
1969-1968	Cadillac	Eldorado	7.7L V8 472 CID		1AM024700B	700	24 Months
1969-1968	Cadillac	Eldorado	7.7L V8 7735cc 472 CID		1AM024700B	700	24 Months
1970	Cadillac	Eldorado	8.2L V8 500 CID		1AM024700B	700	24 Months
1970	Cadillac	Eldorado	8.2L V8 8193cc 500 CID		1AM024700B	700	24 Months
1974-1971	Cadillac	Eldorado	8.2L V8 8193cc 500 CID		1AM075700A	700	24 Months
1974-1971	Cadillac	Eldorado	8.2L V8 8193cc 500 CID		BB078800AB	800	36 Months
1974-1972	Cadillac	Eldorado	8.2L V8 8195cc 500 CID		1AM075700A	700	24 Months
1974-1972	Cadillac	Eldorado	8.2L V8 8195cc 500 CID		BB078800AB	800	36 Months
1976-1971	Cadillac	Eldorado	8.2L V8 500 CID		1AM075700A	700	24 Months
1976-1971	Cadillac	Eldorado	8.2L V8 500 CID		BB078800AB	800	36 Months
1978-1977	Cadillac	Eldorado	7.0L V8 425 CID		1AM075700A	700	24 Months
1978-1977	Cadillac	Eldorado	7.0L V8 425 CID		BB078800AB	800	36 Months
1981	Cadillac	Eldorado	6.0L V8 368 CID		BB078800AB	800	36 Months
1981-1980	Cadillac	Eldorado	6.0L V8 368 CID		1AM075700A	700	24 Months
1982-1981	Cadillac	Eldorado	4.1L V6 252 CID		1AM075700A	700	24 Months
1982-1981	Cadillac	Eldorado	4.1L V6 252 CID		BB078800AB	800	36 Months
1983-1982	Cadillac	Eldorado	4.1L V8 250 CID		1AM075700A	700	24 Months
1985-1979	Cadillac	Eldorado	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1979	Cadillac	Eldorado	5.7L V8 350 CID		BB078800AB	800	36 Months
1987-1982	Cadillac	Eldorado	4.1L V8 250 CID		BB078800AB	800	36 Months
1987-1984	Cadillac	Eldorado	4.1L V8 250 CID; Sold in United States		1AM075700A	700	24 Months
1990-1988	Cadillac	Eldorado	4.5L V8 273 CID		BB078800AB	800	36 Months
1993-1991	Cadillac	Eldorado	4.9L V8 300 CID		BB078800AB	800	36 Months
2002-1993	Cadillac	Eldorado	4.6L V8 281 CID		BB078800AB	800	36 Months
2000-1999	Cadillac	Escalade	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Cadillac	Escalade	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002	Cadillac	Escalade	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002	Cadillac	Escalade	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002	Cadillac	Escalade	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002	Cadillac	Escalade	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2005-2003	Cadillac	Escalade	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2005-2003	Cadillac	Escalade	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2006-2003	Cadillac	Escalade	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	Cadillac	Escalade	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008-2007	Cadillac	Escalade	6.2L V8 6199cc 378 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2007	Cadillac	Escalade	6.2L V8 6199cc 378 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2007	Cadillac	Escalade	6.2L V8 6199cc 378 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Cadillac	Escalade	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Cadillac	Escalade	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2009	Cadillac	Escalade	6.0L V8 5967cc 364 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2009	Cadillac	Escalade	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2009	Cadillac	Escalade	6.0L V8 5967cc 364 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2007	Cadillac	Escalade	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2015	Cadillac	Escalade	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	Cadillac	Escalade	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2006-2003	Cadillac	Escalade ESV	6.0L V8 5967cc 364 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2006-2003	Cadillac	Escalade ESV	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2008-2007	Cadillac	Escalade ESV	6.2L V8 6199cc 378 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2007	Cadillac	Escalade ESV	6.2L V8 6199cc 378 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2007	Cadillac	Escalade ESV	6.2L V8 6199cc 378 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Cadillac	Escalade ESV	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Cadillac	Escalade ESV	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2007	Cadillac	Escalade ESV	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2015	Cadillac	Escalade ESV	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	Cadillac	Escalade ESV	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2002	Cadillac	Escalade EXT	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002	Cadillac	Escalade EXT	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	Cadillac	Escalade EXT	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	Cadillac	Escalade EXT	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2008-2007	Cadillac	Escalade EXT	6.2L V8 6199cc 378 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2007	Cadillac	Escalade EXT	6.2L V8 6199cc 378 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2007	Cadillac	Escalade EXT	6.2L V8 6199cc 378 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Cadillac	Escalade EXT	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Cadillac	Escalade EXT	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2007	Cadillac	Escalade EXT	6.2L V8 6162cc 376 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1967-1965	Cadillac	Fleetwood	7.0L V8 7031cc 429 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	Fleetwood	7.7L V8 472 CID		1AM024700B	700	24 Months
1972-1968	Cadillac	Fleetwood	7.7L V8 7735cc 472 CID		1AM024700B	700	24 Months
1974-1973	Cadillac	Fleetwood	7.7L V8 472 CID		1AM075700A	700	24 Months
1974-1973	Cadillac	Fleetwood	7.7L V8 7735cc 472 CID		1AM075700A	700	24 Months
1974-1973	Cadillac	Fleetwood	7.7L V8 472 CID		BB078800AB	800	36 Months
1974-1973	Cadillac	Fleetwood	7.7L V8 7735cc 472 CID		BB078800AB	800	36 Months
1976-1975	Cadillac	Fleetwood	8.2L V8 500 CID		1AM075700A	700	24 Months
1976-1975	Cadillac	Fleetwood	8.2L V8 500 CID		BB078800AB	800	36 Months
1979-1977	Cadillac	Fleetwood	7.0L V8 425 CID		1AM075700A	700	24 Months
1979-1977	Cadillac	Fleetwood	7.0L V8 425 CID		BB078800AB	800	36 Months
1982-1980	Cadillac	Fleetwood	4.1L V6 252 CID		1AM075700A	700	24 Months
1982-1980	Cadillac	Fleetwood	4.1L V6 252 CID		BB078800AB	800	36 Months
1984-1980	Cadillac	Fleetwood	6.0L V8 368 CID		1AM075700A	700	24 Months
1984-1980	Cadillac	Fleetwood	6.0L V8 368 CID		BB078800AB	800	36 Months
1985	Cadillac	Fleetwood	4.3L V6 260 CID		1AM075700A	700	24 Months
1985	Cadillac	Fleetwood	4.3L V6 260 CID		BB078800AB	800	36 Months
1985-1984	Cadillac	Fleetwood	4.1L V8 250 CID; Sold in United States		1AM075700A	700	24 Months
1986	Cadillac	Fleetwood	5.0L V8 307 CID		1AM075700A	700	24 Months
1986	Cadillac	Fleetwood	5.0L V8 307 CID		BB078800AB	800	36 Months
1987-1982	Cadillac	Fleetwood	4.1L V8 250 CID		BB078800AB	800	36 Months
1987-1986, 1983-1982	Cadillac	Fleetwood	4.1L V8 250 CID		1AM075700A	700	24 Months
1990-1988	Cadillac	Fleetwood	4.5L V8 273 CID		BB078800AB	800	36 Months
1990-1989	Cadillac	Fleetwood	4.5L V8 273 CID		1AM075700A	700	24 Months
1992-1991	Cadillac	Fleetwood	4.9L V8 300 CID		1AM075700A	700	24 Months
1992-1991	Cadillac	Fleetwood	4.9L V8 300 CID		BB078800AB	800	36 Months
1993, 1985-1979	Cadillac	Fleetwood	5.7L V8 350 CID		1AM075700A	700	24 Months
1996-1993, 1985-1979	Cadillac	Fleetwood	5.7L V8 350 CID		BB078800AB	800	36 Months
1958-1957	Cadillac	Series 60 Fleetwood	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1959	Cadillac	Series 60 Fleetwood	6.4L V8 6392cc 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Cadillac	Series 60 Fleetwood	7.0L V8 7031cc 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1958-1957	Cadillac	Series 62	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1959	Cadillac	Series 62	6.4L V8 6392cc 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Cadillac	Series 62	7.0L V8 7031cc 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1958	Cadillac	Series 70 Fleetwood Eldorado	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1958-1957	Cadillac	Series 75 Fleetwood	6.0L V8 5972cc 365 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1959	Cadillac	Series 75 Fleetwood	6.4L V8 6392cc 390 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Cadillac	Series 75 Fleetwood	7.0L V8 7031cc 429 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1981-1980	Cadillac	Seville	6.0L V8 368 CID		1AM075700A	700	24 Months
1981-1980	Cadillac	Seville	6.0L V8 368 CID		BB078800AB	800	36 Months
1982-1981	Cadillac	Seville	4.1L V6 252 CID		1AM075700A	700	24 Months
1982-1981	Cadillac	Seville	4.1L V6 252 CID		BB078800AB	800	36 Months
1985-1976	Cadillac	Seville	5.7L V8 350 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1985-1976	Cadillac	Seville	5.7L V8 350 CID		BB078800AB	800	36 Months
1985-1984	Cadillac	Seville	4.1L V8 250 CID; Sold in United States		1AM075700A	700	24 Months
1987-1982	Cadillac	Seville	4.1L V8 250 CID		BB078800AB	800	36 Months
1987-1986, 1983-1982	Cadillac	Seville	4.1L V8 250 CID		1AM075700A	700	24 Months
1990-1988	Cadillac	Seville	4.5L V8 273 CID		BB078800AB	800	36 Months
1992-1991	Cadillac	Seville	4.9L V8 300 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1993	Cadillac	Seville	4.9L V8 300 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
1997-1993	Cadillac	Seville	4.6L V8 281 CID	Installation may take up to 45 minutes. Battery located under hood.	BB078800AB	800	36 Months
2009-2008	Cadillac	SRX	4.6L V8 281 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011	Cadillac	SRX	3.0L V6 2997cc 183 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011	Cadillac	SRX	3.0L V6 2997cc 183 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2010	Cadillac	SRX	2.8L V6 2792cc 170 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011-2010	Cadillac	SRX	3.0L V6 182 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011-2010	Cadillac	SRX	2.8L V6 2792cc 170 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2010	Cadillac	SRX	3.0L V6 182 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2010	Cadillac	SRX	2.8L V6 2792cc 170 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2010	Cadillac	SRX	3.0L V6 182 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Cadillac	SRX	3.6L V6 3600cc 220 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2015, 2013-2012	Cadillac	SRX	3.6L V6 3564cc 217 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2008	Cadillac	STS	4.4L V8 4371cc 267 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2008	Cadillac	STS	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2008	Cadillac	STS	4.6L V8 4565cc 279 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2007-2006	Cadillac	XLR	4.4L V8 4371cc 267 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB075590AB	590	36 Months
2007-2006	Cadillac	XLR	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB075590AB	590	36 Months
2013-2010	Case IH	Scout	-L -- 480cc		1AM075700A	700	24 Months
2013-2010	Case IH	Scout XL 2-Passenger	-L -- 675cc		1AM075700A	700	24 Months
2013-2010	Case IH	Scout XL 4-Passenger	-L -- 675cc		1AM075700A	700	24 Months
2013-2010	Case IH	Scout XL Diesel 2-Passenger	-L -- 719cc		1AM075700A	700	24 Months
2013-2010	Case IH	Scout XL Diesel 4-Passenger	-L -- 719cc		1AM075700A	700	24 Months
1964	Checker	Marathon	4.4L L6 266 CID		1AM024700B	700	24 Months
1964-1961	Checker	Marathon	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1964-1963	Checker	Marathon	3.7L L6 226 CID		1AM024700B	700	24 Months
1966-1965	Checker	Marathon	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	Checker	Marathon	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Checker	Marathon	5.0L V8 307 CID		1AM024700B	700	24 Months
1968	Checker	Marathon	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1968-1965	Checker	Marathon	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1968	Checker	Marathon	5.4L V8 327 CID		1AM024700B	700	24 Months
1972-1969	Checker	Marathon	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1973	Checker	Marathon	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1973	Checker	Marathon	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1969	Checker	Marathon	4.1L L6 250 CID		1AM024700B	700	24 Months
1974-1969	Checker	Marathon	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1974-1969	Checker	Marathon	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1979-1975, 1973	Checker	Marathon	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1975, 1973	Checker	Marathon	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1977	Checker	Marathon	5.0L V8 305 CID		1AM075700A	700	24 Months
1979-1977	Checker	Marathon	5.0L V8 305 CID		BB078800AB	800	36 Months
1981	Checker	Marathon	5.0L V8 305 CID		1AM024700B	700	24 Months
1982-1980, 1972-1969	Checker	Marathon	5.7L V8 350 CID		1AM024700B	700	24 Months
1982-1981	Checker	Marathon	3.8L V6 229 CID		1AM024700B	700	24 Months
1982-1981	Checker	Marathon	4.4L V8 267 CID		1AM024700B	700	24 Months
1960	Checker	Superba	3.7L L6 226 CID		1AM024700B	700	24 Months
1963-1960	Checker	Superba	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1959	Chevrolet	3100	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3100	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1959	Chevrolet	3B	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3B	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1959	Chevrolet	3C	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3C	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1959	Chevrolet	3D	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3D	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1959	Chevrolet	3E	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3E	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1959	Chevrolet	3F	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3F	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1959	Chevrolet	3G	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1959	Chevrolet	3G	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1990-1985	Chevrolet	Astro	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1990-1985	Chevrolet	Astro	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
2005-1985	Chevrolet	Astro	4.3L V6 262 CID		1AM075700A	700	24 Months
2005-1985	Chevrolet	Astro	4.3L V6 262 CID		BB078800AB	800	36 Months
2009-2007	Chevrolet	Avalanche	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2007	Chevrolet	Avalanche	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2007	Chevrolet	Avalanche	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2007	Chevrolet	Avalanche	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2007	Chevrolet	Avalanche	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2007	Chevrolet	Avalanche	5.3L V8 5328cc 325 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2002	Chevrolet	Avalanche 1500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2006-2002	Chevrolet	Avalanche 1500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2006-2002	Chevrolet	Avalanche 2500	8.1L V8 496 CID		1AM075700A	700	24 Months
2006-2002	Chevrolet	Avalanche 2500	8.1L V8 496 CID		BB078800AB	800	36 Months
1985	Chevrolet	B60	14.0L L6 14013cc 855 CID		1AM075700A	700	24 Months
1985	Chevrolet	B60	14.0L L6 14013cc 855 CID		BB078800AB	800	36 Months
1985-1980	Chevrolet	B60	7.0L V8 427 CID		1AM075700A	700	24 Months
1985-1980	Chevrolet	B60	7.0L V8 427 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1988-1981	Chevrolet	B60	8.2L V8 501 CID		1AM075700A	700	24 Months
1988-1981	Chevrolet	B60	8.2L V8 501 CID		BB078800AB	800	36 Months
1990-1980	Chevrolet	B60	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1980	Chevrolet	B60	6.0L V8 366 CID		1AM075700A	700	24 Months
1990-1980	Chevrolet	B60	5.7L V8 350 CID		BB078800AB	800	36 Months
1990-1980	Chevrolet	B60	6.0L V8 366 CID		BB078800AB	800	36 Months
1998	Chevrolet	B7	6.5L V8 395 CID	GM eng.	1AM075700A	700	24 Months
1998	Chevrolet	B7	6.6L L6 403 CID	GM eng.	1AM075700A	700	24 Months
1998	Chevrolet	B7	6.5L V8 395 CID	GM eng.	BB078800AB	800	36 Months
1998	Chevrolet	B7	6.6L L6 403 CID	GM eng.	BB078800AB	800	36 Months
1998-1993	Chevrolet	B7	6.0L V8 366 CID		1AM075700A	700	24 Months
1998-1993	Chevrolet	B7	6.0L V8 366 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	B7	7.0L V8 6998cc 427 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	B7	7.0L V8 6998cc 427 CID		BB078800AB	800	36 Months
2000-1999	Chevrolet	B7	7.4L V8 454 CID		1AM075700A	700	24 Months
2000-1999	Chevrolet	B7	7.4L V8 454 CID		BB078800AB	800	36 Months
1955	Chevrolet	Bel Air	3.9L L6 235 CID	Check Voltage	1AM024700B	700	24 Months
1955	Chevrolet	Bel Air	4.3L V8 265 CID	Check Voltage	1AM024700B	700	24 Months
1955	Chevrolet	Bel Air	4.3L V8 4343cc 265 CID	Check Voltage	1AM024700B	700	24 Months
1957	Chevrolet	Bel Air	4.6L V8 283 CID		1AM024700B	700	24 Months
1957-1956	Chevrolet	Bel Air	3.9L L6 235 CID		1AM024700B	700	24 Months
1957-1956	Chevrolet	Bel Air	4.3L V8 265 CID		1AM024700B	700	24 Months
1957-1956	Chevrolet	Bel Air	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1959	Chevrolet	Bel Air	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1960	Chevrolet	Bel Air	3.9L L6 236 CID		1AM024700B	700	24 Months
1960-1959	Chevrolet	Bel Air	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1961-1958	Chevrolet	Bel Air	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1955	Chevrolet	Bel Air	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1963	Chevrolet	Bel Air	7.0L V8 6997cc 427 CID		1AM024700B	700	24 Months
1965-1961	Chevrolet	Bel Air	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	Bel Air	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months
1965-1963	Chevrolet	Bel Air	4.6L V8 4638cc 283 CID		1AM260575A	575	24 Months
1965-1963	Chevrolet	Bel Air	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1965-1963	Chevrolet	Bel Air	4.6L V8 4638cc 283 CID		BB26R540AD	540	36 Months
1967-1965	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1967-1965	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1967-1965	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1967-1965	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1967-1966, 1962-1957	Chevrolet	Bel Air	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	Chevrolet	Bel Air	5.0L V8 307 CID		1AM024700B	700	24 Months
1968	Chevrolet	Bel Air	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1968	Chevrolet	Bel Air	5.0L V8 307 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1968	Chevrolet	Bel Air	5.0L V8 5031cc 307 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1968	Chevrolet	Bel Air	5.0L V8 307 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1968	Chevrolet	Bel Air	5.0L V8 5031cc 307 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1969-1962	Chevrolet	Bel Air	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1965	Chevrolet	Bel Air	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Bel Air	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Bel Air	4.1L L6 250 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Bel Air	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Bel Air	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Bel Air	7.0L V8 427 CID		1AM024700B	700	24 Months
1969-1968, 1966	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1969-1968, 1966	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	Bel Air	6.6L V8 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Bel Air	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Bel Air	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Bel Air	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	Bel Air	4.1L L6 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970-1968	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970-1968	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970-1968	Chevrolet	Bel Air	4.1L L6 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1968	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1968	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1969	Chevrolet	Bel Air	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Bel Air	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	Chevrolet	Bel Air	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Bel Air	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Bel Air	4.1L L6 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Bel Air	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Bel Air	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Bel Air	4.1L L6 250 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Bel Air	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Bel Air	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974	Chevrolet	Bel Air	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Bel Air	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Bel Air	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Bel Air	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Bel Air	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Bel Air	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Bel Air	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Bel Air	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Bel Air	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Bel Air	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Bel Air	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Bel Air	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1975-1970	Chevrolet	Bel Air	7.4L V8 454 CID		1AM075700A	700	24 Months
1975-1970	Chevrolet	Bel Air	7.4L V8 454 CID		BB078800AB	800	36 Months
1975-1971	Chevrolet	Bel Air	5.7L V8 350 CID		1AM075700A	700	24 Months
1975-1971	Chevrolet	Bel Air	6.6L V8 400 CID		1AM075700A	700	24 Months
1975-1971	Chevrolet	Bel Air	5.7L V8 350 CID		BB078800AB	800	36 Months
1975-1971	Chevrolet	Bel Air	6.6L V8 400 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1981	Chevrolet	Bel Air	4.4L V8 267 CID		1AM075700A	700	24 Months
1981	Chevrolet	Bel Air	5.0L V8 305 CID		1AM075700A	700	24 Months
1989-1987	Chevrolet	Beretta	2.0L L4 122 CID		1AM075700A	700	24 Months
1989-1987	Chevrolet	Beretta	2.8L V6 173 CID		1AM075700A	700	24 Months
1991-1990	Chevrolet	Beretta	2.2L L4 134 CID		1AM075700A	700	24 Months
1994-1990	Chevrolet	Beretta	2.3L L4 140 CID		1AM075700A	700	24 Months
1996-1990	Chevrolet	Beretta	3.1L V6 189 CID		1AM075700A	700	24 Months
1996-1992	Chevrolet	Beretta	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
1960	Chevrolet	Biscayne	3.9L L6 236 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1960	Chevrolet	Biscayne	4.6L V8 283 CID		1AM024700B	700	24 Months
1960	Chevrolet	Biscayne	5.7L V8 348 CID		1AM024700B	700	24 Months
1961-1958	Chevrolet	Biscayne	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1958	Chevrolet	Biscayne	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1963	Chevrolet	Biscayne	7.0L V8 6997cc 427 CID		1AM024700B	700	24 Months
1965-1961	Chevrolet	Biscayne	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	Biscayne	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	Chevrolet	Biscayne	4.1L L6 4097cc 250 CID	w/AC	1AM024700B	700	24 Months
1966	Chevrolet	Biscayne	4.1L L6 4098cc 250 CID	w/AC	1AM024700B	700	24 Months
1967-1958	Chevrolet	Biscayne	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	Biscayne	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1967-1966	Chevrolet	Biscayne	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1967-1966	Chevrolet	Biscayne	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1967-1966	Chevrolet	Biscayne	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1968	Chevrolet	Biscayne	5.0L V8 307 CID		1AM024700B	700	24 Months
1968	Chevrolet	Biscayne	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Biscayne	5.7L V8 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Biscayne	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969-1962	Chevrolet	Biscayne	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1965	Chevrolet	Biscayne	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Biscayne	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Biscayne	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Biscayne	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Biscayne	7.0L V8 427 CID		1AM024700B	700	24 Months
1970	Chevrolet	Biscayne	7.4L V8 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	Biscayne	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	Biscayne	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	Biscayne	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968, 1965	Chevrolet	Biscayne	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968, 1965	Chevrolet	Biscayne	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1972-1970	Chevrolet	Biscayne	5.7L V8 350 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Biscayne	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Biscayne	5.7L V8 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Biscayne	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Biscayne	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	4.1L L6 250 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	7.4L V8 454 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Biscayne	4.1L L6 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	7.4L V8 454 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Biscayne	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1970	Chevrolet	Blazer	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Blazer	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	Blazer	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	Blazer	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1973	Chevrolet	Blazer	4.8L L6 292 CID		1AM075700A	700	24 Months
1973	Chevrolet	Blazer	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1973	Chevrolet	Blazer	7.4L V8 454 CID		1AM075700A	700	24 Months
1973	Chevrolet	Blazer	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1973	Chevrolet	Blazer	7.4L V8 454 CID		BB078800AB	800	36 Months
1973	Chevrolet	Blazer	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Blazer	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Blazer	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Blazer	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Blazer	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Blazer	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Blazer	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Blazer	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Blazer	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Blazer	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	Blazer	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Blazer	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Blazer	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Blazer	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973	Chevrolet	Blazer	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1987	Chevrolet	Blazer	5.0L V8 305 CID		1AM075700A	700	24 Months
1991-1987	Chevrolet	Blazer	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1990	Chevrolet	Blazer	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991	Chevrolet	Blazer	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	Blazer	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	Blazer	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	Blazer	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1994	Chevrolet	Blazer	6.5L V8 395 CID		BB078800AB	800	36 Months
1994,1990-1987,1974-1971	Chevrolet	Blazer	5.7L V8 350 CID		1AM075700A	700	24 Months
1994,1990-1987,1974-1971	Chevrolet	Blazer	5.7L V8 350 CID		BB078800AB	800	36 Months
2002	Chevrolet	Blazer	4.2L V6 4157cc 254 CID		1AM075700A	700	24 Months
2005-1995	Chevrolet	Blazer	4.3L V6 262 CID		1AM075700A	700	24 Months
1958	Chevrolet	Brookwood	4.6L V8 283 CID		1AM024700B	700	24 Months
1958	Chevrolet	Brookwood	5.7L V8 348 CID		1AM024700B	700	24 Months
1961	Chevrolet	Brookwood	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Brookwood	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Brookwood	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Brookwood	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	4.1L L6 250 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	5.7L V8 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969	Chevrolet	Brookwood	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Brookwood	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1972	Chevrolet	Brookwood	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	Chevrolet	Brookwood	6.6L V8 402 CID		BB078800AB	800	36 Months
1972,1970	Chevrolet	Brookwood	6.6L V8 400 CID		1AM075700A	700	24 Months
1972,1970	Chevrolet	Brookwood	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1972,1970	Chevrolet	Brookwood	6.6L V8 400 CID		BB078800AB	800	36 Months
1972,1970	Chevrolet	Brookwood	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Brookwood	5.7L V8 350 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Brookwood	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Brookwood	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Brookwood	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Brookwood	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Brookwood	5.7L V8 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Brookwood	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Brookwood	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Brookwood	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Brookwood	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Brookwood	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Brookwood	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Brookwood	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1980-1975	Chevrolet	C10	4.8L L6 292 CID		1AM075700A	700	24 Months
1980-1975	Chevrolet	C10	7.4L V8 454 CID		1AM075700A	700	24 Months
1980-1975	Chevrolet	C10	7.4L V8 454 CID		BB078800AB	800	36 Months
1980-1976	Chevrolet	C10	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1975	Chevrolet	C10	4.1L L6 250 CID		1AM075700A	700	24 Months
1986,1983-1982	Chevrolet	C10	5.0L V8 305 CID		BB078800AB	800	36 Months
1986,1983-1982,1980-1978,1975	Chevrolet	C10	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1975	Chevrolet	C10	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	C10	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C10	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C10	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1985	Chevrolet	C10	4.3L V6 262 CID		1AM075700A	700	24 Months
1986-1985	Chevrolet	C10	4.3L V6 262 CID		BB078800AB	800	36 Months
1962-1960	Chevrolet	C10 Panel	3.9L L6 235 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	C10 Panel	3.8L L6 230 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	C10 Panel	4.1L L6 250 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	C10 Panel	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1961-1960	Chevrolet	C10 Pickup	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	C10 Pickup	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	C10 Pickup	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1967-1960	Chevrolet	C10 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	C10 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	C10 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1963	Chevrolet	C10 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	C10 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C10 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C10 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	C10 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	C10 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1963	Chevrolet	C10 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	C10 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C10 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C10 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	C10 Pickup	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C10 Pickup	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C10 Pickup	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	C10 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C10 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C10 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C10 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972-1971	Chevrolet	C10 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C10 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C10 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C10 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C10 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	C10 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	C10 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C10 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C10 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	C10 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C10 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C10 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1973, 1971	Chevrolet	C10 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1967	Chevrolet	C10 Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	Chevrolet	C10 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	C10 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C10 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C10 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	C10 Suburban	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	C10 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	C10 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	C10 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C10 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C10 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C10 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	C10 Suburban	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C10 Suburban	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C10 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	C10 Suburban	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C10 Suburban	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C10 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C10 Suburban	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C10 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C10 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C10 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C10 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C10 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	C10 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	C10 Suburban	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C10 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Suburban	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C10 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	C10 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Suburban	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Suburban	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C10 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C10 Suburban	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1973, 1971	Chevrolet	C10 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1975-1973	Chevrolet	C10 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1980-1971	Chevrolet	C10 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1980-1973	Chevrolet	C10 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1986, 1983-1982	Chevrolet	C10 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1986, 1983-1982, 1980-1978, 1975-1971	Chevrolet	C10 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1971	Chevrolet	C10 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	C10 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C10 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C10 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1990	Chevrolet	C1500	7.4L V8 454 CID		1AM075700A	700	24 Months
1990	Chevrolet	C1500	7.4L V8 454 CID		BB078800AB	800	36 Months
1991	Chevrolet	C1500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	C1500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C1500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C1500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	C1500	4.3L V6 262 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1998-1994	Chevrolet	C1500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994, 1990-1988	Chevrolet	C1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988	Chevrolet	C1500	5.0L V8 305 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988	Chevrolet	C1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988	Chevrolet	C1500	5.0L V8 305 CID		BB078800AB	800	36 Months
1998-1994, 1990-1988	Chevrolet	C1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	C1500	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	C1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	C1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1993-1992	Chevrolet	C1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	Chevrolet	C1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	Chevrolet	C1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	Chevrolet	C1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	C1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	C1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1995	Chevrolet	C1500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	C1500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	C1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	C1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1980-1976	Chevrolet	C20	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1975	Chevrolet	C20	4.1L L6 250 CID		1AM075700A	700	24 Months
1986	Chevrolet	C20	4.8L L6 292 CID		BB078800AB	800	36 Months
1986, 1983-1982	Chevrolet	C20	5.0L V8 305 CID		BB078800AB	800	36 Months
1986, 1983-1982, 1975	Chevrolet	C20	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1975	Chevrolet	C20	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1975	Chevrolet	C20	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1975	Chevrolet	C20	7.4L V8 454 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	C20	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C20	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C20	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1982, 1980-1975	Chevrolet	C20	7.4L V8 454 CID		BB078800AB	800	36 Months
1986-1985	Chevrolet	C20	4.3L V6 262 CID		1AM075700A	700	24 Months
1986-1985	Chevrolet	C20	4.3L V6 262 CID		BB078800AB	800	36 Months
1967	Chevrolet	C20 Panel	4.1L L6 250 CID		1AM024700B	700	24 Months
1967	Chevrolet	C20 Panel	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1961-1960	Chevrolet	C20 Pickup	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	C20 Pickup	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	C20 Pickup	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	C20 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1967-1960	Chevrolet	C20 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	C20 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	C20 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	C20 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C20 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C20 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	C20 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	C20 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1963	Chevrolet	C20 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	C20 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C20 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C20 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	C20 Pickup	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C20 Pickup	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C20 Pickup	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	C20 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C20 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C20 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C20 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C20 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C20 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C20 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C20 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C20 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	C20 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	C20 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C20 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C20 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1972	Chevrolet	C20 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C20 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C20 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1967	Chevrolet	C20 Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	Chevrolet	C20 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	C20 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C20 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C20 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	C20 Suburban	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	C20 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	C20 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	C20 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C20 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C20 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C20 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	C20 Suburban	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C20 Suburban	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C20 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	C20 Suburban	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C20 Suburban	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C20 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C20 Suburban	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C20 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C20 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C20 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C20 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C20 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	C20 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	C20 Suburban	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C20 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Suburban	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C20 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	C20 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Suburban	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Suburban	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C20 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C20 Suburban	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1980-1976	Chevrolet	C20 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1982-1971	Chevrolet	C20 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1986,1983-1982	Chevrolet	C20 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1986-1971	Chevrolet	C20 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1973	Chevrolet	C20 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	C20 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C20 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C20 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1982,1975-1971	Chevrolet	C20 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1982,1980-1973	Chevrolet	C20 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1990	Chevrolet	C2500	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1990	Chevrolet	C2500	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1990	Chevrolet	C2500	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991	Chevrolet	C2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C2500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C2500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991,1989-1988	Chevrolet	C2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1995-1994	Chevrolet	C2500	4.3L V6 262 CID		BB078800AB	800	36 Months
1995-1994,1990-1988	Chevrolet	C2500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	C2500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	C2500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	C2500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1994,1990-1988	Chevrolet	C2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1990-1988	Chevrolet	C2500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997,1993-1992	Chevrolet	C2500	6.5L V8 395 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1999-1994, 1990-1988	Chevrolet	C2500	5.0L V8 305 CID		1AM075700A	700	24 Months
1999-1994, 1990-1988	Chevrolet	C2500	5.0L V8 305 CID		BB078800AB	800	36 Months
2000-1999	Chevrolet	C2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	C2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	C2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	C2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	C2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	C2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1993-1992	Chevrolet	C2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	Chevrolet	C2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	Chevrolet	C2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	Chevrolet	C2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	Chevrolet	C2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	Chevrolet	C2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	Chevrolet	C2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	Chevrolet	C2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	C2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	C2500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	C2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	C2500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	C2500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	C2500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	C2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	C2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	C2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	C2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1979-1976	Chevrolet	C30	6.6L V8 400 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	C30	5.0L V8 305 CID		1AM075700A	700	24 Months
1980-1978, 1975-1986	Chevrolet	C30	4.1L L6 250 CID		1AM075700A	700	24 Months
1986-1983-1982, 1978, 1975	Chevrolet	C30	4.8L L6 292 CID		BB078800AB	800	36 Months
1986-1975	Chevrolet	C30	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1975	Chevrolet	C30	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1975	Chevrolet	C30	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1975	Chevrolet	C30	7.4L V8 454 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C30	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	C30	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1982, 1980-1975	Chevrolet	C30	7.4L V8 454 CID		BB078800AB	800	36 Months
1962-1960	Chevrolet	C30 Panel	3.9L L6 235 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	C30 Panel	3.8L L6 230 CID		1AM024700B	700	24 Months
1966	Chevrolet	C30 Panel	4.1L L6 250 CID		1AM024700B	700	24 Months
1966	Chevrolet	C30 Panel	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1961-1960	Chevrolet	C30 Pickup	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	C30 Pickup	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	C30 Pickup	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	C30 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1967-1960	Chevrolet	C30 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	C30 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	C30 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	C30 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C30 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	C30 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	C30 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	C30 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1963	Chevrolet	C30 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	C30 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C30 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C30 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C30 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	C30 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C30 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	C30 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	C30 Pickup	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C30 Pickup	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	C30 Pickup	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	C30 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C30 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C30 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	C30 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	C30 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C30 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C30 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	C30 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	C30 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	C30 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	C30 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C30 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C30 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C30 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1971	Chevrolet	C30 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C30 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C30 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	C30 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	C30 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	C30 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C30 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C30 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C30 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C30 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	C30 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C30 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	C30 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1998-1995	Chevrolet	C35	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1995	Chevrolet	C35	5.7L V8 350 CID		BB078800AB	800	36 Months
2000-1999	Chevrolet	C35	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	C35	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1991	Chevrolet	C3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	C3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991,1989-1988	Chevrolet	C3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991,1989-1988	Chevrolet	C3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991,1989-1988	Chevrolet	C3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991,1989-1988	Chevrolet	C3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	C3500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994,1990	Chevrolet	C3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994,1990	Chevrolet	C3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1997,1993-1992	Chevrolet	C3500	6.5L V8 395 CID		1AM075700A	700	24 Months
2000-1999	Chevrolet	C3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	C3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	C3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	C3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	Chevrolet	C3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	Chevrolet	C3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	Chevrolet	C3500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	Chevrolet	C3500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2003	Chevrolet	C3500	8.1L V8 496 CID		1AM075700A	700	24 Months
2003	Chevrolet	C3500	8.1L V8 496 CID		BB078800AB	800	36 Months
2004-2003,1998-1994,1990-1988	Chevrolet	C3500	5.7L V8 350 CID		1AM075700A	700	24 Months
2004-2003,1998-1994,1990-1988	Chevrolet	C3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1993-1991	Chevrolet	C3500HD	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500HD	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500HD	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500HD	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	C3500HD	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C3500HD	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	C3500HD	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	C3500HD	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	Chevrolet	C3500HD	6.5L V8 395 CID		1AM075700A	700	24 Months
1995-1994	Chevrolet	C3500HD	5.7L V8 350 CID		1AM075700A	700	24 Months
1995-1994	Chevrolet	C3500HD	5.7L V8 350 CID		BB078800AB	800	36 Months
2000-1994	Chevrolet	C3500HD	7.4L V8 454 CID		1AM075700A	700	24 Months
2000-1994	Chevrolet	C3500HD	7.4L V8 454 CID		BB078800AB	800	36 Months
2002-1994	Chevrolet	C3500HD	6.5L V8 395 CID		BB078800AB	800	36 Months
2002-2001	Chevrolet	C3500HD	8.1L V8 496 CID		1AM075700A	700	24 Months
2002-2001	Chevrolet	C3500HD	8.1L V8 496 CID		BB078800AB	800	36 Months
1962-1960	Chevrolet	C40	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	C40	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	C40	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
2007	Chevrolet	C4500 Kodiak	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009	Chevrolet	C4500 Kodiak	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C4500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C4500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
1986-1980	Chevrolet	C50	4.8L L6 292 CID		1AM075700A	700	24 Months
1990-1980	Chevrolet	C50	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1981	Chevrolet	C50	5.7L V8 350 CID		BB078800AB	800	36 Months
2009	Chevrolet	C5500 Kodiak	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C5500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C5500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009,2007	Chevrolet	C5500 Kodiak	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1983	Chevrolet	C60	6.1L L6 374 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1983	Chevrolet	C60	6.1L L6 374 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1983-1981	Chevrolet	C60	4.8L L6 292 CID		BB078800AB	800	36 Months
1983-1982	Chevrolet	C60	10.4L V8 636 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1983-1982	Chevrolet	C60	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1983-1982	Chevrolet	C60	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1985	Chevrolet	C60	7.0L V8 6998cc 427 CID		1AM075700A	700	24 Months
1985	Chevrolet	C60	7.0L V8 6998cc 427 CID		BB078800AB	800	36 Months
1985-1981	Chevrolet	C60	10.4L V8 636 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1980	Chevrolet	C60	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1980	Chevrolet	C60	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1981	Chevrolet	C60	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1988-1987	Chevrolet	C60	8.2L V8 501 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	C60	6.0L V8 366 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	C60	8.2L V8 501 CID		BB078800AB	800	36 Months
1990-1980	Chevrolet	C60	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1981	Chevrolet	C60	5.7L V8 350 CID		BB078800AB	800	36 Months
1990-1987	Chevrolet	C60	6.0L V8 366 CID		1AM075700A	700	24 Months
2007-2006	Chevrolet	C6500 Kodiak	8.1L V8 496 CID	Battery is located on the frame rail; OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009	Chevrolet	C6500 Kodiak	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C6500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C6500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009	Chevrolet	C6500 Kodiak	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1980	Chevrolet	C70	7.4L V8 454 CID		1AM075700A	700	24 Months
1980	Chevrolet	C70	7.4L V8 454 CID		BB078800AB	800	36 Months
1982-1980	Chevrolet	C70	9.1L V8 555 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1985-1982	Chevrolet	C70	6.1L L6 374 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1980	Chevrolet	C70	10.4L V8 636 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1980	Chevrolet	C70	7.0L V8 427 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1980	Chevrolet	C70	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1981	Chevrolet	C70	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1988-1987	Chevrolet	C70	10.4L V8 636 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	C70	7.0L V8 427 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	C70	8.2L V8 501 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	C70	10.4L V8 636 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	C70	6.0L V8 366 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	C70	7.0L V8 427 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	C70	8.2L V8 501 CID		BB078800AB	800	36 Months
1988-1987, 1980	Chevrolet	C70	6.0L V8 366 CID		1AM075700A	700	24 Months
2009	Chevrolet	C7500 Kodiak	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C7500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	C7500 Kodiak	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009	Chevrolet	C7500 Kodiak	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2003	Chevrolet	C8500	8.1L V8 496 CID		BB078800AB	800	36 Months
1968	Chevrolet	Camaro	4.1L L6 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	Camaro	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	Camaro	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	Camaro	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	Chevrolet	Camaro	5.7L V8 350 CID		1AM024700B	700	24 Months
1968	Chevrolet	Camaro	6.5L V8 396 CID		1AM024700B	700	24 Months
1968	Chevrolet	Camaro	3.8L L6 230 CID		1AM260575A	575	24 Months
1968	Chevrolet	Camaro	4.1L L6 250 CID		1AM260575A	575	24 Months
1968	Chevrolet	Camaro	3.8L L6 230 CID		BB26R540AD	540	36 Months
1968	Chevrolet	Camaro	4.1L L6 250 CID		BB26R540AD	540	36 Months
1968-1967	Chevrolet	Camaro	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1968-1967	Chevrolet	Camaro	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1968-1967	Chevrolet	Camaro	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months
1968-1967	Chevrolet	Camaro	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1968-1967	Chevrolet	Camaro	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1968-1967	Chevrolet	Camaro	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1968-1967	Chevrolet	Camaro	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1968-1967	Chevrolet	Camaro	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	5.0L V8 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Camaro	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Camaro	5.4L V8 327 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Camaro	5.7L V8 350 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Camaro	5.7L V8 5736cc 350 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Camaro	6.5L V8 6489cc 396 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Camaro	7.0L V8 427 CID		1AM024700B	700	24 Months
1969	Chevrolet	Camaro	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1969	Chevrolet	Camaro	3.8L L6 230 CID	Late	1AM075700A	700	24 Months
1969	Chevrolet	Camaro	3.8L L6 3769cc 230 CID	Late	1AM075700A	700	24 Months
1969	Chevrolet	Camaro	4.1L L6 250 CID	Late	1AM075700A	700	24 Months
1969	Chevrolet	Camaro	4.1L L6 4097cc 250 CID	Late	1AM075700A	700	24 Months
1969	Chevrolet	Camaro	4.1L L6 4098cc 250 CID	Late	1AM075700A	700	24 Months
1969	Chevrolet	Camaro	3.8L L6 230 CID	Early	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	3.8L L6 3769cc 230 CID	Early	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	4.1L L6 250 CID	Early	1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1969	Chevrolet	Camaro	4.1L L6 4097cc 250 CID	Early	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	4.1L L6 4098cc 250 CID	Early	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	5.0L V8 307 CID	w/o AC	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	5.0L V8 5031cc 307 CID	w/o AC	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	5.4L V8 327 CID	w/o AC	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	5.7L V8 350 CID	w/o AC	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	5.7L V8 5736cc 350 CID	w/o AC	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	6.5L V8 6489cc 396 CID	w/o AC	1AM260575A	575	24 Months
1969	Chevrolet	Camaro	3.8L L6 230 CID	Early	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	3.8L L6 3769cc 230 CID	Early	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	4.1L L6 250 CID	Early	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	4.1L L6 4097cc 250 CID	Early	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	4.1L L6 4098cc 250 CID	Early	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	5.0L V8 307 CID	w/o AC	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	5.0L V8 5031cc 307 CID	w/o AC	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	5.4L V8 327 CID	w/o AC	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	5.7L V8 350 CID	w/o AC	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	5.7L V8 5736cc 350 CID	w/o AC	BB26R540AD	540	36 Months
1969	Chevrolet	Camaro	6.5L V8 6489cc 396 CID	w/o AC	BB26R540AD	540	36 Months
1969-1967	Chevrolet	Camaro	4.9L V8 4949cc 302 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	Camaro	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1972	Chevrolet	Camaro	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1972	Chevrolet	Camaro	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Camaro	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Camaro	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Camaro	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Camaro	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Camaro	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Camaro	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Camaro	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Camaro	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Camaro	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Camaro	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Camaro	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Camaro	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Camaro	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Camaro	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1979-1970	Chevrolet	Camaro	4.1L L6 250 CID		1AM075700A	700	24 Months
1979-1970	Chevrolet	Camaro	4.1L L6 250 CID		BB078800AB	800	36 Months
1980-1975, 1973-1970	Chevrolet	Camaro	5.7L V8 350 CID		BB078800AB	800	36 Months
1980-1976	Chevrolet	Camaro	5.0L V8 305 CID		BB078800AB	800	36 Months
1981-1980	Chevrolet	Camaro	3.8L V6 229 CID		1AM075700A	700	24 Months
1981-1980	Chevrolet	Camaro	4.4L V8 267 CID		1AM075700A	700	24 Months
1981-1980	Chevrolet	Camaro	3.8L V6 229 CID		BB078800AB	800	36 Months
1981-1980	Chevrolet	Camaro	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1981-1980	Chevrolet	Camaro	4.4L V8 267 CID		BB078800AB	800	36 Months
1986-1982	Chevrolet	Camaro	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1987	Chevrolet	Camaro	5.0L V8 305 CID; w/ Automatic Trans.		1AM075700A	700	24 Months
1989-1982	Chevrolet	Camaro	2.8L V6 173 CID		1AM075700A	700	24 Months
1989-1988, 1986-1976	Chevrolet	Camaro	5.0L V8 305 CID		1AM075700A	700	24 Months
1992-1990	Chevrolet	Camaro	3.1L V6 189 CID		1AM075700A	700	24 Months
1992-1990	Chevrolet	Camaro	5.0L V8 305 CID; w/ Standard Trans.		1AM075700A	700	24 Months
1995-1993	Chevrolet	Camaro	3.4L V6 207 CID		1AM075700A	700	24 Months
2002-1987, 1981-1975, 1973-1970	Chevrolet	Camaro	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1995, 1981-1980	Chevrolet	Camaro	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
2015-2010	Chevrolet	Camaro	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2015-2010	Chevrolet	Camaro	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2015-2011	Chevrolet	Camaro	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2015-2011	Chevrolet	Camaro	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2015-2014	Chevrolet	Camaro	7.0L V8 7011cc 427 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
1967	Chevrolet	Caprice	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1967	Chevrolet	Caprice	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	Caprice	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	Chevrolet	Caprice	5.0L V8 307 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Caprice	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Caprice	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Caprice	5.3L V8 5358cc 327 CID		1AM260575A	575	24 Months
1969-1966	Chevrolet	Caprice	5.3L V8 5358cc 327 CID		BB26R540AD	540	36 Months
1969-1968	Chevrolet	Caprice	4.1L L6 250 CID	w/AC	1AM024700B	700	24 Months
1969-1968	Chevrolet	Caprice	4.1L L6 4097cc 250 CID	w/AC	1AM024700B	700	24 Months
1969-1968	Chevrolet	Caprice	4.1L L6 4098cc 250 CID	w/AC	1AM024700B	700	24 Months
1969-1968	Chevrolet	Caprice	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Caprice	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Caprice	7.0L V8 427 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Caprice	4.1L L6 250 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Caprice	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Caprice	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Caprice	4.1L L6 250 CID		BB26R540AD	540	36 Months
1969-1968	Chevrolet	Caprice	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1969-1968	Chevrolet	Caprice	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1970	Chevrolet	Caprice	6.6L V8 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Caprice	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Caprice	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Caprice	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1969	Chevrolet	Caprice	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Caprice	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	Chevrolet	Caprice	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Caprice	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Caprice	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Caprice	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971, 1969-1968	Chevrolet	Caprice	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1974	Chevrolet	Caprice	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Caprice	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Caprice	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Caprice	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Caprice	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Caprice	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Caprice	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Caprice	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Caprice	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Caprice	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Caprice	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Caprice	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Caprice	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1975-1971	Chevrolet	Caprice	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1970	Chevrolet	Caprice	7.4L V8 454 CID		1AM075700A	700	24 Months
1976-1970	Chevrolet	Caprice	7.4L V8 454 CID		BB078800AB	800	36 Months
1976-1971	Chevrolet	Caprice	6.6L V8 400 CID		1AM075700A	700	24 Months
1979	Chevrolet	Caprice	4.1L L6 250 CID		BB078800AB	800	36 Months
1979-1977	Chevrolet	Caprice	4.1L L6 250 CID		1AM075700A	700	24 Months
1980	Chevrolet	Caprice	3.8L V6 229 CID		BB078800AB	800	36 Months
1980	Chevrolet	Caprice	5.7L V8 350 CID; GAS		BB078800AB	800	36 Months
1980-1977	Chevrolet	Caprice	5.0L V8 305 CID		BB078800AB	800	36 Months
1982-1980	Chevrolet	Caprice	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1980	Chevrolet	Caprice	4.4L V8 267 CID		BB078800AB	800	36 Months
1984-1980	Chevrolet	Caprice	3.8L V6 229 CID		1AM075700A	700	24 Months
1985, 1980	Chevrolet	Caprice	5.7L V8 350 CID; DIESEL		1AM075700A	700	24 Months
1985, 1980	Chevrolet	Caprice	5.7L V8 350 CID; GAS		1AM075700A	700	24 Months
1985, 1980	Chevrolet	Caprice	5.7L V8 350 CID; DIESEL		BB078800AB	800	36 Months
1985-1980	Chevrolet	Caprice	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1985-1983, 1980	Chevrolet	Caprice	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1987	Chevrolet	Caprice	5.7L V8 350 CID	SEO	BB078800AB	800	36 Months
1990-1985	Chevrolet	Caprice	4.3L V6 262 CID		1AM075700A	700	24 Months
1990-1986	Chevrolet	Caprice	5.0L V8 307 CID		1AM075700A	700	24 Months
1993-1977	Chevrolet	Caprice	5.0L V8 305 CID		1AM075700A	700	24 Months
1993-1992	Chevrolet	Caprice	4.3L V6 262 CID		BB078800AB	800	36 Months
1996-1988, 1986, 1984-1981, 1979-1977, 1975-1971	Chevrolet	Caprice	5.7L V8 350 CID		BB078800AB	800	36 Months
1996-1994	Chevrolet	Caprice	4.3L V8 265 CID		1AM075700A	700	24 Months
1996-1995	Chevrolet	Caprice	4.3L V8 265 CID		BB078800AB	800	36 Months
1996-1995, 1987, 1984-1981, 1979-1971	Chevrolet	Caprice	5.7L V8 350 CID		1AM075700A	700	24 Months
2013-2011	Chevrolet	Caprice	6.0L V8 5967cc 364 CID	Battery is vented to outside of vehicle.; w/Police Pkg.	1AM940800A	800	24 Months
2016	Chevrolet	Caprice	6.0L V8 5967cc 364 CID	Battery Located in Trunk.; OE CCA: 700; OE Group: 94R; Police Package; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2012	Chevrolet	Captiva Sport	3.0L V6 182 CID		1AM0H6770A	770	24 Months
1982	Chevrolet	Cavalier	1.8L L4 112 CID		1AM075700A	700	24 Months
1989-1983	Chevrolet	Cavalier	2.0L L4 122 CID		1AM075700A	700	24 Months
1989-1985	Chevrolet	Cavalier	2.8L V6 173 CID		1AM075700A	700	24 Months
1991-1990	Chevrolet	Cavalier	2.2L L4 134 CID		1AM075700A	700	24 Months
1994-1990	Chevrolet	Cavalier	3.1L V6 189 CID		1AM075700A	700	24 Months
1995	Chevrolet	Cavalier	2.3L L4 138 CID		1AM075700A	700	24 Months
2002-1995	Chevrolet	Cavalier	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
2004-1992	Chevrolet	Cavalier	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
2005-2002	Chevrolet	Cavalier	2.2L L4 2198cc 134 CID		1AM075700A	700	24 Months
1983-1982	Chevrolet	Celebrity	4.3L V6 260 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1985-1984	Chevrolet	Celebrity	4.3L V6 260 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1986	Chevrolet	Celebrity	2.8L V6 173 CID	Installation may take up to 30 minutes. Battery located under hood.; SEO	BB078800AB	800	36 Months
1989-1982	Chevrolet	Celebrity	2.8L V6 173 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1990	Chevrolet	Celebrity	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1990-1982	Chevrolet	Celebrity	2.5L L4 2474cc 151 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1964	Chevrolet	Chevelle	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965	Chevrolet	Chevelle	3.2L L6 194 CID		1AM024700B	700	24 Months
1965-1964	Chevrolet	Chevelle	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1966	Chevrolet	Chevelle	3.2L L6 194 CID		1AM260575A	575	24 Months
1966	Chevrolet	Chevelle	3.2L L6 3180cc 194 CID		1AM260575A	575	24 Months
1966	Chevrolet	Chevelle	3.2L L6 194 CID		BB26R540AD	540	36 Months
1966	Chevrolet	Chevelle	3.2L L6 3180cc 194 CID		BB26R540AD	540	36 Months
1966-1965	Chevrolet	Chevelle	4.6L V8 283 CID	w/AC	1AM024700B	700	24 Months
1966-1965	Chevrolet	Chevelle	4.6L V8 4638cc 283 CID	w/AC	1AM024700B	700	24 Months
1967-1964	Chevrolet	Chevelle	4.6L V8 4638cc 283 CID		1AM260575A	575	24 Months
1967-1964	Chevrolet	Chevelle	4.6L V8 4638cc 283 CID		BB26R540AD	540	36 Months
1967-1965	Chevrolet	Chevelle	4.6L V8 283 CID		1AM260575A	575	24 Months
1967-1965	Chevrolet	Chevelle	4.6L V8 283 CID		BB26R540AD	540	36 Months
1968-1964	Chevrolet	Chevelle	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967, 1965	Chevrolet	Chevelle	5.4L V8 327 CID		1AM024700B	700	24 Months
1969	Chevrolet	Chevelle	4.1L L6 250 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Chevelle	4.1L L6 4097cc 250 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Chevelle	4.1L L6 4098cc 250 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Chevelle	5.0L V8 307 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Chevelle	5.0L V8 5031cc 307 CID	w/AC	1AM024700B	700	24 Months
1969	Chevrolet	Chevelle	5.7L V8 350 CID		1AM024700B	700	24 Months
1969-1964	Chevrolet	Chevelle	3.8L L6 3769cc 230 CID	w/AC	1AM024700B	700	24 Months
1969-1964	Chevrolet	Chevelle	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1969-1964	Chevrolet	Chevelle	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1969-1965	Chevrolet	Chevelle	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1967,1965	Chevrolet	Chevelle	3.8L L6 230 CID	w/AC	1AM024700B	700	24 Months
1969-1967,1965	Chevrolet	Chevelle	3.8L L6 230 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Chevelle	3.8L L6 230 CID		BB26R540AD	540	36 Months
1969-1968	Chevrolet	Chevelle	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Chevelle	5.0L V8 307 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Chevelle	5.0L V8 5031cc 307 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Chevelle	5.0L V8 307 CID		BB26R540AD	540	36 Months
1969-1968	Chevrolet	Chevelle	5.0L V8 5031cc 307 CID		BB26R540AD	540	36 Months
1970	Chevrolet	Chevelle	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	6.6L V8 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Chevelle	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970,1968	Chevrolet	Chevelle	5.0L V8 307 CID		1AM024700B	700	24 Months
1970,1968	Chevrolet	Chevelle	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	Chevelle	6.5L V8 396 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	Chevelle	4.1L L6 250 CID		1AM260575A	575	24 Months
1970-1967	Chevrolet	Chevelle	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970-1967	Chevrolet	Chevelle	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970-1967	Chevrolet	Chevelle	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970-1968	Chevrolet	Chevelle	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1970-1968	Chevrolet	Chevelle	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1971	Chevrolet	Chevelle	6.6L V8 400 CID		1AM075700A	700	24 Months
1971	Chevrolet	Chevelle	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1971	Chevrolet	Chevelle	6.6L V8 400 CID		BB078800AB	800	36 Months
1971	Chevrolet	Chevelle	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1972	Chevrolet	Chevelle	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	Chevrolet	Chevelle	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Chevelle	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Chevelle	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Chevelle	7.4L V8 454 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Chevelle	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Chevelle	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Chevelle	5.7L V8 350 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Chevelle	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Chevelle	7.4L V8 454 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Chevelle	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Chevelle	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Chevelle	4.1L L6 250 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	5.7L V8 350 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Chevelle	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Chevelle	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Chevelle	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1977-1976	Chevrolet	Chevette	1.4L L4 1393cc 85 CID		1AM075700A	700	24 Months
1986-1981	Chevrolet	Chevette	1.8L L4 1819cc 110 CID		1AM075700A	700	24 Months
1986-1981	Chevrolet	Chevette	1.8L L4 1819cc 110 CID		BB078800AB	800	36 Months
1987-1976	Chevrolet	Chevette	1.6L L4 98 CID		1AM075700A	700	24 Months
1965	Chevrolet	Chevy II	2.5L L4 2507cc 153 CID	w/AC	1AM024700B	700	24 Months
1965	Chevrolet	Chevy II	3.2L L6 3180cc 194 CID	w/AC	1AM024700B	700	24 Months
1965	Chevrolet	Chevy II	3.8L L6 3769cc 230 CID	w/AC	1AM024700B	700	24 Months
1965	Chevrolet	Chevy II	4.6L V8 4638cc 283 CID	w/AC	1AM024700B	700	24 Months
1966	Chevrolet	Chevy II	5.3L V8 5358cc 327 CID		1AM260575A	575	24 Months
1966	Chevrolet	Chevy II	5.3L V8 5358cc 327 CID		BB26R540AD	540	36 Months
1966,1964	Chevrolet	Chevy II	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966,1964-1963	Chevrolet	Chevy II	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1966,1964-1963	Chevrolet	Chevy II	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1966,1964-1963	Chevrolet	Chevy II	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1966-1964	Chevrolet	Chevy II	4.6L V8 283 CID		1AM260575A	575	24 Months
1966-1964	Chevrolet	Chevy II	4.6L V8 283 CID		BB26R540AD	540	36 Months
1967-1962	Chevrolet	Chevy II	3.2L L6 3180cc 194 CID		1AM260575A	575	24 Months
1967-1962	Chevrolet	Chevy II	3.2L L6 3180cc 194 CID		BB26R540AD	540	36 Months
1967-1963	Chevrolet	Chevy II	4.6L V8 4638cc 283 CID		1AM260575A	575	24 Months
1967-1963	Chevrolet	Chevy II	4.6L V8 4638cc 283 CID		BB26R540AD	540	36 Months
1967-1964	Chevrolet	Chevy II	3.2L L6 194 CID		1AM260575A	575	24 Months
1967-1964	Chevrolet	Chevy II	3.2L L6 194 CID		BB26R540AD	540	36 Months
1968	Chevrolet	Chevy II	5.7L V8 350 CID		1AM024700B	700	24 Months
1968	Chevrolet	Chevy II	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1968	Chevrolet	Chevy II	6.5L V8 396 CID		1AM024700B	700	24 Months
1968	Chevrolet	Chevy II	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1968	Chevrolet	Chevy II	2.5L L4 153 CID		1AM260575A	575	24 Months
1968	Chevrolet	Chevy II	4.1L L6 250 CID		1AM260575A	575	24 Months
1968	Chevrolet	Chevy II	5.0L V8 307 CID		1AM260575A	575	24 Months
1968	Chevrolet	Chevy II	5.0L V8 5031cc 307 CID		1AM260575A	575	24 Months
1968	Chevrolet	Chevy II	2.5L L4 153 CID		BB26R540AD	540	36 Months
1968	Chevrolet	Chevy II	4.1L L6 250 CID		BB26R540AD	540	36 Months
1968	Chevrolet	Chevy II	5.0L V8 307 CID		BB26R540AD	540	36 Months
1968	Chevrolet	Chevy II	5.0L V8 5031cc 307 CID		BB26R540AD	540	36 Months
1968,1966-1964	Chevrolet	Chevy II	3.8L L6 230 CID		1AM260575A	575	24 Months
1968,1966-1964	Chevrolet	Chevy II	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months
1968,1966-1964	Chevrolet	Chevy II	3.8L L6 230 CID		BB26R540AD	540	36 Months
1968,1966-1964	Chevrolet	Chevy II	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1968,1966-1965	Chevrolet	Chevy II	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1962	Chevrolet	Chevy II	2.5L L4 2507cc 153 CID		1AM260575A	575	24 Months
1968-1962	Chevrolet	Chevy II	2.5L L4 2507cc 153 CID		BB26R540AD	540	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1968-1965	Chevrolet	Chevy II	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967	Chevrolet	Chevy II	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1968-1967	Chevrolet	Chevy II	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1968-1967	Chevrolet	Chevy II	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1968-1967	Chevrolet	Chevy II	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1980	Chevrolet	Citation	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1980	Chevrolet	Citation	2.8L V6 173 CID		BB078800AB	800	36 Months
1983-1980	Chevrolet	Citation	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1983-1980	Chevrolet	Citation	2.8L V6 173 CID		1AM075700A	700	24 Months
1985-1984	Chevrolet	Citation II	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1985-1984	Chevrolet	Citation II	2.8L V6 173 CID		1AM075700A	700	24 Months
2005-2004	Chevrolet	Classic	2.2L L4 2198cc 134 CID		1AM075700A	700	24 Months
2010-2008	Chevrolet	Cobalt	2.2L L4 2198cc 134 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB075590AB	590	36 Months
2015	Chevrolet	Colorado	2.5L L4 2457cc 153 CID	OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Chevrolet	Colorado	3.6L V6 222 CID		1AM0H6770A	770	24 Months
2017	Chevrolet	Colorado	3.6L V6 222 CID		2AM048615A	615	18 Months
2017	Chevrolet	Colorado	3.6L V6 222 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Chevrolet	Colorado	2.5L L4 2457cc 153 CID		1AM0H6770A	770	24 Months
2017-2015	Chevrolet	Colorado	2.5L L4 2457cc 153 CID		2AM048615A	615	18 Months
2017-2016	Chevrolet	Colorado	2.5L L4 2457cc 153 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1992	Chevrolet	Commercial Chassis	4.3L V6 262 CID		BB078800AB	800	36 Months
1992-1991	Chevrolet	Commercial Chassis	5.0L V8 305 CID		BB078800AB	800	36 Months
1994-1991	Chevrolet	Commercial Chassis	5.7L V8 350 CID		BB078800AB	800	36 Months
1989-1987	Chevrolet	Corsica	2.0L L4 122 CID		1AM075700A	700	24 Months
1989-1987	Chevrolet	Corsica	2.8L V6 173 CID		1AM075700A	700	24 Months
1991-1990	Chevrolet	Corsica	2.2L L4 134 CID		1AM075700A	700	24 Months
1996-1990	Chevrolet	Corsica	3.1L V6 189 CID		1AM075700A	700	24 Months
1996-1992	Chevrolet	Corsica	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
1967-1965	Chevrolet	Corvaire	2.7L H6 164 CID		1AM024700B	700	24 Months
1967-1965	Chevrolet	Corvaire	2.7L H6 2684cc 164 CID		1AM024700B	700	24 Months
1969-1965	Chevrolet	Corvaire	2.7L H6 164 CID		1AM260575A	575	24 Months
1969-1965	Chevrolet	Corvaire	2.7L H6 2684cc 164 CID		1AM260575A	575	24 Months
1969-1965	Chevrolet	Corvaire	2.7L H6 164 CID		BB26R540AD	540	36 Months
1969-1965	Chevrolet	Corvaire	2.7L H6 2684cc 164 CID		BB26R540AD	540	36 Months
1955	Chevrolet	Corvette	4.3L V8 4343cc 265 CID	Check Voltage	1AM024700B	700	24 Months
1956	Chevrolet	Corvette	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1961-1957	Chevrolet	Corvette	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965	Chevrolet	Corvette	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1968	Chevrolet	Corvette	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	Chevrolet	Corvette	7.0L V8 427 CID		1AM024700B	700	24 Months
1968-1962	Chevrolet	Corvette	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1966	Chevrolet	Corvette	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1969	Chevrolet	Corvette	7.0L V8 427 CID		1AM075700A	700	24 Months
1969	Chevrolet	Corvette	7.0L V8 6998cc 427 CID		1AM075700A	700	24 Months
1969	Chevrolet	Corvette	7.0L V8 427 CID		BB078800AB	800	36 Months
1969	Chevrolet	Corvette	7.0L V8 6998cc 427 CID		BB078800AB	800	36 Months
1970	Chevrolet	Corvette	7.4L V8 454 CID	w/Vented Manifolds	1AM075700A	700	24 Months
1970	Chevrolet	Corvette	7.4L V8 7439cc 454 CID	w/Vented Manifolds	1AM075700A	700	24 Months
1970	Chevrolet	Corvette	7.4L V8 7441cc 454 CID	w/Vented Manifolds	1AM075700A	700	24 Months
1970	Chevrolet	Corvette	7.4L V8 454 CID	w/Vented Manifolds	BB078800AB	800	36 Months
1970	Chevrolet	Corvette	7.4L V8 7439cc 454 CID	w/Vented Manifolds	BB078800AB	800	36 Months
1970	Chevrolet	Corvette	7.4L V8 7441cc 454 CID	w/Vented Manifolds	BB078800AB	800	36 Months
1970-1969	Chevrolet	Corvette	5.7L V8 350 CID	w/Vented Manifolds	1AM075700A	700	24 Months
1970-1969	Chevrolet	Corvette	5.7L V8 5736cc 350 CID	w/Vented Manifolds	1AM075700A	700	24 Months
1970-1969	Chevrolet	Corvette	5.7L V8 350 CID	w/Vented Manifolds	BB078800AB	800	36 Months
1970-1969	Chevrolet	Corvette	5.7L V8 5736cc 350 CID	w/Vented Manifolds	BB078800AB	800	36 Months
1974	Chevrolet	Corvette	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974,1972	Chevrolet	Corvette	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Corvette	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Corvette	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Corvette	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Corvette	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Corvette	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Corvette	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Corvette	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1973,1971	Chevrolet	Corvette	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1980	Chevrolet	Corvette	5.0L V8 305 CID		1AM075700A	700	24 Months
1980	Chevrolet	Corvette	5.0L V8 305 CID		BB078800AB	800	36 Months
1989-1984	Chevrolet	Corvette	5.7L V8 350 CID	Professional installation required.	1AM075700A	700	24 Months
1996-1990	Chevrolet	Corvette	5.7L V8 350 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2000-1997,1980,1978-1973,1971	Chevrolet	Corvette	5.7L V8 350 CID		BB078800AB	800	36 Months
2000-1997,1982-1971	Chevrolet	Corvette	5.7L V8 350 CID		1AM075700A	700	24 Months
2003-2001	Chevrolet	Corvette	5.7L V8 350 CID	AGM Valve Regulated Lead Acid (VRLA) is required;	1AM075700A	700	24 Months
2006	Chevrolet	Corvette	6.0L V8 5967cc 364 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	BB075590AB	590	36 Months
2009	Chevrolet	Corvette	6.2L V8 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Dry Sump System Pkg. (Z52)	BB075590AB	590	36 Months
2010	Chevrolet	Corvette	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; w/Dry Sump System Pkg. (Z52)	BB075590AB	590	36 Months
2010	Chevrolet	Corvette	7.0L V8 7011cc 427 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	BB075590AB	590	36 Months
2012-2011,2009	Chevrolet	Corvette	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Dry Sump System Pkg. (Z52)	BB075590AB	590	36 Months
2012-2011,2009-2008,2006	Chevrolet	Corvette	7.0L V8 7011cc 427 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB075590AB	590	36 Months
2013	Chevrolet	Corvette	7.0L V8 7011cc 427 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Dry Sump System Pkg. (Z52)	BB075590AB	590	36 Months
2017-2014	Chevrolet	Corvette	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017-2014	Chevrolet	Corvette	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2014	Chevrolet	Corvette	6.2L V8 6162cc 376 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM94800A	800	24 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM94800A	800	24 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2011	Chevrolet	Cruze	1.4L L4 1364cc 83 CID	Installation may take up to 30 minutes. Battery located under hood.	BBEH7680AA	680	36 Months
2015-2011	Chevrolet	Cruze	1.8L L4 1796cc 110 CID	Installation may take up to 30 minutes. Battery located under hood.	BBEH7680AA	680	36 Months
2017-2016	Chevrolet	Cruze	1.4L L4 1399cc 85 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 525; OE Group: 47; Reserve Capacity: 90; w/o Start Stop	BBAH5550AA	550	36 Months
2017-2016	Chevrolet	Cruze	1.4L L4 1399cc 85 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 615; OE Group: 48; Reserve Capacity: 100; w/o Start Stop	BBAH6650AA	650	36 Months
2018-2016	Chevrolet	Cruze	1.4L L4 1399cc 85 CID	Battery is vented to outside of vehicle.; w/o Start/Stop	1AM0H6770A	770	24 Months
2018-2016	Chevrolet	Cruze	1.4L L4 1399cc 85 CID	Battery is vented to outside of vehicle.; w/o Start/Stop	2AM048615A	615	18 Months
2018-2017	Chevrolet	Cruze	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.	1AM94800A	800	24 Months
2018-2017	Chevrolet	Cruze	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.	BB0H7730AB	730	36 Months
2016	Chevrolet	Cruze Limited	1.8L L4 1796cc 110 CID		1AM0H6770A	770	24 Months
2016	Chevrolet	Cruze Limited	1.8L L4 1796cc 110 CID		2AM048615A	615	18 Months
2016	Chevrolet	Cruze Limited	1.8L L4 1796cc 110 CID	OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1957	Chevrolet	Del Ray	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1958	Chevrolet	Del Ray	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1958-1957	Chevrolet	Del Ray	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1958-1957	Chevrolet	Del Ray	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1960-1959	Chevrolet	El Camino	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1960-1959	Chevrolet	El Camino	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1960-1959	Chevrolet	El Camino	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1965-1964	Chevrolet	El Camino	3.2L L6 3180cc 194 CID		1AM260575A	575	24 Months
1965-1964	Chevrolet	El Camino	3.2L L6 3180cc 194 CID		BB26R540AD	540	36 Months
1966	Chevrolet	El Camino	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1967-1964	Chevrolet	El Camino	4.6L V8 4638cc 283 CID		1AM260575A	575	24 Months
1967-1964	Chevrolet	El Camino	4.6L V8 4638cc 283 CID		BB26R540AD	540	36 Months
1968	Chevrolet	El Camino	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	Chevrolet	El Camino	6.5L V8 396 CID		1AM260575A	575	24 Months
1968	Chevrolet	El Camino	6.5L V8 6489cc 396 CID		1AM260575A	575	24 Months
1968	Chevrolet	El Camino	6.5L V8 396 CID		BB26R540AD	540	36 Months
1968	Chevrolet	El Camino	6.5L V8 6489cc 396 CID		BB26R540AD	540	36 Months
1969,1967-1966	Chevrolet	El Camino	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1964	Chevrolet	El Camino	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1964	Chevrolet	El Camino	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	El Camino	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1969-1967	Chevrolet	El Camino	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1969-1967	Chevrolet	El Camino	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1969-1967	Chevrolet	El Camino	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1969-1968	Chevrolet	El Camino	3.8L L6 230 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	El Camino	4.1L L6 250 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	El Camino	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970	Chevrolet	El Camino	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	6.6L V8 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	7.4L V8 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	El Camino	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	El Camino	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	El Camino	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	El Camino	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	El Camino	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	El Camino	6.5L V8 396 CID		1AM024700B	700	24 Months
1972-1971	Chevrolet	El Camino	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	El Camino	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	El Camino	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	El Camino	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	El Camino	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	El Camino	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	El Camino	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	El Camino	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	El Camino	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	El Camino	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974	Chevrolet	El Camino	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	Chevrolet	El Camino	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	El Camino	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	El Camino	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	El Camino	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	El Camino	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	El Camino	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	El Camino	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	El Camino	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	El Camino	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	El Camino	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	El Camino	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1975-1971	Chevrolet	El Camino	7.4L V8 454 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1975-1971	Chevrolet	El Camino	7.4L V8 454 CID		BB078800AB	800	36 Months
1975-1974	Chevrolet	El Camino	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1974	Chevrolet	El Camino	6.6L V8 400 CID		1AM075700A	700	24 Months
1977-1971	Chevrolet	El Camino	4.1L L6 250 CID		1AM075700A	700	24 Months
1979	Chevrolet	El Camino	3.8L V6 231 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	El Camino	3.3L V6 200 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	El Camino	3.3L V6 200 CID		BB078800AB	800	36 Months
1982	Chevrolet	El Camino	5.0L V8 305 CID		BB078800AB	800	36 Months
1982-1979	Chevrolet	El Camino	4.4L V8 267 CID		1AM075700A	700	24 Months
1984-1978	Chevrolet	El Camino	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1984-1980	Chevrolet	El Camino	3.8L V6 229 CID		1AM075700A	700	24 Months
1984-1983, 1975-1971	Chevrolet	El Camino	5.7L V8 350 CID		BB078800AB	800	36 Months
1984-1983, 1979-1971	Chevrolet	El Camino	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1983, 1981	Chevrolet	El Camino	3.8L V6 229 CID		BB078800AB	800	36 Months
1984-1983, 1981	Chevrolet	El Camino	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1987-1976	Chevrolet	El Camino	5.0L V8 305 CID		1AM075700A	700	24 Months
1987-1985	Chevrolet	El Camino	4.3L V6 262 CID		1AM075700A	700	24 Months
2006-2005	Chevrolet	Equinox	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2006-2005	Chevrolet	Equinox	3.4L V6 3425cc 209 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2011	Chevrolet	Equinox	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2011-2010	Chevrolet	Equinox	3.0L V6 182 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2010	Chevrolet	Equinox	3.0L V6 182 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2012-2010	Chevrolet	Equinox	3.0L V6 182 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1969	Chevrolet	Estate	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969	Chevrolet	Estate	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969	Chevrolet	Estate	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1970	Chevrolet	Estate	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Chevrolet	Estate	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	Estate	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Estate	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Estate	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Estate	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
2002-1996	Chevrolet	Express 1500	5.0L V8 305 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 1500	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 1500	5.0L V8 305 CID		BB078800AB	800	36 Months
2002-1996	Chevrolet	Express 1500	5.7L V8 350 CID		BB078800AB	800	36 Months
2012-1996	Chevrolet	Express 1500	4.3L V6 262 CID		1AM075700A	700	24 Months
2012-1996	Chevrolet	Express 1500	4.3L V6 262 CID		BB078800AB	800	36 Months
2014-2003	Chevrolet	Express 1500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2014-2003	Chevrolet	Express 1500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2014-2013	Chevrolet	Express 1500	4.3L V6 4293cc 262 CID		1AM075700A	700	24 Months
2014-2013	Chevrolet	Express 1500	4.3L V6 4293cc 262 CID		BB078800AB	800	36 Months
2001, 1999-1996	Chevrolet	Express 2500	6.5L V8 395 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 2500	5.0L V8 305 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 2500	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 2500	5.0L V8 305 CID		BB078800AB	800	36 Months
2002-1996	Chevrolet	Express 2500	5.7L V8 350 CID		BB078800AB	800	36 Months
2002-1996	Chevrolet	Express 2500	6.5L V8 395 CID		BB078800AB	800	36 Months
2005-1996	Chevrolet	Express 2500	4.3L V6 262 CID		1AM075700A	700	24 Months
2005-1996	Chevrolet	Express 2500	4.3L V6 262 CID		BB078800AB	800	36 Months
2005-2003	Chevrolet	Express 2500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2005-2003	Chevrolet	Express 2500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2008-2007	Chevrolet	Express 2500	6.6L V8 6599cc 403 CID		1AM075700A	700	24 Months
2016-2003	Chevrolet	Express 2500	4.8L V8 294 CID		1AM075700A	700	24 Months
2016-2003	Chevrolet	Express 2500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2016-2006	Chevrolet	Express 2500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2017	Chevrolet	Express 2500	2.8L L4 171 CID		BB078800AB	800	36 Months
2017-2003	Chevrolet	Express 2500	4.8L V8 294 CID		BB078800AB	800	36 Months
2017-2003	Chevrolet	Express 2500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2000-1996	Chevrolet	Express 3500	7.4L V8 454 CID		1AM075700A	700	24 Months
2000-1996	Chevrolet	Express 3500	7.4L V8 454 CID		BB078800AB	800	36 Months
2001-1996	Chevrolet	Express 3500	6.5L V8 395 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 3500	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1996	Chevrolet	Express 3500	5.7L V8 350 CID		BB078800AB	800	36 Months
2002-1996	Chevrolet	Express 3500	6.5L V8 395 CID		BB078800AB	800	36 Months
2002-2001	Chevrolet	Express 3500	8.1L V8 496 CID		1AM075700A	700	24 Months
2002-2001	Chevrolet	Express 3500	8.1L V8 496 CID		BB078800AB	800	36 Months
2008	Chevrolet	Express 3500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2008	Chevrolet	Express 3500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2008-2007	Chevrolet	Express 3500	6.6L V8 6599cc 403 CID		1AM075700A	700	24 Months
2016-2003	Chevrolet	Express 3500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2016-2005	Chevrolet	Express 3500	4.8L V8 294 CID		1AM075700A	700	24 Months
2016-2006	Chevrolet	Express 3500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2017	Chevrolet	Express 3500	2.8L L4 171 CID		BB078800AB	800	36 Months
2017-2003	Chevrolet	Express 3500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2017-2005	Chevrolet	Express 3500	4.8L V8 294 CID		BB078800AB	800	36 Months
2015-2009	Chevrolet	Express 4500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2016-2009	Chevrolet	Express 4500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2016-2009	Chevrolet	Express 4500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2013-2011	Chevrolet	Express Cargo	4.3L V6 4300cc 262 CID		1AM075700A	700	24 Months
2013-2011	Chevrolet	Express Cargo	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2013-2011	Chevrolet	Express Cargo	4.3L V6 4300cc 262 CID		BB078800AB	800	36 Months
2013-2011	Chevrolet	Express Cargo	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
1976	Chevrolet	G10	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1975	Chevrolet	G10	4.1L L6 250 CID		1AM075700A	700	24 Months
1984-1983	Chevrolet	G10	4.1L L6 250 CID		BB078800AB	800	36 Months
1989-1988	Chevrolet	G10	5.0L V8 305 CID; w/ Automatic Trans.		1AM075700A	700	24 Months
1993-1975	Chevrolet	G10	5.7L V8 350 CID		1AM075700A	700	24 Months
1993-1991, 1989-1982	Chevrolet	G10	5.7L V8 350 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1995-1985	Chevrolet	G10	4.3L V6 262 CID		1AM075700A	700	24 Months
1995-1990, 1987-1977	Chevrolet	G10	5.0L V8 305 CID		1AM075700A	700	24 Months
1995-1991, 1986-1982	Chevrolet	G10	5.0L V8 305 CID		BB078800AB	800	36 Months
1995-1991, 1986-1985	Chevrolet	G10	4.3L V6 262 CID		BB078800AB	800	36 Months
1965-1964	Chevrolet	G10 Van	2.5L L4 153 CID		1AM024700B	700	24 Months
1966-1964	Chevrolet	G10 Van	3.2L L6 194 CID		1AM024700B	700	24 Months
1967	Chevrolet	G10 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	G10 Van	3.8L L6 230 CID		1AM024700B	700	24 Months
1970	Chevrolet	G10 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	G10 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	G10 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1971	Chevrolet	G10 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G10 Van	5.0L V8 307 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G10 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	G10 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1974	Chevrolet	G10 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G10 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G10 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	Chevrolet	G10 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G10 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G10 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G10 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	G10 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1976	Chevrolet	G20	7.4L V8 454 CID		1AM075700A	700	24 Months
1976	Chevrolet	G20	7.4L V8 454 CID		BB078800AB	800	36 Months
1980-1975	Chevrolet	G20	4.8L L6 292 CID		1AM075700A	700	24 Months
1980-1975	Chevrolet	G20	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1975	Chevrolet	G20	4.1L L6 250 CID		1AM075700A	700	24 Months
1984-1983	Chevrolet	G20	4.1L L6 250 CID		BB078800AB	800	36 Months
1988	Chevrolet	G20	5.0L V8 305 CID; w/ Automatic Trans.		1AM075700A	700	24 Months
1993-1983	Chevrolet	G20	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1992, 1990-1983	Chevrolet	G20	6.2L V8 379 CID		BB078800AB	800	36 Months
1995-1975	Chevrolet	G20	5.7L V8 350 CID		1AM075700A	700	24 Months
1995-1985	Chevrolet	G20	4.3L V6 262 CID		1AM075700A	700	24 Months
1995-1989, 1987-1977	Chevrolet	G20	5.0L V8 305 CID		1AM075700A	700	24 Months
1995-1991, 1986-1985	Chevrolet	G20	4.3L V6 262 CID		BB078800AB	800	36 Months
1995-1991, 1987-1982	Chevrolet	G20	5.0L V8 305 CID		BB078800AB	800	36 Months
1995-1991, 1989-1982	Chevrolet	G20	5.7L V8 350 CID		BB078800AB	800	36 Months
1995-1994	Chevrolet	G20	6.5L V8 395 CID		1AM075700A	700	24 Months
1995-1994	Chevrolet	G20	6.5L V8 395 CID		BB078800AB	800	36 Months
1967	Chevrolet	G20 Van	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	G20 Van	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	G20 Van	3.8L L6 230 CID		1AM024700B	700	24 Months
1970	Chevrolet	G20 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	Chevrolet	G20 Van	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	G20 Van	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	G20 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	G20 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	G20 Van	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971	Chevrolet	G20 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	G20 Van	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	G20 Van	4.8L L6 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G20 Van	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G20 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G20 Van	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	G20 Van	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	G20 Van	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	G20 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G20 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G20 Van	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G20 Van	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G20 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G20 Van	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1972	Chevrolet	G20 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G20 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G20 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G20 Van	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G20 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G20 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	G20 Van	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	G20 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1973, 1971	Chevrolet	G20 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1979-1975	Chevrolet	G30	4.8L L6 292 CID		1AM075700A	700	24 Months
1980-1975	Chevrolet	G30	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1981, 1979-1978, 1976	Chevrolet	G30	4.1L L6 250 CID		1AM075700A	700	24 Months
1984-1983	Chevrolet	G30	4.1L L6 250 CID		BB078800AB	800	36 Months
1985, 1982	Chevrolet	G30	5.0L V8 305 CID		BB078800AB	800	36 Months
1985, 1982, 1979-1978	Chevrolet	G30	5.0L V8 305 CID		1AM075700A	700	24 Months
1993-1983	Chevrolet	G30	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1992, 1990-1983	Chevrolet	G30	6.2L V8 379 CID		BB078800AB	800	36 Months
1996-1975	Chevrolet	G30	5.7L V8 350 CID		1AM075700A	700	24 Months
1996-1985	Chevrolet	G30	4.3L V6 262 CID		1AM075700A	700	24 Months
1996-1988, 1976-1975	Chevrolet	G30	7.4L V8 454 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1996-1988,1976-1975	Chevrolet	G30	7.4L V8 454 CID		BB078800AB	800	36 Months
1996-1991,1986-1985	Chevrolet	G30	4.3L V6 262 CID		BB078800AB	800	36 Months
1996-1991,1989-1982	Chevrolet	G30	5.7L V8 350 CID		BB078800AB	800	36 Months
1996-1994	Chevrolet	G30	6.5L V8 395 CID		1AM075700A	700	24 Months
1996-1994	Chevrolet	G30	6.5L V8 395 CID		BB078800AB	800	36 Months
1970	Chevrolet	G30 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	G30 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	G30 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G30 Van	4.8L L6 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	G30 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1974	Chevrolet	G30 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974	Chevrolet	G30 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974,1972-1971	Chevrolet	G30 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G30 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	G30 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	Chevrolet	G30 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G30 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G30 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	G30 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	G30 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1961-1958	Chevrolet	Impala	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1958	Chevrolet	Impala	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1963	Chevrolet	Impala	7.0L V8 6997cc 427 CID		1AM024700B	700	24 Months
1965-1961	Chevrolet	Impala	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	Impala	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1965-1964	Chevrolet	Impala	3.8L L6 230 CID		1AM024700B	700	24 Months
1965-1964	Chevrolet	Impala	6.7L V8 409 CID		1AM024700B	700	24 Months
1967-1958	Chevrolet	Impala	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966,1964	Chevrolet	Impala	4.6L V8 283 CID		1AM024700B	700	24 Months
1968	Chevrolet	Impala	5.0L V8 307 CID	w/AC	1AM024700B	700	24 Months
1968	Chevrolet	Impala	5.0L V8 307 CID		1AM260575A	575	24 Months
1968	Chevrolet	Impala	5.0L V8 307 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Impala	5.7L V8 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Impala	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969-1962	Chevrolet	Impala	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1964	Chevrolet	Impala	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1965	Chevrolet	Impala	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1965	Chevrolet	Impala	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Impala	7.0L V8 427 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	Impala	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	Impala	5.0L V8 5031cc 307 CID	w/AC	1AM024700B	700	24 Months
1969-1968	Chevrolet	Impala	5.0L V8 5031cc 307 CID		1AM260575A	575	24 Months
1969-1968	Chevrolet	Impala	5.0L V8 5031cc 307 CID		BB26R540AD	540	36 Months
1969-1968,1966	Chevrolet	Impala	4.1L L6 250 CID	w/AC	1AM024700B	700	24 Months
1969-1968,1966	Chevrolet	Impala	4.1L L6 4097cc 250 CID	w/AC	1AM024700B	700	24 Months
1969-1968,1966	Chevrolet	Impala	4.1L L6 4098cc 250 CID	w/AC	1AM024700B	700	24 Months
1970,1965	Chevrolet	Impala	4.1L L6 250 CID		1AM024700B	700	24 Months
1970,1965	Chevrolet	Impala	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970,1965	Chevrolet	Impala	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	Impala	4.1L L6 250 CID		1AM260575A	575	24 Months
1970-1966	Chevrolet	Impala	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970-1966	Chevrolet	Impala	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1970-1966	Chevrolet	Impala	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970-1966	Chevrolet	Impala	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970-1966	Chevrolet	Impala	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1972-1970	Chevrolet	Impala	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Impala	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Impala	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Impala	6.6L V8 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Impala	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Impala	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Impala	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	Impala	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Impala	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Impala	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Impala	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1970	Chevrolet	Impala	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Impala	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Impala	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Impala	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Impala	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Impala	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Impala	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Impala	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Impala	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1975	Chevrolet	Impala	5.7L V8 5735cc 350 CID		1AM075700A	700	24 Months
1975	Chevrolet	Impala	5.7L V8 5735cc 350 CID		BB078800AB	800	36 Months
1976-1970	Chevrolet	Impala	7.4L V8 454 CID		1AM075700A	700	24 Months
1976-1970	Chevrolet	Impala	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1970	Chevrolet	Impala	7.4L V8 454 CID		BB078800AB	800	36 Months
1976-1971	Chevrolet	Impala	6.6L V8 400 CID		1AM075700A	700	24 Months
1979-1970	Chevrolet	Impala	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1971	Chevrolet	Impala	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1977,1973-1971	Chevrolet	Impala	4.1L L6 250 CID		1AM075700A	700	24 Months
1980	Chevrolet	Impala	5.7L V8 350 CID; GAS		BB078800AB	800	36 Months
1980-1977	Chevrolet	Impala	5.0L V8 305 CID		BB078800AB	800	36 Months
1982-1980	Chevrolet	Impala	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1980	Chevrolet	Impala	4.4L V8 267 CID		BB078800AB	800	36 Months
1984-1980	Chevrolet	Impala	3.8L V6 229 CID		1AM075700A	700	24 Months
1984-1983,1981-1980	Chevrolet	Impala	3.8L V6 229 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1985	Chevrolet	Impala	4.3L V6 262 CID		1AM075700A	700	24 Months
1985-1977	Chevrolet	Impala	5.0L V8 305 CID		1AM075700A	700	24 Months
1985-1980	Chevrolet	Impala	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1985-1980	Chevrolet	Impala	5.7L V8 350 CID; DIESEL		1AM075700A	700	24 Months
1985-1980	Chevrolet	Impala	5.7L V8 350 CID; GAS		1AM075700A	700	24 Months
1985-1980	Chevrolet	Impala	5.7L V8 350 CID; DIESEL		BB078800AB	800	36 Months
1985-1983, 1981-1980	Chevrolet	Impala	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1996-1994	Chevrolet	Impala	5.7L V8 350 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1996-1995	Chevrolet	Impala	5.7L V8 350 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2000	Chevrolet	Impala	3.8L V6 3791cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2000	Chevrolet	Impala	3.8L V6 3791cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2005-2000	Chevrolet	Impala	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-2000	Chevrolet	Impala	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-2000	Chevrolet	Impala	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2005-2000	Chevrolet	Impala	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2014	Chevrolet	Impala	2.4L L4 2384cc 145 CID		1AM0H6770A	770	24 Months
2014	Chevrolet	Impala	2.4L L4 2384cc 145 CID		2AM048615A	615	18 Months
2014	Chevrolet	Impala	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2014	Chevrolet	Impala	2.5L L4 2457cc 153 CID	w/o Start/Stop	1AM0H6770A	770	24 Months
2016-2014	Chevrolet	Impala	2.5L L4 2457cc 153 CID	w/o Start/Stop	2AM048615A	615	18 Months
2016-2014	Chevrolet	Impala	2.5L L4 2457cc 153 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100; w/o Start Stop	BBAH6650AA	650	36 Months
1975	Chevrolet	K10	6.6L V8 400 CID		BB078800AB	800	36 Months
1980-1975	Chevrolet	K10	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1979, 1976	Chevrolet	K10	7.4L V8 454 CID		1AM075700A	700	24 Months
1980-1979, 1976	Chevrolet	K10	7.4L V8 454 CID		BB078800AB	800	36 Months
1980-1979, 1976-1975	Chevrolet	K10	4.8L L6 292 CID		1AM075700A	700	24 Months
1984-1975	Chevrolet	K10	4.1L L6 250 CID		1AM075700A	700	24 Months
1986, 1983-1982	Chevrolet	K10	5.0L V8 305 CID		BB078800AB	800	36 Months
1986, 1983-1982, 1975	Chevrolet	K10	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1975	Chevrolet	K10	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1981, 1979-1977	Chevrolet	K10	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K10	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K10	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1985	Chevrolet	K10	4.3L V6 262 CID		1AM075700A	700	24 Months
1986-1985	Chevrolet	K10	4.3L V6 262 CID		BB078800AB	800	36 Months
1961-1960	Chevrolet	K10 Pickup	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	K10 Pickup	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	K10 Pickup	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1967-1960	Chevrolet	K10 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	K10 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	K10 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1969	Chevrolet	K10 Pickup	3.8L L6 230 CID		1AM024700B	700	24 Months
1969-1963	Chevrolet	K10 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	K10 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K10 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K10 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	K10 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1963	Chevrolet	K10 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	K10 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K10 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K10 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K10 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K10 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K10 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K10 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	K10 Pickup	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K10 Pickup	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K10 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	K10 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	K10 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K10 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K10 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K10 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K10 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1973-1972	Chevrolet	K10 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1973-1972	Chevrolet	K10 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974	Chevrolet	K10 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	K10 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974	Chevrolet	K10 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974	Chevrolet	K10 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	Chevrolet	K10 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974	Chevrolet	K10 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K10 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K10 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	K10 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K10 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K10 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1967	Chevrolet	K10 Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967	Chevrolet	K10 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1968	Chevrolet	K10 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	K10 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K10 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K10 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	K10 Suburban	6.6L V8 402 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970	Chevrolet	K10 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	K10 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K10 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K10 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K10 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K10 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K10 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K10 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	K10 Suburban	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K10 Suburban	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	K10 Suburban	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	K10 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	K10 Suburban	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	K10 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K10 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K10 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K10 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K10 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	K10 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	K10 Suburban	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K10 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K10 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	K10 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K10 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K10 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1975	Chevrolet	K10 Suburban	6.6L V8 400 CID		BB078800AB	800	36 Months
1979-1975	Chevrolet	K10 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1971	Chevrolet	K10 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1985-1982	Chevrolet	K10 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1986-1971	Chevrolet	K10 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	K10 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K10 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K10 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1985, 1983-1982, 1975-1971	Chevrolet	K10 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	Chevrolet	K1500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	K1500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K1500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K1500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	K1500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K1500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	K1500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K1500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	K1500	4.3L V6 262 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	K1500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994, 1990-1988	Chevrolet	K1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988	Chevrolet	K1500	5.0L V8 305 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988	Chevrolet	K1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988	Chevrolet	K1500	5.0L V8 305 CID		BB078800AB	800	36 Months
1998-1994, 1990-1988	Chevrolet	K1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	K1500	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	K1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	K1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1993-1992	Chevrolet	K1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	Chevrolet	K1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	Chevrolet	K1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	Chevrolet	K1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	K1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	K1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1995	Chevrolet	K1500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	K1500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	K1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	K1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1975	Chevrolet	K20	6.6L V8 400 CID		BB078800AB	800	36 Months
1980, 1978-1976	Chevrolet	K20	7.4L V8 454 CID		1AM075700A	700	24 Months
1980, 1978-1976	Chevrolet	K20	7.4L V8 454 CID		BB078800AB	800	36 Months
1980-1975	Chevrolet	K20	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1978, 1976-1975	Chevrolet	K20	4.1L L6 250 CID		1AM075700A	700	24 Months
1985	Chevrolet	K20	4.3L V6 262 CID		1AM075700A	700	24 Months
1985	Chevrolet	K20	4.3L V6 262 CID		BB078800AB	800	36 Months
1985	Chevrolet	K20	5.0L V8 305 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1985,1980,1978-1977	Chevrolet	K20	5.0L V8 305 CID		1AM075700A	700	24 Months
1986	Chevrolet	K20	4.8L L6 292 CID		BB078800AB	800	36 Months
1986,1983-1982,1975	Chevrolet	K20	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1975	Chevrolet	K20	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1975	Chevrolet	K20	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K20	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K20	6.2L V8 379 CID		BB078800AB	800	36 Months
1967	Chevrolet	K20 Panel	4.1L L6 250 CID		1AM024700B	700	24 Months
1967	Chevrolet	K20 Panel	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	Chevrolet	K20 Panel	4.6L V8 283 CID		1AM024700B	700	24 Months
1967	Chevrolet	K20 Panel	5.4L V8 327 CID		1AM024700B	700	24 Months
1961-1960	Chevrolet	K20 Pickup	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	K20 Pickup	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1963-1960	Chevrolet	K20 Pickup	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	K20 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1967-1960	Chevrolet	K20 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	K20 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1968	Chevrolet	K20 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1966	Chevrolet	K20 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K20 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K20 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	K20 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1963	Chevrolet	K20 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1966	Chevrolet	K20 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K20 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K20 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K20 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	K20 Pickup	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K20 Pickup	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K20 Pickup	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	K20 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	K20 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	K20 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K20 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K20 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K20 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K20 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	K20 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	K20 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K20 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K20 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	K20 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	Chevrolet	K20 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K20 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K20 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K20 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K20 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	K20 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	K20 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1967	Chevrolet	K20 Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	Chevrolet	K20 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1967	Chevrolet	K20 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K20 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	K20 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	K20 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1967	Chevrolet	K20 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K20 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K20 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K20 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	K20 Suburban	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K20 Suburban	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K20 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	K20 Suburban	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	K20 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	K20 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973	Chevrolet	K20 Suburban	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1973	Chevrolet	K20 Suburban	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K20 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K20 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	K20 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	K20 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	K20 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	K20 Suburban	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K20 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Suburban	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K20 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	K20 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K20 Suburban	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K20 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973	Chevrolet	K20 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1980,1975	Chevrolet	K20 Suburban	6.6L V8 400 CID		BB078800AB	800	36 Months
1980-1975	Chevrolet	K20 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1982-1971	Chevrolet	K20 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1985	Chevrolet	K20 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1985,1973	Chevrolet	K20 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1985,1973	Chevrolet	K20 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1986-1971	Chevrolet	K20 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1981,1975-1971	Chevrolet	K20 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1982	Chevrolet	K20 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K20 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1985,1978-1977	Chevrolet	K20 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1991	Chevrolet	K2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	K2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K2500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K2500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1995-1994	Chevrolet	K2500	4.3L V6 262 CID		BB078800AB	800	36 Months
1995-1994,1990-1988	Chevrolet	K2500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	K2500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	K2500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	K2500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1994,1990-1988	Chevrolet	K2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1990-1988	Chevrolet	K2500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997,1993-1992	Chevrolet	K2500	6.5L V8 395 CID		1AM075700A	700	24 Months
1998-1997,1995-1994,1990-1988	Chevrolet	K2500	5.0L V8 305 CID		1AM075700A	700	24 Months
1998-1997,1995-1994,1990-1988	Chevrolet	K2500	5.0L V8 305 CID		BB078800AB	800	36 Months
2000-1999	Chevrolet	K2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	K2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	K2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	K2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	K2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	K2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1993-1992	Chevrolet	K2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	Chevrolet	K2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	Chevrolet	K2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	Chevrolet	K2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	Chevrolet	K2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	Chevrolet	K2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	Chevrolet	K2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	Chevrolet	K2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	K2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	K2500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994	Chevrolet	K2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	K2500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	Chevrolet	K2500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	K2500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	K2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	K2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	K2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	Chevrolet	K2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1980	Chevrolet	K30	6.6L V8 400 CID		BB078800AB	800	36 Months
1980-1977	Chevrolet	K30	6.6L V8 400 CID		1AM075700A	700	24 Months
1986	Chevrolet	K30	4.8L L6 292 CID		BB078800AB	800	36 Months
1986-1977	Chevrolet	K30	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	K30	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1980,1977	Chevrolet	K30	7.4L V8 454 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K30	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K30	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1982,1980,1977	Chevrolet	K30	7.4L V8 454 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1986-1985,1983-1982	Chevrolet	K30	5.7L V8 350 CID		BB078800AB	800	36 Months
1968	Chevrolet	K30 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K30 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K30 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	K30 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	Chevrolet	K30 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	Chevrolet	K30 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K30 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K30 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K30 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	K30 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K30 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	K30 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	Chevrolet	K30 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1971	Chevrolet	K30 Pickup	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K30 Pickup	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	K30 Pickup	4.8L L6 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	K30 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1971	Chevrolet	K30 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months
1971-1968	Chevrolet	K30 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1968	Chevrolet	K30 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1972-1971	Chevrolet	K30 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	K30 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1972	Chevrolet	K30 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1972	Chevrolet	K30 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1972	Chevrolet	K30 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1972	Chevrolet	K30 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	K30 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	K30 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K30 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K30 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K30 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K30 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K30 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K30 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	K30 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	K30 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	Chevrolet	K30 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K30 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K30 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K30 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K30 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	K30 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	K30 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	K30 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1991	Chevrolet	K3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	K3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1991	Chevrolet	K3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	Chevrolet	K3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	Chevrolet	K3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	Chevrolet	K3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991,1989-1988	Chevrolet	K3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991,1989-1988	Chevrolet	K3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991,1989-1988	Chevrolet	K3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991,1989-1988	Chevrolet	K3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1998-1994	Chevrolet	K3500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994,1990	Chevrolet	K3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994,1990	Chevrolet	K3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1994,1990-1988	Chevrolet	K3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1990-1988	Chevrolet	K3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997,1993-1992	Chevrolet	K3500	6.5L V8 395 CID		1AM075700A	700	24 Months
2000-1999	Chevrolet	K3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	K3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	K3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	K3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	K3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	Chevrolet	K3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1975	Chevrolet	K5 Blazer	6.6L V8 400 CID		BB078800AB	800	36 Months
1978-1976	Chevrolet	K5 Blazer	7.4L V8 454 CID		1AM075700A	700	24 Months
1979-1975	Chevrolet	K5 Blazer	6.6L V8 400 CID		1AM075700A	700	24 Months
1982	Chevrolet	K5 Blazer	4.1L L6 250 CID		BB078800AB	800	36 Months
1982-1975	Chevrolet	K5 Blazer	4.1L L6 250 CID		1AM075700A	700	24 Months
1986-1975	Chevrolet	K5 Blazer	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1977	Chevrolet	K5 Blazer	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K5 Blazer	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	Chevrolet	K5 Blazer	6.2L V8 379 CID		BB078800AB	800	36 Months
1986-1982,1980,1975	Chevrolet	K5 Blazer	5.7L V8 350 CID		BB078800AB	800	36 Months
1986-1985,1983-1982,1980	Chevrolet	K5 Blazer	5.0L V8 305 CID		BB078800AB	800	36 Months
1961	Chevrolet	Kingswood	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Kingswood	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1961-1959	Chevrolet	Kingswood	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Kingswood	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1969	Chevrolet	Kingswood	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Kingswood	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969	Chevrolet	Kingswood	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969	Chevrolet	Kingswood	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Kingswood	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1972,1970	Chevrolet	Kingswood	7.4L V8 454 CID		1AM075700A	700	24 Months
1972,1970	Chevrolet	Kingswood	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1972,1970	Chevrolet	Kingswood	7.4L V8 454 CID		BB078800AB	800	36 Months
1972,1970	Chevrolet	Kingswood	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1972-1969	Chevrolet	Kingswood	5.7L V8 350 CID		1AM075700A	700	24 Months
1972-1969	Chevrolet	Kingswood	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1972-1969	Chevrolet	Kingswood	5.7L V8 350 CID		BB078800AB	800	36 Months
1972-1969	Chevrolet	Kingswood	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Kingswood	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Kingswood	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Kingswood	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Kingswood	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Kingswood	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Kingswood	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Kingswood	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Kingswood	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Kingswood	6.6L V8 402 CID		BB078800AB	800	36 Months
1973	Chevrolet	Laguna	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973	Chevrolet	Laguna	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	Laguna	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Laguna	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974	Chevrolet	Laguna	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	Chevrolet	Laguna	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Laguna	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Laguna	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Laguna	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Laguna	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Laguna	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Laguna	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Laguna	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Laguna	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1975-1973	Chevrolet	Laguna	7.4L V8 454 CID		1AM075700A	700	24 Months
1975-1973	Chevrolet	Laguna	5.7L V8 350 CID		BB078800AB	800	36 Months
1975-1973	Chevrolet	Laguna	7.4L V8 454 CID		BB078800AB	800	36 Months
1976	Chevrolet	Laguna	5.0L V8 305 CID		1AM075700A	700	24 Months
1976-1973	Chevrolet	Laguna	5.7L V8 350 CID		1AM075700A	700	24 Months
1976-1974	Chevrolet	Laguna	6.6L V8 400 CID		1AM075700A	700	24 Months
1976-1974	Chevrolet	Laguna	6.6L V8 400 CID		BB078800AB	800	36 Months
1993-1987	Chevrolet	LLV	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1995-1994	Chevrolet	LLV	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
1995-1994	Chevrolet	LLV	2.2L L4 2190cc 134 CID		BB078800AB	800	36 Months
1992-1990	Chevrolet	Lumina	2.5L L4 2474cc 151 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1991	Chevrolet	Lumina	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1996	Chevrolet	Lumina	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1999-1998	Chevrolet	Lumina	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1999-1998	Chevrolet	Lumina	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
2001-1990	Chevrolet	Lumina	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
2001-1996	Chevrolet	Lumina	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1995-1990	Chevrolet	Lumina APV	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1995-1992	Chevrolet	Lumina APV	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1996	Chevrolet	Lumina APV	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1996-1995	Chevrolet	Lumina Van	3.8L V6 3800cc 232 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1982	Chevrolet	LUV	2.2L L4 134 CID		1AM024700B	700	24 Months
1982-1975	Chevrolet	LUV	1.8L L4 111 CID		1AM024700B	700	24 Months
1974-1972	Chevrolet	Luv Pickup	1.8L L4 111 CID		1AM024700B	700	24 Months
1974-1972	Chevrolet	Luv Pickup	1.8L L4 1817cc 111 CID		1AM024700B	700	24 Months
1965-1964	Chevrolet	Malibu	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1965-1964	Chevrolet	Malibu	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	Chevrolet	Malibu	3.2L L6 3180cc 194 CID		1AM260575A	575	24 Months
1966	Chevrolet	Malibu	3.2L L6 3180cc 194 CID		BB26R540AD	540	36 Months
1967	Chevrolet	Malibu	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1967	Chevrolet	Malibu	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1967	Chevrolet	Malibu	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1967	Chevrolet	Malibu	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1967	Chevrolet	Malibu	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1967	Chevrolet	Malibu	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1967-1964	Chevrolet	Malibu	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1967-1964	Chevrolet	Malibu	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1967-1965	Chevrolet	Malibu	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	Malibu	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967-1966	Chevrolet	Malibu	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1973	Chevrolet	Malibu	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1973	Chevrolet	Malibu	5.0L V8 307 CID		1AM075700A	700	24 Months
1973	Chevrolet	Malibu	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973	Chevrolet	Malibu	5.0L V8 307 CID		BB078800AB	800	36 Months
1973	Chevrolet	Malibu	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	Malibu	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Malibu	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974	Chevrolet	Malibu	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974	Chevrolet	Malibu	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	Chevrolet	Malibu	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974	Chevrolet	Malibu	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Malibu	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Malibu	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Malibu	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Malibu	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Malibu	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	Malibu	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Malibu	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	Malibu	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1975-1973	Chevrolet	Malibu	7.4L V8 454 CID		1AM075700A	700	24 Months
1975-1973	Chevrolet	Malibu	7.4L V8 454 CID		BB078800AB	800	36 Months
1976-1974	Chevrolet	Malibu	6.6L V8 400 CID		1AM075700A	700	24 Months
1976-1974	Chevrolet	Malibu	6.6L V8 400 CID		BB078800AB	800	36 Months
1977-1973	Chevrolet	Malibu	4.1L L6 250 CID		1AM075700A	700	24 Months
1977-1976	Chevrolet	Malibu	4.1L L6 250 CID		BB078800AB	800	36 Months
1979	Chevrolet	Malibu	3.8L V6 231 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	Malibu	3.3L V6 200 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	Malibu	3.3L V6 200 CID		BB078800AB	800	36 Months
1980-1976	Chevrolet	Malibu	5.0L V8 305 CID		BB078800AB	800	36 Months
1982-1979	Chevrolet	Malibu	4.4L V8 267 CID		1AM075700A	700	24 Months
1983	Chevrolet	Malibu	4.3L V6 260 CID		BB078800AB	800	36 Months
1983,1981-1980	Chevrolet	Malibu	3.8L V6 229 CID		BB078800AB	800	36 Months
1983,1981-1980,1978	Chevrolet	Malibu	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1983-1973	Chevrolet	Malibu	5.7L V8 350 CID		1AM075700A	700	24 Months
1983-1976	Chevrolet	Malibu	5.0L V8 305 CID		1AM075700A	700	24 Months
1983-1978	Chevrolet	Malibu	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1983-1980	Chevrolet	Malibu	3.8L V6 229 CID		1AM075700A	700	24 Months
1983-1982	Chevrolet	Malibu	4.3L V6 260 CID		1AM075700A	700	24 Months
1983-1982,1980-1973	Chevrolet	Malibu	5.7L V8 350 CID		BB078800AB	800	36 Months
1999-1997	Chevrolet	Malibu	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
2003-1997	Chevrolet	Malibu	3.1L V6 189 CID		1AM075700A	700	24 Months
2003-1997	Chevrolet	Malibu	3.1L V6 3136cc 191 CID		1AM075700A	700	24 Months
2006-2004	Chevrolet	Malibu	3.5L V6 213 CID		1AM075700A	700	24 Months
2007	Chevrolet	Malibu	3.5L V6 3490cc 213 CID		1AM075700A	700	24 Months
2007-2004	Chevrolet	Malibu	2.2L L4 2198cc 134 CID		1AM075700A	700	24 Months
2007-2006	Chevrolet	Malibu	3.5L V6 3498cc 213 CID		1AM075700A	700	24 Months
2007-2006	Chevrolet	Malibu	3.9L V6 3880cc 237 CID		1AM075700A	700	24 Months
2008	Chevrolet	Malibu	2.2L L4 2198cc 134 CID		BB075590AB	590	36 Months
2008	Chevrolet	Malibu	3.5L V6 3498cc 213 CID		BB075590AB	590	36 Months
2010-2008	Chevrolet	Malibu	3.5L V6 3490cc 213 CID		BB075590AB	590	36 Months
2012-2011	Chevrolet	Malibu	2.4L L4 2384cc 145 CID		BB075590AB	590	36 Months
2012-2011	Chevrolet	Malibu	3.6L V6 3564cc 217 CID		BB075590AB	590	36 Months
2013	Chevrolet	Malibu	2.4L L4 2384cc 145 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013	Chevrolet	Malibu	2.5L L4 2457cc 153 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90; Start Stop	BBAH5550AA	550	36 Months
2014	Chevrolet	Malibu	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017-2016	Chevrolet	Malibu	1.8L L4 1796cc 110 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2000-1998	Chevrolet	Metro	1.0L L3 993cc 61 CID		1AM260575A	575	24 Months
2000-1998	Chevrolet	Metro	1.0L L3 993cc 61 CID		BB26R540AD	540	36 Months
2001-1998	Chevrolet	Metro	1.3L L4 1295cc 79 CID		1AM260575A	575	24 Months
2001-1998	Chevrolet	Metro	1.3L L4 1295cc 79 CID		BB26R540AD	540	36 Months
1972-1970	Chevrolet	Monte Carlo	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Monte Carlo	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Monte Carlo	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Monte Carlo	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1974	Chevrolet	Monte Carlo	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Monte Carlo	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Monte Carlo	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Monte Carlo	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Monte Carlo	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Monte Carlo	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Monte Carlo	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Monte Carlo	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Monte Carlo	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Monte Carlo	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Monte Carlo	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Monte Carlo	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1975-1970	Chevrolet	Monte Carlo	7.4L V8 454 CID		BB078800AB	800	36 Months
1975-1971	Chevrolet	Monte Carlo	7.4L V8 454 CID		1AM075700A	700	24 Months
1976-1970	Chevrolet	Monte Carlo	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1971	Chevrolet	Monte Carlo	6.6L V8 400 CID		1AM075700A	700	24 Months
1979	Chevrolet	Monte Carlo	3.8L V6 231 CID	w/HBL & AC	1AM075700A	700	24 Months
1979-1978	Chevrolet	Monte Carlo	3.3L V6 200 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	Monte Carlo	3.8L V6 3800cc 231 CID	w/HBL & AC	1AM075700A	700	24 Months
1979-1978	Chevrolet	Monte Carlo	3.3L V6 200 CID		BB078800AB	800	36 Months
1980-1976	Chevrolet	Monte Carlo	5.0L V8 305 CID		BB078800AB	800	36 Months
1982-1979	Chevrolet	Monte Carlo	4.4L V8 267 CID		1AM075700A	700	24 Months
1983	Chevrolet	Monte Carlo	4.3L V6 260 CID		BB078800AB	800	36 Months
1983-1982	Chevrolet	Monte Carlo	4.3L V6 260 CID		1AM075700A	700	24 Months
1984-1980	Chevrolet	Monte Carlo	3.8L V6 229 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1984-1982,1977-1970	Chevrolet	Monte Carlo	5.7L V8 350 CID		BB078800AB	800	36 Months
1984-1982,1977-1971	Chevrolet	Monte Carlo	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1983,1981-1980	Chevrolet	Monte Carlo	3.8L V6 229 CID		BB078800AB	800	36 Months
1985-1980	Chevrolet	Monte Carlo	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1985-1983,1981-1980	Chevrolet	Monte Carlo	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1987-1986	Chevrolet	Monte Carlo	3.8L V6 231 CID		1AM075700A	700	24 Months
1988-1976	Chevrolet	Monte Carlo	5.0L V8 305 CID		1AM075700A	700	24 Months
1988-1985	Chevrolet	Monte Carlo	4.3L V6 262 CID		1AM075700A	700	24 Months
1997-1995	Chevrolet	Monte Carlo	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1995	Chevrolet	Monte Carlo	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1996	Chevrolet	Monte Carlo	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1997-1996	Chevrolet	Monte Carlo	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1999-1998	Chevrolet	Monte Carlo	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1999-1998	Chevrolet	Monte Carlo	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2003-1998	Chevrolet	Monte Carlo	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-1998	Chevrolet	Monte Carlo	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2005-2000	Chevrolet	Monte Carlo	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-2000	Chevrolet	Monte Carlo	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1976-1975	Chevrolet	Monza	4.3L V8 262 CID		1AM075700A	700	24 Months
1977-1975	Chevrolet	Monza	2.3L L4 2294cc 140 CID		1AM075700A	700	24 Months
1978	Chevrolet	Monza	3.8L V6 3800cc 231 CID	w/HBL & AC	1AM075700A	700	24 Months
1979	Chevrolet	Monza	3.8L V6 231 CID		1AM075700A	700	24 Months
1979	Chevrolet	Monza	3.8L V6 231 CID		BB078800AB	800	36 Months
1979	Chevrolet	Monza	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1979-1976	Chevrolet	Monza	5.0L V8 305 CID		1AM075700A	700	24 Months
1979-1978	Chevrolet	Monza	3.2L V6 196 CID	w/HBL & AC	1AM075700A	700	24 Months
1979-1978	Chevrolet	Monza	5.0L V8 305 CID		BB078800AB	800	36 Months
1980-1978	Chevrolet	Monza	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1980-1979	Chevrolet	Monza	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1957-1955	Chevrolet	Nomad	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1961	Chevrolet	Nomad	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1961-1955	Chevrolet	Nomad	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1961-1957	Chevrolet	Nomad	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1961-1958	Chevrolet	Nomad	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	5.0L V8 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	5.7L V8 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	6.5L V8 396 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969	Chevrolet	Nova	5.0L V8 307 CID		1AM260575A	575	24 Months
1969	Chevrolet	Nova	5.0L V8 5031cc 307 CID		1AM260575A	575	24 Months
1969	Chevrolet	Nova	5.7L V8 350 CID		1AM260575A	575	24 Months
1969	Chevrolet	Nova	5.7L V8 5736cc 350 CID		1AM260575A	575	24 Months
1969	Chevrolet	Nova	6.5L V8 396 CID		1AM260575A	575	24 Months
1969	Chevrolet	Nova	6.5L V8 6489cc 396 CID		1AM260575A	575	24 Months
1969	Chevrolet	Nova	5.0L V8 307 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Nova	5.0L V8 5031cc 307 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Nova	5.7L V8 350 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Nova	5.7L V8 5736cc 350 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Nova	6.5L V8 396 CID		BB26R540AD	540	36 Months
1969	Chevrolet	Nova	6.5L V8 6489cc 396 CID		BB26R540AD	540	36 Months
1970	Chevrolet	Nova	2.5L L4 153 CID		1AM024700B	700	24 Months
1970	Chevrolet	Nova	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1970	Chevrolet	Nova	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	Nova	6.5L V8 396 CID		BB078800AB	800	36 Months
1970	Chevrolet	Nova	6.6L V8 402 CID		BB078800AB	800	36 Months
1970-1969	Chevrolet	Nova	3.8L L6 230 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Nova	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Nova	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Nova	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Nova	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1970-1969	Chevrolet	Nova	2.5L L4 153 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	2.5L L4 2507cc 153 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	3.8L L6 230 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	4.1L L6 250 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1970-1969	Chevrolet	Nova	2.5L L4 153 CID		BB26R540AD	540	36 Months
1970-1969	Chevrolet	Nova	2.5L L4 2507cc 153 CID		BB26R540AD	540	36 Months
1970-1969	Chevrolet	Nova	3.8L L6 230 CID		BB26R540AD	540	36 Months
1970-1969	Chevrolet	Nova	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1970-1969	Chevrolet	Nova	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970-1969	Chevrolet	Nova	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970-1969	Chevrolet	Nova	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1971	Chevrolet	Nova	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1971	Chevrolet	Nova	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Nova	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Nova	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1973-1970	Chevrolet	Nova	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1970	Chevrolet	Nova	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1973-1971	Chevrolet	Nova	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	Chevrolet	Nova	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	Chevrolet	Nova	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	Nova	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974,1972-1971	Chevrolet	Nova	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974,1972-1971	Chevrolet	Nova	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1974-1970	Chevrolet	Nova	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	Nova	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Nova	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Nova	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1975	Chevrolet	Nova	4.3L V8 262 CID		1AM075700A	700	24 Months
1975	Chevrolet	Nova	4.3L V8 262 CID		BB078800AB	800	36 Months
1979-1970	Chevrolet	Nova	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1971	Chevrolet	Nova	4.1L L6 250 CID		1AM075700A	700	24 Months
1979-1971	Chevrolet	Nova	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1974,1972-1971	Chevrolet	Nova	4.1L L6 250 CID		BB078800AB	800	36 Months
1979-1976	Chevrolet	Nova	5.0L V8 305 CID		1AM075700A	700	24 Months
1979-1976	Chevrolet	Nova	5.0L V8 305 CID		BB078800AB	800	36 Months
1988-1985	Chevrolet	Nova	1.6L L4 1588cc 98 CID		1AM035550A	550	24 Months
1988-1985	Chevrolet	Nova	1.6L L4 1588cc 98 CID		2AM035500A	500	18 Months
1955	Chevrolet	One-Fifty Series	4.3L V8 4343cc 265 CID	Check Voltage	1AM024700B	700	24 Months
1957	Chevrolet	One-Fifty Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1957-1955	Chevrolet	One-Fifty Series	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1957-1956	Chevrolet	One-Fifty Series	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1975	Chevrolet	P10	5.7L V8 350 CID		BB078800AB	800	36 Months
1977	Chevrolet	P10	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977,1975	Chevrolet	P10	5.7L V8 350 CID		1AM075700A	700	24 Months
1979	Chevrolet	P10	5.0L V8 305 CID		1AM075700A	700	24 Months
1980-1975	Chevrolet	P10	4.8L L6 292 CID		1AM075700A	700	24 Months
1962-1960	Chevrolet	P10 Series	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	P10 Series	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	P10 Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	P10 Series	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1966	Chevrolet	P10 Series	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1967	Chevrolet	P10 Series	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	Chevrolet	P10 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1967-1963	Chevrolet	P10 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	P10 Series	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	P10 Van	3.8L L6 230 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	P10 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1971	Chevrolet	P10 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1973	Chevrolet	P10 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1973	Chevrolet	P10 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1973	Chevrolet	P10 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1973	Chevrolet	P10 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1973	Chevrolet	P10 Van	5.0L V8 307 CID		BB078800AB	800	36 Months
1973	Chevrolet	P10 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1973	Chevrolet	P10 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1973	Chevrolet	P10 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	P10 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	P10 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1979,1976	Chevrolet	P20	7.4L V8 454 CID		1AM075700A	700	24 Months
1979,1976	Chevrolet	P20	7.4L V8 454 CID		BB078800AB	800	36 Months
1986,1975	Chevrolet	P20	5.7L V8 350 CID		BB078800AB	800	36 Months
1989-1975	Chevrolet	P20	4.8L L6 292 CID		1AM075700A	700	24 Months
1989-1975	Chevrolet	P20	5.7L V8 350 CID		1AM075700A	700	24 Months
1989-1982	Chevrolet	P20	6.2L V8 379 CID		1AM075700A	700	24 Months
1989-1986	Chevrolet	P20	4.8L L6 292 CID		BB078800AB	800	36 Months
1989-1988,1986-1982	Chevrolet	P20	6.2L V8 379 CID		BB078800AB	800	36 Months
1961-1960	Chevrolet	P20 Series	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	P20 Series	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	P20 Series	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	P20 Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	P20 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	Chevrolet	P20 Series	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967-1963	Chevrolet	P20 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	P20 Series	2.6L L3 2606cc 159 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	P20 Series	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	P20 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1970	Chevrolet	P20 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	P20 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	Chevrolet	P20 Van	7.4L V8 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	P20 Van	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	P20 Van	4.8L L6 292 CID		1AM024700B	700	24 Months
1971	Chevrolet	P20 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	P20 Van	4.8L L6 292 CID		BB078800AB	800	36 Months
1973	Chevrolet	P20 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1973	Chevrolet	P20 Van	5.0L V8 307 CID		BB078800AB	800	36 Months
1973,1971	Chevrolet	P20 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1973,1971	Chevrolet	P20 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1973,1971	Chevrolet	P20 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1973,1971	Chevrolet	P20 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974	Chevrolet	P20 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	P20 Van	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	P20 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	P20 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	P20 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	P20 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	P20 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	P20 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1976	Chevrolet	P30	6.6L V8 400 CID		1AM075700A	700	24 Months
1979,1976	Chevrolet	P30	4.1L L6 250 CID		1AM075700A	700	24 Months
1989-1975	Chevrolet	P30	4.8L L6 292 CID		1AM075700A	700	24 Months
1989-1986	Chevrolet	P30	4.8L L6 292 CID		BB078800AB	800	36 Months
1990	Chevrolet	P30	3.9L L4 239 CID		BB078800AB	800	36 Months
1991-1990	Chevrolet	P30	3.9L L4 239 CID		1AM075700A	700	24 Months
1993-1982	Chevrolet	P30	6.2L V8 379 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1993-1988,1986-1982	Chevrolet	P30	6.2L V8 379 CID		BB078800AB	800	36 Months
1999-1975	Chevrolet	P30	5.7L V8 350 CID		1AM075700A	700	24 Months
1999-1975	Chevrolet	P30	7.4L V8 454 CID		1AM075700A	700	24 Months
1999-1983,1980-1975	Chevrolet	P30	7.4L V8 454 CID		BB078800AB	800	36 Months
1999-1990	Chevrolet	P30	4.3L V6 262 CID		1AM075700A	700	24 Months
1999-1991	Chevrolet	P30	4.3L V6 262 CID		BB078800AB	800	36 Months
1999-1991,1986,1975	Chevrolet	P30	5.7L V8 350 CID		BB078800AB	800	36 Months
1999-1994	Chevrolet	P30	6.5L V8 395 CID		1AM075700A	700	24 Months
1999-1994	Chevrolet	P30	6.5L V8 395 CID		BB078800AB	800	36 Months
1962-1960	Chevrolet	P30 Series	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	P30 Series	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	P30 Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965-1960	Chevrolet	P30 Series	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1965-1962	Chevrolet	P30 Series	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1965-1963	Chevrolet	P30 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1967-1963	Chevrolet	P30 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1967-1965	Chevrolet	P30 Series	2.6L L3 2606cc 159 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	P30 Series	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1967-1966	Chevrolet	P30 Series	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1969-1968	Chevrolet	P30 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1970	Chevrolet	P30 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	Chevrolet	P30 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	Chevrolet	P30 Van	7.4L V8 454 CID		1AM024700B	700	24 Months
1970	Chevrolet	P30 Van	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1970-1968	Chevrolet	P30 Van	4.8L L6 292 CID		1AM024700B	700	24 Months
1971	Chevrolet	P30 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	Chevrolet	P30 Van	4.8L L6 292 CID		BB078800AB	800	36 Months
1972	Chevrolet	P30 Van	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	Chevrolet	P30 Van	6.6L V8 402 CID		BB078800AB	800	36 Months
1973	Chevrolet	P30 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1973	Chevrolet	P30 Van	5.0L V8 307 CID		BB078800AB	800	36 Months
1974	Chevrolet	P30 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	Chevrolet	P30 Van	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Chevrolet	P30 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	P30 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	P30 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	P30 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1973	Chevrolet	P30 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Chevrolet	P30 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973,1971	Chevrolet	P30 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973,1971	Chevrolet	P30 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973,1971	Chevrolet	P30 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973,1971	Chevrolet	P30 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1996-1992	Chevrolet	P6000	6.0L V8 366 CID		1AM075700A	700	24 Months
1996-1992	Chevrolet	P6000	6.6L L6 403 CID		1AM075700A	700	24 Months
1996-1992	Chevrolet	P6000	7.0L V8 6998cc 427 CID		1AM075700A	700	24 Months
1996-1992	Chevrolet	P6000	6.0L V8 366 CID		BB078800AB	800	36 Months
1996-1992	Chevrolet	P6000	6.6L L6 403 CID		BB078800AB	800	36 Months
1996-1992	Chevrolet	P6000	7.0L V8 6998cc 427 CID		BB078800AB	800	36 Months
1961	Chevrolet	Parkwood	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Parkwood	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Parkwood	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1961-1959	Chevrolet	Parkwood	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
2002-1998	Chevrolet	Prizm	1.8L L4 110 CID		1AM035550A	550	24 Months
2002-1998	Chevrolet	Prizm	1.8L L4 110 CID		2AM035500A	500	18 Months
1987	Chevrolet	R10	4.3L V6 262 CID		1AM075700A	700	24 Months
1987	Chevrolet	R10	5.0L V8 305 CID		1AM075700A	700	24 Months
1987	Chevrolet	R10	5.7L V8 350 CID		1AM075700A	700	24 Months
1987	Chevrolet	R10	6.2L V8 379 CID		1AM075700A	700	24 Months
1987	Chevrolet	R10	5.7L V8 350 CID		BB078800AB	800	36 Months
1987	Chevrolet	R10	6.2L V8 379 CID		BB078800AB	800	36 Months
1987	Chevrolet	R10 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R10 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R10 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R10 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R10 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1990-1989	Chevrolet	R1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1989	Chevrolet	R1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	Chevrolet	R1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	R1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	Chevrolet	R1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991	Chevrolet	R1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1989	Chevrolet	R1500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1989	Chevrolet	R1500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1987	Chevrolet	R20	4.3L V6 262 CID		1AM075700A	700	24 Months
1987	Chevrolet	R20	5.0L V8 305 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R20	4.8L L6 292 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R20	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R20	6.2L V8 379 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R20	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	R20	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	R20	4.8L L6 292 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R20	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R20	6.2L V8 379 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R20	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	R20	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	Chevrolet	R20 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R20 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R20 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	R20 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	R20 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R20 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1988-1987	Chevrolet	R20 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	R20 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1989	Chevrolet	R2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1989	Chevrolet	R2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1989	Chevrolet	R2500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1989	Chevrolet	R2500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1989	Chevrolet	R2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1989	Chevrolet	R2500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1989	Chevrolet	R2500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1990-1989	Chevrolet	R2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1989	Chevrolet	R2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	Chevrolet	R2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	R2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	Chevrolet	R2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991	Chevrolet	R2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1989	Chevrolet	R2500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1989	Chevrolet	R2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991-1989	Chevrolet	R2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1991-1989	Chevrolet	R2500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1991-1989	Chevrolet	R2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1989	Chevrolet	R2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	Chevrolet	R30	4.8L L6 292 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R30	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R30	6.2L V8 379 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	R30	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	R30	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	R30	4.8L L6 292 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R30	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R30	6.2L V8 379 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	R30	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	R30	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1990-1989	Chevrolet	R3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1989	Chevrolet	R3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	Chevrolet	R3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	R3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	Chevrolet	R3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991	Chevrolet	R3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1989	Chevrolet	R3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1989	Chevrolet	R3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991-1989	Chevrolet	R3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1991-1989	Chevrolet	R3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1991-1989	Chevrolet	R3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1989	Chevrolet	R3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1984-1983	Chevrolet	S10	2.0L L4 122 CID		1AM075700A	700	24 Months
1984-1983	Chevrolet	S10	2.0L L4 122 CID		BB078800AB	800	36 Months
1985-1982	Chevrolet	S10	1.9L L4 119 CID		1AM075700A	700	24 Months
1985-1983	Chevrolet	S10	1.9L L4 119 CID		BB078800AB	800	36 Months
1985-1983	Chevrolet	S10	2.2L L4 134 CID		BB078800AB	800	36 Months
1993-1982	Chevrolet	S10	2.8L V6 173 CID		1AM075700A	700	24 Months
1993-1985	Chevrolet	S10	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1993-1985	Chevrolet	S10	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1993-1987,1985-1983	Chevrolet	S10	2.8L V6 173 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	S10	4.3L V6 262 CID		BB078800AB	800	36 Months
2000-1997	Chevrolet	S10	-L --		1AM075700A	700	24 Months
2003-1994	Chevrolet	S10	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
2004-1988	Chevrolet	S10	4.3L V6 262 CID		1AM075700A	700	24 Months
1984	Chevrolet	S10 Blazer	2.2L L4 134 CID		BB078800AB	800	36 Months
1984-1983	Chevrolet	S10 Blazer	1.9L L4 119 CID		1AM075700A	700	24 Months
1984-1983	Chevrolet	S10 Blazer	2.0L L4 122 CID		1AM075700A	700	24 Months
1984-1983	Chevrolet	S10 Blazer	1.9L L4 119 CID		BB078800AB	800	36 Months
1984-1983	Chevrolet	S10 Blazer	2.0L L4 122 CID		BB078800AB	800	36 Months
1988-1985	Chevrolet	S10 Blazer	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1988-1985	Chevrolet	S10 Blazer	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1989-1983	Chevrolet	S10 Blazer	2.8L V6 173 CID		1AM075700A	700	24 Months
1989-1987,1985-1983	Chevrolet	S10 Blazer	2.8L V6 173 CID		BB078800AB	800	36 Months
1993-1988	Chevrolet	S10 Blazer	4.3L V6 262 CID		BB078800AB	800	36 Months
1994-1988	Chevrolet	S10 Blazer	4.3L V6 262 CID		1AM075700A	700	24 Months
1956-1955	Chevrolet	Sedan Delivery	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957-1955	Chevrolet	Sedan Delivery	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1958	Chevrolet	Sedan Delivery	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1958-1955	Chevrolet	Sedan Delivery	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1958-1955	Chevrolet	Sedan Delivery	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1958-1956	Chevrolet	Sedan Delivery	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1958-1957	Chevrolet	Sedan Delivery	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1998-1995	Chevrolet	Silverado	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1995	Chevrolet	Silverado	5.7L V8 350 CID		BB078800AB	800	36 Months
1999	Chevrolet	Silverado	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	Silverado	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	Chevrolet	Silverado 1500	4.3L V6 262 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	Chevrolet	Silverado 1500	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	Chevrolet	Silverado 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	Chevrolet	Silverado 1500	4.3L V6 262 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	Chevrolet	Silverado 1500	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	Chevrolet	Silverado 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	Chevrolet	Silverado 1500	4.3L V6 262 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007	Chevrolet	Silverado 2500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	Chevrolet	Silverado 2500 HD	6.6L V8 6599cc 403 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100; Two batteries required. For best results, replace both of same type.	BBAH6650AA	650	36 Months
2013-2008	Chevrolet	Silverado 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	Chevrolet	Silverado 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	Chevrolet	Silverado 2500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2008	Chevrolet	Silverado 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2014	Chevrolet	Silverado 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2014	Chevrolet	Silverado 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2016	Chevrolet	Silverado 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2016	Chevrolet	Silverado 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 2500 HD Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 2500 HD Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 2500 HD Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 2500 HD Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 2500 HD Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 2500 HD Classic	8.1L V8 496 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2001	Chevrolet	Silverado 3500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	Chevrolet	Silverado 3500	6.6L V8 6599cc 403 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	Chevrolet	Silverado 3500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	Chevrolet	Silverado 3500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	Chevrolet	Silverado 3500	6.6L V8 6599cc 403 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	Chevrolet	Silverado 3500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	Chevrolet	Silverado 3500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Silverado 3500	8.1L V8 496 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Silverado 3500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006-2003	Chevrolet	Silverado 3500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2006-2003	Chevrolet	Silverado 3500	8.1L V8 496 CID		BB078800AB	800	36 Months
2012-2011	Chevrolet	Silverado 3500	6.0L V8 6000cc 366 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2012-2011	Chevrolet	Silverado 3500	6.0L V8 6000cc 366 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013	Chevrolet	Silverado 3500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013	Chevrolet	Silverado 3500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 3500 Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 3500 Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 3500 Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 3500 Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 3500 Classic	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 3500 Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 3500 Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 3500 Classic	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 3500 Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 3500 Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 3500 Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 3500 Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 3500 Classic	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	Chevrolet	Silverado 3500 Classic	8.1L V8 496 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100; Two batteries required. For best results, replace both of same type.	BBAH6650AA	650	36 Months
2013-2008	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2008	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2014	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2014	Chevrolet	Silverado 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2016	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2016	Chevrolet	Silverado 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2012	Chevrolet	Sonic	1.4L L4 1364cc 83 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017-2012	Chevrolet	Sonic	1.8L L4 1796cc 110 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1988-1985	Chevrolet	Spectrum	1.5L L4 1471cc 92 CID		1AM035550A	550	24 Months
1988-1985	Chevrolet	Spectrum	1.5L L4 1471cc 92 CID		2AM035500A	500	18 Months
2004-2003	Chevrolet	SSR	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located in rear.	BB078800AB	800	36 Months
2006-2005	Chevrolet	SSR	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located in rear.	BB078800AB	800	36 Months
1961-1960	Chevrolet	Suburban	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1962-1960	Chevrolet	Suburban	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	Chevrolet	Suburban	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1966	Chevrolet	Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966	Chevrolet	Suburban	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1966	Chevrolet	Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1966-1960	Chevrolet	Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1966-1963	Chevrolet	Suburban	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966-1963	Chevrolet	Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
2017-2015	Chevrolet	Suburban	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	Chevrolet	Suburban	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
1998-1995	Chevrolet	Suburban 1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1995	Chevrolet	Suburban 1500	5.7L V8 350 CID		BB078800AB	800	36 Months
2002-1999	Chevrolet	Suburban 1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	Chevrolet	Suburban 1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2000	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006	Chevrolet	Suburban 1500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006	Chevrolet	Suburban 1500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006-2003	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2009-2007	Chevrolet	Suburban 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2007	Chevrolet	Suburban 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2007	Chevrolet	Suburban 1500	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2007	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2007	Chevrolet	Suburban 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2002-2000	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	Chevrolet	Suburban 2500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	Chevrolet	Suburban 2500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Suburban 2500	8.1L V8 496 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006-2003	Chevrolet	Suburban 2500	8.1L V8 496 CID		BB078800AB	800	36 Months
2009	Chevrolet	Suburban 2500	6.0L V8 6000cc 366 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	Suburban 2500	6.0L V8 6000cc 366 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2007	Chevrolet	Suburban 2500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2016	Chevrolet	Suburban 3500 HD	6.0L V8 5967cc 364 CID		1AM940800A	800	24 Months
2017-2016	Chevrolet	Suburban 3500 HD	6.0L V8 5967cc 364 CID		BB0H7730AB	730	36 Months
2009	Chevrolet	T6500	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	Chevrolet	T7500	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1998-1995	Chevrolet	Tahoe	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1995	Chevrolet	Tahoe	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1995	Chevrolet	Tahoe	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1997	Chevrolet	Tahoe	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	Chevrolet	Tahoe	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	Chevrolet	Tahoe	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2000-1999	Chevrolet	Tahoe	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	Chevrolet	Tahoe	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2000	Chevrolet	Tahoe	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	Chevrolet	Tahoe	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2000	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	Chevrolet	Tahoe	4.8L V8 294 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2006-2003	Chevrolet	Tahoe	4.8L V8 294 CID		BB078800AB	800	36 Months
2006-2003	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2009-2007	Chevrolet	Tahoe	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2007	Chevrolet	Tahoe	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2007	Chevrolet	Tahoe	4.8L V8 294 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2008	Chevrolet	Tahoe	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2008	Chevrolet	Tahoe	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2008	Chevrolet	Tahoe	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2007	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2008	Chevrolet	Tahoe	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2008	Chevrolet	Tahoe	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	Chevrolet	Tahoe	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2007	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2015	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	Chevrolet	Tahoe	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
1969	Chevrolet	Townsmen	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1969	Chevrolet	Townsmen	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969	Chevrolet	Townsmen	5.7L V8 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Townsmen	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1969	Chevrolet	Townsmen	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969	Chevrolet	Townsmen	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1971	Chevrolet	Townsmen	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1971	Chevrolet	Townsmen	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1972	Chevrolet	Townsmen	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	Chevrolet	Townsmen	6.6L V8 402 CID		BB078800AB	800	36 Months
1972,1970	Chevrolet	Townsmen	7.4L V8 454 CID		1AM024700B	700	24 Months
1972,1970	Chevrolet	Townsmen	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1972,1970	Chevrolet	Townsmen	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1972-1970	Chevrolet	Townsmen	5.7L V8 350 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Townsmen	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1970	Chevrolet	Townsmen	5.7L V8 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Townsmen	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1972-1970	Chevrolet	Townsmen	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1972-1971	Chevrolet	Townsmen	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1972-1971	Chevrolet	Townsmen	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1998	Chevrolet	Tracker	1.6L L4 1590cc 97 CID		1AM260575A	575	24 Months
1998	Chevrolet	Tracker	1.6L L4 1588cc 98 CID		BB26R540AD	540	36 Months
1998	Chevrolet	Tracker	1.6L L4 1590cc 97 CID		BB26R540AD	540	36 Months
2002-1998	Chevrolet	Tracker	1.6L L4 1588cc 98 CID		1AM260575A	575	24 Months
2002-1999	Chevrolet	Tracker	2.0L L4 122 CID		1AM260575A	575	24 Months
2002-1999	Chevrolet	Tracker	2.0L L4 1995cc 122 CID		1AM260575A	575	24 Months
2002	Chevrolet	Trailblazer	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.; The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2008-2006	Chevrolet	Trailblazer	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2009-2003	Chevrolet	Trailblazer	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2009-2006	Chevrolet	Trailblazer	6.0L V8 5967cc 364 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2002	Chevrolet	Trailblazer EXT	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.; The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	Chevrolet	Trailblazer EXT	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2006-2003	Chevrolet	Trailblazer EXT	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2012-2011	Chevrolet	Traverse	3.6L V6 3600cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	1AM0H6770A	770	24 Months
2014	Chevrolet	Traverse	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Chevrolet	Trax	1.4L L4 1364cc 83 CID	OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017,2015-2013	Chevrolet	Trax	1.4L L4 1364cc 83 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1956-1955	Chevrolet	Truck	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957-1955	Chevrolet	Truck	4.3L V8 4343cc 265 CID	Check Voltage	1AM024700B	700	24 Months
1958-1955	Chevrolet	Truck	4.3L L6 4278cc 261 CID	Check Voltage	1AM024700B	700	24 Months
1958-1956	Chevrolet	Truck	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1960	Chevrolet	Truck	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1960,1958	Chevrolet	Truck	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1960,1958-1954	Chevrolet	Truck	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1960,1958-1957	Chevrolet	Truck	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1955	Chevrolet	Two-Ten Series	4.3L V8 4343cc 265 CID	Check Voltage	1AM024700B	700	24 Months
1957	Chevrolet	Two-Ten Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1957-1955	Chevrolet	Two-Ten Series	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1957-1956	Chevrolet	Two-Ten Series	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1987	Chevrolet	V10	4.3L V6 262 CID		1AM075700A	700	24 Months
1987	Chevrolet	V10	5.0L V8 305 CID		1AM075700A	700	24 Months
1987	Chevrolet	V10	5.7L V8 350 CID		1AM075700A	700	24 Months
1987	Chevrolet	V10	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1987	Chevrolet	V10	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1987	Chevrolet	V10	5.7L V8 350 CID		BB078800AB	800	36 Months
1987	Chevrolet	V10	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1987	Chevrolet	V10	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	Chevrolet	V10 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	V10 Suburban	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	V10 Suburban	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	V10 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	V10 Suburban	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	V10 Suburban	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1989	Chevrolet	V1500 Suburban	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1989	Chevrolet	V1500 Suburban	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1989	Chevrolet	V1500 Suburban	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1989	Chevrolet	V1500 Suburban	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1990-1989	Chevrolet	V1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1989	Chevrolet	V1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	Chevrolet	V1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	V1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	Chevrolet	V1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	V1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1990	Chevrolet	V1500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1990	Chevrolet	V1500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1987	Chevrolet	V20	4.8L L6 292 CID		1AM075700A	700	24 Months
1987	Chevrolet	V20	5.7L V8 350 CID		1AM075700A	700	24 Months
1987	Chevrolet	V20	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1987	Chevrolet	V20	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1987	Chevrolet	V20	4.8L L6 292 CID		BB078800AB	800	36 Months
1987	Chevrolet	V20	5.7L V8 350 CID		BB078800AB	800	36 Months
1987	Chevrolet	V20	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1987	Chevrolet	V20	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	Chevrolet	V20 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	V20 Suburban	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	V20 Suburban	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	V20 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	V20 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	V20 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	V20 Suburban	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	V20 Suburban	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	Chevrolet	V20 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	V20 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1989	Chevrolet	V2500 Suburban	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1989	Chevrolet	V2500 Suburban	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1989	Chevrolet	V2500 Suburban	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1989	Chevrolet	V2500 Suburban	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1990	Chevrolet	V2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1990	Chevrolet	V2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1990	Chevrolet	V2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1990	Chevrolet	V2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1990-1989	Chevrolet	V2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1989	Chevrolet	V2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	Chevrolet	V2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	V2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	Chevrolet	V2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991	Chevrolet	V2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1990	Chevrolet	V2500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1990	Chevrolet	V2500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	V30	4.8L L6 292 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	V30	5.7L V8 350 CID		1AM075700A	700	24 Months
1988-1987	Chevrolet	V30	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	V30	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	V30	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	Chevrolet	V30	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	Chevrolet	V30	4.8L L6 292 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	V30	5.7L V8 350 CID		BB078800AB	800	36 Months
1988-1987	Chevrolet	V30	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	V30	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	Chevrolet	V30	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	Chevrolet	V30	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1990-1989	Chevrolet	V3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1989	Chevrolet	V3500	6.2L V8 379 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1990-1989	Chevrolet	V3500	6.2L V8 379 CID	Starting Battery	1AM075700A	700	24 Months
1990-1989	Chevrolet	V3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1990-1989	Chevrolet	V3500	6.2L V8 379 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1990-1989	Chevrolet	V3500	6.2L V8 379 CID	Starting Battery	BB078800AB	800	36 Months
1991	Chevrolet	V3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	Chevrolet	V3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1991	Chevrolet	V3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1991	Chevrolet	V3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991	Chevrolet	V3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991	Chevrolet	V3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1991-1989	Chevrolet	V3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991-1989	Chevrolet	V3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1991-1989	Chevrolet	V3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1989	Chevrolet	V3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1974-1971	Chevrolet	Vega	2.3L L4 140 CID		1AM075700A	700	24 Months
1974-1971	Chevrolet	Vega	2.3L L4 2295cc 140 CID		1AM075700A	700	24 Months
1976-1975	Chevrolet	Vega	2.0L L4 122 CID		1AM075700A	700	24 Months
1977-1971	Chevrolet	Vega	2.3L L4 2294cc 140 CID		1AM075700A	700	24 Months
2001-1997	Chevrolet	Venture	3.4L V6 3350cc 204 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
2001-1997	Chevrolet	Venture	3.4L V6 3350cc 204 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB078800AB	800	36 Months
2005-1997	Chevrolet	Venture	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
2005-1997	Chevrolet	Venture	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB078800AB	800	36 Months
1999	Chevrolet	W5500 Tiltmaster	4.8L L4 290 CID		BB078800AB	800	36 Months
1958	Chevrolet	Yeoman	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1958	Chevrolet	Yeoman	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1958	Chevrolet	Yeoman	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
2013-2012	Chrysler	200	3.6L V6 3605cc 220 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2014-2011	Chrysler	200	2.4L L4 2360cc 144 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2014-2011	Chrysler	200	3.6L V6 3604cc 220 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2017-2015	Chrysler	200	2.4L L4 2360cc 144 CID	Battery located under hood.	1AM0H6770A	770	24 Months
2017-2015	Chrysler	200	3.6L V6 3604cc 220 CID	Battery located under hood.	1AM0H6770A	770	24 Months
2017-2015	Chrysler	200	2.4L L4 2360cc 144 CID	Battery located under hood.	1AM940800A	800	24 Months
2017-2015	Chrysler	200	3.6L V6 3604cc 220 CID	Battery located under hood.	1AM940800A	800	24 Months
2017-2015	Chrysler	200	2.4L L4 2360cc 144 CID	Battery located under hood.	2AM048615A	615	18 Months
2017-2015	Chrysler	200	3.6L V6 3604cc 220 CID	Battery located under hood.	2AM048615A	615	18 Months
2017-2015	Chrysler	200	2.4L L4 2360cc 144 CID	Battery located under hood.	BB0H6600AA	600	36 Months
2017-2015	Chrysler	200	3.6L V6 3604cc 220 CID	Battery located under hood.	BB0H6600AA	600	36 Months
2017-2015	Chrysler	200	2.4L L4 2360cc 144 CID	Battery located under hood.	BB0H7730AB	730	36 Months
2017-2015	Chrysler	200	3.6L V6 3604cc 220 CID	Battery located under hood.	BB0H7730AB	730	36 Months
2017-2015	Chrysler	200	2.4L L4 2360cc 144 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Chrysler	200	3.6L V6 3604cc 220 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1956	Chrysler	300	5.8L V8 354 CID		1AM024700B	700	24 Months
1956	Chrysler	300	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	300	6.4L V8 392 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	300	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1963	Chrysler	300	7.0L V8 426 CID		1AM024700B	700	24 Months
1963	Chrysler	300	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1963-1962	Chrysler	300	6.3L V8 383 CID		1AM024700B	700	24 Months
1963-1962	Chrysler	300	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1965-1959	Chrysler	300	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1965-1959	Chrysler	300	6.8L V8 413 CID		1AM024700B	700	24 Months
1966-1964	Chrysler	300	6.3L V8 383 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1966-1964	Chrysler	300	6.3L V8 6286cc 383 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1971-1966	Chrysler	300	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1971-1970	Chrysler	300	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1971-1970, 1967-1966	Chrysler	300	7.2L V8 440 CID		1AM024700B	700	24 Months
2009-2008	Chrysler	300	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Chrysler	300	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Chrysler	300	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Chrysler	300	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Chrysler	300	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2008	Chrysler	300	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Chrysler	300	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Chrysler	300	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Chrysler	300	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Chrysler	300	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2010,2007-2005	Chrysler	300	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2010,2007-2005	Chrysler	300	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2010,2007-2005	Chrysler	300	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2010,2007-2005	Chrysler	300	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2010,2007-2005	Chrysler	300	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2010,2007-2005	Chrysler	300	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2010,2007-2006	Chrysler	300	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2010,2007-2006	Chrysler	300	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2013	Chrysler	300	5.7L V8 5654cc 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2013	Chrysler	300	5.7L V8 5654cc 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2014-2011	Chrysler	300	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2014-2011	Chrysler	300	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2014-2012	Chrysler	300	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2014-2012	Chrysler	300	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2017-2014,2012-2010,2007-2005	Chrysler	300	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2017-2014,2012-2010,2007-2005	Chrysler	300	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2017-2015	Chrysler	300	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	1AM940800A	800	24 Months
2017-2015	Chrysler	300	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BB0H7730AB	730	36 Months
2007	Chrysler	Aspen	5.7L V8 345 CID		1AM065750A	750	24 Months
2007	Chrysler	Aspen	5.7L V8 345 CID		BB065850AB	850	36 Months
2009-2008	Chrysler	Aspen	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Chrysler	Aspen	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2000	Chrysler	Cirrus	2.0L L4 1996cc 122 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2000-1995	Chrysler	Cirrus	2.4L L4 2429cc 148 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2000-1995	Chrysler	Cirrus	2.5L V6 2497cc 152 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
1978-1975	Chrysler	Cordoba	6.6L V8 400 CID		1AM024700B	700	24 Months
1980-1975	Chrysler	Cordoba	5.9L V8 360 CID		1AM024700B	700	24 Months
1983-1975	Chrysler	Cordoba	5.2L V8 318 CID		1AM024700B	700	24 Months
1983-1980	Chrysler	Cordoba	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
2004	Chrysler	Crossfire	3.2L V6 3200cc 195 CID	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2004	Chrysler	Crossfire	3.2L V6 3200cc 195 CID	Battery is vented to outside of vehicle.	BB0H6600AA	600	36 Months
2004	Chrysler	Crossfire	3.2L V6 3200cc 195 CID	Battery located in engine compartment; OE CCA: 580; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006	Chrysler	Crossfire	3.2L V6 3199cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2005	Chrysler	Crossfire	3.2L V6 3199cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2006	Chrysler	Crossfire	3.2L V6 3200cc 195 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008-2004	Chrysler	Crossfire	3.2L V6 3200cc 195 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1984	Chrysler	Daytona	2.2L L4 135 CID		1AM024700B	700	24 Months
1984-1983	Chrysler	E Class	2.2L L4 135 CID		1AM024700B	700	24 Months
1984-1983	Chrysler	E Class	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1984-1983	Chrysler	Executive Sedan	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1983	Chrysler	Fifth Avenue	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1984-1983	Chrysler	Fifth Avenue	5.2L V8 318 CID		1AM024700B	700	24 Months
1954-1953	Chrysler	Imperial	5.4L V8 331 CID		1AM024700B	700	24 Months
1954-1953	Chrysler	Imperial	5.4L V8 5425cc 331 CID		1AM024700B	700	24 Months
1956	Chrysler	Imperial	5.8L V8 353 CID		1AM024700B	700	24 Months
1956	Chrysler	Imperial	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	Imperial	6.4L V8 392 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	Imperial	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1965-1959	Chrysler	Imperial	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1965-1959	Chrysler	Imperial	6.8L V8 413 CID		1AM024700B	700	24 Months
1974-1966	Chrysler	Imperial	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Chrysler	Imperial	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1975-1966	Chrysler	Imperial	7.2L V8 440 CID		1AM024700B	700	24 Months
1982-1981	Chrysler	Imperial	5.2L V8 318 CID		1AM024700B	700	24 Months
1984	Chrysler	Laser	2.2L L4 135 CID		1AM024700B	700	24 Months
1979-1978	Chrysler	LeBaron	5.9L V8 360 CID		1AM024700B	700	24 Months
1981-1977	Chrysler	LeBaron	5.2L V8 318 CID		1AM024700B	700	24 Months
1981-1978	Chrysler	LeBaron	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1983	Chrysler	LeBaron	2.2L L4 135 CID		1AM024700B	700	24 Months
1983	Chrysler	LeBaron	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1984	Chrysler	LeBaron	2.2L L4 135 CID	w/o HBL but with ETR, travel computer cluster or audible message center.	1AM024700B	700	24 Months
1984	Chrysler	LeBaron	2.6L L4 2555cc 156 CID	w/o HBL but with ETR, travel computer cluster or audible message center.	1AM024700B	700	24 Months
2002-2000	Chrysler	Neon	2.0L L4 1996cc 122 CID		1AM260575A	575	24 Months
2002-2000	Chrysler	Neon	2.0L L4 1996cc 122 CID		BB26R540AD	540	36 Months
1956	Chrysler	New Yorker	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	New Yorker	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1963	Chrysler	New Yorker	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1965-1959	Chrysler	New Yorker	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1972	Chrysler	New Yorker	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1966	Chrysler	New Yorker	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Chrysler	New Yorker	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1978-1968	Chrysler	New Yorker	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1975, 1972	Chrysler	New Yorker	6.6L V8 400 CID		1AM024700B	700	24 Months
1980, 1978-1977	Chrysler	New Yorker	5.9L V8 360 CID		1AM024700B	700	24 Months
1982	Chrysler	New Yorker	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1982-1979	Chrysler	New Yorker	5.2L V8 318 CID		1AM024700B	700	24 Months
1984-1983	Chrysler	New Yorker	2.2L L4 135 CID		1AM024700B	700	24 Months
1984-1983	Chrysler	New Yorker	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1956	Chrysler	Newport	5.4L V8 5425cc 331 CID		1AM024700B	700	24 Months
1958-1956	Chrysler	Newport	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	Newport	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1963	Chrysler	Newport	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1964-1961	Chrysler	Newport	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1965-1959	Chrysler	Newport	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1971-1965	Chrysler	Newport	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1967	Chrysler	Newport	6.3L V8 383 CID		1AM024700B	700	24 Months
1974-1966	Chrysler	Newport	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Chrysler	Newport	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1972	Chrysler	Newport	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Chrysler	Newport	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1978-1967	Chrysler	Newport	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1972	Chrysler	Newport	6.6L V8 400 CID		1AM024700B	700	24 Months
1980-1974, 1972-1971	Chrysler	Newport	5.9L V8 360 CID		1AM024700B	700	24 Months
1981, 1979	Chrysler	Newport	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1981-1979	Chrysler	Newport	5.2L V8 318 CID		1AM024700B	700	24 Months
2017	Chrysler	Pacifica	3.6L V6 3604cc 220 CID; GAS		1AM940800A	800	24 Months
2010-2001	Chrysler	PT Cruiser	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located under hood under air filter.	1AM260575A	575	24 Months
2010-2001	Chrysler	PT Cruiser	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located under hood under air filter.	BB26R540AD	540	36 Months
1958-1957	Chrysler	Saratoga	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1959	Chrysler	Saratoga	6.3L V8 6274cc 383 CID		1AM024700B	700	24 Months
1960-1959	Chrysler	Saratoga	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1995	Chrysler	Sebring	2.5L V6 2497cc 152 CID		BB086525AB	525	36 Months
1999-1995	Chrysler	Sebring	2.0L L4 1996cc 122 CID		BB086525AB	525	36 Months
2000-1996	Chrysler	Sebring	2.5L V6 2497cc 152 CID; Convertible	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2000-1996	Chrysler	Sebring	2.5L V6 2497cc 152 CID; Coupe		BB086525AB	525	36 Months
2005-2001	Chrysler	Sebring	2.4L L4 2351cc; Convertible	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Chrysler	Sebring	2.4L L4 2351cc; Sedan	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Chrysler	Sebring	2.4L L4 2429cc 148 CID; Convertible	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Chrysler	Sebring	2.4L L4 2429cc 148 CID; Sedan	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Chrysler	Sebring	2.7L V6 2736cc 167 CID; Convertible	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2001	Chrysler	Sebring	2.7L V6 2736cc 167 CID; Sedan	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Chrysler	Sebring	2.4L L4 2351cc; Coupe		BB086525AB	525	36 Months
2005-2001	Chrysler	Sebring	2.4L L4 2429cc 148 CID; Coupe		BB086525AB	525	36 Months
2005-2001	Chrysler	Sebring	3.0L V6 2972cc 181 CID; Coupe		BB086525AB	525	36 Months
2006	Chrysler	Sebring	2.7L V6 2736cc 167 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2006,1998-1996	Chrysler	Sebring	2.4L L4 2429cc 148 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2009-2008	Chrysler	Sebring	2.4L L4 2360cc 144 CID	Consult with a service specialist if you have further questions.; Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2009-2008	Chrysler	Sebring	2.7L V6 2736cc 167 CID	Consult with a service specialist if you have further questions.; Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2009-2008	Chrysler	Sebring	3.5L V6 3497cc 215 CID	Consult with a service specialist if you have further questions.; Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2010,2007	Chrysler	Sebring	2.4L L4 2360cc 144 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	BB086525AB	525	36 Months
2010,2007	Chrysler	Sebring	2.7L V6 2736cc 167 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	BB086525AB	525	36 Months
2010,2007	Chrysler	Sebring	3.5L V6 3497cc 215 CID	Installation may take up to 45 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	BB086525AB	525	36 Months
1956	Chrysler	St Regis	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1997	Chrysler	Stratus	2.0L L4 1996cc 122 CID		BB086525AB	525	36 Months
1997-1996	Chrysler	Stratus	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
1956	Chrysler	Town & Country	5.4L V8 5425cc 331 CID		1AM024700B	700	24 Months
1958-1956	Chrysler	Town & Country	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	Town & Country	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1963	Chrysler	Town & Country	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1964-1961	Chrysler	Town & Country	5.9L V8 5917cc 361 CID	Check Termination	1AM024700B	700	24 Months
1965-1959	Chrysler	Town & Country	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1971-1963,1961-1959	Chrysler	Town & Country	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1968	Chrysler	Town & Country	6.3L V8 383 CID		1AM024700B	700	24 Months
1972	Chrysler	Town & Country	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1966	Chrysler	Town & Country	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Chrysler	Town & Country	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1972	Chrysler	Town & Country	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1977-1968	Chrysler	Town & Country	7.2L V8 440 CID		1AM024700B	700	24 Months
1977-1975,1972	Chrysler	Town & Country	6.6L V8 400 CID		1AM024700B	700	24 Months
2011	Chrysler	Town & Country	3.6L V6 3604cc 220 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013-2011	Chrysler	Town & Country	3.6L V6 3605cc 220 CID		1AM940800A	800	24 Months
2013-2011	Chrysler	Town & Country	3.6L V6 3605cc 220 CID		BB0H7730AB	730	36 Months
2016-2011	Chrysler	Town & Country	3.6L V6 3604cc 220 CID		1AM940800A	800	24 Months
2016-2011	Chrysler	Town & Country	3.6L V6 3604cc 220 CID		BB0H7730AB	730	36 Months
1956	Chrysler	Windsor	5.4L V8 5425cc 331 CID		1AM024700B	700	24 Months
1958-1957	Chrysler	Windsor	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1961-1959	Chrysler	Windsor	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1960	Citroen	AMI-6	0.6L H2 602cc 37 CID	Late	1AM024700B	700	24 Months
1962-1961	Citroen	AMI-6	0.6L H2 602cc 37 CID		1AM024700B	700	24 Months
1963	Citroen	AMI-6	0.6L H2 602cc 37 CID		1AM035550A	550	24 Months
1963	Citroen	AMI-6	0.6L H2 602cc 37 CID		2AM035550A	500	18 Months
1963	Citroen	AMI-6	0.6L H2 602cc 37 CID		2AM240530A	530	18 Months
1967-1964	Citroen	AMI-6	0.6L H2 602cc 37 CID		1AM260575A	575	24 Months
1967-1964	Citroen	AMI-6	0.6L H2 602cc 37 CID		BB26R540AD	540	36 Months
1972-1970	Citroen	D Special	2.0L L4 1985cc 121 CID		1AM024700B	700	24 Months
1972-1966	Citroen	D21	2.2L L4 133 CID		1AM024700B	700	24 Months
1972-1966	Citroen	D21	2.2L L4 2175cc 133 CID		1AM024700B	700	24 Months
1960	Citroen	DS19	1.9L L4 1911cc 117 CID	Late	1AM024700B	700	24 Months
1965-1961	Citroen	DS19	1.9L L4 1911cc 117 CID		1AM024700B	700	24 Months
1967-1966	Citroen	DS19	2.0L L4 1985cc 121 CID		1AM024700B	700	24 Months
1972-1966	Citroen	DS21	2.2L L4 133 CID		1AM024700B	700	24 Months
1972-1966	Citroen	DS21	2.2L L4 2175cc 133 CID		1AM024700B	700	24 Months
1972-1968	Citroen	DS21 Pallas	2.2L L4 133 CID		1AM024700B	700	24 Months
1972-1968	Citroen	DS21 Pallas	2.2L L4 2175cc 133 CID		1AM024700B	700	24 Months
1960	Citroen	ID19	1.9L L4 1911cc 117 CID	Late	1AM024700B	700	24 Months
1967-1961	Citroen	ID19	1.9L L4 1911cc 117 CID		1AM024700B	700	24 Months
1970-1968	Citroen	ID19	2.0L L4 1985cc 121 CID		1AM024700B	700	24 Months
1975-1971	Citroen	SM	2.7L V6 2670cc 163 CID		1AM024700B	700	24 Months
1975-1973	Citroen	SM	3.0L V6 2965cc 181 CID		1AM024700B	700	24 Months
1992-1988	Daihatsu	Charade	1.0L L3 993cc 61 CID		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1992-1988	Daihatsu	Charade	1.0L L3 993cc 61 CID		BB26R540AD	540	36 Months
1992-1989	Daihatsu	Charade	1.3L L4 1295cc		1AM260575A	575	24 Months
1992-1989	Daihatsu	Charade	1.3L L4 1295cc		BB26R540AD	540	36 Months
1956	DeSoto	Adventurer	5.6L V8 5589cc 341 CID		1AM024700B	700	24 Months
1958	DeSoto	Adventurer	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1960-1959	DeSoto	Adventurer	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1961	DeSoto	DeSoto	5.9L V8 361 CID		1AM024700B	700	24 Months
1956	DeSoto	Firedome	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1957	DeSoto	Firedome	5.6L V8 5589cc 341 CID		1AM024700B	700	24 Months
1958	DeSoto	Firedome	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1959	DeSoto	Firedome	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1956	DeSoto	Fireflite	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1957	DeSoto	Fireflite	5.6L V8 5589cc 341 CID		1AM024700B	700	24 Months
1959	DeSoto	Fireflite	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1960,1958	DeSoto	Fireflite	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1957	DeSoto	Firesweep	5.3L V8 5327cc 325 CID		1AM024700B	700	24 Months
1958	DeSoto	Firesweep	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1959	DeSoto	Firesweep	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1990-1989	Dodge	2000 GTX	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
1964	Dodge	330	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1964-1963	Dodge	330	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1964-1963	Dodge	330	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1964-1963	Dodge	330	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1964-1963	Dodge	330	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1982	Dodge	400	2.2L L4 135 CID		1AM024700B	700	24 Months
1982	Dodge	400	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1964-1963	Dodge	440	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1964-1963	Dodge	440	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1964-1963	Dodge	440	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1964-1963	Dodge	440	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1984-1983	Dodge	600	2.2L L4 135 CID		1AM024700B	700	24 Months
1984-1983	Dodge	600	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1963	Dodge	880	5.9L V8 361 CID		1AM024700B	700	24 Months
1963	Dodge	880	6.8L V8 413 CID		1AM024700B	700	24 Months
1964-1962	Dodge	880	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1965	Dodge	880	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1965,1963	Dodge	880	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1965-1963	Dodge	880	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1966-1964	Dodge	A100	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1966-1964	Dodge	A100	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1966-1964	Dodge	A100	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1970	Dodge	A100	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1964	Dodge	A100 Truck	4.5L V8 273 CID		1AM024700B	700	24 Months
1969-1964	Dodge	A100 Truck	2.8L L6 170 CID		1AM024700B	700	24 Months
1970	Dodge	A100 Truck	3.2L L6 198 CID		1AM024700B	700	24 Months
1970-1964	Dodge	A100 Truck	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1970-1967	Dodge	A100 Truck	5.2L V8 318 CID		1AM024700B	700	24 Months
1969-1967	Dodge	A108 Van	2.8L L6 170 CID		1AM024700B	700	24 Months
1970	Dodge	A108 Van	3.2L L6 198 CID		1AM024700B	700	24 Months
1970-1967	Dodge	A108 Van	3.7L L6 225 CID		1AM024700B	700	24 Months
1982-1981	Dodge	Aries	2.2L L4 135 CID		1AM024700B	700	24 Months
1982-1981	Dodge	Aries	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1978-1976	Dodge	Aspen	5.9L V8 360 CID		1AM024700B	700	24 Months
1980-1976	Dodge	Aspen	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1976	Dodge	Aspen	5.2L V8 318 CID		1AM024700B	700	24 Months
1999-1995	Dodge	Avenger	2.0L L4 1996cc 122 CID		BB086525AB	525	36 Months
2000-1995	Dodge	Avenger	2.5L V6 2497cc 152 CID		BB086525AB	525	36 Months
2009-2008	Dodge	Avenger	2.4L L4 2360cc 144 CID	Consult with a service specialist if you have further questions.; Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowl by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2009-2008	Dodge	Avenger	2.7L V6 2736cc 167 CID	Consult with a service specialist if you have further questions.; Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowl by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2009-2008	Dodge	Avenger	3.5L V6 3497cc 215 CID	Consult with a service specialist if you have further questions.; Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowl by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2009-2008	Dodge	Avenger	3.5L V6 3518cc 215 CID	Consult with a service specialist if you have further questions.; Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowl by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2010	Dodge	Avenger	2.7L V6 2736cc 167 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowl by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010	Dodge	Avenger	3.5L V6 3497cc 215 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2014-2010	Dodge	Avenger	2.4L L4 2360cc 144 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2014-2011	Dodge	Avenger	3.6L V6 3604cc 220 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
1978-1976	Dodge	B100	5.9L V8 360 CID		1AM024700B	700	24 Months
1980-1975	Dodge	B100	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1975	Dodge	B100	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1971	Dodge	B100 Van	3.2L L6 198 CID		1AM024700B	700	24 Months
1971	Dodge	B100 Van	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1971	Dodge	B100 Van	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1974	Dodge	B100 Van	7.2L V8 440 CID		1AM024700B	700	24 Months
1974	Dodge	B100 Van	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974	Dodge	B100 Van	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B100 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B100 Van	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B100 Van	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B100 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1982-1981	Dodge	B150	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1994-1992	Dodge	B150	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1994-1992, 1982-1981	Dodge	B150	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1998	Dodge	B1500	5.9L V8 360 CID		1AM024700B	700	24 Months
1998-1995	Dodge	B1500	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1998-1995	Dodge	B1500	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1978-1975	Dodge	B200	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1976	Dodge	B200	6.6L V8 400 CID		1AM024700B	700	24 Months
1979	Dodge	B200	3.7L L6 225 CID		1AM024700B	700	24 Months
1980, 1978-1975	Dodge	B200	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1975	Dodge	B200	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Dodge	B200	5.9L V8 360 CID		1AM024700B	700	24 Months
1971	Dodge	B200 Van	3.2L L6 198 CID		1AM024700B	700	24 Months
1971	Dodge	B200 Van	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1971	Dodge	B200 Van	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1974	Dodge	B200 Van	7.2L V8 440 CID		1AM024700B	700	24 Months
1974	Dodge	B200 Van	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974	Dodge	B200 Van	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974, 1971	Dodge	B200 Van	6.6L V8 400 CID		1AM024700B	700	24 Months
1974, 1971	Dodge	B200 Van	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B200 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B200 Van	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B200 Van	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B200 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B200 Van	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1982-1981	Dodge	B250	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1994-1992	Dodge	B250	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1994-1992, 1982-1981	Dodge	B250	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1994-1992, 1984, 1981	Dodge	B250	5.9L V8 360 CID		1AM024700B	700	24 Months
1997-1995	Dodge	B2500	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1998-1995	Dodge	B2500	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1998-1995	Dodge	B2500	5.9L V8 360 CID		1AM024700B	700	24 Months
1978-1975	Dodge	B300	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1976	Dodge	B300	6.6L V8 400 CID		1AM024700B	700	24 Months
1979-1975	Dodge	B300	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980	Dodge	B300	3.7L L6 225 CID		1AM024700B	700	24 Months
1980-1975	Dodge	B300	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Dodge	B300	5.9L V8 360 CID		1AM024700B	700	24 Months
1971	Dodge	B300 Van	3.7L L6 225 CID		1AM024700B	700	24 Months
1974	Dodge	B300 Van	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B300 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B300 Van	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B300 Van	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B300 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	B300 Van	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1994-1992, 1982-1981	Dodge	B350	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1994-1992, 1984-1981	Dodge	B350	5.9L V8 360 CID		1AM024700B	700	24 Months
1998-1995	Dodge	B3500	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1998-1995	Dodge	B3500	5.9L V8 360 CID		1AM024700B	700	24 Months
1956	Dodge	C-3	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1956	Dodge	C-3	4.3L V8 4248cc 259 CID		1AM024700B	700	24 Months
1956	Dodge	C-3	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Dodge	C-4	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1956	Dodge	C-4	4.3L V8 4248cc 259 CID		1AM024700B	700	24 Months
1956	Dodge	C-4	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
2007	Dodge	Caliber	1.8L L4 1798cc 110 CID		BB086525AB	525	36 Months
2009-2008	Dodge	Caliber	1.8L L4 1798cc 110 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2009-2008	Dodge	Caliber	2.0L L4 1998cc 122 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2008	Dodge	Caliber	2.4L L4 2360cc 144 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB086525AB	525	36 Months
2011-2010,2007	Dodge	Caliber	2.4L L4 2360cc 144 CID		BB086525AB	525	36 Months
2012-2010,2007	Dodge	Caliber	2.0L L4 1998cc 122 CID		BB086525AB	525	36 Months
1984	Dodge	Caravan	2.2L L4 135 CID		1AM024700B	700	24 Months
1984	Dodge	Caravan	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1974	Dodge	CB300	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1973	Dodge	CB300	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1978-1976	Dodge	CB300	6.6L V8 400 CID		1AM024700B	700	24 Months
1979-1977	Dodge	CB300	7.2L V8 440 CID		1AM024700B	700	24 Months
1979-1977,1975-1973	Dodge	CB300	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1974	Dodge	CB300	5.9L V8 360 CID		1AM024700B	700	24 Months
1980-1975	Dodge	CB300	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1970	Dodge	Challenger	3.7L L6 225 CID		1AM024700B	700	24 Months
1970	Dodge	Challenger	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	3.2L L6 198 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Challenger	7.2L V8 440 CID		1AM024700B	700	24 Months
1972-1970	Dodge	Challenger	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1972-1970	Dodge	Challenger	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1973-1970	Dodge	Challenger	5.6L V8 340 CID		1AM024700B	700	24 Months
1973-1970	Dodge	Challenger	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974	Dodge	Challenger	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1970	Dodge	Challenger	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1970	Dodge	Challenger	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Challenger	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1979-1978	Dodge	Challenger	1.6L L4 1597cc 98 CID		1AM024700B	700	24 Months
1980-1978	Dodge	Challenger	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1982-1981	Dodge	Challenger	2.6L L4 2555cc 156 CID; Sold in United States		1AM024700B	700	24 Months
2009	Dodge	Challenger	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009	Dodge	Challenger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009	Dodge	Challenger	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009	Dodge	Challenger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Dodge	Challenger	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Dodge	Challenger	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2010	Dodge	Challenger	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2010	Dodge	Challenger	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2010	Dodge	Challenger	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2010	Dodge	Challenger	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2015	Dodge	Challenger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2015	Dodge	Challenger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2015-2011	Dodge	Challenger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2015-2011	Dodge	Challenger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2017-2010	Dodge	Challenger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2017-2010	Dodge	Challenger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2017-2011	Dodge	Challenger	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2011	Dodge	Challenger	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2017-2016	Dodge	Challenger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	1AM940800A	800	24 Months
2017-2016	Dodge	Challenger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	1AM940800A	800	24 Months
2017-2016	Dodge	Challenger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BB0H7730AB	730	36 Months
2017-2016	Dodge	Challenger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	BB0H7730AB	730	36 Months
1966	Dodge	Charger	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1967	Dodge	Charger	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1971-1966	Dodge	Charger	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1966	Dodge	Charger	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1967	Dodge	Charger	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1967	Dodge	Charger	7.0L V8 426 CID		1AM024700B	700	24 Months
1972-1971	Dodge	Charger	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1970	Dodge	Charger	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1973-1971	Dodge	Charger	5.6L V8 340 CID		1AM024700B	700	24 Months
1974-1966	Dodge	Charger	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1967	Dodge	Charger	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1967	Dodge	Charger	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1969	Dodge	Charger	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Charger	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Charger	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1976,1974-1968	Dodge	Charger	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978-1967	Dodge	Charger	5.2L V8 318 CID		1AM024700B	700	24 Months
1978-1972	Dodge	Charger	6.6L V8 400 CID		1AM024700B	700	24 Months
1978-1974	Dodge	Charger	5.9L V8 360 CID		1AM024700B	700	24 Months
2007-2006	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Exc. Police; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2007-2006	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Police Pkg.	2AM049850A	850	18 Months
2007-2006	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Exc. Police; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2007-2006	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Police Pkg.	BB0H8800AC	800	36 Months
2007-2006	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Police Pkg.	BBEH8800AA	800	36 Months
2009	Dodge	Charger	3.5L V6 3497cc 215 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Call service specialist before changing battery; OE CCA: 800; OE Group: 49; Police Package; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009	Dodge	Charger	5.7L V8 345 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Call service specialist before changing battery; OE CCA: 800; OE Group: 49; Police Package; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009	Dodge	Charger	6.1L V8 6059cc 370 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Call service specialist before changing battery; OE CCA: 800; OE Group: 49; Police Package; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2008	Dodge	Charger	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Dodge	Charger	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Exc. Police; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Exc. Police; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Dodge	Charger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Exc. Police; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Dodge	Charger	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Exc. Police; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Dodge	Charger	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.; w/Police Pkg.	2AM049850A	850	18 Months
2009-2008	Dodge	Charger	3.5L V6 3518cc 215 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.; w/Police Pkg.	2AM049850A	850	18 Months
2009-2008	Dodge	Charger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Consult with a service specialist if you have further questions.; Installation may take up to 30 minutes. Battery located in trunk.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.; w/Police Pkg.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016-2012	Dodge	Charger	5.7L V8 345 CID; Pursuit	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2016-2012	Dodge	Charger	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; w/Police Pkg.	BBEH8800AA	800	36 Months
2016-2015	Dodge	Charger	5.7L V8 345 CID; R/T Road & Track	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2016-2015	Dodge	Charger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	1AM940800A	800	24 Months
2016-2015	Dodge	Charger	5.7L V8 345 CID; R/T Road & Track	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2016-2015	Dodge	Charger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	BB0H7730AB	730	36 Months
2017	Dodge	Charger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2017	Dodge	Charger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2017	Dodge	Charger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Dodge	Charger	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2017	Dodge	Charger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2017	Dodge	Charger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2017	Dodge	Charger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Dodge	Charger	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2017	Dodge	Charger	3.6L V6 3604cc 220 CID	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Dodge	Charger	5.7L V8 345 CID	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Dodge	Charger	6.2L V8 6166cc 376 CID	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Dodge	Charger	6.4L V8 6424cc 392 CID	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Dodge	Charger	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2017	Dodge	Charger	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2017	Dodge	Charger	6.2L V8 6166cc 376 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017	Dodge	Charger	6.4L V8 6424cc 392 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
1977-1974	Dodge	Colt	2.0L L4 1995cc 122 CID		1AM024700B	700	24 Months
1980-1978	Dodge	Colt	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1982-1971	Dodge	Colt	1.6L L4 1597cc 98 CID		1AM024700B	700	24 Months
1982-1979	Dodge	Colt	1.4L L4 1410cc		1AM024700B	700	24 Months
1984-1983	Dodge	Colt	1.4L L4 1410cc; Sold in Canada		1AM024700B	700	24 Months
1986-1983	Dodge	Colt	1.6L L4 1597cc 98 CID; Sold in Canada		1AM024700B	700	24 Months
1992	Dodge	Colt	1.8L L4 1834cc 112 CID		1AM024700B	700	24 Months
1994-1992,1986-1985	Dodge	Colt	1.5L L4 1468cc 90 CID; Sold in Canada		1AM024700B	700	24 Months
1994-1993	Dodge	Colt	1.8L L4 1834cc 112 CID; Sold in Canada		1AM024700B	700	24 Months
1994-1993	Dodge	Colt	2.4L L4 2351cc		1AM024700B	700	24 Months
1995,1992	Dodge	Colt	1.5L L4 1468cc 90 CID		1AM024700B	700	24 Months
1956	Dodge	Coronet	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Dodge	Coronet	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1957	Dodge	Coronet	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958	Dodge	Coronet	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Coronet	5.3L V8 5327cc 325 CID		1AM024700B	700	24 Months
1959	Dodge	Coronet	5.3L V8 5343cc 326 CID		1AM024700B	700	24 Months
1959-1956	Dodge	Coronet	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1966-1965	Dodge	Coronet	5.9L V8 361 CID		1AM024700B	700	24 Months
1966-1965,1959-1958	Dodge	Coronet	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1968-1965	Dodge	Coronet	4.5L V8 273 CID		1AM024700B	700	24 Months
1968-1965	Dodge	Coronet	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1970-1965	Dodge	Coronet	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1965	Dodge	Coronet	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1965	Dodge	Coronet	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1965,1959	Dodge	Coronet	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1972-1970,1967	Dodge	Coronet	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1970	Dodge	Coronet	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1973-1972	Dodge	Coronet	5.6L V8 340 CID		1AM024700B	700	24 Months
1974-1965	Dodge	Coronet	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1967	Dodge	Coronet	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Coronet	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Coronet	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1972,1970	Dodge	Coronet	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1976-1965	Dodge	Coronet	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1976-1965	Dodge	Coronet	5.2L V8 318 CID		1AM024700B	700	24 Months
1976-1972	Dodge	Coronet	6.6L V8 400 CID		1AM024700B	700	24 Months
1976-1972,1970-1966	Dodge	Coronet	7.2L V8 440 CID		1AM024700B	700	24 Months
1976-1973	Dodge	Coronet	5.9L V8 360 CID		1AM024700B	700	24 Months
1954	Dodge	Custom	4.0L V8 3957cc 241 CID		1AM024700B	700	24 Months
1956	Dodge	Custom	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Dodge	Custom	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1957	Dodge	Custom	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958	Dodge	Custom	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Custom	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Custom	5.3L V8 5327cc 325 CID		1AM024700B	700	24 Months
1959	Dodge	Custom	5.3L V8 5343cc 326 CID		1AM024700B	700	24 Months
1961	Dodge	Custom	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1961-1958	Dodge	Custom	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961-1959	Dodge	Custom	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1978-1975	Dodge	D100	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1976	Dodge	D100	6.6L V8 400 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1979-1975	Dodge	D100	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1979-1975	Dodge	D100	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1979-1975	Dodge	D100	5.9L V8 360 CID		1AM024700B	700	24 Months
1979-1978	Dodge	D100	4.0L L6 243 CID		1AM024700B	700	24 Months
1957	Dodge	D100 Pickup	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D100 Pickup	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D100 Pickup	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1959-1958	Dodge	D100 Pickup	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1971-1968	Dodge	D100 Pickup	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Dodge	D100 Pickup	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1970	Dodge	D100 Pickup	3.2L L6 198 CID		1AM024700B	700	24 Months
1973,1971-1970	Dodge	D100 Pickup	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1974-1968	Dodge	D100 Pickup	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Dodge	D100 Pickup	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1968,1959	Dodge	D100 Pickup	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D100 Pickup	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D100 Pickup	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D100 Pickup	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D100 Pickup	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D100 Pickup	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D100 Pickup	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D100 Pickup	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1960	Dodge	D100 Series	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1961-1960	Dodge	D100 Series	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1966-1961	Dodge	D100 Series	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1967	Dodge	D100 Series	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967-1960	Dodge	D100 Series	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1961	Dodge	D100 Series	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978	Dodge	D150	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1977	Dodge	D150	6.6L V8 400 CID		1AM024700B	700	24 Months
1980-1978	Dodge	D150	4.0L L6 243 CID		1AM024700B	700	24 Months
1982-1977	Dodge	D150	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1993,1984,1982-1977	Dodge	D150	5.9L V8 360 CID		1AM024700B	700	24 Months
1993-1992	Dodge	D150	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1993-1992,1982-1977	Dodge	D150	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1978-1975	Dodge	D200	6.6L V8 400 CID		1AM024700B	700	24 Months
1978-1975	Dodge	D200	7.2L V8 440 CID		1AM024700B	700	24 Months
1980,1978	Dodge	D200	4.0L L6 243 CID		1AM024700B	700	24 Months
1980-1975	Dodge	D200	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1975	Dodge	D200	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Dodge	D200	5.9L V8 360 CID		1AM024700B	700	24 Months
1957	Dodge	D200 Pickup	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D200 Pickup	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D200 Pickup	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1959-1958	Dodge	D200 Pickup	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1971-1968	Dodge	D200 Pickup	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Dodge	D200 Pickup	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1974-1968	Dodge	D200 Pickup	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Dodge	D200 Pickup	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1968,1959	Dodge	D200 Pickup	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D200 Pickup	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D200 Pickup	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D200 Pickup	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D200 Pickup	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D200 Pickup	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D200 Pickup	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D200 Pickup	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1960	Dodge	D200 Series	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1961-1960	Dodge	D200 Series	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1967	Dodge	D200 Series	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967-1960	Dodge	D200 Series	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1961	Dodge	D200 Series	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1982-1981	Dodge	D250	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1993-1992	Dodge	D250	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1993-1992,1982-1981	Dodge	D250	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1993-1992,1984,1982-1981	Dodge	D250	5.9L V8 360 CID		1AM024700B	700	24 Months
1978-1975	Dodge	D300	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978-1975	Dodge	D300	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1976	Dodge	D300	6.6L V8 400 CID		1AM024700B	700	24 Months
1980-1975	Dodge	D300	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Dodge	D300	5.9L V8 360 CID		1AM024700B	700	24 Months
1957	Dodge	D300 Pickup	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D300 Pickup	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D300 Pickup	4.3L L6 4343cc 265 CID		1AM024700B	700	24 Months
1959-1957	Dodge	D300 Pickup	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1959-1958	Dodge	D300 Pickup	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1971-1968	Dodge	D300 Pickup	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Dodge	D300 Pickup	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1974-1968	Dodge	D300 Pickup	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Dodge	D300 Pickup	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1968,1959	Dodge	D300 Pickup	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D300 Pickup	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D300 Pickup	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D300 Pickup	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1971	Dodge	D300 Pickup	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1972	Dodge	D300 Pickup	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D300 Pickup	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1973	Dodge	D300 Pickup	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1960	Dodge	D300 Series	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1960	Dodge	D300 Series	4.3L L6 4343cc 265 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1961-1960	Dodge	D300 Series	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1967	Dodge	D300 Series	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967-1960	Dodge	D300 Series	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1961	Dodge	D300 Series	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1982-1981	Dodge	D350	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1993-1992,1984-1981	Dodge	D350	5.9L V8 360 CID		1AM024700B	700	24 Months
1978	Dodge	D400	7.2L V8 440 CID		1AM024700B	700	24 Months
1981-1978	Dodge	D400	5.9L V8 360 CID		1AM024700B	700	24 Months
1978	Dodge	D450	7.2L V8 440 CID		1AM024700B	700	24 Months
1981-1978	Dodge	D450	5.9L V8 360 CID		1AM024700B	700	24 Months
1980-1979	Dodge	D50	2.0L L4 1995cc 122 CID		1AM024700B	700	24 Months
1982-1979	Dodge	D50	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1982-1981	Dodge	D50	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
1996	Dodge	Dakota	2.5L L4 2500cc 153 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
1999-1992	Dodge	Dakota	5.2L V8 5211cc 318 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2001-2000	Dodge	Dakota	4.7L V8 287 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2002-1992	Dodge	Dakota	2.5L L4 2507cc 153 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2003-1992	Dodge	Dakota	3.9L V6 3906cc 239 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2003-1998	Dodge	Dakota	5.9L V8 360 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2004	Dodge	Dakota	3.7L V6 226 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2009-2008	Dodge	Dakota	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Dakota	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2009-2008	Dodge	Dakota	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2009-2008	Dodge	Dakota	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2010,2007-2005	Dodge	Dakota	3.7L V6 226 CID		1AM065750A	750	24 Months
2010,2007-2005	Dodge	Dakota	3.7L V6 226 CID		2AM065650A	650	18 Months
2010,2007-2005	Dodge	Dakota	3.7L V6 226 CID		BB065675AA	675	36 Months
2010,2007-2005	Dodge	Dakota	3.7L V6 226 CID		BB065850AB	850	36 Months
1961-1960	Dodge	Dart	5.9L V8 361 CID		1AM024700B	700	24 Months
1962-1960	Dodge	Dart	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1962-1961	Dodge	Dart	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1962-1961	Dodge	Dart	6.8L V8 413 CID		1AM024700B	700	24 Months
1969-1963,1961	Dodge	Dart	2.8L L6 170 CID		1AM024700B	700	24 Months
1969-1964	Dodge	Dart	4.5L V8 273 CID		1AM024700B	700	24 Months
1969-1964	Dodge	Dart	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1969-1967,1960	Dodge	Dart	6.3L V8 383 CID		1AM024700B	700	24 Months
1969-1967,1962-1960	Dodge	Dart	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971	Dodge	Dart	3.7L L6 225 CID		1AM024700B	700	24 Months
1971-1963,1961-1960	Dodge	Dart	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1973-1968	Dodge	Dart	5.6L V8 340 CID		1AM024700B	700	24 Months
1973-1968	Dodge	Dart	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974-1968,1962-1960	Dodge	Dart	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1970	Dodge	Dart	3.2L L6 198 CID		1AM024700B	700	24 Months
1974-1970	Dodge	Dart	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1976-1960	Dodge	Dart	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1976-1968,1962-1960	Dodge	Dart	5.2L V8 318 CID		1AM024700B	700	24 Months
1976-1974	Dodge	Dart	5.9L V8 360 CID		1AM024700B	700	24 Months
2013	Dodge	Dart	1.4L L4 1368cc 83 CID		1AM0H6770A	770	24 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Limited		1AM0H6770A	770	24 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Rallye		1AM0H6770A	770	24 Months
2013	Dodge	Dart	2.4L L4 2360cc 144 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2013	Dodge	Dart	1.4L L4 1368cc 83 CID		2AM048615A	615	18 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Limited		2AM048615A	615	18 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Rallye		2AM048615A	615	18 Months
2013	Dodge	Dart	2.4L L4 2360cc 144 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; SE		BB0H5500AB	500	36 Months
2013	Dodge	Dart	1.4L L4 1368cc 83 CID		BB0H6600AA	600	36 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Limited		BB0H6600AA	600	36 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Rallye		BB0H6600AA	600	36 Months
2013	Dodge	Dart	2.4L L4 2360cc 144 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	BB0H6600AA	600	36 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; SE	Battery located in engine compartment; OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013	Dodge	Dart	1.4L L4 1368cc 83 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Limited	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013	Dodge	Dart	2.0L L4 1995cc 122 CID; Rallye	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013	Dodge	Dart	2.4L L4 2360cc 144 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2013	Dodge	Dart	2.0L L4 1995cc 122 CID; SXT	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2014	Dodge	Dart	2.4L L4 2360cc 144 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Dodge	Dart	2.0L L4 1995cc 122 CID; SXT	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Dodge	Dart	2.4L L4 2360cc 144 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2013	Dodge	Dart	2.0L L4 1995cc 122 CID; SXT		1AM0H6770A	770	24 Months
2016-2013	Dodge	Dart	2.0L L4 1995cc 122 CID; SXT		2AM048615A	615	18 Months
2016-2013	Dodge	Dart	2.0L L4 1995cc 122 CID; SXT		BBOH6600AA	600	36 Months
1984	Dodge	Daytona	2.2L L4 135 CID		1AM024700B	700	24 Months
1979-1978	Dodge	Diplomat	5.9L V8 360 CID		1AM024700B	700	24 Months
1983	Dodge	Diplomat	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1983-1981,1979-1978	Dodge	Diplomat	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1984-1977	Dodge	Diplomat	5.2L V8 318 CID		1AM024700B	700	24 Months
1999-1998	Dodge	Durango	3.9L V6 3906cc 239 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2000-1998	Dodge	Durango	5.2L V8 5211cc 318 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2001-2000	Dodge	Durango	4.7L V8 287 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2003-1998	Dodge	Durango	5.9L V8 360 CID	Heat shield may need removed or modified if not using OE battery.	1AM024700B	700	24 Months
2007-2004	Dodge	Durango	3.7L V6 226 CID		1AM065750A	750	24 Months
2007-2004	Dodge	Durango	5.7L V8 345 CID		1AM065750A	750	24 Months
2007-2004	Dodge	Durango	3.7L V6 226 CID		2AM065650A	650	18 Months
2007-2004	Dodge	Durango	5.7L V8 345 CID		2AM065650A	650	18 Months
2007-2004	Dodge	Durango	3.7L V6 226 CID		BB065675AA	675	36 Months
2007-2004	Dodge	Durango	5.7L V8 345 CID		BB065675AA	675	36 Months
2007-2004	Dodge	Durango	3.7L V6 226 CID		BB065850AB	850	36 Months
2007-2004	Dodge	Durango	5.7L V8 345 CID		BB065850AB	850	36 Months
2008	Dodge	Durango	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2008	Dodge	Durango	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2008	Dodge	Durango	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2008	Dodge	Durango	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2009-2008	Dodge	Durango	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Durango	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Durango	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2009-2008	Dodge	Durango	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2013-2011	Dodge	Durango	3.6L V6 3604cc 220 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013-2011	Dodge	Durango	5.7L V8 345 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2015-2014	Dodge	Durango	5.7L V8 345 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Dodge	Durango	3.6L V6 3604cc 220 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18; Start Stop Auxillary	BBAUA200AD	200	36 Months
2017-2016	Dodge	Durango	5.7L V8 345 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2011	Dodge	Grand Caravan	3.6L V6 3604cc 220 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2017-2011	Dodge	Grand Caravan	3.6L V6 3604cc 220 CID		1AM940800A	800	24 Months
2017-2011	Dodge	Grand Caravan	3.6L V6 3604cc 220 CID		BBOH7730AB	730	36 Months
2010-2009	Dodge	Journey	3.5L V6 3497cc 215 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010-2009	Dodge	Journey	3.5L V6 3518cc 215 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2014-2011	Dodge	Journey	3.6L V6 3605cc 220 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2017-2009	Dodge	Journey	2.4L L4 2360cc 144 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
2017-2011	Dodge	Journey	3.6L V6 3604cc 220 CID	Installation may take up to 60 minutes. Battery located in driver's side wheelwell. Turn tire to the left, remove cowling by the fender to see battery. You will have to pull back the bottom portion of the bumper to get to the battery.	BB086525AB	525	36 Months
1956	Dodge	Lancer	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1957	Dodge	Lancer	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958	Dodge	Lancer	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Lancer	5.3L V8 5327cc 325 CID		1AM024700B	700	24 Months
1959	Dodge	Lancer	5.3L V8 5343cc 326 CID		1AM024700B	700	24 Months
1959	Dodge	Lancer	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1959-1958	Dodge	Lancer	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961	Dodge	Lancer	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1962-1961	Dodge	Lancer	2.8L L6 170 CID		1AM024700B	700	24 Months
1962-1961	Dodge	Lancer	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1962-1961	Dodge	Lancer	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1968	Dodge	M300	4.1L L6 250 CID		1AM024700B	700	24 Months
1968	Dodge	M300	4.1L L6 4114cc 251 CID		1AM024700B	700	24 Months
1974	Dodge	M300	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Dodge	M300	7.2L V8 440 CID		1AM024700B	700	24 Months
1974	Dodge	M300	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1968	Dodge	M300	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974	Dodge	M350	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Dodge	M350	7.2L V8 440 CID		1AM024700B	700	24 Months
1978	Dodge	Magnum	6.6L V8 400 CID		1AM024700B	700	24 Months
1979-1978	Dodge	Magnum	5.2L V8 318 CID		1AM024700B	700	24 Months
1979-1978	Dodge	Magnum	5.9L V8 360 CID		1AM024700B	700	24 Months
2008-2005	Dodge	Magnum	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2008-2005	Dodge	Magnum	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2008-2005	Dodge	Magnum	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2008-2005	Dodge	Magnum	2.7L V6 2736cc 167 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2008-2005	Dodge	Magnum	3.5L V6 3497cc 215 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2008-2005	Dodge	Magnum	5.7L V8 345 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2008-2006	Dodge	Magnum	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2008-2006	Dodge	Magnum	6.1L V8 6059cc 370 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
1960	Dodge	Matador	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1960	Dodge	Matador	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1960	Dodge	Matador	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1974	Dodge	MB300	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Dodge	MB300	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1984	Dodge	Mini Ram	2.2L L4 135 CID		1AM024700B	700	24 Months
1984	Dodge	Mini Ram	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1980	Dodge	Mirada	5.9L V8 360 CID		1AM024700B	700	24 Months
1983-1980	Dodge	Mirada	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1983-1980	Dodge	Mirada	5.2L V8 318 CID		1AM024700B	700	24 Months
1965	Dodge	Monaco	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1965	Dodge	Monaco	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1965	Dodge	Monaco	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1965	Dodge	Monaco	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1974-1966	Dodge	Monaco	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1968	Dodge	Monaco	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1970	Dodge	Monaco	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Monaco	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Dodge	Monaco	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1978-1967	Dodge	Monaco	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1971	Dodge	Monaco	5.9L V8 360 CID		1AM024700B	700	24 Months
1978-1972	Dodge	Monaco	6.6L V8 400 CID		1AM024700B	700	24 Months
1978-1975,1970-1968	Dodge	Monaco	5.2L V8 318 CID		1AM024700B	700	24 Months
1978-1977	Dodge	Monaco	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
2005-2000	Dodge	Neon	2.0L L4 1996cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM260575A	575	24 Months
2005-2000	Dodge	Neon	2.0L L4 1996cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	BB26R540AD	540	36 Months
2005-2003	Dodge	Neon	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM260575A	575	24 Months
2005-2003	Dodge	Neon	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located under hood.	BB26R540AD	540	36 Months
2005-2004	Dodge	Neon	2.0L L4 1995cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM260575A	575	24 Months
2005-2004	Dodge	Neon	2.0L L4 1995cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	BB26R540AD	540	36 Months
1964-1962	Dodge	P100	4.1L L6 251 CID		1AM024700B	700	24 Months
1966-1965	Dodge	P100	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1968,1966-1965	Dodge	P100	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961	Dodge	P100 Van	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1967	Dodge	P100 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1964-1961	Dodge	P200	4.1L L6 251 CID		1AM024700B	700	24 Months
1966-1965	Dodge	P200	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1970	Dodge	P200	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1972-1965	Dodge	P200	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1972-1970	Dodge	P200	5.9L V8 360 CID		1AM024700B	700	24 Months
1961	Dodge	P200 Van	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973,1961	Dodge	P200 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1966,1964-1961	Dodge	P300	4.1L L6 251 CID		1AM024700B	700	24 Months
1972-1967,1965	Dodge	P300	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1972-1971	Dodge	P300	5.9L V8 360 CID		1AM024700B	700	24 Months
1958	Dodge	P300 Series	5.1L V8 314 CID		1AM024700B	700	24 Months
1958-1957	Dodge	P300 Series	3.8L L6 230 CID		1AM024700B	700	24 Months
1959	Dodge	P300 Series	5.2L V8 318 CID		1AM024700B	700	24 Months
1960	Dodge	P300 Van	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1974-1973,1961	Dodge	P300 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1958	Dodge	P310 Series	5.1L V8 314 CID		1AM024700B	700	24 Months
1959	Dodge	P310 Series	5.2L V8 318 CID		1AM024700B	700	24 Months
1959-1958	Dodge	P310 Series	3.8L L6 230 CID		1AM024700B	700	24 Months
1958	Dodge	P320 Series	3.8L L6 230 CID		1AM024700B	700	24 Months
1958	Dodge	P320 Series	5.1L V8 314 CID		1AM024700B	700	24 Months
1959	Dodge	P320 Series	5.2L V8 318 CID		1AM024700B	700	24 Months
1968	Dodge	P375	5.9L V8 360 CID		1AM024700B	700	24 Months
1968	Dodge	P375	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1957	Dodge	P400 Series	3.8L L6 230 CID		1AM024700B	700	24 Months
1958	Dodge	P410 Series	3.8L L6 230 CID		1AM024700B	700	24 Months
1958	Dodge	P410 Series	5.1L V8 314 CID		1AM024700B	700	24 Months
1959	Dodge	P410 Series	5.2L V8 318 CID		1AM024700B	700	24 Months
1958	Dodge	P420 Series	3.8L L6 230 CID		1AM024700B	700	24 Months
1958	Dodge	P420 Series	5.1L V8 314 CID		1AM024700B	700	24 Months
1959	Dodge	P420 Series	5.2L V8 318 CID		1AM024700B	700	24 Months
1959	Dodge	P450 Series	5.2L V8 318 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Phoenix	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Phoenix	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Phoenix	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Phoenix	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1961	Dodge	Pioneer	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961	Dodge	Pioneer	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Pioneer	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Pioneer	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1962-1960	Dodge	Polara	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1963	Dodge	Polara	7.0L V8 426 CID		1AM024700B	700	24 Months
1964	Dodge	Polara	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1965,1962-1961	Dodge	Polara	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1965-1963	Dodge	Polara	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1966	Dodge	Polara	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1971-1960	Dodge	Polara	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1968,1963	Dodge	Polara	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1970	Dodge	Polara	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1963,1961-1960	Dodge	Polara	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1973-1966	Dodge	Polara	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1973-1966,1964-1963	Dodge	Polara	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1973-1968	Dodge	Polara	5.2L V8 318 CID		1AM024700B	700	24 Months
1973-1968	Dodge	Polara	7.2L V8 440 CID		1AM024700B	700	24 Months
1973-1970	Dodge	Polara	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1973-1971	Dodge	Polara	5.9L V8 360 CID		1AM024700B	700	24 Months
1973-1972	Dodge	Polara	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1973-1972	Dodge	Polara	6.6L V8 400 CID		1AM024700B	700	24 Months
1973-1972	Dodge	Polara	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1973-1972	Dodge	Polara	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1983	Dodge	Power Ram 50	2.0L L4 1997cc; Sold in Canada		1AM024700B	700	24 Months
1984	Dodge	Power Ram 50	2.0L L4 1995cc; Sold in Canada		1AM024700B	700	24 Months
1984-1983	Dodge	Power Ram 50	2.6L L4 2555cc; Sold in Canada		1AM024700B	700	24 Months
1956	Dodge	Power Wagon	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1957	Dodge	Power Wagon	3.8L L6 230 CID		1AM024700B	700	24 Months
1974-1972	Dodge	R300	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1989	Dodge	Raider	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
1999	Dodge	Ram 1500	3.9L V6 3908cc 238 CID		1AM024700B	700	24 Months
2001-1994	Dodge	Ram 1500	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
2001-1994	Dodge	Ram 1500	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
2001-1994	Dodge	Ram 1500	5.9L V8 360 CID		1AM024700B	700	24 Months
2002	Dodge	Ram 1500	3.7L V6 226 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 1500	4.7L V8 287 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 1500	5.9L V8 360 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 1500	3.7L V6 226 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 1500	4.7L V8 287 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 1500	5.9L V8 360 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 1500	3.7L V6 226 CID	Late	2AM065650A	650	18 Months
2002	Dodge	Ram 1500	3.7L V6 226 CID	Late	BB065675AA	675	36 Months
2002	Dodge	Ram 1500	3.7L V6 226 CID	Late	BB065850AB	850	36 Months
2002	Dodge	Ram 1500	4.7L V8 287 CID	Late	BB065850AB	850	36 Months
2002	Dodge	Ram 1500	5.9L V8 360 CID	Late	BB065850AB	850	36 Months
2003	Dodge	Ram 1500	5.9L V8 360 CID		1AM065750A	750	24 Months
2003	Dodge	Ram 1500	5.9L V8 360 CID		2AM065650A	650	18 Months
2003	Dodge	Ram 1500	5.9L V8 360 CID		BB065675AA	675	36 Months
2003	Dodge	Ram 1500	5.9L V8 360 CID		BB065850AB	850	36 Months
2004-2003	Dodge	Ram 1500	4.7L V8 287 CID		1AM065750A	750	24 Months
2004-2003	Dodge	Ram 1500	4.7L V8 287 CID		2AM065650A	650	18 Months
2004-2003	Dodge	Ram 1500	4.7L V8 287 CID		BB065675AA	675	36 Months
2004-2003	Dodge	Ram 1500	4.7L V8 287 CID		BB065850AB	850	36 Months
2006	Dodge	Ram 1500	8.3L V10 8275cc 505 CID		2AM065650A	650	18 Months
2006	Dodge	Ram 1500	8.3L V10 8275cc 505 CID		BB065675AA	675	36 Months
2006-2004	Dodge	Ram 1500	8.3L V10 8275cc 505 CID		1AM065750A	750	24 Months
2006-2004	Dodge	Ram 1500	8.3L V10 8275cc 505 CID		BB065850AB	850	36 Months
2007-2003	Dodge	Ram 1500	3.7L V6 226 CID		1AM065750A	750	24 Months
2007-2003	Dodge	Ram 1500	5.7L V8 345 CID		1AM065750A	750	24 Months
2007-2003	Dodge	Ram 1500	3.7L V6 226 CID		2AM065650A	650	18 Months
2007-2003	Dodge	Ram 1500	3.7L V6 226 CID		BB065675AA	675	36 Months
2007-2003	Dodge	Ram 1500	3.7L V6 226 CID		BB065850AB	850	36 Months
2007-2003	Dodge	Ram 1500	5.7L V8 345 CID		BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2006,2003	Dodge	Ram 1500	5.7L V8 345 CID		2AM065650A	650	18 Months
2007-2006,2003	Dodge	Ram 1500	5.7L V8 345 CID		BB065675AA	675	36 Months
2008	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2008	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2008	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2008	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2008	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2008	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2008	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2008	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2008	Dodge	Ram 1500	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100; US Built	BBAH6650AA	650	36 Months
2008	Dodge	Ram 1500	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120; US Built	BBAH7700AA	700	36 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; U.S. built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; U.S. built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; Mexico Built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; U.S. built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; U.S. built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; built in USA	BBAH7700AA	700	36 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; built in USA	BBAH7700AA	700	36 Months
2009	Dodge	Ram 1500	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; U.S. built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009	Dodge	Ram 1500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; U.S. built; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2010	Dodge	Ram 1500	3.7L V6 226 CID	Mexico Built	1AM065750A	750	24 Months
2010	Dodge	Ram 1500	3.7L V6 226 CID	U.S. built	1AM940800A	800	24 Months
2010	Dodge	Ram 1500	5.7L V8 345 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 1500	3.7L V6 226 CID	Mexico Built	2AM065650A	650	18 Months
2010	Dodge	Ram 1500	3.7L V6 226 CID	Mexico Built	BB065675AA	675	36 Months
2010	Dodge	Ram 1500	3.7L V6 226 CID	Mexico Built	BB065850AB	850	36 Months
2010	Dodge	Ram 1500	3.7L V6 226 CID	U.S. built	BB0H7730AB	730	36 Months
2010	Dodge	Ram 1500	5.7L V8 345 CID		BB0H7730AB	730	36 Months
2010	Dodge	Ram 1500	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1997	Dodge	Ram 1500 Van	3.9L V6 3907cc 238 CID		1AM024700B	700	24 Months
1999	Dodge	Ram 1500 Van	3.9L V6 3908cc 238 CID		1AM024700B	700	24 Months
2003-1998, 1996-1995	Dodge	Ram 1500 Van	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
2003-1999	Dodge	Ram 1500 Van	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
2003-1999	Dodge	Ram 1500 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1996-1994	Dodge	Ram 2500	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
2001-1994	Dodge	Ram 2500	5.9L V8 360 CID		1AM024700B	700	24 Months
2002	Dodge	Ram 2500	5.9L L6 359 CID	Early; See the vehicle owner's manual for safe and proper battery installation.	1AM024700B	700	24 Months
2002	Dodge	Ram 2500	5.9L V8 360 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 2500	8.0L V10 7990cc 488 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 2500	5.9L L6 359 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2002	Dodge	Ram 2500	5.9L V8 360 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 2500	8.0L V10 7990cc 488 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 2500	5.9L L6 359 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2002	Dodge	Ram 2500	5.9L V8 360 CID	Late	BB065850AB	850	36 Months
2002	Dodge	Ram 2500	8.0L V10 7990cc 488 CID	Late	BB065850AB	850	36 Months
2003	Dodge	Ram 2500	8.0L V10 7990cc 488 CID		1AM065750A	750	24 Months
2003	Dodge	Ram 2500	8.0L V10 7990cc 488 CID		BB065850AB	850	36 Months
2007	Dodge	Ram 2500	6.7L L6 408 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2007	Dodge	Ram 2500	6.7L L6 408 CID	See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2007-2003	Dodge	Ram 2500	5.7L V8 345 CID		1AM065750A	750	24 Months
2007-2003	Dodge	Ram 2500	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2007-2003	Dodge	Ram 2500	5.7L V8 345 CID		BB065850AB	850	36 Months
2007-2003	Dodge	Ram 2500	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2007-2006, 2003	Dodge	Ram 2500	5.7L V8 345 CID		2AM065650A	650	18 Months
2007-2006, 2003	Dodge	Ram 2500	5.7L V8 345 CID		BB065675AA	675	36 Months
2008	Dodge	Ram 2500	5.7L V8 345 CID; Sold in United States	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008	Dodge	Ram 2500	5.7L V8 345 CID; Sold in United States	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2008	Dodge	Ram 2500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Ram 2500	5.9L L6 359 CID; Sold in Mexico	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Ram 2500	6.7L L6 408 CID	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2008	Dodge	Ram 2500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2009-2008	Dodge	Ram 2500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months
2009-2008	Dodge	Ram 2500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2009-2008	Dodge	Ram 2500	5.9L L6 359 CID; Sold in Mexico	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2009-2008	Dodge	Ram 2500	6.7L L6 408 CID	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2010	Dodge	Ram 2500	5.7L V8 345 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 2500	5.9L L6 359 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 2500	6.7L L6 408 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 2500	5.7L V8 345 CID		BB0H7730AB	730	36 Months
2010	Dodge	Ram 2500	5.9L L6 359 CID		BB0H7730AB	730	36 Months
2010	Dodge	Ram 2500	6.7L L6 408 CID		BB0H7730AB	730	36 Months
2010	Dodge	Ram 2500	5.7L V8 345 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Dodge	Ram 2500	5.9L L6 359 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; Two batteries required. For best results, replace both of same type.	BBAH7700AA	700	36 Months
2010	Dodge	Ram 2500	6.7L L6 408 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; Two batteries required. For best results, replace both of same type.	BBAH7700AA	700	36 Months
1996	Dodge	Ram 2500 Van	5.2L V8		1AM024700B	700	24 Months
2001	Dodge	Ram 2500 Van	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
2003-1997	Dodge	Ram 2500 Van	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
2003-1999	Dodge	Ram 2500 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
2001-1994	Dodge	Ram 3500	5.9L V8 360 CID		1AM024700B	700	24 Months
2002	Dodge	Ram 3500	5.9L L6 359 CID	Early; See the vehicle owner's manual for safe and proper battery installation.	1AM024700B	700	24 Months
2002	Dodge	Ram 3500	5.9L V8 360 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 3500	8.0L V10 7990cc 488 CID	Early	1AM024700B	700	24 Months
2002	Dodge	Ram 3500	5.9L L6 359 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2002	Dodge	Ram 3500	5.9L V8 360 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 3500	8.0L V10 7990cc 488 CID	Late	1AM065750A	750	24 Months
2002	Dodge	Ram 3500	5.9L L6 359 CID	Late; See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2002	Dodge	Ram 3500	5.9L V8 360 CID	Late	BB065850AB	850	36 Months
2002	Dodge	Ram 3500	8.0L V10 7990cc 488 CID	Late	BB065850AB	850	36 Months
2003	Dodge	Ram 3500	8.0L V10 7990cc 488 CID		1AM065750A	750	24 Months
2003	Dodge	Ram 3500	8.0L V10 7990cc 488 CID		BB065850AB	850	36 Months
2007	Dodge	Ram 3500	6.7L L6 408 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2007	Dodge	Ram 3500	6.7L L6 408 CID	See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2007-2003	Dodge	Ram 3500	5.7L V8 345 CID		1AM065750A	750	24 Months
2007-2003	Dodge	Ram 3500	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2007-2003	Dodge	Ram 3500	5.7L V8 345 CID		BB065850AB	850	36 Months
2007-2003	Dodge	Ram 3500	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2007-2006,2003	Dodge	Ram 3500	5.7L V8 345 CID		2AM065650A	650	18 Months
2007-2006,2003	Dodge	Ram 3500	5.7L V8 345 CID		BB065675AA	675	36 Months
2008	Dodge	Ram 3500	5.7L V8 345 CID; Sold in United States	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008	Dodge	Ram 3500	5.7L V8 345 CID; Sold in United States	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2008	Dodge	Ram 3500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Ram 3500	6.7L L6 408 CID	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM065750A	750	24 Months
2009-2008	Dodge	Ram 3500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM065650A	650	18 Months
2009-2008	Dodge	Ram 3500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065675AA	675	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2008	Dodge	Ram 3500	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2009-2008	Dodge	Ram 3500	6.7L L6 408 CID	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2010	Dodge	Ram 3500	6.7L L6 408 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 3500	6.7L L6 408 CID		BB0H7730AB	730	36 Months
2010	Dodge	Ram 3500	6.7L L6 408 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; Two batteries required. For best results, replace both of same type.	BBAH7700AA	700	36 Months
1996	Dodge	Ram 3500 Van	5.2L V8		1AM024700B	700	24 Months
2003-1999	Dodge	Ram 3500 Van	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
2003-1999, 1997	Dodge	Ram 3500 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
2001, 1996-1995	Dodge	Ram 4000	5.9L V8 360 CID		1AM024700B	700	24 Months
2006-2005	Dodge	Ram 4000	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	1AM065750A	750	24 Months
2006-2005	Dodge	Ram 4000	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	2AM065650A	650	18 Months
2006-2005	Dodge	Ram 4000	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	BB065675AA	675	36 Months
2006-2005	Dodge	Ram 4000	5.9L L6 359 CID	See the vehicle owner's manual for safe and proper battery installation.	BB065850AB	850	36 Months
2009-2008	Dodge	Ram 4500	6.7L L6 408 CID	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2010	Dodge	Ram 4500	6.7L L6 408 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 4500	6.7L L6 408 CID		BB0H7730AB	730	36 Months
1983	Dodge	Ram 50	2.0L L4 1997cc 122 CID; Sold in Canada		1AM024700B	700	24 Months
1985-1983	Dodge	Ram 50	2.6L L4 2555cc 156 CID; Sold in Canada		1AM024700B	700	24 Months
1985-1984	Dodge	Ram 50	2.0L L4 1995cc 122 CID; Sold in Canada		1AM024700B	700	24 Months
1989	Dodge	Ram 50	2.0L L4 1995cc 122 CID; RWD		1AM024700B	700	24 Months
1989	Dodge	Ram 50	2.6L L4 2555cc 156 CID; RWD		1AM024700B	700	24 Months
1990	Dodge	Ram 50	2.4L L4 2351cc; Sold in Canada		1AM024700B	700	24 Months
1991-1990	Dodge	Ram 50	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
1993-1991	Dodge	Ram 50	2.4L L4 2351cc; RWD; Sold in Canada		1AM024700B	700	24 Months
2009-2008	Dodge	Ram 5500	6.7L L6 408 CID	Consult with a service specialist if you have further questions.; See the vehicle owner's manual for safe and proper battery installation.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB065850AB	850	36 Months
2010	Dodge	Ram 5500	6.7L L6 408 CID		1AM940800A	800	24 Months
2010	Dodge	Ram 5500	6.7L L6 408 CID		BB0H7730AB	730	36 Months
1974	Dodge	Ramcharger	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Dodge	Ramcharger	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974	Dodge	Ramcharger	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974	Dodge	Ramcharger	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1978-1974	Dodge	Ramcharger	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1977	Dodge	Ramcharger	6.6L V8 400 CID		1AM024700B	700	24 Months
1980-1974	Dodge	Ramcharger	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1993-1992, 1982-1975	Dodge	Ramcharger	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1993-1992, 1984, 1981-1974	Dodge	Ramcharger	5.9L V8 360 CID		1AM024700B	700	24 Months
1980-1978	Dodge	RD200	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1978	Dodge	RD200	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1973, 1971	Dodge	RM300	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974, 1971	Dodge	RM350	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1956	Dodge	Royal	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1957	Dodge	Royal	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958	Dodge	Royal	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Royal	5.3L V8 5327cc 325 CID		1AM024700B	700	24 Months
1959	Dodge	Royal	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1959-1958	Dodge	Royal	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1977, 1975	Dodge	Royal Monaco	5.2L V8 318 CID		1AM024700B	700	24 Months
1977-1975	Dodge	Royal Monaco	5.9L V8 360 CID		1AM024700B	700	24 Months
1977-1975	Dodge	Royal Monaco	6.6L V8 400 CID		1AM024700B	700	24 Months
1977-1975	Dodge	Royal Monaco	7.2L V8 440 CID		1AM024700B	700	24 Months
1961	Dodge	Seneca	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961	Dodge	Seneca	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Seneca	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Seneca	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1954	Dodge	Sierra	4.0L V8 3957cc 241 CID		1AM024700B	700	24 Months
1956	Dodge	Sierra	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1956-1955	Dodge	Sierra	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1957	Dodge	Sierra	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1958	Dodge	Sierra	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958	Dodge	Sierra	5.3L V8 5327cc 325 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Sierra	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1959	Dodge	Sierra	6.3L V8 383 CID		1AM024700B	700	24 Months
1959	Dodge	Sierra	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1959-1957	Dodge	Sierra	5.3L V8 325 CID		1AM024700B	700	24 Months
1959-1958	Dodge	Sierra	5.9L V8 361 CID		1AM024700B	700	24 Months
1959-1958	Dodge	Sierra	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006-2003	Dodge	Sprinter 2500	2.7L L5 2687cc 165 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2008-2007	Dodge	Sprinter 2500	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2009-2007	Dodge	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2006-2003	Dodge	Sprinter 3500	2.7L L5 2687cc 165 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2008-2007	Dodge	Sprinter 3500	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2009-2007	Dodge	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
1980-1979	Dodge	St. Regis	5.9L V8 360 CID		1AM024700B	700	24 Months
1981-1979	Dodge	St. Regis	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1981-1979	Dodge	St. Regis	5.2L V8 318 CID		1AM024700B	700	24 Months
1993-1991	Dodge	Stealth	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
2000-1995	Dodge	Stratus	2.0L L4 1996cc 122 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2000-1995	Dodge	Stratus	2.5L V6 2497cc 152 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Dodge	Stratus	2.4L L4 2351cc; Sedan	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Dodge	Stratus	2.4L L4 2429cc 148 CID; Sedan	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Dodge	Stratus	2.7L V6 2736cc 167 CID; Sedan	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2005-2001	Dodge	Stratus	2.4L L4 2351cc; Coupe		BB086525AB	525	36 Months
2005-2001	Dodge	Stratus	2.4L L4 2429cc 148 CID; Coupe		BB086525AB	525	36 Months
2005-2001	Dodge	Stratus	2.7L V6 2736cc 167 CID; Coupe		BB086525AB	525	36 Months
2005-2001	Dodge	Stratus	3.0L V6 2972cc 181 CID; Coupe	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	BB086525AB	525	36 Months
2006	Dodge	Stratus	2.7L V6 2736cc 167 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2006,2000-1995	Dodge	Stratus	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
1958	Dodge	Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1958	Dodge	Suburban	5.9L V8 361 CID		1AM024700B	700	24 Months
1958-1957	Dodge	Suburban	5.3L V8 325 CID		1AM024700B	700	24 Months
2005-2003	Dodge	SX 2.0	2.0L L4 1996cc 122 CID		1AM260575A	575	24 Months
2005-2003	Dodge	SX 2.0	2.0L L4 1996cc 122 CID		BB26R540AD	540	36 Months
1956	Dodge	Texan	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1956	Dodge	Truck	3.7L L6 3739cc 228 CID		1AM024700B	700	24 Months
1956	Dodge	Truck	4.3L V8 4248cc 259 CID		1AM024700B	700	24 Months
1956	Dodge	Truck	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Dodge	Truck	5.8L V8 5786cc 353 CID		1AM024700B	700	24 Months
1957	Dodge	Truck	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1959-1956	Dodge	Truck	5.8L V8 5802cc 354 CID		1AM024700B	700	24 Months
1959-1957	Dodge	Truck	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1960	Dodge	Truck	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1960	Dodge	Truck	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1960-1956	Dodge	Truck	4.1L L6 4114cc 251 CID		1AM024700B	700	24 Months
1960-1956	Dodge	Truck	4.3L L6 4343cc 265 CID		1AM024700B	700	24 Months
1960-1957	Dodge	Truck	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1960-1957	Dodge	Truck	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1960-1959	Dodge	Truck	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
2002-1992	Dodge	Viper	8.0L V10 7990cc 488 CID	Installation may take up to 45 minutes. Battery located behind left rear tire, remove tire.	BB078800AB	800	36 Months
2017-2015	Dodge	Viper	8.4L V10 8448cc 515 CID	Battery is vented to outside of vehicle.	BB075590AB	590	36 Months
1977-1975	Dodge	W100	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1977-1975	Dodge	W100	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1977-1975	Dodge	W100	5.9L V8 360 CID		1AM024700B	700	24 Months
1977-1975	Dodge	W100	6.6L V8 400 CID		1AM024700B	700	24 Months
1977-1975	Dodge	W100	7.2L V8 440 CID		1AM024700B	700	24 Months
1957	Dodge	W100 Pickup	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1959-1957	Dodge	W100 Pickup	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1971-1968	Dodge	W100 Pickup	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Dodge	W100 Pickup	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1974	Dodge	W100 Pickup	7.2L V8 440 CID		1AM024700B	700	24 Months
1974	Dodge	W100 Pickup	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974,1971	Dodge	W100 Pickup	6.6L V8 400 CID		1AM024700B	700	24 Months
1974,1971	Dodge	W100 Pickup	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1968	Dodge	W100 Pickup	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Dodge	W100 Pickup	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1968,1959	Dodge	W100 Pickup	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	W100 Pickup	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Dodge	W100 Pickup	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1973	Dodge	W100 Pickup	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1960	Dodge	W100 Series	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967	Dodge	W100 Series	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967-1960	Dodge	W100 Series	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1961	Dodge	W100 Series	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978	Dodge	W150	7.2L V8 440 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1978-1977	Dodge	W150	6.6L V8 400 CID		1AM024700B	700	24 Months
1979-1978	Dodge	W150	4.0L L6 243 CID		1AM024700B	700	24 Months
1982-1978	Dodge	W150	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1993, 1984, 1981-1977	Dodge	W150	5.9L V8 360 CID		1AM024700B	700	24 Months
1993-1992	Dodge	W150	3.9L V6 3906cc 239 CID		1AM024700B	700	24 Months
1993-1992, 1982-1977	Dodge	W150	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1975	Dodge	W200	5.2L V8 318 CID		1AM024700B	700	24 Months
1978-1975	Dodge	W200	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1976	Dodge	W200	6.6L V8 400 CID		1AM024700B	700	24 Months
1979-1978	Dodge	W200	4.0L L6 243 CID		1AM024700B	700	24 Months
1980-1975	Dodge	W200	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1975	Dodge	W200	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Dodge	W200	5.9L V8 360 CID		1AM024700B	700	24 Months
1957	Dodge	W200 Pickup	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1959-1957	Dodge	W200 Pickup	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1971-1968	Dodge	W200 Pickup	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1969	Dodge	W200 Pickup	6.3L V8 383 CID		1AM024700B	700	24 Months
1974	Dodge	W200 Pickup	7.2L V8 440 CID		1AM024700B	700	24 Months
1974	Dodge	W200 Pickup	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974, 1971	Dodge	W200 Pickup	6.6L V8 400 CID		1AM024700B	700	24 Months
1974, 1971	Dodge	W200 Pickup	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1968	Dodge	W200 Pickup	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968, 1959	Dodge	W200 Pickup	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1969	Dodge	W200 Pickup	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	W200 Pickup	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	W200 Pickup	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1973	Dodge	W200 Pickup	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1960	Dodge	W200 Series	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967	Dodge	W200 Series	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967-1960	Dodge	W200 Series	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1961	Dodge	W200 Series	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1993-1992, 1982-1981	Dodge	W250	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1993-1992, 1984, 1982-1981	Dodge	W250	5.9L V8 360 CID		1AM024700B	700	24 Months
1978-1975	Dodge	W300	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978-1975	Dodge	W300	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1976	Dodge	W300	6.6L V8 400 CID		1AM024700B	700	24 Months
1980, 1978-1975	Dodge	W300	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Dodge	W300	5.9L V8 360 CID		1AM024700B	700	24 Months
1957	Dodge	W300 Pickup	5.1L V8 5163cc 315 CID		1AM024700B	700	24 Months
1959-1957	Dodge	W300 Pickup	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1957	Dodge	W300 Pickup	4.3L L6 4343cc 265 CID		1AM024700B	700	24 Months
1968, 1959-1957	Dodge	W300 Pickup	4.1L L6 4114cc 251 CID		1AM024700B	700	24 Months
1971, 1969-1968	Dodge	W300 Pickup	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Dodge	W300 Pickup	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1974-1968	Dodge	W300 Pickup	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Dodge	W300 Pickup	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1968, 1959	Dodge	W300 Pickup	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Dodge	W300 Pickup	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1971	Dodge	W300 Pickup	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Dodge	W300 Pickup	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1960	Dodge	W300 Series	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1960	Dodge	W300 Series	4.3L L6 4343cc 265 CID		1AM024700B	700	24 Months
1967	Dodge	W300 Series	6.3L V8 383 CID		1AM024700B	700	24 Months
1967	Dodge	W300 Series	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967-1960	Dodge	W300 Series	4.1L L6 4114cc 251 CID		1AM024700B	700	24 Months
1967-1960	Dodge	W300 Series	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967-1963	Dodge	W300 Series	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1982	Dodge	W350	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1993-1992, 1984-1981	Dodge	W350	5.9L V8 360 CID		1AM024700B	700	24 Months
1967	Dodge	Wm300 Pickup	4.1L L6 251 CID		1AM024700B	700	24 Months
1968-1967	Dodge	Wm300 Pickup	4.1L L6 4114cc 251 CID		1AM024700B	700	24 Months
1960	Dodge	Wm300 Power Wagon	4.3L L6 4343cc 265 CID		1AM024700B	700	24 Months
1960-1958	Dodge	Wm300 Power Wagon	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1961-1960	Dodge	Wm300 Power Wagon	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1962-1960	Dodge	Wm300 Power Wagon	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1966-1960	Dodge	Wm300 Power Wagon	4.1L L6 4114cc 251 CID		1AM024700B	700	24 Months
1992-1991	Eagle	2000 GTX	2.0L L4 1997cc 122 CID	Best-fit estimate, check clearance and polarity before connecting cables.	BB086525AB	525	36 Months
1993	Eagle	2000 GTX	2.0L L4 1995cc 122 CID	Best-fit estimate, check clearance and polarity before connecting cables.	BB086525AB	525	36 Months
1992	Eagle	Summit	1.5L L4 1468cc 90 CID; Sold in Canada; Wagon		1AM024700B	700	24 Months
1994-1992	Eagle	Summit	1.5L L4 1468cc 90 CID		1AM024700B	700	24 Months
1994-1992	Eagle	Summit	1.8L L4 1834cc 112 CID		1AM024700B	700	24 Months
1994-1992	Eagle	Summit	2.4L L4 2351cc		1AM024700B	700	24 Months
1996-1995	Eagle	Summit	2.4L L4 2351cc; Wagon		1AM024700B	700	24 Months
1994-1993	Eagle	Talon	1.8L L4 1755cc 107 CID		BB086525AB	525	36 Months
1998-1990	Eagle	Talon	2.0L L4 1997cc 122 CID		BB086525AB	525	36 Months
1960	Edsel	Ranger	3.6L L6 3655cc 223 CID		1AM035550A	550	24 Months
1960	Edsel	Ranger	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1960	Edsel	Ranger	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1960	Edsel	Ranger	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1960	Edsel	Ranger	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1960	Edsel	Ranger	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1960	Edsel	Ranger	3.6L L6 3655cc 223 CID		2AM035500A	500	18 Months
1960	Edsel	Ranger	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1960	Edsel	Ranger	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1960	Edsel	Ranger	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1960	Edsel	Ranger	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1960	Edsel	Ranger	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1960	Edsel	Villager	3.6L L6 3655cc 223 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1960	Edsel	Villager	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1960	Edsel	Villager	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1960	Edsel	Villager	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1960	Edsel	Villager	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1960	Edsel	Villager	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1960	Edsel	Villager	3.6L L6 3655cc 223 CID		2AM035500A	500	18 Months
1960	Edsel	Villager	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1960	Edsel	Villager	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1960	Edsel	Villager	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1960	Edsel	Villager	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1960	Edsel	Villager	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
2012-2010	Ferrari	458 Italia	4.5L V8 4499cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
1966-1964	Fiat	1100	1.2L L4 1221cc 75 CID		1AM024700B	700	24 Months
1967,1963-1962	Fiat	1100	1.1L L4 1089cc 66 CID		1AM024700B	700	24 Months
1963	Fiat	1100D	1.2L L4 1221cc 75 CID		1AM024700B	700	24 Months
1963-1962	Fiat	1200	1.2L L4 1221cc 75 CID		1AM024700B	700	24 Months
1969-1966	Fiat	124	1.2L L4 1197cc 73 CID		1AM024700B	700	24 Months
1969-1967	Fiat	124	1.2L L4 1197cc		1AM024700B	700	24 Months
1973-1968	Fiat	124	1.4L L4 1438cc		1AM024700B	700	24 Months
1973-1968	Fiat	124	1.4L L4 1438cc 88 CID		1AM024700B	700	24 Months
1973-1971	Fiat	124	1.6L L4 1608cc		1AM024700B	700	24 Months
1973-1971	Fiat	124	1.6L L4 1608cc 98 CID		1AM024700B	700	24 Months
1974	Fiat	124	1.6L L4 1593cc		1AM024700B	700	24 Months
1974	Fiat	124	1.8L L4 1756cc 107 CID		1AM024700B	700	24 Months
1974-1972	Fiat	124	1.6L L4 1592cc 97 CID		1AM024700B	700	24 Months
1978-1974	Fiat	124	1.8L L4 1756cc		1AM024700B	700	24 Months
1981-1979	Fiat	124	2.0L L4 1995cc		1AM024700B	700	24 Months
1983-1982	Fiat	124	2.0L L4 1995cc	Check polarity before connecting cables.	1AM035550A	550	24 Months
1983-1982	Fiat	124	2.0L L4 1995cc	Check polarity before connecting cables.	2AM035500A	500	18 Months
1983-1982	Fiat	124	2.0L L4 1995cc	Check polarity before connecting cables.	2AM240530A	530	18 Months
2017	Fiat	124 Spider	1.4L L4 1368cc 83 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1973-1971	Fiat	128	1.1L L4 1116cc		1AM024700B	700	24 Months
1973-1971	Fiat	128	1.1L L4 1116cc 67 CID		1AM024700B	700	24 Months
1973-1971	Fiat	128	1.1L L4 1116cc 68 CID		1AM024700B	700	24 Months
1974-1973	Fiat	128	1.3L L4 1290cc 79 CID		1AM024700B	700	24 Months
1979-1973	Fiat	128	1.3L L4 1290cc		1AM024700B	700	24 Months
1978-1975	Fiat	131	1.8L L4 1756cc		1AM024700B	700	24 Months
1962	Fiat	1500	1.5L L4 1491cc 91 CID		1AM024700B	700	24 Months
1967-1964	Fiat	1500	1.5L L4 1481cc 90 CID		1AM024700B	700	24 Months
2014-2013	Fiat	500	-L --		BB0H5500AB	500	36 Months
2015-2012	Fiat	500	1.4L L4 1368cc 83 CID		BB0H5500AB	500	36 Months
2015-2012	Fiat	500	1.4L L4 1368cc 83 CID	Battery located in engine compartment; OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Fiat	500L	1.4L L4 1368cc 83 CID	Battery located in engine compartment; OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2015	Fiat	500L	1.4L L4 1368cc 83 CID	OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017-2014	Fiat	500L	1.4L L4 1368cc 83 CID		BB0H5500AB	500	36 Months
2016	Fiat	500X	2.4L L4 2360cc 144 CID		1AM0H6770A	770	24 Months
2016	Fiat	500X	2.4L L4 2360cc 144 CID		2AM048615A	615	18 Months
2016	Fiat	500X	1.4L L4 1368cc 83 CID		BB0H5500AB	500	36 Months
2016	Fiat	500X	2.4L L4 2360cc 144 CID		BB0H6600AA	600	36 Months
2016	Fiat	500X	1.4L L4 1368cc 83 CID	OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Fiat	500X	2.4L L4 2360cc 144 CID	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1967-1962	Fiat	600D	0.8L L4 767cc 47 CID		1AM024700B	700	24 Months
1968-1967	Fiat	850	0.8L L4 843cc 51 CID		1AM024700B	700	24 Months
1971-1968	Fiat	850	0.8L L4 817cc		1AM024700B	700	24 Months
1971-1968	Fiat	850	0.8L L4 817cc 50 CID		1AM024700B	700	24 Months
1973-1970,1968-1967	Fiat	850	0.9L L4 903cc		1AM024700B	700	24 Months
1973-1970,1968-1967	Fiat	850	0.9L L4 903cc 55 CID		1AM024700B	700	24 Months
1981-1978	Fiat	Brava	2.0L L4 1995cc		1AM024700B	700	24 Months
1982-1979	Fiat	Strada	1.5L L4 1498cc		1AM024700B	700	24 Months
1974	Fiat	X-1/9	1.3L L4 1290cc 79 CID		1AM024700B	700	24 Months
1978-1974	Fiat	X-1/9	1.3L L4 1290cc		1AM024700B	700	24 Months
1983	Fiat	X-1/9	2.0L L4 1995cc		1AM024700B	700	24 Months
1983-1979	Fiat	X-1/9	1.5L L4 1498cc		1AM024700B	700	24 Months
1963	Ford	300	6.4L V8 390 CID		1AM035550A	550	24 Months
1963	Ford	300	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1963	Ford	300	6.6L V8 6654cc 406 CID		1AM035550A	550	24 Months
1963	Ford	300	7.0L V8 427 CID		1AM035550A	550	24 Months
1963	Ford	300	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1963	Ford	300	6.4L V8 390 CID		2AM035500A	500	18 Months
1963	Ford	300	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1963	Ford	300	6.6L V8 6654cc 406 CID		2AM035500A	500	18 Months
1963	Ford	300	7.0L V8 427 CID		2AM035500A	500	18 Months
1963	Ford	300	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1963	Ford	300	6.4L V8 390 CID		2AM240530A	530	18 Months
1963	Ford	300	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1963	Ford	300	6.6L V8 6654cc 406 CID		2AM240530A	530	18 Months
1963	Ford	300	7.0L V8 427 CID		2AM240530A	530	18 Months
1963	Ford	300	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1992-1991	Ford	Aerostar	3.0L V6 182 CID		1AM065750A	750	24 Months
1992-1991	Ford	Aerostar	3.0L V6 182 CID		2AM065650A	650	18 Months
1992-1991	Ford	Aerostar	3.0L V6 182 CID		BB065675AA	675	36 Months
1992-1991	Ford	Aerostar	3.0L V6 182 CID		BB065850AB	850	36 Months
1997-1989	Ford	Aerostar	3.0L V6 2986cc 182 CID		1AM065750A	750	24 Months
1997-1989	Ford	Aerostar	3.0L V6 2986cc 182 CID		2AM065650A	650	18 Months
1997-1989	Ford	Aerostar	3.0L V6 2986cc 182 CID		BB065675AA	675	36 Months
1997-1989	Ford	Aerostar	3.0L V6 2986cc 182 CID		BB065850AB	850	36 Months
1997-1990	Ford	Aerostar	4.0L V6 245 CID		1AM065750A	750	24 Months
1997-1990	Ford	Aerostar	4.0L V6 245 CID		2AM065650A	650	18 Months
1997-1990	Ford	Aerostar	4.0L V6 245 CID		BB065675AA	675	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1997-1990	Ford	Aerostar	4.0L V6 245 CID		BB065850AB	850	36 Months
1997-1994	Ford	Aspire	1.3L L4 1295cc		1AM035550A	550	24 Months
1997-1994	Ford	Aspire	1.3L L4 1295cc		2AM035500A	500	18 Months
1994	Ford	B600	5.9L L6 5882cc 359 CID		1AM024700B	700	24 Months
1994	Ford	B700	5.9L L6 5882cc 359 CID		1AM024700B	700	24 Months
1966	Ford	Bronco	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1966	Ford	Bronco	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Bronco	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1967-1966	Ford	Bronco	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1967-1966	Ford	Bronco	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1968	Ford	Bronco	4.7L V8 289 CID		1AM035550A	550	24 Months
1968	Ford	Bronco	4.7L V8 289 CID		2AM035500A	500	18 Months
1968	Ford	Bronco	4.7L V8 289 CID		2AM240530A	530	18 Months
1968-1966	Ford	Bronco	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1968-1966	Ford	Bronco	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1968-1966	Ford	Bronco	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1972-1966	Ford	Bronco	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1972-1966	Ford	Bronco	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1972-1966	Ford	Bronco	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1972-1967	Ford	Bronco	2.8L L6 170 CID		1AM035550A	550	24 Months
1972-1967	Ford	Bronco	2.8L L6 170 CID		2AM035500A	500	18 Months
1972-1967	Ford	Bronco	2.8L L6 170 CID		2AM240530A	530	18 Months
1974-1973	Ford	Bronco	3.3L L6 200 CID		1AM260575A	575	24 Months
1974-1973	Ford	Bronco	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1974-1973	Ford	Bronco	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1974-1973	Ford	Bronco	3.3L L6 200 CID		BB26R540AD	540	36 Months
1974-1973	Ford	Bronco	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1974-1973	Ford	Bronco	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1977-1968	Ford	Bronco	5.0L V8 302 CID		1AM035550A	550	24 Months
1977-1968	Ford	Bronco	5.0L V8 302 CID		2AM035500A	500	18 Months
1977-1968	Ford	Bronco	5.0L V8 302 CID		2AM240530A	530	18 Months
1979-1978	Ford	Bronco	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1978	Ford	Bronco	6.6L V8 400 CID		1AM260575A	575	24 Months
1979-1978	Ford	Bronco	5.8L V8 351 CID		BB26R540AD	540	36 Months
1979-1978	Ford	Bronco	6.6L V8 400 CID		BB26R540AD	540	36 Months
1992-1987	Ford	Bronco	4.9L L6 4917cc 300 CID		1AM065750A	750	24 Months
1992-1987	Ford	Bronco	4.9L L6 4917cc 300 CID		2AM065650A	650	18 Months
1992-1987	Ford	Bronco	4.9L L6 4917cc 300 CID		BB065675AA	675	36 Months
1992-1987	Ford	Bronco	4.9L L6 4917cc 300 CID		BB065850AB	850	36 Months
1996-1987	Ford	Bronco	5.0L V8 302 CID		1AM065750A	750	24 Months
1996-1987	Ford	Bronco	5.8L V8 351 CID		1AM065750A	750	24 Months
1996-1987	Ford	Bronco	5.0L V8 302 CID		2AM065650A	650	18 Months
1996-1987	Ford	Bronco	5.8L V8 351 CID		2AM065650A	650	18 Months
1996-1987	Ford	Bronco	5.0L V8 302 CID		BB065675AA	675	36 Months
1996-1987	Ford	Bronco	5.8L V8 351 CID		BB065675AA	675	36 Months
1996-1987	Ford	Bronco	5.0L V8 302 CID		BB065850AB	850	36 Months
1996-1987	Ford	Bronco	5.8L V8 351 CID		BB065850AB	850	36 Months
1990-1989	Ford	Bronco II	2.9L V6 177 CID		1AM065750A	750	24 Months
1990-1989	Ford	Bronco II	2.9L V6 177 CID		2AM065650A	650	18 Months
1990-1989	Ford	Bronco II	2.9L V6 177 CID		BB065675AA	675	36 Months
1990-1989	Ford	Bronco II	2.9L V6 177 CID		BB065850AB	850	36 Months
1997-1995	Ford	CF7000	5.9L L6 359 CID		1AM024700B	700	24 Months
1997-1995	Ford	CF8000	8.3L L6 504 CID		1AM024700B	700	24 Months
1959-1958	Ford	Club	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1959-1958	Ford	Club	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1959-1958	Ford	Club	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1959-1958	Ford	Club	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1959-1958	Ford	Club	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1959-1958	Ford	Club	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1964-1962	Ford	Club Wagon	2.4L L6 2360cc 144 CID		1AM035550A	550	24 Months
1964-1962	Ford	Club Wagon	2.4L L6 2360cc 144 CID		2AM035500A	500	18 Months
1964-1962	Ford	Club Wagon	2.4L L6 2360cc 144 CID		2AM240530A	530	18 Months
1967-1962	Ford	Club Wagon	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1967-1962	Ford	Club Wagon	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1967-1962	Ford	Club Wagon	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1967-1966,1963-1962	Ford	Club Wagon	2.8L L6 170 CID		1AM035550A	550	24 Months
1967-1966,1963-1962	Ford	Club Wagon	2.8L L6 170 CID		1AM260575A	575	24 Months
1967-1966,1963-1962	Ford	Club Wagon	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1967-1966,1963-1962	Ford	Club Wagon	2.8L L6 170 CID		2AM035500A	500	18 Months
1967-1966,1963-1962	Ford	Club Wagon	2.8L L6 170 CID		2AM240530A	530	18 Months
1967-1966,1963-1962	Ford	Club Wagon	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1996-1995	Ford	Club Wagon	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1995	Ford	Club Wagon	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1995	Ford	Club Wagon	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1995	Ford	Club Wagon	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
1998-1997	Ford	Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1956-1951	Ford	Consul	1.5L L4 1508cc 92 CID		1AM035550A	550	24 Months
1956-1951	Ford	Consul	1.5L L4 1508cc 92 CID		1AM270710A	710	24 Months
1956-1951	Ford	Consul	1.5L L4 1508cc 92 CID		2AM035500A	500	18 Months
1956-1951	Ford	Consul	1.5L L4 1508cc 92 CID		2AM240530A	530	18 Months
1961-1956	Ford	Consul	1.7L L4 1703cc 104 CID		1AM035550A	550	24 Months
1961-1956	Ford	Consul	1.7L L4 1703cc 104 CID		1AM270710A	710	24 Months
1961-1956	Ford	Consul	1.7L L4 1703cc 104 CID		2AM035500A	500	18 Months
1961-1956	Ford	Consul	1.7L L4 1703cc 104 CID		2AM240530A	530	18 Months
2000-1995	Ford	Contour	2.0L L4 1989cc 121 CID		1AM960590A	590	24 Months
2000-1995	Ford	Contour	2.5L V6 2450cc 155 CID		1AM960590A	590	24 Months
1957-1956	Ford	Country Sedan	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1957-1956	Ford	Country Sedan	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1957-1956	Ford	Country Sedan	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1959-1958	Ford	Country Sedan	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1959-1958	Ford	Country Sedan	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1959-1958	Ford	Country Sedan	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1959-1958	Ford	Country Sedan	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1962-1958	Ford	Country Sedan	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962-1958	Ford	Country Sedan	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1962-1958	Ford	Country Sedan	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962-1958	Ford	Country Sedan	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1964	Ford	Country Sedan	4.3L V8 4261cc 260 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1964	Ford	Country Sedan	4.3L V8 4261cc 260 CID		1AM270710A	710	24 Months
1964	Ford	Country Sedan	4.3L V8 4261cc 260 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1964-1963	Ford	Country Sedan	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Country Sedan	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Country Sedan	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1966	Ford	Country Sedan	7.0L V8 6997cc 427 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1966	Ford	Country Sedan	7.0L V8 7014cc 428 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1966	Ford	Country Sedan	7.0L V8 6997cc 427 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1966	Ford	Country Sedan	7.0L V8 7014cc 428 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1963	Ford	Country Sedan	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1963	Ford	Country Sedan	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1963	Ford	Country Sedan	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1964	Ford	Country Sedan	4.7L V8 4727cc 289 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1964	Ford	Country Sedan	5.8L V8 5769cc 352 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1964	Ford	Country Sedan	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1967-1964	Ford	Country Sedan	4.7L V8 4727cc 289 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1964	Ford	Country Sedan	5.8L V8 5769cc 352 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1964,1962-1958	Ford	Country Sedan	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1964,1962-1958	Ford	Country Sedan	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1967-1964,1962-1958	Ford	Country Sedan	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1964,1962-1958	Ford	Country Sedan	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1967-1965	Ford	Country Sedan	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1967-1965	Ford	Country Sedan	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1967-1965	Ford	Country Sedan	2.8L L6 2786cc 170 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Country Sedan	3.3L L6 3277cc 200 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Country Sedan	2.8L L6 2786cc 170 CID		1AM270710A	710	24 Months
1967-1965	Ford	Country Sedan	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1967-1965	Ford	Country Sedan	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1967-1965	Ford	Country Sedan	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1967-1965	Ford	Country Sedan	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1967-1965	Ford	Country Sedan	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1967-1965	Ford	Country Sedan	2.8L L6 2786cc 170 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Country Sedan	3.3L L6 3277cc 200 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1968,1966-1964	Ford	Country Sedan	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968-1964	Ford	Country Sedan	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968-1964	Ford	Country Sedan	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1964	Ford	Country Sedan	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969-1968	Ford	Country Sedan	5.0L V8 302 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1969-1968	Ford	Country Sedan	5.0L V8 302 CID		1AM270710A	710	24 Months
1969-1968	Ford	Country Sedan	5.0L V8 302 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1964	Ford	Country Sedan	6.4L V8 6391cc 390 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1964	Ford	Country Sedan	6.4L V8 6391cc 390 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1964,1962	Ford	Country Sedan	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1970-1966	Ford	Country Sedan	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1966	Ford	Country Sedan	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Ford	Country Sedan	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Country Sedan	3.9L L6 240 CID		1AM035550A	550	24 Months
1970-1968	Ford	Country Sedan	7.0L V8 428 CID		1AM035550A	550	24 Months
1970-1968	Ford	Country Sedan	3.9L L6 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Country Sedan	3.9L L6 3933cc 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Country Sedan	6.4L V8 390 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Country Sedan	3.9L L6 240 CID		1AM270710A	710	24 Months
1970-1968	Ford	Country Sedan	3.9L L6 3933cc 240 CID		1AM270710A	710	24 Months
1970-1968	Ford	Country Sedan	6.4L V8 390 CID		1AM270710A	710	24 Months
1970-1968	Ford	Country Sedan	7.0L V8 428 CID		1AM270710A	710	24 Months
1970-1968	Ford	Country Sedan	3.9L L6 240 CID		2AM035500A	500	18 Months
1970-1968	Ford	Country Sedan	7.0L V8 428 CID		2AM035500A	500	18 Months
1970-1968	Ford	Country Sedan	3.9L L6 240 CID		2AM240530A	530	18 Months
1970-1968	Ford	Country Sedan	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Country Sedan	3.9L L6 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968	Ford	Country Sedan	3.9L L6 3933cc 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968	Ford	Country Sedan	6.4L V8 390 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968,1966	Ford	Country Sedan	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 5752cc 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 5753cc 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Country Sedan	5.8L V8 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1969	Ford	Country Sedan	5.8L V8 5752cc 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1969	Ford	Country Sedan	5.8L V8 5753cc 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1971-1964,1962	Ford	Country Sedan	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971-1964,1962	Ford	Country Sedan	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971-1964,1962	Ford	Country Sedan	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1971-1968	Ford	Country Sedan	6.4L V8 390 CID		1AM035550A	550	24 Months
1971-1968	Ford	Country Sedan	6.4L V8 390 CID		2AM035500A	500	18 Months
1971-1968	Ford	Country Sedan	6.4L V8 390 CID		2AM240530A	530	18 Months
1972-1965	Ford	Country Sedan	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1972-1965	Ford	Country Sedan	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1965	Ford	Country Sedan	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972-1969	Ford	Country Sedan	5.8L V8 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Country Sedan	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Country Sedan	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Country Sedan	5.8L V8 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Country Sedan	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Country Sedan	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Country Sedan	5.8L V8 351 CID		2AM240530A	530	18 Months
1972-1969	Ford	Country Sedan	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1972-1969	Ford	Country Sedan	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1972-1971,1969-1968	Ford	Country Sedan	5.0L V8 302 CID		1AM035550A	550	24 Months
1972-1971,1969-1968	Ford	Country Sedan	5.0L V8 302 CID		2AM035500A	500	18 Months
1972-1971,1969-1968	Ford	Country Sedan	5.0L V8 302 CID		2AM240530A	530	18 Months
1973,1970-1969	Ford	Country Sedan	7.0L V8 429 CID		1AM270710A	710	24 Months
1973,1970-1969	Ford	Country Sedan	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Ford	Country Sedan	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Sedan	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Sedan	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Sedan	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Sedan	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Sedan	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974-1969	Ford	Country Sedan	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1974-1969	Ford	Country Sedan	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1974-1969	Ford	Country Sedan	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1974-1971	Ford	Country Sedan	6.6L V8 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Country Sedan	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Country Sedan	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Country Sedan	6.6L V8 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Country Sedan	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Country Sedan	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Country Sedan	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Country Sedan	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Country Sedan	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Country Sedan	7.5L V8 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Country Sedan	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Country Sedan	7.5L V8 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Country Sedan	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Country Sedan	7.5L V8 460 CID		2AM240530A	530	18 Months
1974-1972	Ford	Country Sedan	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1973	Ford	Country Sedan	5.8L V8 351 CID		1AM260575A	575	24 Months
1974-1973	Ford	Country Sedan	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974-1973	Ford	Country Sedan	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974-1973	Ford	Country Sedan	6.6L V8 400 CID		1AM270710A	710	24 Months
1974-1973	Ford	Country Sedan	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1973	Ford	Country Sedan	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973	Ford	Country Sedan	7.5L V8 460 CID		1AM270710A	710	24 Months
1974-1973	Ford	Country Sedan	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1973	Ford	Country Sedan	5.8L V8 351 CID		BB26R540AD	540	36 Months
1974-1973	Ford	Country Sedan	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974-1973	Ford	Country Sedan	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1959-1958	Ford	Country Squire	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1959-1958	Ford	Country Squire	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1959-1958	Ford	Country Squire	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1959-1958	Ford	Country Squire	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1962,1960-1958	Ford	Country Squire	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962,1960-1958	Ford	Country Squire	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1962,1960-1958	Ford	Country Squire	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962,1960-1958	Ford	Country Squire	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1963	Ford	Country Squire	3.6L V8 3622cc 221 CID		1AM035550A	550	24 Months
1963	Ford	Country Squire	6.6L V8 6654cc 406 CID		1AM035550A	550	24 Months
1963	Ford	Country Squire	3.6L V8 3622cc 221 CID		1AM270710A	710	24 Months
1963	Ford	Country Squire	3.6L V8 3622cc 221 CID		2AM035500A	500	18 Months
1963	Ford	Country Squire	6.6L V8 6654cc 406 CID		2AM035500A	500	18 Months
1963	Ford	Country Squire	3.6L V8 3622cc 221 CID		2AM240530A	530	18 Months
1963	Ford	Country Squire	6.6L V8 6654cc 406 CID		2AM240530A	530	18 Months
1964-1963	Ford	Country Squire	3.6L L6 3655cc 223 CID		1AM035550A	550	24 Months
1964-1963	Ford	Country Squire	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Country Squire	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1964-1963	Ford	Country Squire	3.6L L6 3655cc 223 CID		2AM035500A	500	18 Months
1964-1963	Ford	Country Squire	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Country Squire	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1964-1963	Ford	Country Squire	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1965	Ford	Country Squire	4.3L V8 4261cc 260 CID		1AM260575A	575	24 Months
1965	Ford	Country Squire	4.3L V8 4261cc 260 CID		BB26R540AD	540	36 Months
1966	Ford	Country Squire	7.0L V8 6997cc 427 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1966	Ford	Country Squire	7.0L V8 7014cc 428 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1966	Ford	Country Squire	7.0L V8 6997cc 427 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1966	Ford	Country Squire	7.0L V8 7014cc 428 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1963	Ford	Country Squire	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1963	Ford	Country Squire	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1963	Ford	Country Squire	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1965	Ford	Country Squire	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1967-1965	Ford	Country Squire	2.8L L6 2786cc 170 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Country Squire	3.3L L6 3277cc 200 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Country Squire	4.7L V8 4727cc 289 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Country Squire	5.8L V8 5769cc 352 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Country Squire	2.8L L6 2786cc 170 CID		1AM270710A	710	24 Months
1967-1965	Ford	Country Squire	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1967-1965	Ford	Country Squire	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1967-1965	Ford	Country Squire	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1967-1965	Ford	Country Squire	2.8L L6 2786cc 170 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Country Squire	3.3L L6 3277cc 200 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Country Squire	4.7L V8 4727cc 289 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Country Squire	5.8L V8 5769cc 352 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965,1962,1960-1958	Ford	Country Squire	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1965,1962,1960-1958	Ford	Country Squire	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1967-1965,1962,1960-1958	Ford	Country Squire	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1965,1962,1960-1958	Ford	Country Squire	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1968	Ford	Country Squire	7.0L V8 427 CID		1AM035550A	550	24 Months
1968	Ford	Country Squire	7.0L V8 427 CID		1AM270710A	710	24 Months
1968	Ford	Country Squire	7.0L V8 427 CID		2AM035500A	500	18 Months
1968	Ford	Country Squire	7.0L V8 427 CID		2AM240530A	530	18 Months
1968,1966-1964	Ford	Country Squire	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968-1963	Ford	Country Squire	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968-1963	Ford	Country Squire	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1963	Ford	Country Squire	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969-1968	Ford	Country Squire	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968	Ford	Country Squire	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1969-1968	Ford	Country Squire	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968	Ford	Country Squire	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968	Ford	Country Squire	7.0L V8 428 CID		2AM240530A	530	18 Months
1969-1968	Ford	Country Squire	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1970-1966	Ford	Country Squire	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Ford	Country Squire	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Ford	Country Squire	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Country Squire	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1970-1968	Ford	Country Squire	6.4L V8 390 CID		1AM260575A	575	24 Months
1970-1968	Ford	Country Squire	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1970-1968	Ford	Country Squire	6.4L V8 390 CID		BB26R540AD	540	36 Months
1970-1968,1966	Ford	Country Squire	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1968,1966-1965	Ford	Country Squire	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1970-1968,1966-1965	Ford	Country Squire	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Country Squire	3.9L L6 3933cc 240 CID		1AM270710A	710	24 Months
1970-1969	Ford	Country Squire	4.1L L6 4097cc 250 CID		1AM270710A	710	24 Months
1970-1969,1967-1965	Ford	Country Squire	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1970-1969,1967-1965	Ford	Country Squire	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1970-1969,1967-1965	Ford	Country Squire	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1970-1969,1967-1965	Ford	Country Squire	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1971,1969-1967,1964-1961	Ford	Country Squire	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971,1969-1967,1964-1961	Ford	Country Squire	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971,1969-1967,1964-1961	Ford	Country Squire	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1971,1969-1968	Ford	Country Squire	6.4L V8 390 CID		1AM035550A	550	24 Months
1971,1969-1968	Ford	Country Squire	6.4L V8 390 CID		1AM270710A	710	24 Months
1971,1969-1968	Ford	Country Squire	6.4L V8 390 CID		2AM035500A	500	18 Months
1971,1969-1968	Ford	Country Squire	6.4L V8 390 CID		2AM240530A	530	18 Months
1971,1969-1968,1964-1961	Ford	Country Squire	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1971-1969	Ford	Country Squire	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1971-1969	Ford	Country Squire	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1971-1969,1967-1965	Ford	Country Squire	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1971-1969,1967-1965	Ford	Country Squire	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1971-1969,1967-1965	Ford	Country Squire	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972,1970,1968	Ford	Country Squire	5.0L V8 302 CID		1AM260575A	575	24 Months
1972,1970,1968	Ford	Country Squire	5.0L V8 302 CID		BB26R540AD	540	36 Months
1972,1970-1969	Ford	Country Squire	5.0L V8 302 CID		1AM270710A	710	24 Months
1972-1968	Ford	Country Squire	5.0L V8 302 CID		1AM035550A	550	24 Months
1972-1968	Ford	Country Squire	3.9L L6 3933cc 240 CID		1AM260575A	575	24 Months
1972-1968	Ford	Country Squire	5.0L V8 302 CID		2AM035500A	500	18 Months
1972-1968	Ford	Country Squire	5.0L V8 302 CID		2AM240530A	530	18 Months
1972-1968	Ford	Country Squire	3.9L L6 3933cc 240 CID		BB26R540AD	540	36 Months
1973-1969	Ford	Country Squire	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Squire	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Squire	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Country Squire	5.8L V8 351 CID		1AM270710A	710	24 Months
1973-1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1973-1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1973-1969	Ford	Country Squire	7.0L V8 429 CID		1AM270710A	710	24 Months
1973-1969	Ford	Country Squire	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Ford	Country Squire	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Squire	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Squire	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Country Squire	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	Country Squire	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974,1971,1969	Ford	Country Squire	5.8L V8 351 CID		1AM260575A	575	24 Months
1974,1971,1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974,1971,1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974,1971,1969	Ford	Country Squire	5.8L V8 351 CID		BB26R540AD	540	36 Months
1974,1971,1969	Ford	Country Squire	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974,1971,1969	Ford	Country Squire	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1969	Ford	Country Squire	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1974-1969	Ford	Country Squire	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1974-1969	Ford	Country Squire	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1974-1971	Ford	Country Squire	6.6L V8 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Country Squire	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Country Squire	6.6L V8 400 CID		1AM270710A	710	24 Months
1974-1971	Ford	Country Squire	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1971	Ford	Country Squire	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1971	Ford	Country Squire	6.6L V8 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Country Squire	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Country Squire	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Country Squire	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Country Squire	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Country Squire	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Country Squire	7.5L V8 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Country Squire	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Country Squire	7.5L V8 460 CID		1AM270710A	710	24 Months
1974-1972	Ford	Country Squire	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1972	Ford	Country Squire	7.5L V8 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Country Squire	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Country Squire	7.5L V8 460 CID		2AM240530A	530	18 Months
1974-1972	Ford	Country Squire	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1991-1988	Ford	Country Squire	5.0L V8 302 CID		1AM065750A	750	24 Months
1991-1988	Ford	Country Squire	5.0L V8 302 CID		2AM065650A	650	18 Months
1991-1988	Ford	Country Squire	5.0L V8 302 CID		BB065675A	675	36 Months
1991-1988	Ford	Country Squire	5.0L V8 302 CID		BB065850A	850	36 Months
1974-1972	Ford	Courier	1.8L L4 1796cc 110 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1978-1972	Ford	Courier	1.8L L4 110 CID		1AM024700B	700	24 Months
1978-1977	Ford	Courier	2.3L L4 140 CID		1AM024700B	700	24 Months
1960-1958	Ford	Courier Sedan Delivery	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1960-1958	Ford	Courier Sedan Delivery	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1960-1958	Ford	Courier Sedan Delivery	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1960-1958	Ford	Courier Sedan Delivery	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
2008-2004,2002-1998	Ford	Crown Victoria	4.6L V8 281 CID; Sold in United States		2AM065650A	650	18 Months
2008-2004,2002-1998	Ford	Crown Victoria	4.6L V8 281 CID; Sold in United States		BB065675AA	675	36 Months
2011-1992	Ford	Crown Victoria	4.6L V8 281 CID		1AM065750A	750	24 Months
2011-1992	Ford	Crown Victoria	4.6L V8 281 CID		BB065850AB	850	36 Months
2011-2009,1997-1992	Ford	Crown Victoria	4.6L V8 281 CID		2AM065650A	650	18 Months
2011-2009,1997-1992	Ford	Crown Victoria	4.6L V8 281 CID		BB065675AA	675	36 Months
1964	Ford	Custom	3.6L L6 3655cc 223 CID		1AM035550A	550	24 Months
1964	Ford	Custom	3.6L L6 3655cc 223 CID		2AM035500A	500	18 Months
1964	Ford	Custom	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1965	Ford	Custom	4.7L V8 4727cc 289 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1965	Ford	Custom	5.8L V8 5769cc 352 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1965	Ford	Custom	4.7L V8 4727cc 289 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1965	Ford	Custom	5.8L V8 5769cc 352 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1965	Ford	Custom	4.7L V8 4727cc 289 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1965	Ford	Custom	5.8L V8 5769cc 352 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1965-1964	Ford	Custom	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1965-1964	Ford	Custom	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1965-1964	Ford	Custom	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1966-1965	Ford	Custom	5.8L V8 5769cc 352 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1966-1965	Ford	Custom	5.8L V8 5769cc 352 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967	Ford	Custom	5.8L V8 5769cc 352 CID		1AM260575A	575	24 Months
1967	Ford	Custom	5.8L V8 5769cc 352 CID		BB26R540AD	540	36 Months
1967-1965	Ford	Custom	4.7L V8 4727cc 289 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Custom	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967-1965	Ford	Custom	4.7L V8 4727cc 289 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Custom	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Custom	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1966	Ford	Custom	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1967-1966	Ford	Custom	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1967-1966	Ford	Custom	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1966	Ford	Custom	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1967-1966,1964	Ford	Custom	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1966,1964	Ford	Custom	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1966,1964	Ford	Custom	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1968	Ford	Custom	3.9L V8 3924cc 239 CID		1AM035550A	550	24 Months
1968	Ford	Custom	3.9L V8 3924cc 239 CID		1AM260575A	575	24 Months
1968	Ford	Custom	3.9L V8 3924cc 239 CID		1AM270710A	710	24 Months
1968	Ford	Custom	3.9L V8 3924cc 239 CID		2AM035500A	500	18 Months
1968	Ford	Custom	3.9L V8 3924cc 239 CID		2AM240530A	530	18 Months
1968	Ford	Custom	3.9L V8 3924cc 239 CID		BB26R540AD	540	36 Months
1968-1965	Ford	Custom	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968-1965	Ford	Custom	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968-1965	Ford	Custom	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1965	Ford	Custom	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969-1965	Ford	Custom	3.9L L6 3933cc 240 CID		1AM260575A	575	24 Months
1969-1965	Ford	Custom	3.9L L6 3933cc 240 CID		BB26R540AD	540	36 Months
1970	Ford	Custom	3.9L L6 3933cc 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970	Ford	Custom	3.9L L6 3933cc 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1966	Ford	Custom	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Ford	Custom	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1966	Ford	Custom	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Ford	Custom	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Custom	6.4L V8 6391cc 390 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Custom	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom	6.4L V8 6391cc 390 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968,1966	Ford	Custom	3.9L L6 3933cc 240 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom	5.8L V8 5752cc 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Custom	5.8L V8 5753cc 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Custom	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom	5.8L V8 5752cc 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1969	Ford	Custom	5.8L V8 5753cc 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1971-1968	Ford	Custom	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971-1968	Ford	Custom	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971-1968	Ford	Custom	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1972	Ford	Custom	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1972	Ford	Custom	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972	Ford	Custom	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1972	Ford	Custom	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1972-1968,1966	Ford	Custom	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1972-1968,1966	Ford	Custom	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1968,1966	Ford	Custom	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972-1969	Ford	Custom	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Custom	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Custom	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1972-1969	Ford	Custom	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Custom	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Custom	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1972-1969	Ford	Custom	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1972-1969	Ford	Custom	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1972-1969	Ford	Custom	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1972-1971	Ford	Custom	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1972-1971	Ford	Custom	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1972-1971	Ford	Custom	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1972-1971	Ford	Custom	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1972-1971	Ford	Custom	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1972-1971	Ford	Custom	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1959-1958	Ford	Custom 300	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1959-1958	Ford	Custom 300	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1959-1958	Ford	Custom 300	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1959-1958	Ford	Custom 300	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1959-1958	Ford	Custom 300	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1959-1958	Ford	Custom 300	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1959-1958	Ford	Custom 300	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1959-1958	Ford	Custom 300	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1960-1959	Ford	Custom 300	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1960-1959	Ford	Custom 300	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1960-1959	Ford	Custom 300	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1960-1959	Ford	Custom 300	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1964	Ford	Custom 500	4.3L V8 260 CID		1AM035550A	550	24 Months
1964	Ford	Custom 500	4.3L V8 260 CID		2AM035500A	500	18 Months
1964	Ford	Custom 500	4.3L V8 260 CID		2AM240530A	530	18 Months
1966	Ford	Custom 500	5.8L V8 352 CID		1AM260575A	575	24 Months
1966	Ford	Custom 500	7.0L V8 428 CID		1AM260575A	575	24 Months
1966	Ford	Custom 500	5.8L V8 352 CID		BB26R540AD	540	36 Months
1966	Ford	Custom 500	7.0L V8 428 CID		BB26R540AD	540	36 Months
1966-1964	Ford	Custom 500	5.8L V8 352 CID		1AM035550A	550	24 Months
1966-1964	Ford	Custom 500	5.8L V8 352 CID		2AM035500A	500	18 Months
1966-1964	Ford	Custom 500	5.8L V8 352 CID		2AM240530A	530	18 Months
1967-1964	Ford	Custom 500	4.7L V8 289 CID		1AM035550A	550	24 Months
1967-1964	Ford	Custom 500	4.7L V8 289 CID		2AM035500A	500	18 Months
1967-1964	Ford	Custom 500	4.7L V8 289 CID		2AM240530A	530	18 Months
1967-1966	Ford	Custom 500	3.9L L6 240 CID		1AM260575A	575	24 Months
1967-1966	Ford	Custom 500	4.7L V8 289 CID		1AM260575A	575	24 Months
1967-1966	Ford	Custom 500	6.4L V8 390 CID		1AM260575A	575	24 Months
1967-1966	Ford	Custom 500	7.0L V8 427 CID		1AM260575A	575	24 Months
1967-1966	Ford	Custom 500	3.9L L6 240 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Custom 500	4.7L V8 289 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Custom 500	6.4L V8 390 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Custom 500	7.0L V8 427 CID		BB26R540AD	540	36 Months
1968	Ford	Custom 500	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968	Ford	Custom 500	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968	Ford	Custom 500	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968	Ford	Custom 500	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1968-1965	Ford	Custom 500	7.0L V8 427 CID		1AM035550A	550	24 Months
1968-1965	Ford	Custom 500	7.0L V8 427 CID		2AM035500A	500	18 Months
1968-1965	Ford	Custom 500	7.0L V8 427 CID		2AM240530A	530	18 Months
1968-1966	Ford	Custom 500	7.0L V8 427 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1968	Ford	Custom 500	3.9L L6 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Custom 500	3.9L L6 3933cc 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Custom 500	5.0L V8 302 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Custom 500	6.4L V8 390 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Custom 500	6.4L V8 6391cc 390 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1968	Ford	Custom 500	3.9L L6 240 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	3.9L L6 3933cc 240 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	5.0L V8 302 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	6.4L V8 390 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1968	Ford	Custom 500	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1968	Ford	Custom 500	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Custom 500	3.9L L6 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968	Ford	Custom 500	3.9L L6 3933cc 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968	Ford	Custom 500	5.0L V8 302 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968	Ford	Custom 500	6.4L V8 390 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968	Ford	Custom 500	6.4L V8 6391cc 390 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1968,1966	Ford	Custom 500	7.0L V8 428 CID		1AM035550A	550	24 Months
1970-1968,1966	Ford	Custom 500	7.0L V8 428 CID		1AM270710A	710	24 Months
1970-1968,1966	Ford	Custom 500	7.0L V8 428 CID		2AM035500A	500	18 Months
1970-1968,1966	Ford	Custom 500	7.0L V8 428 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1969	Ford	Custom 500	5.8L V8 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Custom 500	5.8L V8 5752cc 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Custom 500	5.8L V8 5753cc 351 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970-1969	Ford	Custom 500	5.8L V8 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom 500	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom 500	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1970-1969	Ford	Custom 500	5.8L V8 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1969	Ford	Custom 500	5.8L V8 5752cc 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1969	Ford	Custom 500	5.8L V8 5753cc 351 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1971-1966,1964	Ford	Custom 500	6.4L V8 390 CID		1AM035550A	550	24 Months
1971-1966,1964	Ford	Custom 500	6.4L V8 390 CID		2AM035500A	500	18 Months
1971-1966,1964	Ford	Custom 500	6.4L V8 390 CID		2AM240530A	530	18 Months
1971-1968	Ford	Custom 500	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971-1968	Ford	Custom 500	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971-1968	Ford	Custom 500	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1972-1965	Ford	Custom 500	3.9L L6 240 CID		1AM035550A	550	24 Months
1972-1965	Ford	Custom 500	3.9L L6 240 CID		2AM035500A	500	18 Months
1972-1965	Ford	Custom 500	3.9L L6 240 CID		2AM240530A	530	18 Months
1972-1968	Ford	Custom 500	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1972-1968	Ford	Custom 500	5.0L V8 302 CID		1AM035550A	550	24 Months
1972-1968	Ford	Custom 500	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1968	Ford	Custom 500	5.0L V8 302 CID		2AM035500A	500	18 Months
1972-1968	Ford	Custom 500	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972-1968	Ford	Custom 500	5.0L V8 302 CID		2AM240530A	530	18 Months
1972-1969	Ford	Custom 500	5.8L V8 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Custom 500	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1972-1969	Ford	Custom 500	5.8L V8 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Custom 500	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Custom 500	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1972-1969	Ford	Custom 500	5.8L V8 351 CID		2AM240530A	530	18 Months
1972-1969	Ford	Custom 500	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1972-1969	Ford	Custom 500	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973,1970-1969	Ford	Custom 500	7.0L V8 429 CID		1AM270710A	710	24 Months
1973,1970-1969	Ford	Custom 500	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Ford	Custom 500	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Custom 500	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Custom 500	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Custom 500	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Custom 500	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	Custom 500	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974-1971	Ford	Custom 500	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Custom 500	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Custom 500	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Custom 500	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Custom 500	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Custom 500	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Custom 500	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Custom 500	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1972	Ford	Custom 500	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Custom 500	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1973	Ford	Custom 500	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974-1973	Ford	Custom 500	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974-1973	Ford	Custom 500	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1973	Ford	Custom 500	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1973	Ford	Custom 500	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974-1973	Ford	Custom 500	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1976-1973	Ford	Custom 500	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1973	Ford	Custom 500	6.6L V8 400 CID		1AM270710A	710	24 Months
1976-1973	Ford	Custom 500	7.5L V8 460 CID		1AM270710A	710	24 Months
1976-1973	Ford	Custom 500	7.5L V8 460 CID		2AM035500A	500	18 Months
1976-1973	Ford	Custom 500	7.5L V8 460 CID		2AM240530A	530	18 Months
1977-1971	Ford	Custom 500	6.6L V8 400 CID		1AM035550A	550	24 Months
1977-1971	Ford	Custom 500	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1971	Ford	Custom 500	6.6L V8 400 CID		2AM240530A	530	18 Months
1977-1973	Ford	Custom 500	5.8L V8 351 CID		1AM260575A	575	24 Months
1977-1973	Ford	Custom 500	5.8L V8 351 CID		BB26R540AD	540	36 Months
1957	Ford	Del Rio Wagon	4.4L V8 4458cc 272 CID		1AM035550A	550	24 Months
1957	Ford	Del Rio Wagon	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1957	Ford	Del Rio Wagon	4.4L V8 4458cc 272 CID		1AM270710A	710	24 Months
1957	Ford	Del Rio Wagon	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1957	Ford	Del Rio Wagon	4.4L V8 4458cc 272 CID		2AM035500A	500	18 Months
1957	Ford	Del Rio Wagon	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1957	Ford	Del Rio Wagon	4.4L V8 4458cc 272 CID		2AM240530A	530	18 Months
1957	Ford	Del Rio Wagon	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1958	Ford	Del Rio Wagon	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1958	Ford	Del Rio Wagon	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1958	Ford	Del Rio Wagon	5.9L V8 5917cc 361 CID		1AM035550A	550	24 Months
1958	Ford	Del Rio Wagon	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1958	Ford	Del Rio Wagon	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1958	Ford	Del Rio Wagon	5.9L V8 5917cc 361 CID		1AM270710A	710	24 Months
1958	Ford	Del Rio Wagon	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1958	Ford	Del Rio Wagon	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1958	Ford	Del Rio Wagon	5.9L V8 5917cc 361 CID		2AM035500A	500	18 Months
1958	Ford	Del Rio Wagon	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1958	Ford	Del Rio Wagon	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1958	Ford	Del Rio Wagon	5.9L V8 5917cc 361 CID		2AM240530A	530	18 Months
1958-1957	Ford	Del Rio Wagon	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1958-1957	Ford	Del Rio Wagon	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1958-1957	Ford	Del Rio Wagon	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1958-1957	Ford	Del Rio Wagon	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1971-1969	Ford	E-100 Econoline	2.8L L6 170 CID		1AM260575A	575	24 Months
1971-1969	Ford	E-100 Econoline	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1971-1969	Ford	E-100 Econoline	2.8L L6 170 CID		BB26R540AD	540	36 Months
1971-1969	Ford	E-100 Econoline	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1974	Ford	E-100 Econoline	3.9L L6 240 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1974	Ford	E-100 Econoline	3.9L L6 3933cc 240 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1974	Ford	E-100 Econoline	3.9L L6 240 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1974	Ford	E-100 Econoline	3.9L L6 3933cc 240 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1974	Ford	E-100 Econoline	3.9L L6 240 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1974	Ford	E-100 Econoline	3.9L L6 3933cc 240 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1974-1969	Ford	E-100 Econoline	3.9L L6 240 CID		1AM260575A	575	24 Months
1974-1969	Ford	E-100 Econoline	3.9L L6 3933cc 240 CID		1AM260575A	575	24 Months
1974-1969	Ford	E-100 Econoline	3.9L L6 240 CID		BB26R540AD	540	36 Months
1974-1969	Ford	E-100 Econoline	3.9L L6 3933cc 240 CID		BB26R540AD	540	36 Months
1975-1974	Ford	E-100 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1975-1974	Ford	E-100 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1975-1974	Ford	E-100 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1974	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1974	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1974	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-100 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-100 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-100 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1978	Ford	E-100 Econoline	7.5L V8 460 CID		1AM260575A	575	24 Months
1978	Ford	E-100 Econoline	7.5L V8 460 CID		BB26R540AD	540	36 Months
1979,1975-1969	Ford	E-100 Econoline	5.0L V8 302 CID		1AM260575A	575	24 Months
1979,1975-1969	Ford	E-100 Econoline	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1972	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1972	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-100 Econoline	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-100 Econoline	5.8L V8 351 CID		BB26R540AD	540	36 Months
1982-1980	Ford	E-100 Econoline	5.0L V8 302 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-100 Econoline	5.8L V8 351 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-100 Econoline	5.0L V8 302 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-100 Econoline	5.8L V8 351 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-100 Econoline	5.0L V8 302 CID		2AM240530A	530	18 Months
1982-1980	Ford	E-100 Econoline	5.8L V8 351 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-100 Econoline	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1977-1975	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1979	Ford	E-100 Econoline Club Wagon	5.0L V8 302 CID		1AM260575A	575	24 Months
1979	Ford	E-100 Econoline Club Wagon	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1982-1980	Ford	E-100 Econoline Club Wagon	5.0L V8 302 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-100 Econoline Club Wagon	5.0L V8 302 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-100 Econoline Club Wagon	5.0L V8 302 CID		2AM240530A	530	18 Months
1982-1980	Ford	E-100 Econoline Club Wagon	5.8L V8 351 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-100 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
2003	Ford	E-150	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2003	Ford	E-150	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2003	Ford	E-150	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2003	Ford	E-150	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2003	Ford	E-150	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2003	Ford	E-150	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1975	Ford	E-150 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-150 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-150 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-150 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1979,1975	Ford	E-150 Econoline	5.0L V8 302 CID		1AM260575A	575	24 Months
1979,1975	Ford	E-150 Econoline	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-150 Econoline	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-150 Econoline	5.8L V8 351 CID		BB26R540AD	540	36 Months
1982-1980	Ford	E-150 Econoline	5.0L V8 302 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-150 Econoline	5.8L V8 351 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-150 Econoline	5.0L V8 302 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-150 Econoline	5.8L V8 351 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-150 Econoline	5.0L V8 302 CID		2AM240530A	530	18 Months
1982-1980	Ford	E-150 Econoline	5.8L V8 351 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1985	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-150 Econoline	5.0L V8 302 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-150 Econoline	5.0L V8 302 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-150 Econoline	5.8L V8 351 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-150 Econoline	5.8L V8 351 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-150 Econoline	5.0L V8 302 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-150 Econoline	5.0L V8 302 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-150 Econoline	5.8L V8 351 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-150 Econoline	5.8L V8 351 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		2AM240530A	530	18 Months
1988	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Starting Battery	1AM035550A	550	24 Months
1988	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Starting Battery	2AM035500A	500	18 Months
1988	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Starting Battery	2AM240530A	530	18 Months
1991-1988	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-150 Econoline	5.0L V8 302 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-150 Econoline	5.8L V8 351 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-150 Econoline	5.0L V8 302 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-150 Econoline	5.8L V8 351 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-150 Econoline	5.0L V8 302 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-150 Econoline	5.8L V8 351 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1996-1992	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-150 Econoline	5.0L V8 302 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-150 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-150 Econoline	5.0L V8 302 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-150 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-150 Econoline	5.0L V8 302 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-150 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-150 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1996-1992	Ford	E-150 Econoline	5.0L V8 302 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1996-1992	Ford	E-150 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2002-1997	Ford	E-150 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2002-1997	Ford	E-150 Econoline	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2002-1997	Ford	E-150 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2008-2007	Ford	E-150 Econoline	5.4L V8 330 CID		1AM065750A	750	24 Months
2008-2007	Ford	E-150 Econoline	5.4L V8 330 CID		2AM065650A	650	18 Months
2008-2007	Ford	E-150 Econoline	5.4L V8 330 CID		BB065675AA	675	36 Months
2008-2007	Ford	E-150 Econoline	5.4L V8 330 CID		BB065850AB	850	36 Months
1977-1975	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1979	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID		1AM260575A	575	24 Months
1979	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1982-1980	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID		2AM240530A	530	18 Months
1982-1980	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID		2AM240530A	530	18 Months
1985,1982-1980	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID		1AM035550A	550	24 Months
1985,1982-1980	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID		1AM035550A	550	24 Months
1985,1982-1980	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID		2AM035500A	500	18 Months
1985,1982-1980	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID		2AM035500A	500	18 Months
1985,1983-1980	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1985,1983-1980	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1985,1983-1980	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1988	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Starting Battery	1AM035550A	550	24 Months
1988	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Starting Battery	2AM035500A	500	18 Months
1988	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Starting Battery	2AM240530A	530	18 Months
1991-1988	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1996-1992	Ford	E-150 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-150 Econoline Club Wagon	5.0L V8 302 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-150 Econoline Club Wagon	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003	Ford	E-250	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2003	Ford	E-250	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2003	Ford	E-250	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2003	Ford	E-250	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2003	Ford	E-250	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2003	Ford	E-250	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2006-2003	Ford	E-250	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2006-2003	Ford	E-250	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2006-2003	Ford	E-250	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2006-2003	Ford	E-250	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2006-2003	Ford	E-250	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2006-2003	Ford	E-250	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2006-2003	Ford	E-250	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2006-2003	Ford	E-250	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2014-2003	Ford	E-250	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2014-2003	Ford	E-250	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2014-2003	Ford	E-250	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2014-2003	Ford	E-250	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2014-2004	Ford	E-250	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2014-2004	Ford	E-250	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2014-2004	Ford	E-250	4.6L V8 281 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2014-2004	Ford	E-250	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2014-2007	Ford	E-250	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	1AM065750A	750	24 Months
2014-2007	Ford	E-250	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065850AB	850	36 Months
2014-2008	Ford	E-250	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	1AM065750A	750	24 Months
2014-2008	Ford	E-250	4.6L V8 281 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065850AB	850	36 Months
1975	Ford	E-250 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1975	Ford	E-250 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1975	Ford	E-250 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-250 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-250 Econoline	7.5L V8 460 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-250 Econoline	7.5L V8 460 CID		1AM260575A	575	24 Months
1977-1975	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-250 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-250 Econoline	7.5L V8 460 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline	7.5L V8 460 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline	7.5L V8 460 CID		BB26R540AD	540	36 Months
1979,1975	Ford	E-250 Econoline	5.0L V8 302 CID		1AM260575A	575	24 Months
1979,1975	Ford	E-250 Econoline	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-250 Econoline	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-250 Econoline	5.8L V8 351 CID		BB26R540AD	540	36 Months
1980	Ford	E-250 Econoline	6.6L V8 400 CID		1AM035550A	550	24 Months
1980	Ford	E-250 Econoline	6.6L V8 400 CID		2AM035500A	500	18 Months
1980	Ford	E-250 Econoline	6.6L V8 400 CID		2AM240530A	530	18 Months
1980-1978	Ford	E-250 Econoline	7.5L V8 460 CID		1AM035550A	550	24 Months
1980-1978	Ford	E-250 Econoline	7.5L V8 460 CID		2AM035500A	500	18 Months
1980-1978	Ford	E-250 Econoline	7.5L V8 460 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-250 Econoline	5.0L V8 302 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-250 Econoline	5.8L V8 351 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-250 Econoline	5.0L V8 302 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-250 Econoline	5.8L V8 351 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1983-1980	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-250 Econoline	5.0L V8 302 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-250 Econoline	5.8L V8 351 CID		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-250 Econoline	5.0L V8 302 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-250 Econoline	5.0L V8 302 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-250 Econoline	5.0L V8 302 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-250 Econoline	5.0L V8 302 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	5.0L V8 302 CID; Extended Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	5.0L V8 302 CID; Standard Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Extended Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Standard Passenger Van		2AM240530A	530	18 Months
1985	Ford	E-250 Econoline	5.8L V8 351 CID; Standard Passenger Van		2AM240530A	530	18 Months
1991-1988	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-250 Econoline	5.0L V8 302 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-250 Econoline	5.8L V8 351 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-250 Econoline	5.0L V8 302 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-250 Econoline	5.8L V8 351 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-250 Econoline	5.0L V8 302 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-250 Econoline	5.8L V8 351 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1996-1992	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-250 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-250 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-250 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-250 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1996-1992	Ford	E-250 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2000-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2000-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2002-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2002-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2002-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2002-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2002-1997	Ford	E-250 Econoline	4.2L V6 256 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2002-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2002-1997	Ford	E-250 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1977	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID		1AM260575A	575	24 Months
1977-1975	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID		BB26R540AD	540	36 Months
1979	Ford	E-250 Econoline Club Wagon	5.0L V8 302 CID		1AM260575A	575	24 Months
1979	Ford	E-250 Econoline Club Wagon	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1979-1977	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1977	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1980	Ford	E-250 Econoline Club Wagon	5.0L V8 302 CID		1AM035550A	550	24 Months
1980	Ford	E-250 Econoline Club Wagon	5.0L V8 302 CID		2AM035500A	500	18 Months
1980	Ford	E-250 Econoline Club Wagon	5.0L V8 302 CID		2AM240530A	530	18 Months
1982-1980	Ford	E-250 Econoline Club Wagon	6.6L V8 400 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-250 Econoline Club Wagon	6.6L V8 400 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-250 Econoline Club Wagon	6.6L V8 400 CID		2AM240530A	530	18 Months
1985,1983,1980	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1985,1983,1980	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1985,1983,1980	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1985,1983-1978	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID		1AM035550A	550	24 Months
1985,1983-1978	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID		2AM035500A	500	18 Months
1985,1983-1978	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID		2AM240530A	530	18 Months
1985,1983-1980	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID		1AM035550A	550	24 Months
1985,1983-1980	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID		2AM035500A	500	18 Months
1985,1983-1980	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID		2AM240530A	530	18 Months
1987-1983	Ford	E-250 Econoline Club Wagon	6.9L V8 420 CID		1AM024700B	700	24 Months
1991-1988	Ford	E-250 Econoline Club Wagon	7.3L V8 445 CID		1AM024700B	700	24 Months
1991-1988	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-250 Econoline Club Wagon	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-250 Econoline Club Wagon	5.8L V8 351 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-250 Econoline Club Wagon	7.5L V8 460 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1970-1969	Ford	E-300 Econoline	2.8L L6 170 CID		1AM260575A	575	24 Months
1970-1969	Ford	E-300 Econoline	2.8L L6 170 CID		BB26R540AD	540	36 Months
1974	Ford	E-300 Econoline	3.9L L6 240 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1974	Ford	E-300 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1974	Ford	E-300 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1974	Ford	E-300 Econoline	3.9L L6 240 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1974	Ford	E-300 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1974	Ford	E-300 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1974	Ford	E-300 Econoline	3.9L L6 240 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1974	Ford	E-300 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1974	Ford	E-300 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1974-1969	Ford	E-300 Econoline	3.9L L6 240 CID		1AM260575A	575	24 Months
1974-1969	Ford	E-300 Econoline	5.0L V8 302 CID		1AM260575A	575	24 Months
1974-1969	Ford	E-300 Econoline	3.9L L6 240 CID		BB26R540AD	540	36 Months
1974-1969	Ford	E-300 Econoline	5.0L V8 302 CID		BB26R540AD	540	36 Months
1974-1972	Ford	E-300 Econoline	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1974-1972	Ford	E-300 Econoline	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
2003	Ford	E-350 Club Wagon	7.3L V8 445 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2003	Ford	E-350 Club Wagon	7.3L V8 445 CID	Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	1AM065750A	750	24 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	2AM065650A	650	18 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065675AA	675	36 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065850AB	850	36 Months
2005,2003	Ford	E-350 Club Wagon	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	1AM065750A	750	24 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	2AM065650A	650	18 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065675AA	675	36 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065850AB	850	36 Months
2005-2003	Ford	E-350 Club Wagon	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2005-2004	Ford	E-350 Club Wagon	6.0L V8 363 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2005-2004	Ford	E-350 Club Wagon	6.0L V8 363 CID	Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
1975	Ford	E-350 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1975	Ford	E-350 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1975	Ford	E-350 Econoline	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-350 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-350 Econoline	7.5L V8 460 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977-1975	Ford	E-350 Econoline	7.5L V8 460 CID		1AM260575A	575	24 Months
1977-1975	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-350 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-350 Econoline	7.5L V8 460 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977-1975	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-350 Econoline	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-350 Econoline	7.5L V8 460 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	E-350 Econoline	7.5L V8 460 CID		BB26R540AD	540	36 Months
1979,1975	Ford	E-350 Econoline	5.0L V8 302 CID		1AM260575A	575	24 Months
1979,1975	Ford	E-350 Econoline	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-350 Econoline	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1975	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1975	Ford	E-350 Econoline	5.8L V8 351 CID		BB26R540AD	540	36 Months
1982-1980	Ford	E-350 Econoline	5.0L V8 302 CID		1AM035550A	550	24 Months
1982-1980	Ford	E-350 Econoline	5.0L V8 302 CID		2AM035500A	500	18 Months
1982-1980	Ford	E-350 Econoline	5.0L V8 302 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-350 Econoline	5.8L V8 351 CID		1AM035550A	550	24 Months
1983-1980	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-350 Econoline	5.8L V8 351 CID		2AM035500A	500	18 Months
1983-1980	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-350 Econoline	5.8L V8 351 CID		2AM240530A	530	18 Months
1984-1978	Ford	E-350 Econoline	7.5L V8 460 CID		1AM035550A	550	24 Months
1984-1978	Ford	E-350 Econoline	7.5L V8 460 CID		2AM035500A	500	18 Months
1984-1978	Ford	E-350 Econoline	7.5L V8 460 CID		2AM240530A	530	18 Months
1985	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-350 Econoline	5.8L V8 351 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-350 Econoline	5.8L V8 351 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-350 Econoline	7.5L V8 460 CID; Extended Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-350 Econoline	7.5L V8 460 CID; Standard Passenger Van		1AM035550A	550	24 Months
1985	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-350 Econoline	5.8L V8 351 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-350 Econoline	5.8L V8 351 CID; Standard Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-350 Econoline	7.5L V8 460 CID; Extended Passenger Van		2AM035500A	500	18 Months
1985	Ford	E-350 Econoline	7.5L V8 460 CID; Standard Passenger Van		2AM035500A	500	18 Months
1987-1983	Ford	E-350 Econoline	6.9L V8 420 CID		1AM024700B	700	24 Months
1991-1988	Ford	E-350 Econoline	7.3L V8 445 CID		1AM024700B	700	24 Months
1991-1988	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-350 Econoline	5.8L V8 351 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-350 Econoline	7.5L V8 460 CID	Auxiliary Battery;	1AM035550A	550	24 Months
1991-1988	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-350 Econoline	5.8L V8 351 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-350 Econoline	7.5L V8 460 CID	Auxiliary Battery;	2AM035500A	500	18 Months
1991-1988	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1991-1988	Ford	E-350 Econoline	5.8L V8 351 CID	Auxiliary Battery;	2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1991-1988	Ford	E-350 Econoline	7.5L V8 460 CID	Auxiliary Battery;	2AM240530A	530	18 Months
1996-1992	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-350 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-350 Econoline	7.5L V8 460 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
1996-1992	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-350 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-350 Econoline	7.5L V8 460 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
1996-1992	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-350 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-350 Econoline	7.5L V8 460 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1996-1992	Ford	E-350 Econoline	4.9L L6 4917cc 300 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1996-1992	Ford	E-350 Econoline	5.8L V8 351 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1996-1992	Ford	E-350 Econoline	7.3L V8 445 CID	Left Side	BB065850AB	850	36 Months
1996-1992	Ford	E-350 Econoline	7.5L V8 460 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
1998-1997	Ford	E-350 Econoline	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
1998-1997	Ford	E-350 Econoline	7.3L V8 445 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
1998-1997	Ford	E-350 Econoline	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
1998-1997	Ford	E-350 Econoline	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
1998-1997	Ford	E-350 Econoline	6.8L V10 415 CID	Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
1998-1997	Ford	E-350 Econoline	7.3L V8 445 CID	Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2000-1999	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	1AM065750A	750	24 Months
2000-1999	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	2AM065650A	650	18 Months
2000-1999	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065675AA	675	36 Months
2000-1999	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.; Requires special deep cycle battery.	BB065850AB	850	36 Months
2008-2007,1998-1997	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	1AM065750A	750	24 Months
2008-2007,1998-1997	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	2AM065650A	650	18 Months
2008-2007,1998-1997	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065675AA	675	36 Months
2008-2007,1998-1997	Ford	E-350 Econoline	5.4L V8 330 CID	Auxiliary Battery; Installation may take up to 30 minutes. Battery located under hood.	BB065850AB	850	36 Months
2008-2007,2000-1997	Ford	E-350 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	1AM065750A	750	24 Months
2008-2007,2000-1997	Ford	E-350 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065850AB	850	36 Months
2008-2007,2000-1999	Ford	E-350 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	2AM065650A	650	18 Months
2008-2007,2000-1999	Ford	E-350 Econoline	5.4L V8 330 CID	Installation may take up to 30 minutes. Battery located under hood.; Starting Battery	BB065675AA	675	36 Months
1977	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID		1AM260575A	575	24 Months
1977	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID		BB26R540AD	540	36 Months
1979	Ford	E-350 Econoline Club Wagon	5.0L V8 302 CID		1AM260575A	575	24 Months
1979	Ford	E-350 Econoline Club Wagon	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1977	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1977	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1977	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1977	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1980	Ford	E-350 Econoline Club Wagon	5.0L V8 302 CID		1AM035550A	550	24 Months
1980	Ford	E-350 Econoline Club Wagon	5.0L V8 302 CID		2AM035500A	500	18 Months
1980	Ford	E-350 Econoline Club Wagon	5.0L V8 302 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1983-1980	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID		2AM240530A	530	18 Months
1984-1978	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID		2AM240530A	530	18 Months
1985,1983-1980	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1985,1983-1980	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID		1AM035550A	550	24 Months
1985,1983-1980	Ford	E-350 Econoline Club Wagon	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1985,1983-1980	Ford	E-350 Econoline Club Wagon	5.8L V8 351 CID		2AM035500A	500	18 Months
1985-1978	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID		1AM035550A	550	24 Months
1985-1978	Ford	E-350 Econoline Club Wagon	7.5L V8 460 CID		2AM035500A	500	18 Months
1987-1983	Ford	E-350 Econoline Club Wagon	6.9L V8 420 CID		1AM024700B	700	24 Months
1991-1988	Ford	E-350 Econoline Club Wagon	7.3L V8 445 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2011	Ford	Edge	3.7L V6 3726cc 227 CID	w/Power Code Remote Start	BB065850AB	850	36 Months
2014-2012	Ford	Edge	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	1AM065750A	750	24 Months
2014-2012	Ford	Edge	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	2AM065650A	650	18 Months
2014-2012	Ford	Edge	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	BB065675AA	675	36 Months
2014-2012	Ford	Edge	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	BB065850AB	850	36 Months
2017-2015	Ford	Edge	2.0L L4 1999cc 122 CID	Installation may take up to 45 minutes. Battery located under hood.; w/o Start/Stop	BB075590AB	590	36 Months
2017-2015	Ford	Edge	2.7L V6 164 CID	Installation may take up to 45 minutes. Battery located under hood.	BB075590AB	590	36 Months
2017-2015	Ford	Edge	3.5L V6 3496cc 213 CID	Installation may take up to 45 minutes. Battery located under hood.	BB075590AB	590	36 Months
1976	Ford	Elite	6.6L V8 400 CID		1AM035550A	550	24 Months
1976	Ford	Elite	7.5L V8 460 CID		1AM035550A	550	24 Months
1976	Ford	Elite	5.8L V8 351 CID		1AM260575A	575	24 Months
1976	Ford	Elite	6.6L V8 400 CID		2AM035500A	500	18 Months
1976	Ford	Elite	7.5L V8 460 CID		2AM035500A	500	18 Months
1976	Ford	Elite	6.6L V8 400 CID		2AM240530A	530	18 Months
1976	Ford	Elite	7.5L V8 460 CID		2AM240530A	530	18 Months
1976	Ford	Elite	5.8L V8 351 CID		BB26R540AD	540	36 Months
2004-2001	Ford	Escape	2.0L L4 1989cc 121 CID		1AM960590A	590	24 Months
2008-2005	Ford	Escape	2.3L L4 140 CID		1AM960590A	590	24 Months
2010-2008,2006-2003	Ford	Escape	3.0L V6 183 CID		1AM960590A	590	24 Months
2012-2001	Ford	Escape	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2012-2009	Ford	Escape	2.5L L4 2488cc 152 CID		1AM960590A	590	24 Months
2012-2011	Ford	Escape	3.0L V6 2967cc 181 CID		1AM960590A	590	24 Months
2016-2013	Ford	Escape	1.6L L4 1601cc 98 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.	1AM960590A	590	24 Months
2016-2013	Ford	Escape	2.0L L4 1999cc 122 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.	1AM960590A	590	24 Months
2017	Ford	Escape	1.5L L4 1499cc 91 CID	w/o Start/Stop/Intelligent access	1AM960590A	590	24 Months
2017	Ford	Escape	2.0L L4 1999cc 122 CID	w/o Start/Stop/Intelligent access	1AM960590A	590	24 Months
2017-2013	Ford	Escape	2.5L L4 2488cc 152 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.	1AM960590A	590	24 Months
1994-1991	Ford	Escort	1.8L L4 112 CID		2AM035500A	500	18 Months
1996-1991	Ford	Escort	1.8L L4 112 CID		1AM035550A	550	24 Months
1996-1991	Ford	Escort	1.9L L4 116 CID		1AM035550A	550	24 Months
1996-1991	Ford	Escort	1.9L L4 116 CID		2AM035500A	500	18 Months
1996-1995	Ford	Escort	1.9L L4 1859cc 113 CID		1AM035550A	550	24 Months
1996-1995	Ford	Escort	1.9L L4 1859cc 113 CID		2AM035500A	500	18 Months
2003-2000	Ford	Excursion	7.3L V8 445 CID		1AM065750A	750	24 Months
2003-2000	Ford	Excursion	7.3L V8 445 CID		BB065850AB	850	36 Months
2005-2000	Ford	Excursion	5.4L V8 330 CID		1AM065750A	750	24 Months
2005-2000	Ford	Excursion	6.8L V10 415 CID		1AM065750A	750	24 Months
2005-2000	Ford	Excursion	5.4L V8 330 CID		BB065850AB	850	36 Months
2005-2000	Ford	Excursion	6.8L V10 415 CID		BB065850AB	850	36 Months
2005-2003	Ford	Excursion	6.0L V8 363 CID		1AM065750A	750	24 Months
2005-2003	Ford	Excursion	6.0L V8 363 CID		BB065850AB	850	36 Months
2004-1997	Ford	Expedition	4.6L V8 281 CID		1AM065750A	750	24 Months
2004-1997	Ford	Expedition	4.6L V8 281 CID		2AM065650A	650	18 Months
2004-1997	Ford	Expedition	4.6L V8 281 CID		BB065675AA	675	36 Months
2004-1997	Ford	Expedition	4.6L V8 281 CID		BB065850AB	850	36 Months
2010	Ford	Expedition	5.4L V8 5409cc 330 CID		1AM065750A	750	24 Months
2010	Ford	Expedition	5.4L V8 5409cc 330 CID		BB065850AB	850	36 Months
2013	Ford	Expedition	5.4L V8 5408cc 330 CID		2AM065650A	650	18 Months
2013	Ford	Expedition	5.4L V8 5408cc 330 CID		BB065675AA	675	36 Months
2014-1997	Ford	Expedition	5.4L V8 330 CID		1AM065750A	750	24 Months
2014-1997	Ford	Expedition	5.4L V8 330 CID		2AM065650A	650	18 Months
2014-1997	Ford	Expedition	5.4L V8 330 CID		BB065675AA	675	36 Months
2014-1997	Ford	Expedition	5.4L V8 330 CID		BB065850AB	850	36 Months
2014-2010	Ford	Expedition	5.4L V8 5408cc 330 CID		1AM065750A	750	24 Months
2014-2010	Ford	Expedition	5.4L V8 5408cc 330 CID		BB065850AB	850	36 Months
2015	Ford	Expedition	3.5L V6 3496cc 213 CID		2AM065650A	650	18 Months
2015	Ford	Expedition	3.5L V6 3496cc 213 CID		BB065675AA	675	36 Months
2017-2015	Ford	Expedition	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017-2015	Ford	Expedition	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2017-2016	Ford	Expedition	3.5L V6 3496cc 213 CID	w/o Intelligent Access	2AM065650A	650	18 Months
2017-2016	Ford	Expedition	3.5L V6 3496cc 213 CID	w/o Intelligent Access	BB065675AA	675	36 Months
2001-1996	Ford	Explorer	5.0L V8 302 CID		1AM065750A	750	24 Months
2001-1996	Ford	Explorer	5.0L V8 302 CID		2AM065650A	650	18 Months
2001-1996	Ford	Explorer	5.0L V8 302 CID		BB065675AA	675	36 Months
2001-1996	Ford	Explorer	5.0L V8 302 CID		BB065850AB	850	36 Months
2010	Ford	Explorer	4.0L V6 4015cc 245 CID		1AM065750A	750	24 Months
2010	Ford	Explorer	4.6L V8 4601cc 281 CID		1AM065750A	750	24 Months
2010	Ford	Explorer	4.0L V6 4015cc 245 CID		2AM065650A	650	18 Months
2010	Ford	Explorer	4.6L V8 4601cc 281 CID		2AM065650A	650	18 Months
2010	Ford	Explorer	4.0L V6 4015cc 245 CID		BB065675AA	675	36 Months
2010	Ford	Explorer	4.6L V8 4601cc 281 CID		BB065675AA	675	36 Months
2010	Ford	Explorer	4.0L V6 4015cc 245 CID		BB065850AB	850	36 Months
2010	Ford	Explorer	4.6L V8 4601cc 281 CID		BB065850AB	850	36 Months
2010-1991	Ford	Explorer	4.0L V6 245 CID		1AM065750A	750	24 Months
2010-1991	Ford	Explorer	4.0L V6 245 CID		2AM065650A	650	18 Months
2010-1991	Ford	Explorer	4.0L V6 245 CID		BB065675AA	675	36 Months
2010-1991	Ford	Explorer	4.0L V6 245 CID		BB065850AB	850	36 Months
2010-2002	Ford	Explorer	4.6L V8 281 CID		1AM065750A	750	24 Months
2010-2002	Ford	Explorer	4.6L V8 281 CID		2AM065650A	650	18 Months
2010-2002	Ford	Explorer	4.6L V8 281 CID		BB065675AA	675	36 Months
2010-2002	Ford	Explorer	4.6L V8 281 CID		BB065850AB	850	36 Months
2012-2011	Ford	Explorer	3.5L V6 3500cc 214 CID		1AM065750A	750	24 Months
2012-2011	Ford	Explorer	3.5L V6 3500cc 214 CID		2AM065650A	650	18 Months
2012-2011	Ford	Explorer	3.5L V6 3500cc 214 CID		BB065675AA	675	36 Months
2012-2011	Ford	Explorer	3.5L V6 3500cc 214 CID		BB065850AB	850	36 Months
2013-2011	Ford	Explorer	3.5L V6 3496cc 213 CID		2AM065650A	650	18 Months
2013-2011	Ford	Explorer	3.5L V6 3496cc 213 CID		BB065675AA	675	36 Months
2014	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Power Code Remote Start	1AM065750A	750	24 Months
2014	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Power Code Remote Start	2AM065650A	650	18 Months
2014	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Power Code Remote Start	BB065675AA	675	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Power Code Remote Start	BB065850AB	850	36 Months
2014-2012	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	1AM065750A	750	24 Months
2014-2012	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	2AM065650A	650	18 Months
2014-2012	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	BB065675AA	675	36 Months
2014-2012	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Power Code Remote Start	BB065850AB	850	36 Months
2014-2013	Ford	Explorer	3.5L V6 3490cc 213 CID		1AM065750A	750	24 Months
2014-2013	Ford	Explorer	3.5L V6 3490cc 213 CID		2AM065650A	650	18 Months
2014-2013	Ford	Explorer	3.5L V6 3490cc 213 CID		BB065675AA	675	36 Months
2014-2013	Ford	Explorer	3.5L V6 3490cc 213 CID		BB065850AB	850	36 Months
2015	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Intelligent Access	1AM065750A	750	24 Months
2015	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Intelligent Access	2AM065650A	650	18 Months
2015	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Intelligent Access	BB065675AA	675	36 Months
2015	Ford	Explorer	2.0L L4 1999cc 122 CID	w/Intelligent Access	BB065850AB	850	36 Months
2016-2015	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Intelligent Access	1AM065750A	750	24 Months
2016-2015	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Intelligent Access	BB065850AB	850	36 Months
2017,2013-2011	Ford	Explorer	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017,2013-2011	Ford	Explorer	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2017-2015	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Intelligent Access	2AM065650A	650	18 Months
2017-2015	Ford	Explorer	3.5L V6 3496cc 213 CID	w/Intelligent Access	BB065675AA	675	36 Months
2017-2016	Ford	Explorer	2.3L L4 2300cc 140 CID	w/Intelligent Access	1AM065750A	750	24 Months
2017-2016	Ford	Explorer	2.3L L4 2300cc 140 CID	w/Intelligent Access	2AM065650A	650	18 Months
2017-2016	Ford	Explorer	2.3L L4 2300cc 140 CID	w/Intelligent Access	BB065675AA	675	36 Months
2017-2016	Ford	Explorer	2.3L L4 2300cc 140 CID	w/Intelligent Access	BB065850AB	850	36 Months
2010-2007	Ford	Explorer Sport Trac	4.6L V8 281 CID		1AM065750A	750	24 Months
2010-2007	Ford	Explorer Sport Trac	4.6L V8 281 CID		2AM065650A	650	18 Months
2010-2007	Ford	Explorer Sport Trac	4.6L V8 281 CID		BB065675AA	675	36 Months
2010-2007	Ford	Explorer Sport Trac	4.6L V8 281 CID		BB065850AB	850	36 Months
2010-2007,2005-2001	Ford	Explorer Sport Trac	4.0L V6 245 CID		1AM065750A	750	24 Months
2010-2007,2005-2001	Ford	Explorer Sport Trac	4.0L V6 245 CID		2AM065650A	650	18 Months
2010-2007,2005-2001	Ford	Explorer Sport Trac	4.0L V6 245 CID		BB065675AA	675	36 Months
2010-2007,2005-2001	Ford	Explorer Sport Trac	4.0L V6 245 CID		BB065850AB	850	36 Months
1996-1988	Ford	F Super Duty	7.5L V8 460 CID		2AM065650A	650	18 Months
1996-1988	Ford	F Super Duty	7.5L V8 460 CID		BB065675AA	675	36 Months
1997,1994	Ford	F Super Duty	7.3L V8 445 CID		1AM065750A	750	24 Months
1997-1988	Ford	F Super Duty	7.5L V8 460 CID		1AM065750A	750	24 Months
1997-1988	Ford	F Super Duty	7.3L V8 445 CID		BB065850AB	850	36 Months
1997-1988	Ford	F Super Duty	7.5L V8 460 CID		BB065850AB	850	36 Months
1965	Ford	F-100	5.8L V8 352 CID		1AM035550A	550	24 Months
1965	Ford	F-100	5.8L V8 352 CID		2AM035500A	500	18 Months
1965	Ford	F-100	5.8L V8 352 CID		2AM240530A	530	18 Months
1966-1965	Ford	F-100	5.9L V8 5917cc 361 CID		1AM035550A	550	24 Months
1966-1965	Ford	F-100	5.9L V8 5917cc 361 CID		2AM035500A	500	18 Months
1966-1965	Ford	F-100	5.9L V8 5917cc 361 CID		2AM240530A	530	18 Months
1967-1965	Ford	F-100	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1965	Ford	F-100	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1965	Ford	F-100	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1974-1965	Ford	F-100	3.9L L6 240 CID		1AM035550A	550	24 Months
1974-1965	Ford	F-100	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1974-1965	Ford	F-100	3.9L L6 240 CID		2AM035500A	500	18 Months
1974-1965	Ford	F-100	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1974-1965	Ford	F-100	3.9L L6 240 CID		2AM240530A	530	18 Months
1974-1965	Ford	F-100	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-100	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-100	6.4L V8 6392cc 390 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-100	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-100	6.4L V8 6392cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-100	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-100	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-100	6.4L V8 6392cc 390 CID		2AM240530A	530	18 Months
1974-1973	Ford	F-100	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	F-100	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	F-100	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1968	Ford	F-100	5.9L V8 360 CID		1AM035550A	550	24 Months
1976-1968	Ford	F-100	6.4L V8 390 CID		1AM035550A	550	24 Months
1976-1968	Ford	F-100	5.9L V8 360 CID		2AM035500A	500	18 Months
1976-1968	Ford	F-100	6.4L V8 390 CID		2AM035500A	500	18 Months
1976-1968	Ford	F-100	5.9L V8 360 CID		2AM240530A	530	18 Months
1976-1968	Ford	F-100	6.4L V8 390 CID		2AM240530A	530	18 Months
1976-1975	Ford	F-100	5.9L V8 360 CID		1AM260575A	575	24 Months
1976-1975	Ford	F-100	6.4L V8 390 CID		1AM260575A	575	24 Months
1976-1975	Ford	F-100	5.9L V8 360 CID		BB26R540AD	540	36 Months
1976-1975	Ford	F-100	6.4L V8 390 CID		BB26R540AD	540	36 Months
1979,1974-1973	Ford	F-100	7.5L V8 460 CID		1AM035550A	550	24 Months
1979,1974-1973	Ford	F-100	7.5L V8 460 CID		2AM035500A	500	18 Months
1979,1974-1973	Ford	F-100	7.5L V8 460 CID		2AM240530A	530	18 Months
1979-1965	Ford	F-100	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1979-1965	Ford	F-100	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1979-1967	Ford	F-100	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1979-1969	Ford	F-100	5.0L V8 302 CID		1AM035550A	550	24 Months
1979-1969	Ford	F-100	5.0L V8 302 CID		2AM035500A	500	18 Months
1979-1969	Ford	F-100	5.0L V8 302 CID		2AM240530A	530	18 Months
1979-1975	Ford	F-100	5.0L V8 302 CID		1AM260575A	575	24 Months
1979-1975	Ford	F-100	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1975,1966-1965	Ford	F-100	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1975,1966-1965	Ford	F-100	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-100	5.8L V8 351 CID		1AM035550A	550	24 Months
1979-1977	Ford	F-100	6.6L V8 400 CID		1AM035550A	550	24 Months
1979-1977	Ford	F-100	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-100	6.6L V8 400 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-100	5.8L V8 351 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1979-1977	Ford	F-100	6.6L V8 400 CID		2AM035500A	500	18 Months
1979-1977	Ford	F-100	5.8L V8 351 CID		2AM240530A	530	18 Months
1979-1977	Ford	F-100	6.6L V8 400 CID		2AM240530A	530	18 Months
1979-1977	Ford	F-100	5.8L V8 351 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-100	6.6L V8 400 CID		BB26R540AD	540	36 Months
1997	Ford	F-100 Ranger	3.0L V6 182 CID		1AM065750A	750	24 Months
1997	Ford	F-100 Ranger	3.0L V6 182 CID		2AM065650A	650	18 Months
1997	Ford	F-100 Ranger	3.0L V6 182 CID		BB065675AA	675	36 Months
1997	Ford	F-100 Ranger	3.0L V6 182 CID		BB065850AB	850	36 Months
1997-1996	Ford	F-100 Ranger	2.3L L4 2302cc 140 CID		1AM065750A	750	24 Months
1997-1996	Ford	F-100 Ranger	2.3L L4 2302cc 140 CID		2AM065650A	650	18 Months
1997-1996	Ford	F-100 Ranger	2.3L L4 2302cc 140 CID		BB065675AA	675	36 Months
1997-1996	Ford	F-100 Ranger	2.3L L4 2302cc 140 CID		BB065850AB	850	36 Months
1976-1975	Ford	F-150	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-150	5.0L V8 302 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-150	5.9L V8 360 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-150	6.4L V8 390 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-150	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1976-1975	Ford	F-150	5.0L V8 302 CID		2AM035500A	500	18 Months
1976-1975	Ford	F-150	5.9L V8 360 CID		2AM035500A	500	18 Months
1976-1975	Ford	F-150	6.4L V8 390 CID		2AM035500A	500	18 Months
1976-1975	Ford	F-150	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1976-1975	Ford	F-150	5.0L V8 302 CID		2AM240530A	530	18 Months
1976-1975	Ford	F-150	5.9L V8 360 CID		2AM240530A	530	18 Months
1976-1975	Ford	F-150	6.4L V8 390 CID		2AM240530A	530	18 Months
1977	Ford	F-150	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-150	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-150	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-150	6.6L V8 400 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-150	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-150	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-150	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-150	6.6L V8 400 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-150	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-150	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-150	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-150	6.6L V8 400 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1975	Ford	F-150	7.5L V8 460 CID		1AM270710A	710	24 Months
1979-1975	Ford	F-150	7.5L V8 460 CID		1AM035550A	550	24 Months
1979-1975	Ford	F-150	7.5L V8 460 CID		2AM035500A	500	18 Months
1979-1975	Ford	F-150	7.5L V8 460 CID		2AM240530A	530	18 Months
1979-1977	Ford	F-150	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-150	5.0L V8 302 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-150	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-150	6.6L V8 400 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-150	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-150	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-150	5.8L V8 351 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-150	6.6L V8 400 CID		BB26R540AD	540	36 Months
1984	Ford	F-150	6.9L V8 420 CID		1AM024700B	700	24 Months
1996-1987	Ford	F-150	5.0L V8 302 CID		1AM065750A	750	24 Months
1996-1987	Ford	F-150	5.8L V8 351 CID		1AM065750A	750	24 Months
1996-1987	Ford	F-150	5.0L V8 302 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-150	5.8L V8 351 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-150	5.0L V8 302 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-150	5.8L V8 351 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-150	5.0L V8 302 CID		BB065850AB	850	36 Months
1996-1987	Ford	F-150	5.8L V8 351 CID		BB065850AB	850	36 Months
1997-1987	Ford	F-150	4.9L L6 4917cc 300 CID		1AM065750A	750	24 Months
1997-1987	Ford	F-150	4.9L L6 4917cc 300 CID		2AM065650A	650	18 Months
1997-1987	Ford	F-150	4.9L L6 4917cc 300 CID		BB065675AA	675	36 Months
1997-1987	Ford	F-150	4.9L L6 4917cc 300 CID		BB065850AB	850	36 Months
2009-1997	Ford	F-150	4.2L V6 256 CID		2AM065650A	650	18 Months
2009-1997	Ford	F-150	4.2L V6 256 CID		BB065675AA	675	36 Months
2010	Ford	F-150	6.2L V8 6210cc 379 CID		2AM065650A	650	18 Months
2010	Ford	F-150	6.2L V8 6210cc 379 CID		BB065675AA	675	36 Months
2010-1997	Ford	F-150	4.2L V6 256 CID		1AM065750A	750	24 Months
2010-1997	Ford	F-150	4.6L V8 281 CID		1AM065750A	750	24 Months
2010-1997	Ford	F-150	5.4L V8 330 CID		1AM065750A	750	24 Months
2010-1997	Ford	F-150	4.6L V8 281 CID		2AM065650A	650	18 Months
2010-1997	Ford	F-150	5.4L V8 330 CID		2AM065650A	650	18 Months
2010-1997	Ford	F-150	4.6L V8 281 CID		BB065675AA	675	36 Months
2010-1997	Ford	F-150	5.4L V8 330 CID		BB065675AA	675	36 Months
2010-1997	Ford	F-150	4.2L V6 256 CID		BB065850AB	850	36 Months
2010-1997	Ford	F-150	4.6L V8 281 CID		BB065850AB	850	36 Months
2010-1997	Ford	F-150	5.4L V8 330 CID		BB065850AB	850	36 Months
2012-2011	Ford	F-150	5.0L V8 5000cc 305 CID		1AM065750A	750	24 Months
2012-2011	Ford	F-150	5.0L V8 5000cc 305 CID		BB065850AB	850	36 Months
2014-2010	Ford	F-150	6.2L V8 6210cc 379 CID		1AM065750A	750	24 Months
2014-2010	Ford	F-150	6.2L V8 6210cc 379 CID		BB065850AB	850	36 Months
2014-2011	Ford	F-150	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2014-2011	Ford	F-150	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2014-2011	Ford	F-150	5.0L V8 4951cc 302 CID		1AM065750A	750	24 Months
2014-2011	Ford	F-150	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2011	Ford	F-150	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
2014-2011	Ford	F-150	5.0L V8 4951cc 302 CID		BB065850AB	850	36 Months
2017	Ford	F-150	3.5L V6 3496cc 213 CID; Raptor		1AM0H6770A	770	24 Months
2017	Ford	F-150	3.5L V6 3496cc 213 CID; Raptor		2AM048615A	615	18 Months
2017	Ford	F-150	3.5L V6 3496cc 213 CID; Raptor	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; XL		1AM0H6770A	770	24 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; XLT		1AM0H6770A	770	24 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; XL		1AM0H6770A	770	24 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; XLT		1AM0H6770A	770	24 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; King Ranch		1AM940800A	800	24 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; Lariat		1AM940800A	800	24 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; Platinum		1AM940800A	800	24 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; King Ranch		1AM940800A	800	24 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; Lariat		1AM940800A	800	24 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; Platinum		1AM940800A	800	24 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; XL		2AM048615A	615	18 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; XLT		2AM048615A	615	18 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; XL		2AM048615A	615	18 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; XLT		2AM048615A	615	18 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; King Ranch		BB0H7730AB	730	36 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; Lariat		BB0H7730AB	730	36 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; Platinum		BB0H7730AB	730	36 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; King Ranch		BB0H7730AB	730	36 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; Lariat		BB0H7730AB	730	36 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; Platinum		BB0H7730AB	730	36 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; XL	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	F-150	3.5L V6 3496cc 213 CID; XLT	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; XL	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	F-150	5.0L V8 4951cc 302 CID; XLT	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2016	Ford	F-150	3.5L V6 3496cc 213 CID; Limited		1AM0H6770A	770	24 Months
2017-2016	Ford	F-150	3.5L V6 3496cc 213 CID; SSV		1AM0H6770A	770	24 Months
2017-2016	Ford	F-150	5.0L V8 4951cc 302 CID; SSV		1AM0H6770A	770	24 Months
2017-2016	Ford	F-150	3.5L V6 3496cc 213 CID; Limited		2AM048615A	615	18 Months
2017-2016	Ford	F-150	3.5L V6 3496cc 213 CID; SSV		2AM048615A	615	18 Months
2017-2016	Ford	F-150	5.0L V8 4951cc 302 CID; SSV		2AM048615A	615	18 Months
2017-2016	Ford	F-150	3.5L V6 3496cc 213 CID; Limited	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2016	Ford	F-150	3.5L V6 3496cc 213 CID; SSV	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2016	Ford	F-150	5.0L V8 4951cc 302 CID; SSV	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004	Ford	F-150 Heritage	4.2L V6 256 CID		1AM065750A	750	24 Months
2004	Ford	F-150 Heritage	4.6L V8 281 CID		1AM065750A	750	24 Months
2004	Ford	F-150 Heritage	5.4L V8 330 CID		1AM065750A	750	24 Months
2004	Ford	F-150 Heritage	4.2L V6 256 CID		2AM065650A	650	18 Months
2004	Ford	F-150 Heritage	4.6L V8 281 CID		2AM065650A	650	18 Months
2004	Ford	F-150 Heritage	5.4L V8 330 CID		2AM065650A	650	18 Months
2004	Ford	F-150 Heritage	4.2L V6 256 CID		BB065675AA	675	36 Months
2004	Ford	F-150 Heritage	4.6L V8 281 CID		BB065675AA	675	36 Months
2004	Ford	F-150 Heritage	5.4L V8 330 CID		BB065675AA	675	36 Months
2004	Ford	F-150 Heritage	4.2L V6 256 CID		BB065850AB	850	36 Months
2004	Ford	F-150 Heritage	4.6L V8 281 CID		BB065850AB	850	36 Months
2004	Ford	F-150 Heritage	5.4L V8 330 CID		BB065850AB	850	36 Months
1963	Ford	F-250	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1964	Ford	F-250	5.9L V8 5917cc 361 CID		1AM270710A	710	24 Months
1964-1963	Ford	F-250	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1964-1963	Ford	F-250	4.3L L6 4294cc 262 CID		1AM270710A	710	24 Months
1964-1963	Ford	F-250	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1965	Ford	F-250	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1965	Ford	F-250	5.8L V8 352 CID		1AM035550A	550	24 Months
1965	Ford	F-250	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1965	Ford	F-250	5.8L V8 352 CID		2AM035500A	500	18 Months
1965	Ford	F-250	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1965	Ford	F-250	5.8L V8 352 CID		2AM240530A	530	18 Months
1966-1965	Ford	F-250	5.9L V8 5917cc 361 CID		1AM035550A	550	24 Months
1966-1965	Ford	F-250	5.9L V8 5917cc 361 CID		2AM035500A	500	18 Months
1966-1965	Ford	F-250	5.9L V8 5917cc 361 CID		2AM240530A	530	18 Months
1967-1965	Ford	F-250	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1965	Ford	F-250	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1965	Ford	F-250	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1974-1965	Ford	F-250	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1974-1965	Ford	F-250	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1974-1965	Ford	F-250	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-250	3.9L L6 240 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-250	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-250	6.4L V8 6392cc 390 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-250	3.9L L6 240 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-250	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-250	6.4L V8 6392cc 390 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1968	Ford	F-250	3.9L L6 240 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-250	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-250	6.4L V8 6392cc 390 CID		2AM240530A	530	18 Months
1974-1973	Ford	F-250	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	F-250	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1973	Ford	F-250	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	F-250	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1968	Ford	F-250	5.9L V8 360 CID		1AM035550A	550	24 Months
1976-1968	Ford	F-250	6.4L V8 390 CID		1AM035550A	550	24 Months
1976-1968	Ford	F-250	5.9L V8 360 CID		2AM035500A	500	18 Months
1976-1968	Ford	F-250	6.4L V8 390 CID		2AM035500A	500	18 Months
1976-1968	Ford	F-250	5.9L V8 360 CID		2AM240530A	530	18 Months
1976-1968	Ford	F-250	6.4L V8 390 CID		2AM240530A	530	18 Months
1977	Ford	F-250	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-250	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-250	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-250	6.6L V8 400 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-250	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-250	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-250	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-250	6.6L V8 400 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-250	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-250	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-250	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-250	6.6L V8 400 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1973	Ford	F-250	7.5L V8 460 CID		1AM270710A	710	24 Months
1978	Ford	F-250	7.5L V8 460 CID		1AM260575A	575	24 Months
1978	Ford	F-250	7.5L V8 460 CID		BB26R540AD	540	36 Months
1978,1974-1972	Ford	F-250	5.0L V8 302 CID		1AM035550A	550	24 Months
1978,1974-1972	Ford	F-250	5.0L V8 302 CID		2AM035500A	500	18 Months
1978,1974-1972	Ford	F-250	5.0L V8 302 CID		2AM240530A	530	18 Months
1978-1977	Ford	F-250	5.0L V8 302 CID		1AM260575A	575	24 Months
1978-1977	Ford	F-250	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979,1977-1973	Ford	F-250	7.5L V8 460 CID		1AM035550A	550	24 Months
1979,1977-1973	Ford	F-250	7.5L V8 460 CID		2AM035500A	500	18 Months
1979,1977-1973	Ford	F-250	7.5L V8 460 CID		2AM240530A	530	18 Months
1979-1977	Ford	F-250	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-250	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-250	6.6L V8 400 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-250	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-250	5.8L V8 351 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-250	6.6L V8 400 CID		BB26R540AD	540	36 Months
1979-1978	Ford	F-250	5.8L V8 351 CID		1AM035550A	550	24 Months
1979-1978	Ford	F-250	6.6L V8 400 CID		1AM035550A	550	24 Months
1979-1978	Ford	F-250	5.8L V8 351 CID		2AM035500A	500	18 Months
1979-1978	Ford	F-250	6.6L V8 400 CID		2AM035500A	500	18 Months
1979-1978	Ford	F-250	5.8L V8 351 CID		2AM240530A	530	18 Months
1979-1978	Ford	F-250	6.6L V8 400 CID		2AM240530A	530	18 Months
1979-1978,1976- 1965	Ford	F-250	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1979-1978,1976- 1965	Ford	F-250	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1979-1978,1976- 1965	Ford	F-250	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1986-1983	Ford	F-250	6.9L V8 420 CID		1AM024700B	700	24 Months
1987	Ford	F-250	6.9L V8 420 CID		BB065850AB	850	36 Months
1996-1987	Ford	F-250	4.9L L6 4917cc 300 CID		1AM065750A	750	24 Months
1996-1987	Ford	F-250	5.8L V8 351 CID		1AM065750A	750	24 Months
1996-1987	Ford	F-250	7.5L V8 460 CID		1AM065750A	750	24 Months
1996-1987	Ford	F-250	4.9L L6 4917cc 300 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-250	5.8L V8 351 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-250	7.5L V8 460 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-250	4.9L L6 4917cc 300 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-250	5.8L V8 351 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-250	7.5L V8 460 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-250	4.9L L6 4917cc 300 CID		BB065850AB	850	36 Months
1996-1987	Ford	F-250	5.8L V8 351 CID		BB065850AB	850	36 Months
1996-1987	Ford	F-250	7.5L V8 460 CID		BB065850AB	850	36 Months
1996-1988	Ford	F-250	7.3L V8 445 CID		BB065850AB	850	36 Months
1997-1987	Ford	F-250	5.0L V8 302 CID		1AM065750A	750	24 Months
1997-1987	Ford	F-250	5.0L V8 302 CID		2AM065650A	650	18 Months
1997-1987	Ford	F-250	5.0L V8 302 CID		BB065675AA	675	36 Months
1997-1987	Ford	F-250	5.0L V8 302 CID		BB065850AB	850	36 Months
2001-1997	Ford	F-250	5.4L V8 330 CID		1AM065750A	750	24 Months
2001-1997	Ford	F-250	5.4L V8 330 CID		2AM065650A	650	18 Months
2001-1997	Ford	F-250	5.4L V8 330 CID		BB065675AA	675	36 Months
2001-1997	Ford	F-250	5.4L V8 330 CID		BB065850AB	850	36 Months
2009-1997	Ford	F-250	4.6L V8 281 CID		1AM065750A	750	24 Months
2009-1997	Ford	F-250	4.6L V8 281 CID		2AM065650A	650	18 Months
2009-1997	Ford	F-250	4.6L V8 281 CID		BB065675AA	675	36 Months
2009-1997	Ford	F-250	4.6L V8 281 CID		BB065850AB	850	36 Months
1997	Ford	F-250 HD	5.8L V8 351 CID		1AM065750A	750	24 Months
1997	Ford	F-250 HD	7.3L V8 445 CID		1AM065750A	750	24 Months
1997	Ford	F-250 HD	7.5L V8 460 CID		1AM065750A	750	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1997	Ford	F-250 HD	7.5L V8 460 CID		2AM065650A	650	18 Months
1997	Ford	F-250 HD	7.5L V8 460 CID		BB065675AA	675	36 Months
1997	Ford	F-250 HD	5.8L V8 351 CID		BB065850AB	850	36 Months
1997	Ford	F-250 HD	7.3L V8 445 CID		BB065850AB	850	36 Months
1997	Ford	F-250 HD	7.5L V8 460 CID		BB065850AB	850	36 Months
2003-1999	Ford	F-250 Super Duty	7.3L V8 445 CID		1AM065750A	750	24 Months
2003-1999	Ford	F-250 Super Duty	7.3L V8 445 CID		BB065850AB	850	36 Months
2007-2003	Ford	F-250 Super Duty	6.0L V8 363 CID		1AM065750A	750	24 Months
2007-2003	Ford	F-250 Super Duty	6.0L V8 363 CID		BB065850AB	850	36 Months
2010	Ford	F-250 Super Duty	6.4L V8 6400cc 391 CID		1AM065750A	750	24 Months
2010	Ford	F-250 Super Duty	6.4L V8 6400cc 391 CID		BB065850AB	850	36 Months
2010-1999	Ford	F-250 Super Duty	5.4L V8 330 CID		1AM065750A	750	24 Months
2010-1999	Ford	F-250 Super Duty	6.8L V10 415 CID		1AM065750A	750	24 Months
2010-1999	Ford	F-250 Super Duty	5.4L V8 330 CID		2AM065650A	650	18 Months
2010-1999	Ford	F-250 Super Duty	6.8L V10 415 CID		2AM065650A	650	18 Months
2010-1999	Ford	F-250 Super Duty	5.4L V8 330 CID		BB065675AA	675	36 Months
2010-1999	Ford	F-250 Super Duty	6.8L V10 415 CID		BB065675AA	675	36 Months
2010-1999	Ford	F-250 Super Duty	5.4L V8 330 CID		BB065850AB	850	36 Months
2010-1999	Ford	F-250 Super Duty	6.8L V10 415 CID		BB065850AB	850	36 Months
2010-2008	Ford	F-250 Super Duty	6.4L V8 391 CID		1AM065750A	750	24 Months
2010-2008	Ford	F-250 Super Duty	6.4L V8 391 CID		BB065850AB	850	36 Months
2016-2011	Ford	F-250 Super Duty	6.7L V8 6700cc 409 CID		1AM065750A	750	24 Months
2016-2011	Ford	F-250 Super Duty	6.2L V8 6210cc 379 CID		2AM065650A	650	18 Months
2016-2011	Ford	F-250 Super Duty	6.2L V8 6210cc 379 CID		BB065675AA	675	36 Months
2016-2011	Ford	F-250 Super Duty	6.7L V8 6700cc 409 CID		BB065850AB	850	36 Months
2017	Ford	F-250 Super Duty	6.2L V8 6210cc 379 CID; XL		2AM065650A	650	18 Months
2017	Ford	F-250 Super Duty	6.2L V8 6210cc 379 CID; XL		BB065675AA	675	36 Months
2017-2011	Ford	F-250 Super Duty	6.2L V8 6210cc 379 CID		1AM065750A	750	24 Months
2017-2011	Ford	F-250 Super Duty	6.7L V8 6651cc 406 CID		1AM065750A	750	24 Months
2017-2011	Ford	F-250 Super Duty	6.2L V8 6210cc 379 CID		BB065850AB	850	36 Months
2017-2011	Ford	F-250 Super Duty	6.7L V8 6651cc 406 CID		BB065850AB	850	36 Months
1963	Ford	F-350	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1964	Ford	F-350	5.9L V8 5917cc 361 CID		1AM270710A	710	24 Months
1964-1963	Ford	F-350	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1964-1963	Ford	F-350	4.3L L6 4294cc 262 CID		1AM270710A	710	24 Months
1964-1963	Ford	F-350	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1965	Ford	F-350	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1965	Ford	F-350	5.8L V8 352 CID		1AM035550A	550	24 Months
1965	Ford	F-350	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1965	Ford	F-350	5.8L V8 352 CID		2AM035500A	500	18 Months
1965	Ford	F-350	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1965	Ford	F-350	5.8L V8 352 CID		2AM240530A	530	18 Months
1966-1965	Ford	F-350	5.9L V8 5917cc 361 CID		1AM035550A	550	24 Months
1966-1965	Ford	F-350	5.9L V8 5917cc 361 CID		2AM035500A	500	18 Months
1966-1965	Ford	F-350	5.9L V8 5917cc 361 CID		2AM240530A	530	18 Months
1967-1965	Ford	F-350	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1965	Ford	F-350	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1965	Ford	F-350	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1974-1965	Ford	F-350	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1974-1965	Ford	F-350	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1974-1965	Ford	F-350	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-350	3.9L L6 240 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-350	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-350	6.4L V8 6392cc 390 CID		1AM035550A	550	24 Months
1974-1968	Ford	F-350	3.9L L6 240 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-350	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-350	6.4L V8 6392cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	F-350	3.9L L6 240 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-350	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1974-1968	Ford	F-350	6.4L V8 6392cc 390 CID		2AM240530A	530	18 Months
1974-1973	Ford	F-350	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	F-350	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1973	Ford	F-350	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	F-350	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1968	Ford	F-350	5.9L V8 360 CID		1AM035550A	550	24 Months
1976-1968	Ford	F-350	6.4L V8 390 CID		1AM035550A	550	24 Months
1976-1968	Ford	F-350	5.9L V8 360 CID		2AM035500A	500	18 Months
1976-1968	Ford	F-350	6.4L V8 390 CID		2AM035500A	500	18 Months
1976-1968	Ford	F-350	5.9L V8 360 CID		2AM240530A	530	18 Months
1976-1968	Ford	F-350	6.4L V8 390 CID		2AM240530A	530	18 Months
1977	Ford	F-350	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-350	5.0L V8 302 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-350	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-350	6.6L V8 400 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1977	Ford	F-350	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-350	5.0L V8 302 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-350	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-350	6.6L V8 400 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1977	Ford	F-350	4.9L L6 4917cc 300 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-350	5.0L V8 302 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-350	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977	Ford	F-350	6.6L V8 400 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1977-1973	Ford	F-350	7.5L V8 460 CID		1AM270710A	710	24 Months
1978,1976-1972	Ford	F-350	5.0L V8 302 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1978,1976-1972	Ford	F-350	5.0L V8 302 CID		2AM035500A	500	18 Months
1978,1976-1972	Ford	F-350	5.0L V8 302 CID		2AM240530A	530	18 Months
1978-1977	Ford	F-350	5.0L V8 302 CID		1AM260575A	575	24 Months
1978-1977	Ford	F-350	5.0L V8 302 CID		BB26R540AD	540	36 Months
1979-1973	Ford	F-350	7.5L V8 460 CID		1AM035550A	550	24 Months
1979-1973	Ford	F-350	7.5L V8 460 CID		2AM035500A	500	18 Months
1979-1973	Ford	F-350	7.5L V8 460 CID		2AM240530A	530	18 Months
1979-1977	Ford	F-350	4.9L L6 4917cc 300 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-350	5.8L V8 351 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-350	6.6L V8 400 CID		1AM260575A	575	24 Months
1979-1977	Ford	F-350	4.9L L6 4917cc 300 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-350	5.8L V8 351 CID		BB26R540AD	540	36 Months
1979-1977	Ford	F-350	6.6L V8 400 CID		BB26R540AD	540	36 Months
1979-1978	Ford	F-350	5.8L V8 351 CID		1AM035550A	550	24 Months
1979-1978	Ford	F-350	6.6L V8 400 CID		1AM035550A	550	24 Months
1979-1978	Ford	F-350	5.8L V8 351 CID		2AM035500A	500	18 Months
1979-1978	Ford	F-350	6.6L V8 400 CID		2AM035500A	500	18 Months
1979-1978	Ford	F-350	5.8L V8 351 CID		2AM240530A	530	18 Months
1979-1978	Ford	F-350	6.6L V8 400 CID		2AM240530A	530	18 Months
1979-1978,1976-1965	Ford	F-350	4.9L L6 4917cc 300 CID		1AM035550A	550	24 Months
1979-1978,1976-1965	Ford	F-350	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1979-1978,1976-1965	Ford	F-350	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1986-1983	Ford	F-350	6.9L V8 420 CID		1AM024700B	700	24 Months
1987	Ford	F-350	6.9L V8 420 CID		BB065850AB	850	36 Months
1996-1987	Ford	F-350	4.9L L6 4917cc 300 CID		1AM065750A	750	24 Months
1996-1987	Ford	F-350	4.9L L6 4917cc 300 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-350	5.8L V8 351 CID		2AM065650A	650	18 Months
1996-1987	Ford	F-350	4.9L L6 4917cc 300 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-350	5.8L V8 351 CID		BB065675AA	675	36 Months
1996-1987	Ford	F-350	4.9L L6 4917cc 300 CID		BB065850AB	850	36 Months
1996-1995	Ford	F-350	5.0L V8 302 CID		2AM065650A	650	18 Months
1996-1995	Ford	F-350	5.0L V8 302 CID		BB065675AA	675	36 Months
1997	Ford	F-350	7.3L V8 445 CID		1AM065750A	750	24 Months
1997-1987	Ford	F-350	5.8L V8 351 CID		1AM065750A	750	24 Months
1997-1987	Ford	F-350	7.5L V8 460 CID		1AM065750A	750	24 Months
1997-1987	Ford	F-350	7.5L V8 460 CID		2AM065650A	650	18 Months
1997-1987	Ford	F-350	7.5L V8 460 CID		BB065675AA	675	36 Months
1997-1987	Ford	F-350	5.8L V8 351 CID		BB065850AB	850	36 Months
1997-1987	Ford	F-350	7.5L V8 460 CID		BB065850AB	850	36 Months
1997-1988	Ford	F-350	7.3L V8 445 CID		BB065850AB	850	36 Months
1998-1995	Ford	F-350	5.0L V8 302 CID		1AM065750A	750	24 Months
1998-1995	Ford	F-350	5.0L V8 302 CID		BB065850AB	850	36 Months
2009-1999	Ford	F-350	5.4L V8 330 CID		1AM065750A	750	24 Months
2009-1999	Ford	F-350	5.4L V8 330 CID		2AM065650A	650	18 Months
2009-1999	Ford	F-350	5.4L V8 330 CID		BB065675AA	675	36 Months
2009-1999	Ford	F-350	5.4L V8 330 CID		BB065850AB	850	36 Months
2014-2011	Ford	F-350	6.2L V8 6200cc 378 CID		1AM065750A	750	24 Months
2014-2011	Ford	F-350	6.2L V8 6200cc 378 CID		BB065850AB	850	36 Months
2014-2013,2011	Ford	F-350	6.2L V8 6200cc 378 CID		2AM065650A	650	18 Months
2014-2013,2011	Ford	F-350	6.2L V8 6200cc 378 CID		BB065675AA	675	36 Months
2000-1999	Ford	F-350 Super Duty	7.3L V8 445 CID		2AM065650A	650	18 Months
2000-1999	Ford	F-350 Super Duty	7.3L V8 445 CID		BB065675AA	675	36 Months
2003-1999	Ford	F-350 Super Duty	7.3L V8 445 CID		1AM065750A	750	24 Months
2003-1999	Ford	F-350 Super Duty	7.3L V8 445 CID		BB065850AB	850	36 Months
2007-2003	Ford	F-350 Super Duty	6.0L V8 363 CID		1AM065750A	750	24 Months
2007-2003	Ford	F-350 Super Duty	6.0L V8 363 CID		BB065850AB	850	36 Months
2010-1999	Ford	F-350 Super Duty	5.4L V8 330 CID		1AM065750A	750	24 Months
2010-1999	Ford	F-350 Super Duty	6.8L V10 415 CID		1AM065750A	750	24 Months
2010-1999	Ford	F-350 Super Duty	5.4L V8 330 CID		2AM065650A	650	18 Months
2010-1999	Ford	F-350 Super Duty	6.8L V10 415 CID		2AM065650A	650	18 Months
2010-1999	Ford	F-350 Super Duty	5.4L V8 330 CID		BB065675AA	675	36 Months
2010-1999	Ford	F-350 Super Duty	6.8L V10 415 CID		BB065675AA	675	36 Months
2010-1999	Ford	F-350 Super Duty	5.4L V8 330 CID		BB065850AB	850	36 Months
2010-1999	Ford	F-350 Super Duty	6.8L V10 415 CID		BB065850AB	850	36 Months
2010-2008	Ford	F-350 Super Duty	6.4L V8 391 CID		1AM065750A	750	24 Months
2010-2008	Ford	F-350 Super Duty	6.4L V8 391 CID		BB065850AB	850	36 Months
2016-2011	Ford	F-350 Super Duty	6.2L V8 6210cc 379 CID		2AM065650A	650	18 Months
2016-2011	Ford	F-350 Super Duty	6.2L V8 6210cc 379 CID		BB065675AA	675	36 Months
2017	Ford	F-350 Super Duty	6.2L V8 6210cc 379 CID; XL		2AM065650A	650	18 Months
2017	Ford	F-350 Super Duty	6.2L V8 6210cc 379 CID; XL		BB065675AA	675	36 Months
2017-2011	Ford	F-350 Super Duty	6.2L V8 6210cc 379 CID		1AM065750A	750	24 Months
2017-2011	Ford	F-350 Super Duty	6.7L V8 6651cc 406 CID		1AM065750A	750	24 Months
2017-2011	Ford	F-350 Super Duty	6.2L V8 6210cc 379 CID		BB065850AB	850	36 Months
2017-2011	Ford	F-350 Super Duty	6.7L V8 6651cc 406 CID		BB065850AB	850	36 Months
2000-1999	Ford	F-450 Super Duty	7.3L V8 445 CID		2AM065650A	650	18 Months
2000-1999	Ford	F-450 Super Duty	7.3L V8 445 CID		BB065675AA	675	36 Months
2003-1999	Ford	F-450 Super Duty	7.3L V8 445 CID		1AM065750A	750	24 Months
2003-1999	Ford	F-450 Super Duty	7.3L V8 445 CID		BB065850AB	850	36 Months
2007-2003	Ford	F-450 Super Duty	6.0L V8 363 CID		1AM065750A	750	24 Months
2007-2003	Ford	F-450 Super Duty	6.0L V8 363 CID		BB065850AB	850	36 Months
2010-2008	Ford	F-450 Super Duty	6.4L V8 391 CID		1AM065750A	750	24 Months
2010-2008	Ford	F-450 Super Duty	6.4L V8 391 CID		BB065850AB	850	36 Months
2016-1999	Ford	F-450 Super Duty	6.8L V10 415 CID		2AM065650A	650	18 Months
2016-1999	Ford	F-450 Super Duty	6.8L V10 415 CID		BB065675AA	675	36 Months
2017-1998	Ford	F-450 Super Duty	6.8L V10 415 CID		1AM065750A	750	24 Months
2017-1998	Ford	F-450 Super Duty	6.8L V10 415 CID		BB065850AB	850	36 Months
2017-2011	Ford	F-450 Super Duty	6.7L V8 6651cc 406 CID		1AM065750A	750	24 Months
2017-2011	Ford	F-450 Super Duty	6.7L V8 6651cc 406 CID		BB065850AB	850	36 Months
1976-1975	Ford	F-500	5.4L V8 330 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-500	5.9L V8 360 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-500	6.4L V8 390 CID		1AM035550A	550	24 Months
1976-1975	Ford	F-500	5.4L V8 330 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1976-1975	Ford	F-500	5.9L V8 360 CID		2AM035500A	500	18 Months
1976-1975	Ford	F-500	6.4L V8 390 CID		2AM035500A	500	18 Months
1976-1975	Ford	F-500	5.4L V8 330 CID		2AM240530A	530	18 Months
1976-1975	Ford	F-500	5.9L V8 360 CID		2AM240530A	530	18 Months
1976-1975	Ford	F-500	6.4L V8 390 CID		2AM240530A	530	18 Months
1977	Ford	F-500	5.4L V8 330 CID		1AM260575A	575	24 Months
1977	Ford	F-500	5.9L V8 360 CID		1AM260575A	575	24 Months
1977	Ford	F-500	6.4L V8 390 CID		1AM260575A	575	24 Months
1977	Ford	F-500	5.4L V8 330 CID		BB26R540AD	540	36 Months
1977	Ford	F-500	5.9L V8 360 CID		BB26R540AD	540	36 Months
1977	Ford	F-500	6.4L V8 390 CID		BB26R540AD	540	36 Months
1996-1989	Ford	F53	7.5L V8 460 CID		1AM065750A	750	24 Months
1996-1989	Ford	F53	7.5L V8 460 CID		2AM065650A	650	18 Months
1996-1989	Ford	F53	7.5L V8 460 CID		BB065675AA	675	36 Months
1996-1989	Ford	F53	7.5L V8 460 CID		BB065850AB	850	36 Months
2014-2011,2009-2006,2004-1999	Ford	F53	6.8L V10 415 CID		2AM065650A	650	18 Months
2014-2011,2009-2006,2004-1999	Ford	F53	6.8L V10 415 CID		BB065675AA	675	36 Months
2017-2011,2009-2006,2004-1999	Ford	F53	6.8L V10 415 CID		1AM065750A	750	24 Months
2017-2011,2009-2006,2004-1999	Ford	F53	6.8L V10 415 CID		BB065850AB	850	36 Months
1999	Ford	F-550 Super Duty	7.3L V8 445 CID		2AM065650A	650	18 Months
1999	Ford	F-550 Super Duty	7.3L V8 445 CID		BB065675AA	675	36 Months
2003-1999	Ford	F-550 Super Duty	7.3L V8 445 CID		1AM065750A	750	24 Months
2003-1999	Ford	F-550 Super Duty	7.3L V8 445 CID		BB065850AB	850	36 Months
2007-2003	Ford	F-550 Super Duty	6.0L V8 363 CID		1AM065750A	750	24 Months
2007-2003	Ford	F-550 Super Duty	6.0L V8 363 CID		BB065850AB	850	36 Months
2010-2008	Ford	F-550 Super Duty	6.4L V8 391 CID		1AM065750A	750	24 Months
2010-2008	Ford	F-550 Super Duty	6.4L V8 391 CID		BB065850AB	850	36 Months
2016-1999	Ford	F-550 Super Duty	6.8L V10 415 CID		2AM065650A	650	18 Months
2016-1999	Ford	F-550 Super Duty	6.8L V10 415 CID		BB065675AA	675	36 Months
2017-1999	Ford	F-550 Super Duty	6.8L V10 415 CID		1AM065750A	750	24 Months
2017-1999	Ford	F-550 Super Duty	6.8L V10 415 CID		BB065850AB	850	36 Months
2017-2011	Ford	F-550 Super Duty	6.7L V8 6651cc 406 CID		1AM065750A	750	24 Months
2017-2011	Ford	F-550 Super Duty	6.7L V8 6651cc 406 CID		BB065850AB	850	36 Months
1997-1989	Ford	F59	7.3L V8 445 CID		1AM065750A	750	24 Months
1997-1989	Ford	F59	7.3L V8 445 CID		BB065850AB	850	36 Months
2015-2011	Ford	F59	6.8L V10 415 CID		1AM065750A	750	24 Months
2015-2011	Ford	F59	6.8L V10 415 CID		BB065850AB	850	36 Months
1959-1958	Ford	Fairlane	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1959-1958	Ford	Fairlane	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1959-1958	Ford	Fairlane	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1959-1958	Ford	Fairlane	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1961-1958	Ford	Fairlane	3.7L L6 223 CID		1AM035550A	550	24 Months
1961-1958	Ford	Fairlane	4.8L V8 292 CID		1AM035550A	550	24 Months
1961-1958	Ford	Fairlane	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1961-1958	Ford	Fairlane	3.7L L6 223 CID		1AM270710A	710	24 Months
1961-1958	Ford	Fairlane	4.8L V8 292 CID		1AM270710A	710	24 Months
1961-1958	Ford	Fairlane	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1961-1958	Ford	Fairlane	5.8L V8 352 CID		1AM270710A	710	24 Months
1961-1958	Ford	Fairlane	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1961-1958	Ford	Fairlane	3.7L L6 223 CID		2AM035500A	500	18 Months
1961-1958	Ford	Fairlane	4.8L V8 292 CID		2AM035500A	500	18 Months
1961-1958	Ford	Fairlane	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1961-1958	Ford	Fairlane	3.7L L6 223 CID		2AM240530A	530	18 Months
1961-1958	Ford	Fairlane	4.8L V8 292 CID		2AM240530A	530	18 Months
1961-1958	Ford	Fairlane	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1962	Ford	Fairlane	3.6L V8 221 CID		1AM260575A	575	24 Months
1962	Ford	Fairlane	3.6L V8 3622cc 221 CID		1AM260575A	575	24 Months
1962	Ford	Fairlane	4.3L V8 4261cc 260 CID		1AM260575A	575	24 Months
1962	Ford	Fairlane	3.6L V8 221 CID		BB26R540AD	540	36 Months
1962	Ford	Fairlane	3.6L V8 3622cc 221 CID		BB26R540AD	540	36 Months
1962	Ford	Fairlane	4.3L V8 4261cc 260 CID		BB26R540AD	540	36 Months
1963	Ford	Fairlane	3.6L V8 221 CID		1AM035550A	550	24 Months
1963	Ford	Fairlane	3.6L V8 3622cc 221 CID		1AM035550A	550	24 Months
1963	Ford	Fairlane	3.6L V8 221 CID		2AM035500A	500	18 Months
1963	Ford	Fairlane	3.6L V8 3622cc 221 CID		2AM035500A	500	18 Months
1963	Ford	Fairlane	3.6L V8 221 CID		2AM240530A	530	18 Months
1963	Ford	Fairlane	3.6L V8 3622cc 221 CID		2AM240530A	530	18 Months
1964-1963	Ford	Fairlane	4.3L V8 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Fairlane	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Fairlane	4.3L V8 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Fairlane	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Fairlane	4.3L V8 260 CID		2AM240530A	530	18 Months
1964-1963	Ford	Fairlane	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1966	Ford	Fairlane	5.8L V8 352 CID		1AM260575A	575	24 Months
1966	Ford	Fairlane	5.8L V8 5769cc 352 CID		1AM260575A	575	24 Months
1966	Ford	Fairlane	5.8L V8 352 CID		BB26R540AD	540	36 Months
1966	Ford	Fairlane	5.8L V8 5769cc 352 CID		BB26R540AD	540	36 Months
1966-1958	Ford	Fairlane	5.8L V8 352 CID		1AM035550A	550	24 Months
1966-1958	Ford	Fairlane	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1966-1958	Ford	Fairlane	5.8L V8 352 CID		2AM035500A	500	18 Months
1966-1958	Ford	Fairlane	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1966-1958	Ford	Fairlane	5.8L V8 352 CID		2AM240530A	530	18 Months
1966-1958	Ford	Fairlane	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1966-1962	Ford	Fairlane	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1966-1962	Ford	Fairlane	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1967	Ford	Fairlane	7.0L V8 427 CID		1AM035550A	550	24 Months
1967	Ford	Fairlane	7.0L V8 427 CID		1AM270710A	710	24 Months
1967	Ford	Fairlane	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967	Ford	Fairlane	7.0L V8 427 CID		2AM035500A	500	18 Months
1967	Ford	Fairlane	7.0L V8 427 CID		2AM240530A	530	18 Months
1967,1964-1963	Ford	Fairlane	4.7L V8 289 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967,1964-1963	Ford	Fairlane	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967,1964-1963	Ford	Fairlane	4.7L V8 289 CID		2AM035500A	500	18 Months
1967,1964-1963	Ford	Fairlane	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967,1964-1963	Ford	Fairlane	4.7L V8 289 CID		2AM240530A	530	18 Months
1967,1964-1963	Ford	Fairlane	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1965	Ford	Fairlane	4.7L V8 289 CID		1AM260575A	575	24 Months
1967-1965	Ford	Fairlane	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1967-1965	Ford	Fairlane	4.7L V8 289 CID		BB26R540AD	540	36 Months
1967-1965	Ford	Fairlane	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1968	Ford	Fairlane	7.0L V8 428 CID		1AM035550A	550	24 Months
1968	Ford	Fairlane	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1968	Ford	Fairlane	7.0L V8 428 CID		2AM035500A	500	18 Months
1968	Ford	Fairlane	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1968	Ford	Fairlane	7.0L V8 428 CID		2AM240530A	530	18 Months
1968	Ford	Fairlane	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1968-1967,1964	Ford	Fairlane	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968-1967,1964	Ford	Fairlane	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1967,1964	Ford	Fairlane	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969	Ford	Fairlane	3.3L L6 3278cc 200 CID		1AM035550A	550	24 Months
1969	Ford	Fairlane	3.3L L6 3278cc 200 CID		2AM035500A	500	18 Months
1969	Ford	Fairlane	3.3L L6 3278cc 200 CID		2AM240530A	530	18 Months
1969,1967	Ford	Fairlane	3.3L L6 200 CID		1AM035550A	550	24 Months
1969,1967	Ford	Fairlane	3.3L L6 200 CID		2AM035500A	500	18 Months
1969,1967	Ford	Fairlane	3.3L L6 200 CID		2AM240530A	530	18 Months
1969,1967,1964-1963	Ford	Fairlane	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1969,1967,1964-1963	Ford	Fairlane	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1969,1967,1964-1963	Ford	Fairlane	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1969,1967-1965	Ford	Fairlane	7.0L V8 427 CID		1AM260575A	575	24 Months
1969,1967-1965	Ford	Fairlane	7.0L V8 427 CID		BB26R540AD	540	36 Months
1969-1965	Ford	Fairlane	3.3L L6 200 CID		1AM260575A	575	24 Months
1969-1965	Ford	Fairlane	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1969-1965	Ford	Fairlane	7.0L V8 6997cc 427 CID		1AM260575A	575	24 Months
1969-1965	Ford	Fairlane	3.3L L6 200 CID		BB26R540AD	540	36 Months
1969-1965	Ford	Fairlane	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1969-1965	Ford	Fairlane	7.0L V8 6997cc 427 CID		BB26R540AD	540	36 Months
1969-1966	Ford	Fairlane	6.4L V8 390 CID		1AM270710A	710	24 Months
1969-1966	Ford	Fairlane	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969-1968	Ford	Fairlane	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1969-1968	Ford	Fairlane	7.0L V8 428 CID		1AM260575A	575	24 Months
1969-1968	Ford	Fairlane	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1969-1968	Ford	Fairlane	7.0L V8 428 CID		BB26R540AD	540	36 Months
1970	Ford	Fairlane	7.0L V8 429 CID		1AM260575A	575	24 Months
1970	Ford	Fairlane	7.0L V8 7030cc 429 CID		1AM260575A	575	24 Months
1970	Ford	Fairlane	7.0L V8 429 CID		BB26R540AD	540	36 Months
1970	Ford	Fairlane	7.0L V8 7030cc 429 CID		BB26R540AD	540	36 Months
1970,1967	Ford	Fairlane	6.4L V8 390 CID		1AM260575A	575	24 Months
1970,1967	Ford	Fairlane	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1970,1967	Ford	Fairlane	6.4L V8 390 CID		BB26R540AD	540	36 Months
1970,1967	Ford	Fairlane	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970-1962	Ford	Fairlane	6.4L V8 390 CID		1AM035550A	550	24 Months
1970-1962	Ford	Fairlane	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970-1962	Ford	Fairlane	6.4L V8 390 CID		2AM035500A	500	18 Months
1970-1962	Ford	Fairlane	6.4L V8 390 CID		2AM240530A	530	18 Months
1970-1962	Ford	Fairlane	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1970-1968	Ford	Fairlane	5.0L V8 302 CID		1AM260575A	575	24 Months
1970-1968	Ford	Fairlane	7.0L V8 7014cc 428 CID		1AM260575A	575	24 Months
1970-1968	Ford	Fairlane	5.0L V8 302 CID		BB26R540AD	540	36 Months
1970-1968	Ford	Fairlane	7.0L V8 7014cc 428 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Fairlane	4.1L L6 250 CID		1AM260575A	575	24 Months
1970-1969	Ford	Fairlane	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970-1969	Ford	Fairlane	5.8L V8 351 CID		1AM260575A	575	24 Months
1970-1969	Ford	Fairlane	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1970-1969	Ford	Fairlane	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Fairlane	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Fairlane	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Fairlane	5.8L V8 351 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Fairlane	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Fairlane	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1982	Ford	Fairmont	4.2L V8 255 CID		1AM035550A	550	24 Months
1982	Ford	Fairmont	4.2L V8 255 CID		2AM035500A	500	18 Months
1982	Ford	Fairmont	4.2L V8 255 CID		2AM240530A	530	18 Months
1983	Ford	Fairmont	3.3L L6 200 CID	Police or Taxi	1AM035550A	550	24 Months
1983	Ford	Fairmont	3.3L L6 200 CID	Police or Taxi	2AM035500A	500	18 Months
1983	Ford	Fairmont	3.3L L6 200 CID	Police or Taxi	2AM240530A	530	18 Months
1963-1962	Ford	Falcon	3.6L V8 3622cc 221 CID		1AM035550A	550	24 Months
1963-1962	Ford	Falcon	3.6L V8 3622cc 221 CID		1AM260575A	575	24 Months
1963-1962	Ford	Falcon	3.6L V8 3622cc 221 CID		2AM035500A	500	18 Months
1963-1962	Ford	Falcon	3.6L V8 3622cc 221 CID		2AM240530A	530	18 Months
1963-1962	Ford	Falcon	3.6L V8 3622cc 221 CID		BB26R540AD	540	36 Months
1964-1960	Ford	Falcon	2.4L L6 2360cc 144 CID		1AM035550A	550	24 Months
1964-1960	Ford	Falcon	2.4L L6 2360cc 144 CID		1AM260575A	575	24 Months
1964-1960	Ford	Falcon	2.4L L6 2360cc 144 CID		2AM035500A	500	18 Months
1964-1960	Ford	Falcon	2.4L L6 2360cc 144 CID		2AM240530A	530	18 Months
1964-1960	Ford	Falcon	2.4L L6 2360cc 144 CID		BB26R540AD	540	36 Months
1964-1962	Ford	Falcon	2.4L L6 144 CID		1AM035550A	550	24 Months
1964-1962	Ford	Falcon	2.4L L6 144 CID		1AM260575A	575	24 Months
1964-1962	Ford	Falcon	4.3L V8 4261cc 260 CID		1AM260575A	575	24 Months
1964-1962	Ford	Falcon	2.4L L6 144 CID		2AM035500A	500	18 Months
1964-1962	Ford	Falcon	2.4L L6 144 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1964-1962	Ford	Falcon	2.4L L6 144 CID		BB26R540AD	540	36 Months
1964-1962	Ford	Falcon	4.3L V8 4261cc 260 CID		BB26R540AD	540	36 Months
1964-1963	Ford	Falcon	4.3L V8 260 CID		1AM260575A	575	24 Months
1965,1962	Ford	Falcon	4.3L V8 4261cc 260 CID		BB26R540AD	540	36 Months
1965,1962	Ford	Falcon	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1965,1962	Ford	Falcon	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1965,1962	Ford	Falcon	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1968-1964	Ford	Falcon	4.7L V8 289 CID		1AM035550A	550	24 Months
1968-1964	Ford	Falcon	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1968-1964	Ford	Falcon	4.7L V8 289 CID		2AM035500A	500	18 Months
1968-1964	Ford	Falcon	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1968-1964	Ford	Falcon	4.7L V8 289 CID		2AM240530A	530	18 Months
1968-1964	Ford	Falcon	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1968-1965	Ford	Falcon	4.7L V8 289 CID		1AM260575A	575	24 Months
1968-1965	Ford	Falcon	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1968-1965	Ford	Falcon	4.7L V8 289 CID		BB26R540AD	540	36 Months
1968-1965	Ford	Falcon	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1969-1960	Ford	Falcon	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1969-1960	Ford	Falcon	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1969-1960	Ford	Falcon	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1969-1960	Ford	Falcon	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1969-1960	Ford	Falcon	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1969-1962	Ford	Falcon	2.8L L6 170 CID		1AM035550A	550	24 Months
1969-1962	Ford	Falcon	2.8L L6 170 CID		1AM260575A	575	24 Months
1969-1962	Ford	Falcon	2.8L L6 170 CID		2AM035500A	500	18 Months
1969-1962	Ford	Falcon	2.8L L6 170 CID		2AM240530A	530	18 Months
1969-1962	Ford	Falcon	2.8L L6 170 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	4.1L L6 250 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	4.1L L6 4098cc 250 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	5.8L V8 351 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	7.0L V8 429 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1970	Ford	Falcon	4.1L L6 250 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	5.8L V8 351 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	7.0L V8 429 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	7.0L V8 7030cc 429 CID		1AM260575A	575	24 Months
1970	Ford	Falcon	5.8L V8 351 CID		1AM270710A	710	24 Months
1970	Ford	Falcon	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1970	Ford	Falcon	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1970	Ford	Falcon	7.0L V8 429 CID		1AM270710A	710	24 Months
1970	Ford	Falcon	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1970	Ford	Falcon	4.1L L6 250 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	4.1L L6 4098cc 250 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	5.8L V8 351 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	7.0L V8 429 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1970	Ford	Falcon	4.1L L6 250 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	4.1L L6 4098cc 250 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	5.8L V8 351 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	7.0L V8 429 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	4.1L L6 250 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	4.1L L6 4098cc 250 CID		2AM240530A	530	18 Months
1970	Ford	Falcon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	7.0L V8 429 CID		BB26R540AD	540	36 Months
1970	Ford	Falcon	7.0L V8 7030cc 429 CID		BB26R540AD	540	36 Months
1970-1964	Ford	Falcon	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1970-1964	Ford	Falcon	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1970-1964	Ford	Falcon	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1970-1964	Ford	Falcon	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1970-1964	Ford	Falcon	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1970-1965	Ford	Falcon	3.3L L6 200 CID		1AM035550A	550	24 Months
1970-1965	Ford	Falcon	3.3L L6 200 CID		1AM260575A	575	24 Months
1970-1965	Ford	Falcon	3.3L L6 200 CID		2AM035500A	500	18 Months
1970-1965	Ford	Falcon	3.3L L6 200 CID		2AM240530A	530	18 Months
1970-1965	Ford	Falcon	3.3L L6 200 CID		BB26R540AD	540	36 Months
1970-1968	Ford	Falcon	3.3L L6 3278cc 200 CID		1AM035550A	550	24 Months
1970-1968	Ford	Falcon	5.0L V8 302 CID		1AM035550A	550	24 Months
1970-1968	Ford	Falcon	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1970-1968	Ford	Falcon	5.0L V8 302 CID		1AM260575A	575	24 Months
1970-1968	Ford	Falcon	3.3L L6 3278cc 200 CID		2AM035500A	500	18 Months
1970-1968	Ford	Falcon	5.0L V8 302 CID		2AM035500A	500	18 Months
1970-1968	Ford	Falcon	3.3L L6 3278cc 200 CID		2AM240530A	530	18 Months
1970-1968	Ford	Falcon	5.0L V8 302 CID		2AM240530A	530	18 Months
1970-1968	Ford	Falcon	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1970-1968	Ford	Falcon	5.0L V8 302 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Falcon	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1970-1969	Ford	Falcon	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1970-1969	Ford	Falcon	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1970-1969	Ford	Falcon	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1970-1969	Ford	Falcon	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1962	Ford	Falcon Sedan Delivery	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1962	Ford	Falcon Sedan Delivery	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1962	Ford	Falcon Sedan Delivery	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1964	Ford	Falcon Sedan Delivery	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1964	Ford	Falcon Sedan Delivery	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1964	Ford	Falcon Sedan Delivery	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1964-1961	Ford	Falcon Sedan Delivery	2.4L L6 2360cc 144 CID		1AM035550A	550	24 Months
1964-1961	Ford	Falcon Sedan Delivery	2.4L L6 2360cc 144 CID		1AM260575A	575	24 Months
1964-1961	Ford	Falcon Sedan Delivery	2.4L L6 2360cc 144 CID		2AM035500A	500	18 Months
1964-1961	Ford	Falcon Sedan Delivery	2.4L L6 2360cc 144 CID		2AM240530A	530	18 Months
1964-1961	Ford	Falcon Sedan Delivery	2.4L L6 2360cc 144 CID		BB26R540AD	540	36 Months
1964-1962	Ford	Falcon Sedan Delivery	4.3L V8 4261cc 260 CID		1AM260575A	575	24 Months
1964-1962	Ford	Falcon Sedan Delivery	4.3L V8 4261cc 260 CID		BB26R540AD	540	36 Months
1965-1961	Ford	Falcon Sedan Delivery	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1965-1961	Ford	Falcon Sedan Delivery	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1965-1961	Ford	Falcon Sedan Delivery	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1965-1961	Ford	Falcon Sedan Delivery	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1965-1961	Ford	Falcon Sedan Delivery	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1965-1964	Ford	Falcon Sedan Delivery	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1965-1964	Ford	Falcon Sedan Delivery	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1965-1964	Ford	Falcon Sedan Delivery	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1965-1964	Ford	Falcon Sedan Delivery	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1965-1964	Ford	Falcon Sedan Delivery	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1965-1964	Ford	Falcon Sedan Delivery	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1965-1964	Ford	Falcon Sedan Delivery	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1993-1988	Ford	Fiesta	1.3L L4 1295cc		1AM035550A	550	24 Months
1993-1988	Ford	Fiesta	1.3L L4 1295cc		2AM035500A	500	18 Months
2013-2011	Ford	Fiesta	1.6L L4 1598cc 98 CID		1AM960590A	590	24 Months
2017-2011	Ford	Fiesta	1.6L L4 1596cc 97 CID		1AM960590A	590	24 Months
2017-2014	Ford	Fiesta	1.0L L3 999cc 61 CID		1AM960590A	590	24 Months
2007-2005	Ford	Five Hundred	3.0L V6 183 CID		1AM360650A	650	24 Months
2007-2005	Ford	Five Hundred	3.0L V6 2968cc 181 CID		1AM360650A	650	24 Months
2009	Ford	Flex	3.5L V6 3496cc 213 CID		2AM065650A	650	18 Months
2009	Ford	Flex	3.5L V6 3496cc 213 CID		BB065675AA	675	36 Months
2017-2009	Ford	Flex	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017-2009	Ford	Flex	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2017-2010	Ford	Flex	3.5L V6 3496cc 213 CID; w/ Duratec Engine		2AM065650A	650	18 Months
2017-2010	Ford	Flex	3.5L V6 3496cc 213 CID; w/ Duratec Engine		BB065675AA	675	36 Months
2007-2003	Ford	Focus	2.3L L4 140 CID		1AM960590A	590	24 Months
2010-2000	Ford	Focus	2.0L L4 1989cc 121 CID		1AM960590A	590	24 Months
2015	Ford	Focus	1.0L L3 999cc 61 CID; w/ EcoBoost Engine	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Ford	Focus	1.0L L3 999cc 61 CID	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Ford	Focus	1.0L L3 999cc 61 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2016-2015	Ford	Focus	1.0L L3 999cc 61 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2017-2013	Ford	Focus	2.0L L4 1999cc 122 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM960590A	590	24 Months
2017-2016	Ford	Focus	2.3L L4 2300cc 140 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM960590A	590	24 Months
1963	Ford	Ford 300	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1963	Ford	Ford 300	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1963	Ford	Ford 300	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1963	Ford	Ford 300	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1963	Ford	Ford 300	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1963	Ford	Ford 300	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
2007-2004	Ford	Freestar	3.9L V6 238 CID		1AM065750A	750	24 Months
2007-2004	Ford	Freestar	4.2L V6 256 CID		1AM065750A	750	24 Months
2007-2004	Ford	Freestar	3.9L V6 238 CID		2AM065650A	650	18 Months
2007-2004	Ford	Freestar	4.2L V6 256 CID		2AM065650A	650	18 Months
2007-2004	Ford	Freestar	3.9L V6 238 CID		BB065675AA	675	36 Months
2007-2004	Ford	Freestar	4.2L V6 256 CID		BB065675AA	675	36 Months
2007-2004	Ford	Freestar	3.9L V6 238 CID		BB065850AB	850	36 Months
2007-2004	Ford	Freestar	4.2L V6 256 CID		BB065850AB	850	36 Months
2007-2005	Ford	Freestyle	3.0L V6 2968cc 181 CID		1AM360650A	650	24 Months
2010-2006	Ford	Fusion	2.3L L4 140 CID		1AM960590A	590	24 Months
2010-2006	Ford	Fusion	3.0L V6 183 CID		1AM960590A	590	24 Months
2010-2006	Ford	Fusion	3.0L V6 2967cc 181 CID		1AM960590A	590	24 Months
2012-2006	Ford	Fusion	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2012-2010	Ford	Fusion	2.5L L4 2488cc 152 CID; GAS		1AM960590A	590	24 Months
2012-2010	Ford	Fusion	3.5L V6 3496cc 213 CID		1AM960590A	590	24 Months
2013	Ford	Fusion	2.5L L4 2500cc 153 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.; Professional installation required.	BB075590AB	590	36 Months
2014-2013	Ford	Fusion	1.6L L4 1596cc 97 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.; Professional installation required.	BB075590AB	590	36 Months
2016	Ford	Fusion	2.0L L4 1999cc 122 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.; Professional installation required.	BB075590AB	590	36 Months
2017	Ford	Fusion	2.7L V6 164 CID		1AM940800A	800	24 Months
2017	Ford	Fusion	2.7L V6 164 CID		BB0H7730AB	730	36 Months
2017,2015-2013	Ford	Fusion	2.0L L4 1999cc 122 CID; GAS	Installation may take up to 45 minutes. Battery located under hood, under cowling.; Professional installation required.	BB075590AB	590	36 Months
2017-2013	Ford	Fusion	2.5L L4 2488cc 152 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.; Professional installation required.	BB075590AB	590	36 Months
2017-2014	Ford	Fusion	1.5L L4 1499cc 91 CID	Installation may take up to 45 minutes. Battery located under hood, under cowling.; Professional installation required.	BB075590AB	590	36 Months
1962	Ford	Galaxie	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1964-1963	Ford	Galaxie	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Galaxie	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1964-1963	Ford	Galaxie	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Galaxie	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1964-1963	Ford	Galaxie	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1964-1963	Ford	Galaxie	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1966	Ford	Galaxie	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1966	Ford	Galaxie	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1966	Ford	Galaxie	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1966	Ford	Galaxie	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1966-1965	Ford	Galaxie	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1966-1965	Ford	Galaxie	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1966-1965	Ford	Galaxie	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1966-1965	Ford	Galaxie	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967	Ford	Galaxie	7.0L V8 6997cc 427 CID		1AM260575A	575	24 Months
1967	Ford	Galaxie	7.0L V8 7014cc 428 CID		1AM260575A	575	24 Months
1967	Ford	Galaxie	7.0L V8 6997cc 427 CID		BB26R540AD	540	36 Months
1967	Ford	Galaxie	7.0L V8 7014cc 428 CID		BB26R540AD	540	36 Months
1967-1965	Ford	Galaxie	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1967-1965	Ford	Galaxie	4.7L V8 4727cc 289 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1967-1965	Ford	Galaxie	5.8L V8 5769cc 352 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1967-1965	Ford	Galaxie	4.7L V8 4727cc 289 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Galaxie	5.8L V8 5769cc 352 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Galaxie	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967-1965	Ford	Galaxie	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1967-1965	Ford	Galaxie	4.7L V8 4727cc 289 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1967-1965	Ford	Galaxie	5.8L V8 5769cc 352 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1967-1965	Ford	Galaxie	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1967-1965	Ford	Galaxie	4.7L V8 4727cc 289 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1967-1965	Ford	Galaxie	5.8L V8 5769cc 352 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1967-1965	Ford	Galaxie	4.7L V8 4727cc 289 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Galaxie	5.8L V8 5769cc 352 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Galaxie	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1962	Ford	Galaxie 500	4.8L V8 292 CID		1AM035550A	550	24 Months
1962	Ford	Galaxie 500	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962	Ford	Galaxie 500	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	3.7L L6 223 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	4.8L V8 292 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	5.8L V8 352 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	6.4L V8 390 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1962	Ford	Galaxie 500	4.8L V8 292 CID		2AM035500A	500	18 Months
1962	Ford	Galaxie 500	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962	Ford	Galaxie 500	4.8L V8 292 CID		2AM240530A	530	18 Months
1962	Ford	Galaxie 500	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1962	Ford	Galaxie 500	4.8L V8 292 CID		2AM240530A	530	18 Months
1962	Ford	Galaxie 500	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1963	Ford	Galaxie 500	3.3L L6 200 CID		1AM035550A	550	24 Months
1963	Ford	Galaxie 500	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1963	Ford	Galaxie 500	3.3L L6 200 CID		2AM035500A	500	18 Months
1963	Ford	Galaxie 500	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1963	Ford	Galaxie 500	3.3L L6 200 CID		2AM240530A	530	18 Months
1963	Ford	Galaxie 500	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1964-1962	Ford	Galaxie 500	3.6L L6 3655cc 223 CID		1AM035550A	550	24 Months
1964-1962	Ford	Galaxie 500	3.7L L6 223 CID		1AM035550A	550	24 Months
1964-1962	Ford	Galaxie 500	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1964-1962	Ford	Galaxie 500	3.6L L6 3655cc 223 CID		2AM035500A	500	18 Months
1964-1962	Ford	Galaxie 500	3.7L L6 223 CID		2AM035500A	500	18 Months
1964-1962	Ford	Galaxie 500	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1964-1962	Ford	Galaxie 500	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1964-1962	Ford	Galaxie 500	3.7L L6 223 CID		2AM240530A	530	18 Months
1964-1962	Ford	Galaxie 500	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1964-1963	Ford	Galaxie 500	4.3L V8 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Galaxie 500	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Galaxie 500	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1964-1963	Ford	Galaxie 500	4.3L V8 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Galaxie 500	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Galaxie 500	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1964-1963	Ford	Galaxie 500	4.3L V8 260 CID		2AM240530A	530	18 Months
1964-1963	Ford	Galaxie 500	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1964-1963	Ford	Galaxie 500	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1966	Ford	Galaxie 500	5.8L V8 352 CID		1AM260575A	575	24 Months
1966	Ford	Galaxie 500	5.8L V8 352 CID		BB26R540AD	540	36 Months
1966-1962	Ford	Galaxie 500	5.8L V8 352 CID		1AM035550A	550	24 Months
1966-1962	Ford	Galaxie 500	5.8L V8 352 CID		2AM035500A	500	18 Months
1966-1962	Ford	Galaxie 500	5.8L V8 352 CID		2AM240530A	530	18 Months
1967-1963	Ford	Galaxie 500	4.7L V8 289 CID		1AM035550A	550	24 Months
1967-1963	Ford	Galaxie 500	4.7L V8 289 CID		2AM035500A	500	18 Months
1967-1963	Ford	Galaxie 500	4.7L V8 289 CID		2AM240530A	530	18 Months
1967-1966	Ford	Galaxie 500	4.7L V8 289 CID		1AM260575A	575	24 Months
1967-1966	Ford	Galaxie 500	7.0L V8 427 CID		1AM260575A	575	24 Months
1967-1966	Ford	Galaxie 500	4.7L V8 289 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Galaxie 500	7.0L V8 427 CID		BB26R540AD	540	36 Months
1968	Ford	Galaxie 500	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968	Ford	Galaxie 500	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968	Ford	Galaxie 500	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1965	Ford	Galaxie 500	7.0L V8 427 CID		2AM240530A	530	18 Months
1968-1965	Ford	Galaxie 500	7.0L V8 427 CID		1AM035550A	550	24 Months
1968-1965	Ford	Galaxie 500	7.0L V8 427 CID		2AM035500A	500	18 Months
1968-1965	Ford	Galaxie 500	7.0L V8 427 CID		2AM240530A	530	18 Months
1968-1966	Ford	Galaxie 500	7.0L V8 427 CID		1AM270710A	710	24 Months
1969-1968	Ford	Galaxie 500	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968	Ford	Galaxie 500	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968	Ford	Galaxie 500	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968	Ford	Galaxie 500	7.0L V8 428 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970	Ford	Galaxie 500	3.9L L6 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970	Ford	Galaxie 500	3.9L L6 3933cc 240 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1970	Ford	Galaxie 500	3.9L L6 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970	Ford	Galaxie 500	3.9L L6 3933cc 240 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1970-1966	Ford	Galaxie 500	6.4L V8 390 CID		1AM260575A	575	24 Months
1970-1966	Ford	Galaxie 500	6.4L V8 390 CID		BB26R540AD	540	36 Months
1970-1968	Ford	Galaxie 500	3.9L L6 240 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	Galaxie 500	3.9L L6 3933cc 240 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	Galaxie 500	5.0L V8 302 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	Galaxie 500	6.4L V8 390 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	Galaxie 500	6.4L V8 6391cc 390 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	Galaxie 500	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1968	Ford	Galaxie 500	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1970-1968	Ford	Galaxie 500	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1968	Ford	Galaxie 500	3.9L L6 240 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	Galaxie 500	3.9L L6 3933cc 240 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	Galaxie 500	5.0L V8 302 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	Galaxie 500	6.4L V8 390 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	Galaxie 500	6.4L V8 6391cc 390 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	Galaxie 500	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1968	Ford	Galaxie 500	3.9L L6 240 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	Galaxie 500	3.9L L6 3933cc 240 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	Galaxie 500	5.0L V8 302 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	Galaxie 500	6.4L V8 390 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	Galaxie 500	6.4L V8 6391cc 390 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	Galaxie 500	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Galaxie 500	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Galaxie 500	5.8L V8 351 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1969	Ford	Galaxie 500	5.8L V8 5752cc 351 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1969	Ford	Galaxie 500	5.8L V8 5753cc 351 CID; w/ Automatic Trans.	w/AC	1AM035550A	550	24 Months
1970-1969	Ford	Galaxie 500	5.8L V8 351 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1969	Ford	Galaxie 500	5.8L V8 5752cc 351 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1969	Ford	Galaxie 500	5.8L V8 5753cc 351 CID; w/ Automatic Trans.	w/AC	2AM035500A	500	18 Months
1970-1969	Ford	Galaxie 500	5.8L V8 351 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1969	Ford	Galaxie 500	5.8L V8 5752cc 351 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1970-1969	Ford	Galaxie 500	5.8L V8 5753cc 351 CID; w/ Automatic Trans.	w/AC	2AM240530A	530	18 Months
1971,1964-1962	Ford	Galaxie 500	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971,1964-1962	Ford	Galaxie 500	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971,1964-1962	Ford	Galaxie 500	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1971,1967-1962	Ford	Galaxie 500	6.4L V8 390 CID		1AM035550A	550	24 Months
1971,1967-1962	Ford	Galaxie 500	6.4L V8 390 CID		2AM035500A	500	18 Months
1971,1967-1962	Ford	Galaxie 500	6.4L V8 390 CID		2AM240530A	530	18 Months
1972	Ford	Galaxie 500	3.9L L6 240 CID		1AM270710A	710	24 Months
1972	Ford	Galaxie 500	3.9L L6 3933cc 240 CID		1AM270710A	710	24 Months
1972	Ford	Galaxie 500	5.0L V8 302 CID		1AM270710A	710	24 Months
1972,1969-1966	Ford	Galaxie 500	3.9L L6 240 CID		1AM260575A	575	24 Months
1972,1969-1966	Ford	Galaxie 500	3.9L L6 240 CID		BB26R540AD	540	36 Months
1972,1969-1968	Ford	Galaxie 500	3.9L L6 3933cc 240 CID		1AM260575A	575	24 Months
1972,1969-1968	Ford	Galaxie 500	3.9L L6 3933cc 240 CID		BB26R540AD	540	36 Months
1972,1970-1968	Ford	Galaxie 500	5.0L V8 302 CID		1AM260575A	575	24 Months
1972,1970-1968	Ford	Galaxie 500	5.0L V8 302 CID		BB26R540AD	540	36 Months
1972-1971	Ford	Galaxie 500	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1972-1971	Ford	Galaxie 500	5.0L V8 302 CID		1AM035550A	550	24 Months
1972-1971	Ford	Galaxie 500	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1971	Ford	Galaxie 500	5.0L V8 302 CID		2AM035500A	500	18 Months
1972-1971	Ford	Galaxie 500	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972-1971	Ford	Galaxie 500	5.0L V8 302 CID		2AM240530A	530	18 Months
1972-1971,1967-1965	Ford	Galaxie 500	3.9L L6 240 CID		1AM035550A	550	24 Months
1972-1971,1967-1965	Ford	Galaxie 500	3.9L L6 240 CID		2AM035500A	500	18 Months
1972-1971,1967-1965	Ford	Galaxie 500	3.9L L6 240 CID		2AM240530A	530	18 Months
1973-1969	Ford	Galaxie 500	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Galaxie 500	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Galaxie 500	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Galaxie 500	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Galaxie 500	7.0L V8 429 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1973-1969	Ford	Galaxie 500	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1972, 1970-1969	Ford	Galaxie 500	7.0L V8 429 CID		1AM270710A	710	24 Months
1973-1972, 1970-1969	Ford	Galaxie 500	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1974, 1972	Ford	Galaxie 500	5.8L V8 351 CID		1AM270710A	710	24 Months
1974, 1972	Ford	Galaxie 500	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1974, 1972	Ford	Galaxie 500	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1974, 1972, 1970-1969	Ford	Galaxie 500	5.8L V8 351 CID		1AM260575A	575	24 Months
1974, 1972, 1970-1969	Ford	Galaxie 500	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974, 1972, 1970-1969	Ford	Galaxie 500	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974, 1972, 1970-1969	Ford	Galaxie 500	5.8L V8 351 CID		BB26R540AD	540	36 Months
1974, 1972, 1970-1969	Ford	Galaxie 500	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974, 1972, 1970-1969	Ford	Galaxie 500	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1971	Ford	Galaxie 500	5.8L V8 351 CID		1AM035550A	550	24 Months
1974-1971	Ford	Galaxie 500	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1974-1971	Ford	Galaxie 500	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1974-1971	Ford	Galaxie 500	6.6L V8 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Galaxie 500	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Galaxie 500	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Galaxie 500	5.8L V8 351 CID		2AM035500A	500	18 Months
1974-1971	Ford	Galaxie 500	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1974-1971	Ford	Galaxie 500	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1974-1971	Ford	Galaxie 500	6.6L V8 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Galaxie 500	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Galaxie 500	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Galaxie 500	5.8L V8 351 CID		2AM240530A	530	18 Months
1974-1971	Ford	Galaxie 500	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1974-1971	Ford	Galaxie 500	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1974-1971	Ford	Galaxie 500	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Galaxie 500	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Galaxie 500	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Galaxie 500	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Galaxie 500	6.6L V8 400 CID		1AM270710A	710	24 Months
1974-1972	Ford	Galaxie 500	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1972	Ford	Galaxie 500	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1972	Ford	Galaxie 500	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1972	Ford	Galaxie 500	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Galaxie 500	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1973	Ford	Galaxie 500	7.5L V8 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	Galaxie 500	7.5L V8 460 CID		1AM270710A	710	24 Months
1974-1973	Ford	Galaxie 500	7.5L V8 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	Galaxie 500	7.5L V8 460 CID		2AM240530A	530	18 Months
1973	Ford	Gran Torino	5.0L V8 302 CID		1AM035550A	550	24 Months
1973	Ford	Gran Torino	5.0L V8 302 CID		2AM035500A	500	18 Months
1973	Ford	Gran Torino	5.0L V8 302 CID		2AM240530A	530	18 Months
1973-1972	Ford	Gran Torino	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1972	Ford	Gran Torino	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1972	Ford	Gran Torino	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1972	Ford	Gran Torino	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1972	Ford	Gran Torino	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1972	Ford	Gran Torino	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1972	Ford	Gran Torino	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1972	Ford	Gran Torino	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1972	Ford	Gran Torino	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1972	Ford	Gran Torino	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1972	Ford	Gran Torino	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1972	Ford	Gran Torino	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1972	Ford	Gran Torino	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1972	Ford	Gran Torino	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1972	Ford	Gran Torino	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974	Ford	Gran Torino	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974	Ford	Gran Torino	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974	Ford	Gran Torino	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974	Ford	Gran Torino	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1972	Ford	Gran Torino	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1972	Ford	Gran Torino	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1972	Ford	Gran Torino	4.1L L6 250 CID		1AM260575A	575	24 Months
1974-1972	Ford	Gran Torino	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1974-1972	Ford	Gran Torino	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1974-1972	Ford	Gran Torino	5.0L V8 302 CID		1AM260575A	575	24 Months
1974-1972	Ford	Gran Torino	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1972	Ford	Gran Torino	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1972	Ford	Gran Torino	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Gran Torino	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Gran Torino	4.1L L6 250 CID		BB26R540AD	540	36 Months
1974-1972	Ford	Gran Torino	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1974-1972	Ford	Gran Torino	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1974-1972	Ford	Gran Torino	5.0L V8 302 CID		BB26R540AD	540	36 Months
1974-1973	Ford	Gran Torino	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	Gran Torino	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	Gran Torino	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1972	Ford	Gran Torino	6.6L V8 400 CID		1AM035550A	550	24 Months
1976-1972	Ford	Gran Torino	6.6L V8 400 CID		2AM035500A	500	18 Months
1976-1972	Ford	Gran Torino	6.6L V8 400 CID		2AM240530A	530	18 Months
1976-1974	Ford	Gran Torino	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1974	Ford	Gran Torino	5.8L V8 351 CID		1AM260575A	575	24 Months
1976-1974	Ford	Gran Torino	7.5L V8 460 CID		2AM035500A	500	18 Months
1976-1974	Ford	Gran Torino	7.5L V8 460 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1976-1974	Ford	Gran Torino	5.8L V8 351 CID		BB26R540AD	540	36 Months
1977-1975	Ford	Granada	3.3L L6 200 CID		1AM260575A	575	24 Months
1977-1975	Ford	Granada	4.1L L6 250 CID		1AM260575A	575	24 Months
1977-1975	Ford	Granada	5.0L V8 302 CID		1AM260575A	575	24 Months
1977-1975	Ford	Granada	5.8L V8 351 CID		1AM260575A	575	24 Months
1977-1975	Ford	Granada	3.3L L6 200 CID		BB26R540AD	540	36 Months
1977-1975	Ford	Granada	4.1L L6 250 CID		BB26R540AD	540	36 Months
1977-1975	Ford	Granada	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977-1975	Ford	Granada	5.8L V8 351 CID		BB26R540AD	540	36 Months
2004-1995	Ford	Grand Marquis	4.6L V8 281 CID		1AM065750A	750	24 Months
2004-1995	Ford	Grand Marquis	4.6L V8 281 CID		2AM065650A	650	18 Months
2004-1995	Ford	Grand Marquis	4.6L V8 281 CID		BB065675A	675	36 Months
2004-1995	Ford	Grand Marquis	4.6L V8 281 CID		BB065850AB	850	36 Months
1968	Ford	GT40	4.7L V8 289 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1968	Ford	GT40	4.7L V8 289 CID		1AM260575A	575	24 Months
1968	Ford	GT40	4.7L V8 289 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1968	Ford	GT40	4.7L V8 289 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1968	Ford	GT40	4.7L V8 289 CID		BB26R540AD	540	36 Months
1969,1967-1964	Ford	GT40	4.7L V8 4727cc 289 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1969,1967-1964	Ford	GT40	4.7L V8 4727cc 289 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1969,1967-1964	Ford	GT40	4.7L V8 4727cc 289 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1969-1964	Ford	GT40	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1969-1964	Ford	GT40	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1969-1965	Ford	GT40	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1969-1965	Ford	GT40	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1969-1965	Ford	GT40	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1969-1965	Ford	GT40	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1966	Ford	LTD	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1966	Ford	LTD	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1966-1965	Ford	LTD	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1966-1965	Ford	LTD	5.8L V8 5769cc 352 CID		1AM260575A	575	24 Months
1966-1965	Ford	LTD	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1966-1965	Ford	LTD	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1966-1965	Ford	LTD	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1966-1965	Ford	LTD	5.8L V8 5769cc 352 CID		BB26R540AD	540	36 Months
1966-1965	Ford	LTD	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967	Ford	LTD	4.7L V8 4727cc 289 CID	w/AC	1AM035550A	550	24 Months
1967	Ford	LTD	5.8L V8 5769cc 352 CID	w/AC	1AM035550A	550	24 Months
1967	Ford	LTD	4.7L V8 4727cc 289 CID	w/o AC	1AM260575A	575	24 Months
1967	Ford	LTD	5.8L V8 5769cc 352 CID	w/o AC	1AM260575A	575	24 Months
1967	Ford	LTD	6.4L V8 6392cc 390 CID		1AM260575A	575	24 Months
1967	Ford	LTD	4.7L V8 4727cc 289 CID	w/AC	2AM035500A	500	18 Months
1967	Ford	LTD	5.8L V8 5769cc 352 CID	w/AC	2AM035500A	500	18 Months
1967	Ford	LTD	4.7L V8 4727cc 289 CID	w/AC	2AM240530A	530	18 Months
1967	Ford	LTD	5.8L V8 5769cc 352 CID	w/AC	2AM240530A	530	18 Months
1967	Ford	LTD	4.7L V8 4727cc 289 CID	w/o AC	BB26R540AD	540	36 Months
1967	Ford	LTD	5.8L V8 5769cc 352 CID	w/o AC	BB26R540AD	540	36 Months
1967	Ford	LTD	6.4L V8 6392cc 390 CID		BB26R540AD	540	36 Months
1967-1965	Ford	LTD	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967-1965	Ford	LTD	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1968	Ford	LTD	7.0L V8 427 CID		1AM035550A	550	24 Months
1968	Ford	LTD	7.0L V8 427 CID		1AM270710A	710	24 Months
1968	Ford	LTD	7.0L V8 427 CID		2AM035500A	500	18 Months
1968	Ford	LTD	7.0L V8 427 CID		2AM240530A	530	18 Months
1968-1965	Ford	LTD	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968-1965	Ford	LTD	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968-1965	Ford	LTD	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1965	Ford	LTD	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969-1968,1965	Ford	LTD	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968,1965	Ford	LTD	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968,1965	Ford	LTD	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968,1965	Ford	LTD	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1966	Ford	LTD	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Ford	LTD	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1966	Ford	LTD	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Ford	LTD	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	LTD	5.0L V8 302 CID	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	LTD	6.4L V8 390 CID	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	LTD	6.4L V8 6391cc 390 CID	w/AC	1AM035550A	550	24 Months
1970-1968	Ford	LTD	5.0L V8 302 CID	w/o AC	1AM260575A	575	24 Months
1970-1968	Ford	LTD	6.4L V8 390 CID	w/o AC	1AM260575A	575	24 Months
1970-1968	Ford	LTD	6.4L V8 6391cc 390 CID	w/o AC	1AM260575A	575	24 Months
1970-1968	Ford	LTD	5.0L V8 302 CID	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	LTD	6.4L V8 390 CID	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	LTD	6.4L V8 6391cc 390 CID	w/AC	2AM035500A	500	18 Months
1970-1968	Ford	LTD	5.0L V8 302 CID	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	LTD	6.4L V8 390 CID	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	LTD	6.4L V8 6391cc 390 CID	w/AC	2AM240530A	530	18 Months
1970-1968	Ford	LTD	5.0L V8 302 CID	w/o AC	BB26R540AD	540	36 Months
1970-1968	Ford	LTD	6.4L V8 390 CID	w/o AC	BB26R540AD	540	36 Months
1970-1968	Ford	LTD	6.4L V8 6391cc 390 CID	w/o AC	BB26R540AD	540	36 Months
1970-1969	Ford	LTD	5.8L V8 351 CID	w/AC	1AM035550A	550	24 Months
1970-1969	Ford	LTD	5.8L V8 5752cc 351 CID	w/AC	1AM035550A	550	24 Months
1970-1969	Ford	LTD	5.8L V8 351 CID	w/o AC	1AM260575A	575	24 Months
1970-1969	Ford	LTD	5.8L V8 5752cc 351 CID	w/o AC	1AM260575A	575	24 Months
1970-1969	Ford	LTD	5.8L V8 5753cc 351 CID	w/o AC	1AM260575A	575	24 Months
1970-1969	Ford	LTD	5.8L V8 351 CID	w/AC	2AM035500A	500	18 Months
1970-1969	Ford	LTD	5.8L V8 5752cc 351 CID	w/AC	2AM035500A	500	18 Months
1970-1969	Ford	LTD	5.8L V8 5753cc 351 CID	w/AC	2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1969	Ford	LTD	5.8L V8 351 CID	w/AC	2AM240530A	530	18 Months
1970-1969	Ford	LTD	5.8L V8 5752cc 351 CID	w/AC	2AM240530A	530	18 Months
1970-1969	Ford	LTD	5.8L V8 5753cc 351 CID	w/AC	2AM240530A	530	18 Months
1970-1969	Ford	LTD	5.8L V8 351 CID	w/o AC	BB26R540AD	540	36 Months
1970-1969	Ford	LTD	5.8L V8 5752cc 351 CID	w/o AC	BB26R540AD	540	36 Months
1970-1969	Ford	LTD	5.8L V8 5753cc 351 CID	w/o AC	BB26R540AD	540	36 Months
1971	Ford	LTD	5.0L V8 302 CID		1AM035550A	550	24 Months
1971	Ford	LTD	6.4L V8 390 CID		1AM035550A	550	24 Months
1971	Ford	LTD	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971	Ford	LTD	5.0L V8 302 CID		2AM035500A	500	18 Months
1971	Ford	LTD	6.4L V8 390 CID		2AM035500A	500	18 Months
1971	Ford	LTD	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971	Ford	LTD	5.0L V8 302 CID		2AM240530A	530	18 Months
1971	Ford	LTD	6.4L V8 390 CID		2AM240530A	530	18 Months
1971	Ford	LTD	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1972	Ford	LTD	5.8L V8 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1972	Ford	LTD	5.8L V8 5752cc 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1972	Ford	LTD	5.8L V8 5753cc 351 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1972	Ford	LTD	5.8L V8 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1972	Ford	LTD	5.8L V8 5752cc 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1972	Ford	LTD	5.8L V8 5753cc 351 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1972	Ford	LTD	5.8L V8 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1972	Ford	LTD	5.8L V8 5752cc 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1972	Ford	LTD	5.8L V8 5753cc 351 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1972-1965	Ford	LTD	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1972-1965	Ford	LTD	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1965	Ford	LTD	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1973-1969	Ford	LTD	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	LTD	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	LTD	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	LTD	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	LTD	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	LTD	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1972, 1970-1969	Ford	LTD	7.0L V8 429 CID		1AM270710A	710	24 Months
1973-1972, 1970-1969	Ford	LTD	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1974	Ford	LTD	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1974	Ford	LTD	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1974, 1972	Ford	LTD	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974, 1972	Ford	LTD	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974, 1972	Ford	LTD	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974, 1972	Ford	LTD	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1971	Ford	LTD	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	LTD	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	LTD	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	LTD	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	LTD	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	LTD	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	LTD	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	LTD	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1972	Ford	LTD	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1972	Ford	LTD	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1972	Ford	LTD	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	LTD	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1973, 1971	Ford	LTD	5.8L V8 351 CID		1AM035550A	550	24 Months
1974-1973, 1971	Ford	LTD	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1974-1973, 1971	Ford	LTD	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1974-1973, 1971	Ford	LTD	5.8L V8 351 CID		2AM035500A	500	18 Months
1974-1973, 1971	Ford	LTD	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1974-1973, 1971	Ford	LTD	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1974-1973, 1971	Ford	LTD	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1974-1973, 1971	Ford	LTD	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1976-1972	Ford	LTD	6.6L V8 400 CID		1AM270710A	710	24 Months
1976-1972	Ford	LTD	7.5L V8 460 CID		1AM270710A	710	24 Months
1976-1973, 1971	Ford	LTD	5.8L V8 351 CID		2AM240530A	530	18 Months
1976-1974	Ford	LTD	5.8L V8 351 CID		1AM270710A	710	24 Months
1977, 1972-1971	Ford	LTD	5.0L V8 302 CID		1AM260575A	575	24 Months
1977, 1972-1971	Ford	LTD	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977-1971	Ford	LTD	6.6L V8 400 CID		1AM035550A	550	24 Months
1977-1971	Ford	LTD	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1971	Ford	LTD	6.6L V8 400 CID		2AM240530A	530	18 Months
1977-1974, 1972	Ford	LTD	5.8L V8 351 CID		1AM260575A	575	24 Months
1977-1974, 1972	Ford	LTD	5.8L V8 351 CID		BB26R540AD	540	36 Months
1978-1972	Ford	LTD	7.5L V8 460 CID		1AM035550A	550	24 Months
1978-1972	Ford	LTD	7.5L V8 460 CID		2AM035500A	500	18 Months
1978-1972	Ford	LTD	7.5L V8 460 CID		2AM240530A	530	18 Months
1984	Ford	LTD	5.0L V8 302 CID	Police or Taxi	1AM035550A	550	24 Months
1984	Ford	LTD	5.0L V8 302 CID	Police or Taxi	2AM035500A	500	18 Months
1984	Ford	LTD	5.0L V8 302 CID	Police or Taxi	2AM240530A	530	18 Months
1985	Ford	LTD	2.3L L4 140 CID	Police or Taxi	1AM035550A	550	24 Months
1985	Ford	LTD	3.8L V6 232 CID	Police or Taxi	1AM035550A	550	24 Months
1985	Ford	LTD	5.0L V8 302 CID	w/Police Pkg.	1AM035550A	550	24 Months
1985	Ford	LTD	5.8L V8 351 CID	w/Police Pkg.	1AM035550A	550	24 Months
1985	Ford	LTD	2.3L L4 140 CID	Police or Taxi	2AM035500A	500	18 Months
1985	Ford	LTD	3.8L V6 232 CID	Police or Taxi	2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1985	Ford	LTD	5.0L V8 302 CID	w/Police Pkg.	2AM035500A	500	18 Months
1985	Ford	LTD	5.8L V8 351 CID	w/Police Pkg.	2AM035500A	500	18 Months
1985	Ford	LTD	2.3L L4 140 CID	Police or Taxi	2AM240530A	530	18 Months
1985	Ford	LTD	3.8L V6 232 CID	Police or Taxi	2AM240530A	530	18 Months
1985	Ford	LTD	5.0L V8 302 CID	w/Police Pkg.	2AM240530A	530	18 Months
1985	Ford	LTD	5.8L V8 351 CID	w/Police Pkg.	2AM240530A	530	18 Months
1991-1988	Ford	LTD Crown Victoria	5.0L V8 302 CID		1AM065750A	750	24 Months
1991-1988	Ford	LTD Crown Victoria	5.8L V8 351 CID		1AM065750A	750	24 Months
1991-1988	Ford	LTD Crown Victoria	5.0L V8 302 CID		2AM065650A	650	18 Months
1991-1988	Ford	LTD Crown Victoria	5.8L V8 351 CID		2AM065650A	650	18 Months
1991-1988	Ford	LTD Crown Victoria	5.0L V8 302 CID		BB065675AA	675	36 Months
1991-1988	Ford	LTD Crown Victoria	5.8L V8 351 CID		BB065675AA	675	36 Months
1991-1988	Ford	LTD Crown Victoria	5.0L V8 302 CID		BB065850AB	850	36 Months
1991-1988	Ford	LTD Crown Victoria	5.8L V8 351 CID		BB065850AB	850	36 Months
1977	Ford	LTD II	6.6L V8 400 CID		1AM035550A	550	24 Months
1977	Ford	LTD II	5.0L V8 302 CID		1AM260575A	575	24 Months
1977	Ford	LTD II	5.8L V8 351 CID		1AM260575A	575	24 Months
1977	Ford	LTD II	6.6L V8 400 CID		2AM035500A	500	18 Months
1977	Ford	LTD II	6.6L V8 400 CID		2AM240530A	530	18 Months
1977	Ford	LTD II	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977	Ford	LTD II	5.8L V8 351 CID		BB26R540AD	540	36 Months
1973	Ford	M-400	5.9L V8 360 CID		1AM035550A	550	24 Months
1973	Ford	M-400	5.9L V8 360 CID		2AM035500A	500	18 Months
1973	Ford	M-400	5.9L V8 360 CID		2AM240530A	530	18 Months
1973,1971	Ford	M-400	6.4L V8 390 CID		1AM035550A	550	24 Months
1973,1971	Ford	M-400	6.4L V8 6392cc 390 CID		1AM035550A	550	24 Months
1973,1971	Ford	M-400	6.4L V8 390 CID		2AM035500A	500	18 Months
1973,1971	Ford	M-400	6.4L V8 6392cc 390 CID		2AM035500A	500	18 Months
1973,1971	Ford	M-400	6.4L V8 390 CID		2AM240530A	530	18 Months
1973,1971	Ford	M-400	6.4L V8 6392cc 390 CID		2AM240530A	530	18 Months
1973-1971	Ford	M-400	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1973-1971	Ford	M-400	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1973-1971	Ford	M-400	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1973-1971	Ford	M-400	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1974	Ford	M-450	5.9L V8 360 CID		1AM035550A	550	24 Months
1974	Ford	M-450	5.9L V8 360 CID		2AM035500A	500	18 Months
1974	Ford	M-450	5.9L V8 360 CID		2AM240530A	530	18 Months
1970	Ford	Maverick	2.8L L6 170 CID		1AM260575A	575	24 Months
1970	Ford	Maverick	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1970	Ford	Maverick	2.8L L6 170 CID		BB26R540AD	540	36 Months
1970	Ford	Maverick	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1972-1971	Ford	Maverick	2.8L L6 170 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	3.3L L6 200 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	3.3L L6 3278cc 200 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	4.1L L6 250 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	4.1L L6 4098cc 250 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	5.0L V8 302 CID		1AM035550A	550	24 Months
1972-1971	Ford	Maverick	2.8L L6 170 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	3.3L L6 200 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	3.3L L6 3278cc 200 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	4.1L L6 250 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	4.1L L6 4098cc 250 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	5.0L V8 302 CID		2AM035500A	500	18 Months
1972-1971	Ford	Maverick	2.8L L6 170 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	3.3L L6 200 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	3.3L L6 3278cc 200 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	4.1L L6 250 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	4.1L L6 4098cc 250 CID		2AM240530A	530	18 Months
1972-1971	Ford	Maverick	5.0L V8 302 CID		2AM240530A	530	18 Months
1974-1973,1970	Ford	Maverick	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1974-1973,1970	Ford	Maverick	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1974-1973,1970	Ford	Maverick	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1974-1973,1970	Ford	Maverick	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1974-1973,1970	Ford	Maverick	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1974-1973,1970	Ford	Maverick	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1974-1973,1970	Ford	Maverick	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1974-1973,1970	Ford	Maverick	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1977-1973	Ford	Maverick	5.0L V8 302 CID		1AM260575A	575	24 Months
1977-1973	Ford	Maverick	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977-1973,1970	Ford	Maverick	3.3L L6 200 CID		1AM260575A	575	24 Months
1977-1973,1970	Ford	Maverick	4.1L L6 250 CID		1AM260575A	575	24 Months
1977-1973,1970	Ford	Maverick	3.3L L6 200 CID		BB26R540AD	540	36 Months
1977-1973,1970	Ford	Maverick	4.1L L6 250 CID		BB26R540AD	540	36 Months
1965	Ford	Mustang	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1965	Ford	Mustang	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1965	Ford	Mustang	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1965-1964	Ford	Mustang	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1965-1964	Ford	Mustang	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1965-1964	Ford	Mustang	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1965-1964	Ford	Mustang	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1965-1964	Ford	Mustang	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1968	Ford	Mustang	4.7L V8 289 CID		1AM035550A	550	24 Months
1968	Ford	Mustang	7.0L V8 427 CID		1AM035550A	550	24 Months
1968	Ford	Mustang	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968	Ford	Mustang	4.7L V8 289 CID		1AM260575A	575	24 Months
1968	Ford	Mustang	7.0L V8 427 CID		1AM270710A	710	24 Months
1968	Ford	Mustang	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1968	Ford	Mustang	4.7L V8 289 CID		2AM035500A	500	18 Months
1968	Ford	Mustang	7.0L V8 427 CID		2AM035500A	500	18 Months
1968	Ford	Mustang	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968	Ford	Mustang	4.7L V8 289 CID		2AM240530A	530	18 Months
1968	Ford	Mustang	7.0L V8 427 CID		2AM240530A	530	18 Months
1968	Ford	Mustang	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1968	Ford	Mustang	4.7L V8 289 CID		BB26R540AD	540	36 Months
1968-1964	Ford	Mustang	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1968-1964	Ford	Mustang	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1968-1964	Ford	Mustang	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1968-1965	Ford	Mustang	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1968-1965	Ford	Mustang	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1969-1967	Ford	Mustang	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1969-1967	Ford	Mustang	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1969-1967	Ford	Mustang	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1969-1967	Ford	Mustang	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1969-1967	Ford	Mustang	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1969-1968	Ford	Mustang	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1968	Ford	Mustang	6.4L V8 390 CID		1AM260575A	575	24 Months
1969-1968	Ford	Mustang	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1968	Ford	Mustang	6.4L V8 390 CID		2AM240530A	530	18 Months
1969-1968	Ford	Mustang	6.4L V8 390 CID		BB26R540AD	540	36 Months
1970-1964	Ford	Mustang	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1970-1964	Ford	Mustang	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1970-1964	Ford	Mustang	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1970-1965	Ford	Mustang	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1970-1965	Ford	Mustang	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1970-1967	Ford	Mustang	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1967	Ford	Mustang	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1967	Ford	Mustang	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1967	Ford	Mustang	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Mustang	3.3L L6 200 CID		1AM035550A	550	24 Months
1970-1968	Ford	Mustang	3.3L L6 3278cc 200 CID		1AM035550A	550	24 Months
1970-1968	Ford	Mustang	7.0L V8 428 CID		1AM035550A	550	24 Months
1970-1968	Ford	Mustang	3.3L L6 200 CID		1AM260575A	575	24 Months
1970-1968	Ford	Mustang	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1970-1968	Ford	Mustang	7.0L V8 428 CID		1AM270710A	710	24 Months
1970-1968	Ford	Mustang	3.3L L6 200 CID		2AM035500A	500	18 Months
1970-1968	Ford	Mustang	3.3L L6 3278cc 200 CID		2AM035500A	500	18 Months
1970-1968	Ford	Mustang	7.0L V8 428 CID		2AM035500A	500	18 Months
1970-1968	Ford	Mustang	3.3L L6 200 CID		2AM240530A	530	18 Months
1970-1968	Ford	Mustang	3.3L L6 3278cc 200 CID		2AM240530A	530	18 Months
1970-1968	Ford	Mustang	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Mustang	3.3L L6 200 CID		BB26R540AD	540	36 Months
1970-1968	Ford	Mustang	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Mustang	4.1L L6 250 CID		1AM260575A	575	24 Months
1970-1969	Ford	Mustang	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970-1969	Ford	Mustang	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1970-1969	Ford	Mustang	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Mustang	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970-1969	Ford	Mustang	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1971	Ford	Mustang	5.0L V8 302 CID		1AM270710A	710	24 Months
1971-1968	Ford	Mustang	5.0L V8 302 CID		1AM035550A	550	24 Months
1971-1968	Ford	Mustang	5.0L V8 302 CID		2AM035500A	500	18 Months
1971-1968	Ford	Mustang	5.0L V8 302 CID		2AM240530A	530	18 Months
1971-1969	Ford	Mustang	7.0L V8 429 CID		1AM035550A	550	24 Months
1971-1969	Ford	Mustang	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1971-1969	Ford	Mustang	7.0L V8 429 CID		1AM270710A	710	24 Months
1971-1969	Ford	Mustang	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1971-1969	Ford	Mustang	7.0L V8 429 CID		2AM035500A	500	18 Months
1971-1969	Ford	Mustang	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1971-1969	Ford	Mustang	7.0L V8 429 CID		2AM240530A	530	18 Months
1971-1969	Ford	Mustang	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1972-1969	Ford	Mustang	5.8L V8 351 CID		1AM260575A	575	24 Months
1972-1969	Ford	Mustang	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1972-1969	Ford	Mustang	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1972-1969	Ford	Mustang	5.8L V8 351 CID		BB26R540AD	540	36 Months
1972-1969	Ford	Mustang	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1972-1969	Ford	Mustang	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1973,1971	Ford	Mustang	5.8L V8 351 CID		1AM270710A	710	24 Months
1973,1971	Ford	Mustang	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1973,1971	Ford	Mustang	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1973-1969	Ford	Mustang	4.1L L6 250 CID		1AM035550A	550	24 Months
1973-1969	Ford	Mustang	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1973-1969	Ford	Mustang	4.1L L6 4098cc 250 CID		1AM035550A	550	24 Months
1973-1969	Ford	Mustang	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Mustang	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Mustang	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Mustang	4.1L L6 250 CID		2AM035500A	500	18 Months
1973-1969	Ford	Mustang	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1973-1969	Ford	Mustang	4.1L L6 4098cc 250 CID		2AM035500A	500	18 Months
1973-1969	Ford	Mustang	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Mustang	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Mustang	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Mustang	4.1L L6 250 CID		2AM240530A	530	18 Months
1973-1969	Ford	Mustang	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1973-1969	Ford	Mustang	4.1L L6 4098cc 250 CID		2AM240530A	530	18 Months
1973-1969	Ford	Mustang	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Mustang	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Mustang	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1971	Ford	Mustang	4.1L L6 250 CID		1AM270710A	710	24 Months
1973-1971	Ford	Mustang	4.1L L6 4097cc 250 CID		1AM270710A	710	24 Months
1973-1971	Ford	Mustang	4.1L L6 4098cc 250 CID		1AM270710A	710	24 Months
1973-1972,1970-1968	Ford	Mustang	5.0L V8 302 CID		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1973-1972,1970-1968	Ford	Mustang	5.0L V8 302 CID		BB26R540AD	540	36 Months
2008-2005	Ford	Mustang	4.6L V8 281 CID	Check hood clearance when installing battery other than the Original Equipment	1AM960590A	590	24 Months
2008-2006	Ford	Mustang	4.0L V6 245 CID	Check hood clearance when installing battery other than the Original Equipment	1AM960590A	590	24 Months
2008-2007	Ford	Mustang	5.4L V8 5409cc 330 CID	Check hood clearance when installing battery other than the Original Equipment	1AM960590A	590	24 Months
2010-2009	Ford	Mustang	4.6L V8 281 CID		1AM960590A	590	24 Months
2010-2009,2005	Ford	Mustang	4.0L V6 245 CID		1AM960590A	590	24 Months
2012-2009	Ford	Mustang	5.4L V8 5409cc 330 CID		1AM960590A	590	24 Months
2013	Ford	Mustang	5.8L V8 5800cc 354 CID		1AM960590A	590	24 Months
2014	Ford	Mustang	5.8L V8 5801cc 354 CID		1AM960590A	590	24 Months
2014-2013	Ford	Mustang	5.8L V8 5812cc 355 CID		1AM960590A	590	24 Months
2015	Ford	Mustang	5.2L V8 5163cc 315 CID		1AM960590A	590	24 Months
2016	Ford	Mustang	5.2L V8 5163cc 315 CID	Cold Climate	1AM960590A	590	24 Months
2017-2011	Ford	Mustang	3.7L V6 3726cc 227 CID		1AM960590A	590	24 Months
2017-2011	Ford	Mustang	5.0L V8 4951cc 302 CID		1AM960590A	590	24 Months
2017-2015	Ford	Mustang	2.3L L4 2300cc 140 CID		1AM960590A	590	24 Months
1974	Ford	Mustang II	2.0L L4 1989cc 122 CID		1AM260575A	575	24 Months
1974	Ford	Mustang II	2.0L L4 1993cc 122 CID		1AM260575A	575	24 Months
1974	Ford	Mustang II	2.3L L4 2295cc 140 CID		1AM260575A	575	24 Months
1974	Ford	Mustang II	2.3L L4 2302cc 140 CID		1AM260575A	575	24 Months
1974	Ford	Mustang II	2.8L V6 2792cc 171 CID		1AM260575A	575	24 Months
1974	Ford	Mustang II	2.8L V6 2803cc 171 CID		1AM260575A	575	24 Months
1974	Ford	Mustang II	2.0L L4 1989cc 122 CID		BB26R540AD	540	36 Months
1974	Ford	Mustang II	2.0L L4 1993cc 122 CID		BB26R540AD	540	36 Months
1974	Ford	Mustang II	2.3L L4 2295cc 140 CID		BB26R540AD	540	36 Months
1974	Ford	Mustang II	2.3L L4 2302cc 140 CID		BB26R540AD	540	36 Months
1974	Ford	Mustang II	2.8L V6 2792cc 171 CID		BB26R540AD	540	36 Months
1974	Ford	Mustang II	2.8L V6 2803cc 171 CID		BB26R540AD	540	36 Months
1977-1974	Ford	Mustang II	2.3L L4 140 CID		1AM260575A	575	24 Months
1977-1974	Ford	Mustang II	2.8L V6 171 CID		1AM260575A	575	24 Months
1977-1974	Ford	Mustang II	2.3L L4 140 CID		BB26R540AD	540	36 Months
1977-1974	Ford	Mustang II	2.8L V6 171 CID		BB26R540AD	540	36 Months
1977-1975	Ford	Mustang II	5.0L V8 302 CID		1AM260575A	575	24 Months
1977-1975	Ford	Mustang II	5.0L V8 302 CID		BB26R540AD	540	36 Months
1970-1965	Ford	P-100	2.8L L6 2786cc 170 CID		1AM035500A	550	24 Months
1970-1965	Ford	P-100	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1970-1965	Ford	P-100	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1973-1968	Ford	P-100	3.9L L6 3933cc 240 CID		1AM035500A	550	24 Months
1973-1968	Ford	P-100	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1973-1968	Ford	P-100	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1967-1965	Ford	P-350	5.8L V8 5769cc 352 CID		1AM035500A	550	24 Months
1967-1965	Ford	P-350	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1965	Ford	P-350	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1970,1967-1965	Ford	P-350	2.8L L6 2786cc 170 CID		1AM035500A	550	24 Months
1970,1967-1965	Ford	P-350	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1970,1967-1965	Ford	P-350	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1972-1965	Ford	P-350	3.9L L6 3933cc 240 CID		1AM035500A	550	24 Months
1972-1965	Ford	P-350	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1965	Ford	P-350	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972-1968	Ford	P-350	3.9L L6 240 CID		1AM035500A	550	24 Months
1972-1968	Ford	P-350	3.9L L6 240 CID		2AM035500A	500	18 Months
1972-1968	Ford	P-350	3.9L L6 240 CID		2AM240530A	530	18 Months
1973	Ford	P-350	5.9L V8 360 CID		1AM035500A	550	24 Months
1973	Ford	P-350	5.9L V8 360 CID		2AM035500A	500	18 Months
1973	Ford	P-350	5.9L V8 360 CID		2AM240530A	530	18 Months
1973-1972	Ford	P-350	6.4L V8 390 CID		1AM035500A	550	24 Months
1973-1972	Ford	P-350	6.4L V8 6392cc 390 CID		1AM035500A	550	24 Months
1973-1972	Ford	P-350	6.4L V8 390 CID		2AM035500A	500	18 Months
1973-1972	Ford	P-350	6.4L V8 6392cc 390 CID		2AM035500A	500	18 Months
1973-1972	Ford	P-350	6.4L V8 390 CID		2AM240530A	530	18 Months
1973-1972	Ford	P-350	6.4L V8 6392cc 390 CID		2AM240530A	530	18 Months
1974-1968	Ford	P-350	6.4L V8 6391cc 390 CID		1AM035500A	550	24 Months
1974-1968	Ford	P-350	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1974-1968	Ford	P-350	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1976	Ford	P-350	6.6L V8 400 CID		1AM035500A	550	24 Months
1976	Ford	P-350	6.6L V8 400 CID		2AM035500A	500	18 Months
1976	Ford	P-350	6.6L V8 400 CID		2AM240530A	530	18 Months
1976,1972	Ford	P-350	5.0L V8 302 CID		1AM035500A	550	24 Months
1976,1972	Ford	P-350	5.0L V8 302 CID		2AM035500A	500	18 Months
1976,1972	Ford	P-350	5.0L V8 302 CID		2AM240530A	530	18 Months
1976-1965	Ford	P-350	4.9L L6 4917cc 300 CID		1AM035500A	550	24 Months
1976-1965	Ford	P-350	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1976-1965	Ford	P-350	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1976	Ford	P-400	5.0L V8 302 CID		1AM035500A	550	24 Months
1976	Ford	P-400	6.6L V8 400 CID		1AM035500A	550	24 Months
1976	Ford	P-400	5.0L V8 302 CID		2AM035500A	500	18 Months
1976	Ford	P-400	6.6L V8 400 CID		2AM035500A	500	18 Months
1976	Ford	P-400	5.0L V8 302 CID		2AM240530A	530	18 Months
1976	Ford	P-400	6.6L V8 400 CID		2AM240530A	530	18 Months
1976-1975	Ford	P-400	4.9L L6 4917cc 300 CID		1AM035500A	550	24 Months
1976-1975	Ford	P-400	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1976-1975	Ford	P-400	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1977-1975	Ford	P-500	4.9L L6 4917cc 300 CID		1AM035500A	550	24 Months
1977-1975	Ford	P-500	4.9L L6 4917cc 300 CID		2AM035500A	500	18 Months
1977-1975	Ford	P-500	4.9L L6 4917cc 300 CID		2AM240530A	530	18 Months
1977-1976	Ford	P-500	5.0L V8 302 CID		1AM035500A	550	24 Months
1977-1976	Ford	P-500	6.6L V8 400 CID		1AM035500A	550	24 Months
1977-1976	Ford	P-500	5.0L V8 302 CID		2AM035500A	500	18 Months
1977-1976	Ford	P-500	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1976	Ford	P-500	5.0L V8 302 CID		2AM240530A	530	18 Months
1977-1976	Ford	P-500	6.6L V8 400 CID		2AM240530A	530	18 Months
1973-1971	Ford	Pinto	1.6L L4 1598cc 98 CID		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1973-1971	Ford	Pinto	1.6L L4 1599cc 98 CID		1AM260575A	575	24 Months
1973-1971	Ford	Pinto	1.6L L4 1598cc 98 CID		BB26R540AD	540	36 Months
1973-1971	Ford	Pinto	1.6L L4 1599cc 98 CID		BB26R540AD	540	36 Months
1974	Ford	Pinto	2.3L L4 2295cc 140 CID		1AM260575A	575	24 Months
1974	Ford	Pinto	2.3L L4 2302cc 140 CID		1AM260575A	575	24 Months
1974	Ford	Pinto	2.3L L4 2295cc 140 CID		BB26R540AD	540	36 Months
1974	Ford	Pinto	2.3L L4 2302cc 140 CID		BB26R540AD	540	36 Months
1974-1971	Ford	Pinto	2.0L L4 1989cc 122 CID		1AM260575A	575	24 Months
1974-1971	Ford	Pinto	2.0L L4 1993cc 122 CID		1AM260575A	575	24 Months
1974-1971	Ford	Pinto	2.0L L4 1989cc 122 CID		BB26R540AD	540	36 Months
1974-1971	Ford	Pinto	2.0L L4 1993cc 122 CID		BB26R540AD	540	36 Months
1977-1974	Ford	Pinto	2.3L L4 140 CID		1AM260575A	575	24 Months
1977-1974	Ford	Pinto	2.3L L4 140 CID		BB26R540AD	540	36 Months
1977-1975	Ford	Pinto	2.8L V6 171 CID		1AM260575A	575	24 Months
1977-1975	Ford	Pinto	2.8L V6 171 CID		BB26R540AD	540	36 Months
2014-2013	Ford	Police Interceptor Sedan	3.5L V6 3496cc 213 CID; w/ Duratec Engine		1AM065750A	750	24 Months
2014-2013	Ford	Police Interceptor Sedan	3.5L V6 3496cc 213 CID; w/ Duratec Engine		2AM065650A	650	18 Months
2014-2013	Ford	Police Interceptor Sedan	3.5L V6 3496cc 213 CID; w/ Duratec Engine		BB065675AA	675	36 Months
2014-2013	Ford	Police Interceptor Sedan	3.5L V6 3496cc 213 CID; w/ Duratec Engine		BB065850AB	850	36 Months
2017-2014	Ford	Police Interceptor Sedan	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2017-2014	Ford	Police Interceptor Sedan	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
2017-2015	Ford	Police Interceptor Sedan	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017-2015	Ford	Police Interceptor Sedan	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2017-2014	Ford	Police Interceptor Utility	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2017-2014	Ford	Police Interceptor Utility	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
2017-2015	Ford	Police Interceptor Utility	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017-2015	Ford	Police Interceptor Utility	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
1960-1955	Ford	Prefect	1.2L L4 1172cc 72 CID		1AM260575A	575	24 Months
1960-1955	Ford	Prefect	1.2L L4 1172cc 72 CID		BB26R540AD	540	36 Months
1961-1960	Ford	Prefect	1.0L L4 997cc 61 CID		1AM260575A	575	24 Months
1961-1960	Ford	Prefect	1.0L L4 997cc 61 CID		BB26R540AD	540	36 Months
1962	Ford	Ranch Wagon	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962	Ford	Ranch Wagon	2.8L L6 2786cc 170 CID		1AM270710A	710	24 Months
1962	Ford	Ranch Wagon	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1962	Ford	Ranch Wagon	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1962	Ford	Ranch Wagon	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1962	Ford	Ranch Wagon	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962	Ford	Ranch Wagon	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1963-1962	Ford	Ranch Wagon	3.6L V8 3622cc 221 CID		1AM035550A	550	24 Months
1963-1962	Ford	Ranch Wagon	6.6L V8 6654cc 406 CID		1AM035550A	550	24 Months
1963-1962	Ford	Ranch Wagon	3.6L V8 3622cc 221 CID		2AM035500A	500	18 Months
1963-1962	Ford	Ranch Wagon	6.6L V8 6654cc 406 CID		2AM035500A	500	18 Months
1963-1962	Ford	Ranch Wagon	3.6L V8 3622cc 221 CID		2AM240530A	530	18 Months
1963-1962	Ford	Ranch Wagon	6.6L V8 6654cc 406 CID		2AM240530A	530	18 Months
1964	Ford	Ranch Wagon	2.4L L6 2360cc 144 CID		1AM035550A	550	24 Months
1964	Ford	Ranch Wagon	2.4L L6 2360cc 144 CID		2AM035500A	500	18 Months
1964	Ford	Ranch Wagon	2.4L L6 2360cc 144 CID		2AM240530A	530	18 Months
1964-1962	Ford	Ranch Wagon	3.6L L6 3655cc 223 CID		1AM035550A	550	24 Months
1964-1962	Ford	Ranch Wagon	3.6L L6 3655cc 223 CID		2AM035500A	500	18 Months
1964-1962	Ford	Ranch Wagon	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1965-1962	Ford	Ranch Wagon	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1965-1962	Ford	Ranch Wagon	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1965-1962	Ford	Ranch Wagon	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1967	Ford	Ranch Wagon	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967	Ford	Ranch Wagon	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1967-1962	Ford	Ranch Wagon	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1962	Ford	Ranch Wagon	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1967-1962	Ford	Ranch Wagon	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1967-1963	Ford	Ranch Wagon	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1963	Ford	Ranch Wagon	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1963	Ford	Ranch Wagon	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1968-1963	Ford	Ranch Wagon	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968-1963	Ford	Ranch Wagon	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968-1963	Ford	Ranch Wagon	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969-1962	Ford	Ranch Wagon	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1969-1962	Ford	Ranch Wagon	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1969-1962	Ford	Ranch Wagon	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1969-1968	Ford	Ranch Wagon	3.9L L6 240 CID		1AM035550A	550	24 Months
1969-1968	Ford	Ranch Wagon	3.9L L6 240 CID		2AM035500A	500	18 Months
1969-1968	Ford	Ranch Wagon	3.9L L6 240 CID		2AM240530A	530	18 Months
1970-1963	Ford	Ranch Wagon	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1970-1963	Ford	Ranch Wagon	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1970-1963	Ford	Ranch Wagon	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1970-1966	Ford	Ranch Wagon	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Ford	Ranch Wagon	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Ford	Ranch Wagon	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Ranch Wagon	7.0L V8 428 CID		1AM035550A	550	24 Months
1970-1968	Ford	Ranch Wagon	7.0L V8 428 CID		2AM035500A	500	18 Months
1970-1968	Ford	Ranch Wagon	7.0L V8 428 CID		2AM240530A	530	18 Months
1971-1962	Ford	Ranch Wagon	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1971-1962	Ford	Ranch Wagon	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1971-1962	Ford	Ranch Wagon	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1971-1968	Ford	Ranch Wagon	6.4L V8 390 CID		1AM035550A	550	24 Months
1971-1968	Ford	Ranch Wagon	6.4L V8 390 CID		2AM035500A	500	18 Months
1971-1968	Ford	Ranch Wagon	6.4L V8 390 CID		2AM240530A	530	18 Months
1972-1965	Ford	Ranch Wagon	3.9L L6 3933cc 240 CID		1AM035550A	550	24 Months
1972-1965	Ford	Ranch Wagon	3.9L L6 3933cc 240 CID		2AM035500A	500	18 Months
1972-1965	Ford	Ranch Wagon	3.9L L6 3933cc 240 CID		2AM240530A	530	18 Months
1972-1968	Ford	Ranch Wagon	5.0L V8 302 CID		1AM035550A	550	24 Months
1972-1968	Ford	Ranch Wagon	5.0L V8 302 CID		2AM035500A	500	18 Months
1972-1968	Ford	Ranch Wagon	5.0L V8 302 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1973-1969	Ford	Ranch Wagon	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranch Wagon	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranch Wagon	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranch Wagon	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranch Wagon	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranch Wagon	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranch Wagon	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranch Wagon	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974	Ford	Ranch Wagon	5.8L V8 351 CID		1AM260575A	575	24 Months
1974	Ford	Ranch Wagon	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974	Ford	Ranch Wagon	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974	Ford	Ranch Wagon	5.8L V8 351 CID		BB26R540AD	540	36 Months
1974	Ford	Ranch Wagon	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974	Ford	Ranch Wagon	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1969	Ford	Ranch Wagon	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1974-1969	Ford	Ranch Wagon	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1974-1969	Ford	Ranch Wagon	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Ford	Ranch Wagon	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Ranch Wagon	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Ford	Ranch Wagon	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Ford	Ranch Wagon	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1973	Ford	Ranch Wagon	7.5L V8 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	Ranch Wagon	7.5L V8 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	Ranch Wagon	7.5L V8 460 CID		2AM240530A	530	18 Months
1957	Ford	Ranchero	4.4L V8 4458cc 272 CID		1AM270710A	710	24 Months
1957	Ford	Ranchero	4.4L V8 4458cc 272 CID		2AM240530A	530	18 Months
1958	Ford	Ranchero	3.7L L6 223 CID		1AM035550A	550	24 Months
1958	Ford	Ranchero	4.8L V8 292 CID		1AM035550A	550	24 Months
1958	Ford	Ranchero	5.8L V8 352 CID		1AM035550A	550	24 Months
1958	Ford	Ranchero	3.7L L6 223 CID		1AM270710A	710	24 Months
1958	Ford	Ranchero	3.7L L6 223 CID		2AM035500A	500	18 Months
1958	Ford	Ranchero	4.8L V8 292 CID		2AM035500A	500	18 Months
1958	Ford	Ranchero	5.8L V8 352 CID		2AM035500A	500	18 Months
1958	Ford	Ranchero	3.7L L6 223 CID		2AM240530A	530	18 Months
1958-1957	Ford	Ranchero	4.8L V8 292 CID		1AM270710A	710	24 Months
1958-1957	Ford	Ranchero	5.8L V8 352 CID		1AM270710A	710	24 Months
1958-1957	Ford	Ranchero	4.8L V8 292 CID		2AM240530A	530	18 Months
1958-1957	Ford	Ranchero	5.8L V8 352 CID		2AM240530A	530	18 Months
1959-1957	Ford	Ranchero	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1959-1957	Ford	Ranchero	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1959-1957	Ford	Ranchero	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1959-1958	Ford	Ranchero	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1959-1958	Ford	Ranchero	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962-1960	Ford	Ranchero	2.4L L6 2360cc 144 CID		1AM035550A	550	24 Months
1962-1960	Ford	Ranchero	2.4L L6 2360cc 144 CID		1AM270710A	710	24 Months
1962-1960	Ford	Ranchero	2.4L L6 2360cc 144 CID		2AM035500A	500	18 Months
1962-1960	Ford	Ranchero	2.4L L6 2360cc 144 CID		2AM240530A	530	18 Months
1964-1963	Ford	Ranchero	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Ranchero	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Ranchero	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1965	Ford	Ranchero	2.8L L6 2786cc 170 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1965	Ford	Ranchero	2.8L L6 2786cc 170 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1965,1962-1961	Ford	Ranchero	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1965,1962-1961	Ford	Ranchero	2.8L L6 2786cc 170 CID		1AM270710A	710	24 Months
1965,1962-1961	Ford	Ranchero	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1965,1962-1961	Ford	Ranchero	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1967	Ford	Ranchero	6.4L V8 390 CID		1AM260575A	575	24 Months
1967	Ford	Ranchero	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967	Ford	Ranchero	6.4L V8 390 CID		1AM270710A	710	24 Months
1967	Ford	Ranchero	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1967	Ford	Ranchero	6.4L V8 390 CID		BB26R540AD	540	36 Months
1967	Ford	Ranchero	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1967-1965	Ford	Ranchero	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1967-1965	Ford	Ranchero	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1965	Ford	Ranchero	3.3L L6 3277cc 200 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1965	Ford	Ranchero	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1967-1965	Ford	Ranchero	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1967-1965	Ford	Ranchero	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1967-1965	Ford	Ranchero	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1967-1965	Ford	Ranchero	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1965	Ford	Ranchero	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1967-1965	Ford	Ranchero	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1965	Ford	Ranchero	3.3L L6 3277cc 200 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1965	Ford	Ranchero	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1967-1966	Ford	Ranchero	3.3L L6 200 CID		1AM035550A	550	24 Months
1967-1966	Ford	Ranchero	4.7L V8 289 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967-1966	Ford	Ranchero	3.3L L6 200 CID; w/ Standard Trans.		1AM260575A	575	24 Months
1967-1966	Ford	Ranchero	4.7L V8 289 CID		1AM260575A	575	24 Months
1967-1966	Ford	Ranchero	3.3L L6 200 CID		1AM270710A	710	24 Months
1967-1966	Ford	Ranchero	4.7L V8 289 CID		1AM270710A	710	24 Months
1967-1966	Ford	Ranchero	3.3L L6 200 CID		2AM035500A	500	18 Months
1967-1966	Ford	Ranchero	4.7L V8 289 CID		2AM035500A	500	18 Months
1967-1966	Ford	Ranchero	3.3L L6 200 CID		2AM240530A	530	18 Months
1967-1966	Ford	Ranchero	4.7L V8 289 CID		2AM240530A	530	18 Months
1967-1966	Ford	Ranchero	3.3L L6 200 CID; w/ Standard Trans.		BB26R540AD	540	36 Months
1967-1966	Ford	Ranchero	4.7L V8 289 CID		BB26R540AD	540	36 Months
1967-1966, 1959-1957	Ford	Ranchero	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1967-1966, 1959-1958	Ford	Ranchero	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1967-1966, 1959-1958	Ford	Ranchero	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1968	Ford	Ranchero	3.3L L6 200 CID		1AM260575A	575	24 Months
1968	Ford	Ranchero	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1968	Ford	Ranchero	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1968	Ford	Ranchero	3.3L L6 200 CID		BB26R540AD	540	36 Months
1968	Ford	Ranchero	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1968	Ford	Ranchero	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1969-1967	Ford	Ranchero	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1967	Ford	Ranchero	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1969-1967	Ford	Ranchero	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1967	Ford	Ranchero	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1969-1967	Ford	Ranchero	6.4L V8 390 CID		2AM240530A	530	18 Months
1969-1967	Ford	Ranchero	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1969-1968	Ford	Ranchero	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968	Ford	Ranchero	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1969-1968	Ford	Ranchero	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968	Ford	Ranchero	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1969-1968	Ford	Ranchero	7.0L V8 428 CID		2AM240530A	530	18 Months
1969-1968	Ford	Ranchero	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranchero	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranchero	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Ranchero	4.1L L6 250 CID		1AM260575A	575	24 Months
1973-1969	Ford	Ranchero	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1973-1969	Ford	Ranchero	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1973-1969	Ford	Ranchero	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranchero	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Ranchero	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranchero	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Ranchero	4.1L L6 250 CID		BB26R540AD	540	36 Months
1973-1969	Ford	Ranchero	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1973-1969	Ford	Ranchero	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1973-1970	Ford	Ranchero	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1970	Ford	Ranchero	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1970	Ford	Ranchero	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1970	Ford	Ranchero	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1970	Ford	Ranchero	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1970	Ford	Ranchero	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974	Ford	Ranchero	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1974	Ford	Ranchero	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974	Ford	Ranchero	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974	Ford	Ranchero	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974	Ford	Ranchero	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1974	Ford	Ranchero	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974	Ford	Ranchero	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1974	Ford	Ranchero	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974	Ford	Ranchero	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974	Ford	Ranchero	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1968	Ford	Ranchero	5.0L V8 302 CID		1AM260575A	575	24 Months
1974-1968	Ford	Ranchero	5.0L V8 302 CID		BB26R540AD	540	36 Months
1974-1972	Ford	Ranchero	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1972	Ford	Ranchero	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1972	Ford	Ranchero	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1972	Ford	Ranchero	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1972	Ford	Ranchero	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Ranchero	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1976-1974	Ford	Ranchero	5.8L V8 351 CID		1AM260575A	575	24 Months
1976-1974	Ford	Ranchero	5.8L V8 351 CID		BB26R540AD	540	36 Months
1977	Ford	Ranchero	5.0L V8 302 CID		1AM035550A	550	24 Months
1977	Ford	Ranchero	5.0L V8 302 CID		2AM035500A	500	18 Months
1977	Ford	Ranchero	5.0L V8 302 CID		2AM240530A	530	18 Months
1977, 1975, 1973-1969	Ford	Ranchero	5.8L V8 351 CID		1AM035550A	550	24 Months
1977, 1975, 1973-1969	Ford	Ranchero	5.8L V8 351 CID		2AM035500A	500	18 Months
1977, 1975, 1973-1969	Ford	Ranchero	5.8L V8 351 CID		2AM240530A	530	18 Months
1977-1972	Ford	Ranchero	6.6L V8 400 CID		1AM035550A	550	24 Months
1977-1972	Ford	Ranchero	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1972	Ford	Ranchero	6.6L V8 400 CID		2AM240530A	530	18 Months
1977-1974	Ford	Ranchero	7.5L V8 460 CID		1AM035550A	550	24 Months
1977-1974	Ford	Ranchero	7.5L V8 460 CID		2AM035500A	500	18 Months
1977-1974	Ford	Ranchero	7.5L V8 460 CID		2AM240530A	530	18 Months
1992-1989	Ford	Ranger	2.9L V6 177 CID		1AM065750A	750	24 Months
1992-1989	Ford	Ranger	2.9L V6 177 CID		2AM065650A	650	18 Months
1992-1989	Ford	Ranger	2.9L V6 177 CID		BB065675AB	675	36 Months
1992-1989	Ford	Ranger	2.9L V6 177 CID		BB065850AB	850	36 Months
1997-1989	Ford	Ranger	2.3L L4 140 CID		1AM065750A	750	24 Months
1997-1989	Ford	Ranger	2.3L L4 140 CID		2AM065650A	650	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1997-1989	Ford	Ranger	2.3L L4 140 CID		BB065675AA	675	36 Months
1997-1989	Ford	Ranger	2.3L L4 140 CID		BB065850AB	850	36 Months
1997-1990	Ford	Ranger	4.0L V6 245 CID		1AM065750A	750	24 Months
1997-1990	Ford	Ranger	4.0L V6 245 CID		2AM065650A	650	18 Months
1997-1990	Ford	Ranger	4.0L V6 245 CID		BB065675AA	675	36 Months
1997-1990	Ford	Ranger	4.0L V6 245 CID		BB065850AB	850	36 Months
1997-1991	Ford	Ranger	3.0L V6 2986cc 182 CID		1AM065750A	750	24 Months
1997-1991	Ford	Ranger	3.0L V6 2986cc 182 CID		2AM065650A	650	18 Months
1997-1991	Ford	Ranger	3.0L V6 2986cc 182 CID		BB065675AA	675	36 Months
1997-1991	Ford	Ranger	3.0L V6 2986cc 182 CID		BB065850AB	850	36 Months
1959-1958	Ford	Skyliner	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1959-1958	Ford	Skyliner	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1959-1958	Ford	Skyliner	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1959-1958	Ford	Skyliner	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1959-1958	Ford	Skyliner	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1959-1958	Ford	Skyliner	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1959-1958	Ford	Skyliner	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1959-1958	Ford	Skyliner	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1959-1958	Ford	Skyliner	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1959-1958	Ford	Skyliner	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1959-1958	Ford	Skyliner	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1959-1958	Ford	Skyliner	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
2017-2014	Ford	Special Service Police Sedan	2.0L L4 1999cc 122 CID		1AM065750A	750	24 Months
2017-2014	Ford	Special Service Police Sedan	2.0L L4 1999cc 122 CID		BB065850AB	850	36 Months
1964-1963	Ford	Sprint	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Ford	Sprint	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Ford	Sprint	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1960-1956	Ford	Squire	1.2L L4 1172cc 72 CID		1AM260575A	575	24 Months
1960-1956	Ford	Squire	1.2L L4 1172cc 72 CID		BB26R540AD	540	36 Months
1960	Ford	Starliner	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1960	Ford	Starliner	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1960	Ford	Starliner	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1960	Ford	Starliner	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1960	Ford	Starliner	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1960	Ford	Starliner	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1960	Ford	Starliner	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1960	Ford	Starliner	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1959-1958	Ford	Sunliner	5.4L V8 5441cc 332 CID		1AM035550A	550	24 Months
1959-1958	Ford	Sunliner	5.4L V8 5441cc 332 CID		1AM270710A	710	24 Months
1959-1958	Ford	Sunliner	5.4L V8 5441cc 332 CID		2AM035500A	500	18 Months
1959-1958	Ford	Sunliner	5.4L V8 5441cc 332 CID		2AM240530A	530	18 Months
1960-1958	Ford	Sunliner	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1960-1958	Ford	Sunliner	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1960-1958	Ford	Sunliner	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1960-1958	Ford	Sunliner	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1960-1958	Ford	Sunliner	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1960-1958	Ford	Sunliner	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1987	Ford	Taurus	2.5L L4 153 CID; w/ Automatic Trans.		BB065850AB	850	36 Months
1987-1986	Ford	Taurus	3.0L V6 2986cc 182 CID	w/Heated Windshield	BB065850AB	850	36 Months
1988	Ford	Taurus	3.0L V6 2986cc 182 CID		1AM065750A	750	24 Months
1988	Ford	Taurus	3.0L V6 2986cc 182 CID		2AM065650A	650	18 Months
1988	Ford	Taurus	3.0L V6 2986cc 182 CID		BB065675AA	675	36 Months
1988	Ford	Taurus	3.0L V6 2986cc 182 CID		BB065850AB	850	36 Months
1989	Ford	Taurus	3.0L V6 2986cc 182 CID; GL	w/Heated Windshield or Police Pkg.	BB065850AB	850	36 Months
1989	Ford	Taurus	3.0L V6 2986cc 182 CID; L	w/Heated Windshield or Police Pkg.	BB065850AB	850	36 Months
1989	Ford	Taurus	3.0L V6 2986cc 182 CID; LX	w/Heated Windshield or Police Pkg.	BB065850AB	850	36 Months
1991	Ford	Taurus	2.5L L4 153 CID		1AM065750A	750	24 Months
1991	Ford	Taurus	2.5L L4 153 CID		2AM065650A	650	18 Months
1991	Ford	Taurus	2.5L L4 153 CID		BB065675AA	675	36 Months
1991,1989	Ford	Taurus	2.5L L4 153 CID		BB065850AB	850	36 Months
1992	Ford	Taurus	3.0L V6 2986cc 182 CID; L		1AM065750A	750	24 Months
1992	Ford	Taurus	3.0L V6 2986cc 182 CID; L		2AM065650A	650	18 Months
1992	Ford	Taurus	3.0L V6 2986cc 182 CID; L		BB065675AA	675	36 Months
1992	Ford	Taurus	3.0L V6 2986cc 182 CID; L		BB065850AB	850	36 Months
1995	Ford	Taurus	3.0L V6 2986cc 182 CID; SE		1AM065750A	750	24 Months
1995	Ford	Taurus	3.0L V6 2986cc 182 CID; SE		2AM065650A	650	18 Months
1995	Ford	Taurus	3.0L V6 2986cc 182 CID; SE		BB065675AA	675	36 Months
1995	Ford	Taurus	3.0L V6 2986cc 182 CID; SE		BB065850AB	850	36 Months
1995-1988	Ford	Taurus	3.8L V6 232 CID		BB065850AB	850	36 Months
1995-1991	Ford	Taurus	3.8L V6 232 CID		1AM065750A	750	24 Months
1995-1991	Ford	Taurus	3.8L V6 232 CID		2AM065650A	650	18 Months
1995-1991	Ford	Taurus	3.8L V6 232 CID		BB065675AA	675	36 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; GL		1AM065750A	750	24 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; LX		1AM065750A	750	24 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; GL		2AM065650A	650	18 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; LX		2AM065650A	650	18 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; GL		BB065675AA	675	36 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; LX		BB065675AA	675	36 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; GL		BB065850AB	850	36 Months
1995-1992	Ford	Taurus	3.0L V6 2986cc 182 CID; LX		BB065850AB	850	36 Months
1999-1996	Ford	Taurus	3.4L V8 207 CID		1AM360650A	650	24 Months
2005-1996	Ford	Taurus	3.0L V6 2968cc 181 CID		1AM360650A	650	24 Months
2007-1996	Ford	Taurus	3.0L V6 2986cc 182 CID		1AM360650A	650	24 Months
2012-2010	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO		1AM065750A	750	24 Months
2012-2010	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO		2AM065650A	650	18 Months
2012-2010	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO		BB065675AA	675	36 Months
2012-2010	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO		BB065850AB	850	36 Months
2016-2015	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO	w/Intelligent Access	1AM065750A	750	24 Months
2016-2015	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO	w/Intelligent Access	2AM065650A	650	18 Months
2016-2015	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO	w/Intelligent Access	BB065675AA	675	36 Months
2016-2015	Ford	Taurus	3.5L V6 3496cc 213 CID; SHO	w/Intelligent Access	BB065850AB	850	36 Months
2017,2014-2013	Ford	Taurus	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017,2014-2013	Ford	Taurus	3.5L V6 3496cc 213 CID		2AM065650A	650	18 Months
2017,2014-2013	Ford	Taurus	3.5L V6 3496cc 213 CID		BB065675AA	675	36 Months
2017,2014-2013	Ford	Taurus	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2017-2015	Ford	Taurus	2.0L L4 1999cc 122 CID	w/Intelligent Access	1AM065750A	750	24 Months
2017-2015	Ford	Taurus	2.0L L4 1999cc 122 CID	w/Intelligent Access	2AM065650A	650	18 Months
2017-2015	Ford	Taurus	2.0L L4 1999cc 122 CID	w/Intelligent Access	BB065675AA	675	36 Months
2017-2015	Ford	Taurus	2.0L L4 1999cc 122 CID	w/Intelligent Access	BB065850AB	850	36 Months
1963	Ford	Thunderbird	6.6L V8 6654cc 406 CID		1AM270710A	710	24 Months
1967-1965	Ford	Thunderbird	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1965	Ford	Thunderbird	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968	Ford	Thunderbird	6.4L V8 390 CID		1AM035550A	550	24 Months
1968	Ford	Thunderbird	6.4L V8 390 CID		1AM270710A	710	24 Months
1968-1965	Ford	Thunderbird	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1968-1965	Ford	Thunderbird	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969,1967-1966	Ford	Thunderbird	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1969,1967-1966	Ford	Thunderbird	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1972	Ford	Thunderbird	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1972	Ford	Thunderbird	6.6L V8 400 CID		1AM270710A	710	24 Months
1972	Ford	Thunderbird	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1972	Ford	Thunderbird	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1972	Ford	Thunderbird	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1973-1968	Ford	Thunderbird	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1968	Ford	Thunderbird	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1972	Ford	Thunderbird	7.5L V8 460 CID		1AM270710A	710	24 Months
1973-1972	Ford	Thunderbird	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1973-1972,1970-1968	Ford	Thunderbird	7.0L V8 429 CID		1AM270710A	710	24 Months
1973-1972,1970-1968	Ford	Thunderbird	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1974	Ford	Thunderbird	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974	Ford	Thunderbird	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1971	Ford	Thunderbird	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Ford	Thunderbird	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1971	Ford	Thunderbird	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Ford	Thunderbird	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Thunderbird	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1976-1972	Ford	Thunderbird	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1974	Ford	Thunderbird	7.5L V8 460 CID		2AM035500A	500	18 Months
1976-1974	Ford	Thunderbird	7.5L V8 460 CID		2AM240530A	530	18 Months
1977	Ford	Thunderbird	5.0L V8 302 CID		1AM260575A	575	24 Months
1977	Ford	Thunderbird	5.8L V8 351 CID		1AM260575A	575	24 Months
1977	Ford	Thunderbird	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977	Ford	Thunderbird	5.8L V8 351 CID		BB26R540AD	540	36 Months
1978-1977,1972	Ford	Thunderbird	6.6L V8 400 CID		1AM035550A	550	24 Months
1978-1977,1972	Ford	Thunderbird	6.6L V8 400 CID		2AM035500A	500	18 Months
1978-1977,1972	Ford	Thunderbird	6.6L V8 400 CID		2AM240530A	530	18 Months
1979-1977	Ford	Thunderbird	5.0L V8 302 CID		1AM035550A	550	24 Months
1979-1977	Ford	Thunderbird	5.8L V8 351 CID		1AM035550A	550	24 Months
1979-1977	Ford	Thunderbird	5.0L V8 302 CID		2AM035500A	500	18 Months
1979-1977	Ford	Thunderbird	5.8L V8 351 CID		2AM035500A	500	18 Months
1979-1977	Ford	Thunderbird	5.0L V8 302 CID		2AM240530A	530	18 Months
1979-1977	Ford	Thunderbird	5.8L V8 351 CID		2AM240530A	530	18 Months
1988-1987	Ford	Thunderbird	2.3L L4 140 CID; w/ Automatic Trans.		1AM065750A	750	24 Months
1988-1987	Ford	Thunderbird	2.3L L4 140 CID; w/ Automatic Trans.		2AM065650A	650	18 Months
1988-1987	Ford	Thunderbird	2.3L L4 140 CID; w/ Automatic Trans.		BB065675AA	675	36 Months
1988-1987	Ford	Thunderbird	2.3L L4 140 CID; w/ Automatic Trans.		BB065850AB	850	36 Months
1990-1989	Ford	Thunderbird	3.8L V6 232 CID	Cold Climate	1AM065750A	750	24 Months
1990-1989	Ford	Thunderbird	3.8L V6 232 CID	Cold Climate	2AM065650A	650	18 Months
1990-1989	Ford	Thunderbird	3.8L V6 232 CID	Cold Climate	BB065675AA	675	36 Months
1990-1989	Ford	Thunderbird	3.8L V6 232 CID	Cold Climate	BB065850AB	850	36 Months
1993-1991,1988-1987	Ford	Thunderbird	5.0L V8 302 CID		1AM065750A	750	24 Months
1993-1991,1988-1987	Ford	Thunderbird	5.0L V8 302 CID		2AM065650A	650	18 Months
1993-1991,1988-1987	Ford	Thunderbird	5.0L V8 302 CID		BB065675AA	675	36 Months
1993-1991,1988-1987	Ford	Thunderbird	5.0L V8 302 CID		BB065850AB	850	36 Months
1995-1991	Ford	Thunderbird	3.8L V6 232 CID; Sold in Canada; w/ Automatic Trans.		1AM065750A	750	24 Months
1995-1991	Ford	Thunderbird	3.8L V6 232 CID; Sold in Canada; w/ Automatic Trans.		2AM065650A	650	18 Months
1995-1991	Ford	Thunderbird	3.8L V6 232 CID; Sold in Canada; w/ Automatic Trans.		BB065675AA	675	36 Months
1995-1991	Ford	Thunderbird	3.8L V6 232 CID; Sold in Canada; w/ Automatic Trans.		BB065850AB	850	36 Months
1997-1994	Ford	Thunderbird	4.6L V8 281 CID		1AM065750A	750	24 Months
1997-1994	Ford	Thunderbird	4.6L V8 281 CID		2AM065650A	650	18 Months
1997-1994	Ford	Thunderbird	4.6L V8 281 CID		BB065675AA	675	36 Months
1997-1994	Ford	Thunderbird	4.6L V8 281 CID		BB065850AB	850	36 Months
1997-1996	Ford	Thunderbird	3.8L V6 232 CID		1AM065750A	750	24 Months
1997-1996	Ford	Thunderbird	3.8L V6 232 CID		2AM065650A	650	18 Months
1997-1996	Ford	Thunderbird	3.8L V6 232 CID		BB065675AA	675	36 Months
1997-1996	Ford	Thunderbird	3.8L V6 232 CID		BB065850AB	850	36 Months
1968	Ford	Torino	7.0L V8 427 CID		1AM035550A	550	24 Months
1968	Ford	Torino	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968	Ford	Torino	3.3L L6 200 CID		1AM260575A	575	24 Months
1968	Ford	Torino	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1968	Ford	Torino	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1968	Ford	Torino	7.0L V8 427 CID		1AM260575A	575	24 Months
1968	Ford	Torino	7.0L V8 428 CID		1AM260575A	575	24 Months
1968	Ford	Torino	7.0L V8 6997cc 427 CID		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1968	Ford	Torino	7.0L V8 7014cc 428 CID		1AM260575A	575	24 Months
1968	Ford	Torino	7.0L V8 427 CID		1AM270710A	710	24 Months
1968	Ford	Torino	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968	Ford	Torino	7.0L V8 427 CID		2AM035500A	500	18 Months
1968	Ford	Torino	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968	Ford	Torino	7.0L V8 427 CID		2AM240530A	530	18 Months
1968	Ford	Torino	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1968	Ford	Torino	3.3L L6 200 CID		BB26R540AD	540	36 Months
1968	Ford	Torino	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1968	Ford	Torino	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1968	Ford	Torino	7.0L V8 427 CID		BB26R540AD	540	36 Months
1968	Ford	Torino	7.0L V8 428 CID		BB26R540AD	540	36 Months
1968	Ford	Torino	7.0L V8 6997cc 427 CID		BB26R540AD	540	36 Months
1968	Ford	Torino	7.0L V8 7014cc 428 CID		BB26R540AD	540	36 Months
1969-1968	Ford	Torino	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1968	Ford	Torino	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968	Ford	Torino	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968	Ford	Torino	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1968	Ford	Torino	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968	Ford	Torino	6.4L V8 390 CID		2AM240530A	530	18 Months
1969-1968	Ford	Torino	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1968	Ford	Torino	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970-1968	Ford	Torino	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1968	Ford	Torino	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1968	Ford	Torino	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1970-1968	Ford	Torino	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1968	Ford	Torino	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1970-1968	Ford	Torino	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1971-1970	Ford	Torino	7.0L V8 429 CID		1AM270710A	710	24 Months
1971-1970	Ford	Torino	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Ford	Torino	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Torino	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1969	Ford	Torino	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Torino	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1969	Ford	Torino	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1969	Ford	Torino	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1970	Ford	Torino	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1970	Ford	Torino	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1970	Ford	Torino	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1970	Ford	Torino	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1970	Ford	Torino	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1970	Ford	Torino	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1974,1971	Ford	Torino	5.8L V8 351 CID		1AM260575A	575	24 Months
1974,1971	Ford	Torino	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974,1971	Ford	Torino	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974,1971	Ford	Torino	5.8L V8 351 CID		BB26R540AD	540	36 Months
1974,1971	Ford	Torino	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974,1971	Ford	Torino	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1968	Ford	Torino	5.0L V8 302 CID		1AM260575A	575	24 Months
1974-1968	Ford	Torino	5.0L V8 302 CID		BB26R540AD	540	36 Months
1974-1969	Ford	Torino	4.1L L6 250 CID		1AM260575A	575	24 Months
1974-1969	Ford	Torino	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1974-1969	Ford	Torino	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1974-1969	Ford	Torino	4.1L L6 250 CID		BB26R540AD	540	36 Months
1974-1969	Ford	Torino	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1974-1969	Ford	Torino	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1974-1972	Ford	Torino	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1972	Ford	Torino	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1972	Ford	Torino	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1972	Ford	Torino	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1972	Ford	Torino	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1972	Ford	Torino	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1973	Ford	Torino	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973	Ford	Torino	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973	Ford	Torino	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1972	Ford	Torino	6.6L V8 400 CID		1AM035550A	550	24 Months
1976-1972	Ford	Torino	6.6L V8 400 CID		2AM035500A	500	18 Months
1976-1972	Ford	Torino	6.6L V8 400 CID		2AM240530A	530	18 Months
1976-1973	Ford	Torino	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1973	Ford	Torino	7.5L V8 460 CID		2AM035500A	500	18 Months
1976-1973	Ford	Torino	7.5L V8 460 CID		2AM240530A	530	18 Months
1976-1975,1973-1969	Ford	Torino	5.8L V8 351 CID		1AM035550A	550	24 Months
1976-1975,1973-1969	Ford	Torino	5.8L V8 351 CID		2AM035500A	500	18 Months
1976-1975,1973-1969	Ford	Torino	5.8L V8 351 CID		2AM240530A	530	18 Months
2010-2008	Ford	Transit	2.2L L4 2200cc 134 CID		1AM960590A	590	24 Months
2012-2011	Ford	Transit Connect	-L --	Installation may take up to 45 minutes. Battery located under hood.	1AM960590A	590	24 Months
2016-2014	Ford	Transit Connect	1.6L L4 1596cc 97 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM960590A	590	24 Months
2017-2014	Ford	Transit Connect	2.5L L4 2488cc 152 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM960590A	590	24 Months
2016-2015	Ford	Transit-150	3.5L V6 3496cc 213 CID	Battery Located Under Driver's Seat.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Ford	Transit-150	3.7L V6 3726cc 227 CID	Battery Located Under Driver's Seat.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Ford	Transit-150	3.5L V6 3496cc 213 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Ford	Transit-150	3.7L V6 3726cc 227 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	Transit-150	3.5L V6 3496cc 213 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	1AM0H6770A	770	24 Months
2017-2015	Ford	Transit-150	3.7L V6 3726cc 227 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2015	Ford	Transit-150	3.5L V6 3496cc 213 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	2AM048615A	615	18 Months
2017-2015	Ford	Transit-150	3.7L V6 3726cc 227 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	2AM048615A	615	18 Months
2016-2015	Ford	Transit-250	3.5L V6 3496cc 213 CID	Battery Located Under Driver's Seat.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Ford	Transit-250	3.7L V6 3726cc 227 CID	Battery Located Under Driver's Seat.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Ford	Transit-250	3.5L V6 3496cc 213 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Ford	Transit-250	3.7L V6 3726cc 227 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	Transit-250	3.5L V6 3496cc 213 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	1AM0H6770A	770	24 Months
2017-2015	Ford	Transit-250	3.7L V6 3726cc 227 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	1AM0H6770A	770	24 Months
2017-2015	Ford	Transit-250	3.5L V6 3496cc 213 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	2AM048615A	615	18 Months
2017-2015	Ford	Transit-250	3.7L V6 3726cc 227 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	2AM048615A	615	18 Months
2016	Ford	Transit-350	3.7L V6 3726cc 227 CID	Battery Located Under Driver's Seat.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Ford	Transit-350	3.5L V6 3496cc 213 CID	Battery Located Under Driver's Seat.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Ford	Transit-350	3.5L V6 3496cc 213 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Ford	Transit-350	3.7L V6 3726cc 227 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Ford	Transit-350	3.5L V6 3496cc 213 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	1AM0H6770A	770	24 Months
2017-2015	Ford	Transit-350	3.7L V6 3726cc 227 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	1AM0H6770A	770	24 Months
2017-2015	Ford	Transit-350	3.5L V6 3496cc 213 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	2AM048615A	615	18 Months
2017-2015	Ford	Transit-350	3.7L V6 3726cc 227 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under driver's seat.; Professional installation may be required.	2AM048615A	615	18 Months
1958	Ford	Victoria	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1958	Ford	Victoria	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1958	Ford	Victoria	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1958	Ford	Victoria	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
2000-1995	Ford	Windstar	3.0L V6 2986cc 182 CID		1AM065750A	750	24 Months
2000-1995	Ford	Windstar	3.0L V6 2986cc 182 CID		2AM065650A	650	18 Months
2000-1995	Ford	Windstar	3.0L V6 2986cc 182 CID		BB065675AA	675	36 Months
2000-1995	Ford	Windstar	3.0L V6 2986cc 182 CID		BB065850AB	850	36 Months
2003-1995	Ford	Windstar	3.8L V6 232 CID		1AM065750A	750	24 Months
2003-1995	Ford	Windstar	3.8L V6 232 CID		2AM065650A	650	18 Months
2003-1995	Ford	Windstar	3.8L V6 232 CID		BB065675AA	675	36 Months
2003-1995	Ford	Windstar	3.8L V6 232 CID		BB065850AB	850	36 Months
1956-1952	Ford	Zephyr	2.3L L6 2262cc 138 CID		1AM035550A	550	24 Months
1956-1952	Ford	Zephyr	2.3L L6 2262cc 138 CID		1AM270710A	710	24 Months
1956-1952	Ford	Zephyr	2.3L L6 2262cc 138 CID		2AM035500A	500	18 Months
1956-1952	Ford	Zephyr	2.3L L6 2262cc 138 CID		2AM240530A	530	18 Months
1963-1956	Ford	Zephyr	2.6L L6 2553cc 156 CID		1AM035550A	550	24 Months
1963-1956	Ford	Zephyr	2.6L L6 2553cc 156 CID		1AM270710A	710	24 Months
1963-1956	Ford	Zephyr	2.6L L6 2553cc 156 CID		2AM035500A	500	18 Months
1963-1956	Ford	Zephyr	2.6L L6 2553cc 156 CID		2AM240530A	530	18 Months
1956-1955	Ford	Zodiac	2.3L L6 2262cc 138 CID		1AM035550A	550	24 Months
1956-1955	Ford	Zodiac	2.3L L6 2262cc 138 CID		1AM270710A	710	24 Months
1956-1955	Ford	Zodiac	2.3L L6 2262cc 138 CID		2AM035500A	500	18 Months
1956-1955	Ford	Zodiac	2.3L L6 2262cc 138 CID		2AM240530A	530	18 Months
1964-1956	Ford	Zodiac	2.6L L6 2553cc 156 CID		1AM035550A	550	24 Months
1964-1956	Ford	Zodiac	2.6L L6 2553cc 156 CID		1AM270710A	710	24 Months
1964-1956	Ford	Zodiac	2.6L L6 2553cc 156 CID		2AM035500A	500	18 Months
1964-1956	Ford	Zodiac	2.6L L6 2553cc 156 CID		2AM240530A	530	18 Months
1957-1956	Frazer Nash	Continental	2.4L V8 2430cc 148 CID		1AM024700B	700	24 Months
1957-1956	Frazer Nash	Continental	2.6L V8 2580cc 157 CID		1AM024700B	700	24 Months
1957-1956	Frazer Nash	Continental	3.2L V8 3168cc 193 CID		1AM024700B	700	24 Months
1956	Frazer Nash	Le Mans Coupe	2.0L L6 1971cc 120 CID		1AM024700B	700	24 Months
2006-2007	Freightliner	Sprinter 2500	2.7L L5 2687cc 165 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2008-2007	Freightliner	Sprinter 2500	3.5L V6 3498cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Freightliner	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017	Freightliner	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	1AM0H6770A	770	24 Months
2017	Freightliner	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Freightliner	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BB0H8800AC	800	36 Months
2017	Freightliner	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017	Freightliner	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BBEH8800AA	800	36 Months
2017-2007	Freightliner	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2017-2014	Freightliner	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006-2002	Freightliner	Sprinter 3500	2.7L L5 2687cc 165 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2008-2007	Freightliner	Sprinter 3500	3.5L V6 3498cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Freightliner	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017	Freightliner	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	1AM0H6770A	770	24 Months
2017	Freightliner	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Freightliner	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BB0H8800AC	800	36 Months
2017	Freightliner	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017	Freightliner	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BBEH8800AA	800	36 Months
2017-2007	Freightliner	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2017-2014	Freightliner	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
1997-1995	Geo	Metro	1.0L L3 993cc 61 CID		1AM260575A	575	24 Months
1997-1995	Geo	Metro	1.3L L4 1295cc 79 CID		1AM260575A	575	24 Months
1997-1995	Geo	Metro	1.0L L3 993cc 61 CID		BB26R540AD	540	36 Months
1997-1995	Geo	Metro	1.3L L4 1295cc 79 CID		BB26R540AD	540	36 Months
1992-1990	Geo	Prizm	1.6L L4 1587cc		1AM035550A	550	24 Months
1992-1990	Geo	Prizm	1.6L L4 1587cc		2AM035500A	500	18 Months
1997-1993	Geo	Prizm	1.8L L4 1788cc 110 CID		1AM035550A	550	24 Months
1997-1993	Geo	Prizm	1.8L L4 1788cc 110 CID		2AM035500A	500	18 Months
1997-1993,1989	Geo	Prizm	1.6L L4 1588cc 98 CID		1AM035550A	550	24 Months
1997-1993,1989	Geo	Prizm	1.6L L4 1588cc 98 CID		2AM035500A	500	18 Months
1989	Geo	Spectrum	1.5L L4 1471cc 92 CID		1AM035550A	550	24 Months
1989	Geo	Spectrum	1.5L L4 1471cc 92 CID		2AM035500A	500	18 Months
1993-1990	Geo	Storm	1.6L L4 1588cc 98 CID		1AM035550A	550	24 Months
1993-1990	Geo	Storm	1.6L L4 1588cc 98 CID		2AM035500A	500	18 Months
1993-1992	Geo	Storm	1.8L L4 1809cc 110 CID		1AM035550A	550	24 Months
1993-1992	Geo	Storm	1.8L L4 1809cc 110 CID		2AM035500A	500	18 Months
1995	Geo	Tracker	1.6L L4 1590cc 97 CID		1AM260575A	575	24 Months
1995	Geo	Tracker	1.6L L4 1590cc 97 CID		BB26R540AD	540	36 Months
1997-1995	Geo	Tracker	1.6L L4 1588cc 98 CID		1AM260575A	575	24 Months
1997-1995	Geo	Tracker	1.6L L4 1588cc 98 CID		BB26R540AD	540	36 Months
1955	GMC	100	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	100	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	100	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	100	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	100	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	100	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1956	GMC	100	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	100	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	100	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1966	GMC	1000	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966	GMC	1000	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1962-1960	GMC	1000 Series	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1962-1961	GMC	1000 Series	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1963-1960	GMC	1000 Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965	GMC	1000 Series	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1965-1960	GMC	1000 Series	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1965-1963	GMC	1000 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1965-1963	GMC	1000 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1955	GMC	100-22	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	100-22	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1955	GMC	100-22	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1955	GMC	100-22	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1956	GMC	150	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956	GMC	150	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	150	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	150	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1956	GMC	150	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	150	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	150	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1966	GMC	1500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1962-1960	GMC	1500 Series	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1962-1961	GMC	1500 Series	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1963-1960	GMC	1500 Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965	GMC	1500 Series	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1965-1960	GMC	1500 Series	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1965-1963	GMC	1500 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1965-1963	GMC	1500 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1955	GMC	150-22	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	150-22	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1955	GMC	150-22	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1955	GMC	150-22	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1955	GMC	250	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	250	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	250	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	250	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	250	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	250	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1956	GMC	250	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	250	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	250	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1966	GMC	2500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1962-1960	GMC	2500 Series	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1962-1961	GMC	2500 Series	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1963-1960	GMC	2500 Series	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1965	GMC	2500 Series	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1965-1960	GMC	2500 Series	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1965-1963	GMC	2500 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1965-1963	GMC	2500 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1955	GMC	250-22	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	250-22	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1955	GMC	250-22	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1955	GMC	250-22	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1955	GMC	280-22	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	280-22	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1955	GMC	280-22	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1955	GMC	280-22	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1955	GMC	300	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	300	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	300	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	300	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	300	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	300	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1956	GMC	300	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	300	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	300	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1962-1960	GMC	3000	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1962-1961	GMC	3000	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1965-1963	GMC	3000	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	3000	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966-1960	GMC	3000	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1966-1960	GMC	3000	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1966-1963	GMC	3000	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1966-1965	GMC	3000	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1962-1960	GMC	3500	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1962-1961	GMC	3500	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1965-1963	GMC	3500	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	3500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966-1960	GMC	3500	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1966-1960	GMC	3500	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1966-1963	GMC	3500	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1966-1965	GMC	3500	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1955	GMC	350-8	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	350-8	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	350-8	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	350-8	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	350-8	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	350-8	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	350-8	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	370	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	370	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	370	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	370	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	370	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	370	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1956	GMC	370	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	370	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	370	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
2014-2011	GMC	Acadia	3.6L V6 3564cc 217 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	1AM0H6770A	770	24 Months
2017	GMC	Acadia	3.6L V6 222 CID	Installation may take up to 45 minutes. Battery located behind the passenger seat.	1AM0H6770A	770	24 Months
1965	GMC	B3500	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1965-1964	GMC	B3500	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1985-1980	GMC	B6000	7.0L V8 427 CID		1AM075700A	700	24 Months
1985-1980	GMC	B6000	7.0L V8 427 CID		BB078800AB	800	36 Months
1987-1980	GMC	B6000	5.7L V8 350 CID		1AM075700A	700	24 Months
1987-1980	GMC	B6000	6.0L V8 366 CID		1AM075700A	700	24 Months
1987-1980	GMC	B6000	5.7L V8 350 CID		BB078800AB	800	36 Months
1987-1980	GMC	B6000	6.0L V8 366 CID		BB078800AB	800	36 Months
1987-1981	GMC	B6000	8.2L V8 501 CID		1AM075700A	700	24 Months
1987-1981	GMC	B6000	8.2L V8 501 CID		BB078800AB	800	36 Months
1998	GMC	B7	6.5L V8 395 CID	GM eng.	1AM075700A	700	24 Months
1998	GMC	B7	6.6L L6 403 CID	GM eng.	1AM075700A	700	24 Months
1998	GMC	B7	6.5L V8 395 CID	GM eng.	BB078800AB	800	36 Months
1998	GMC	B7	6.6L L6 403 CID	GM eng.	BB078800AB	800	36 Months
1998-1996	GMC	B7	6.0L V8 366 CID		1AM075700A	700	24 Months
1998-1996	GMC	B7	7.0L V8 6998cc 427 CID		1AM075700A	700	24 Months
1998-1996	GMC	B7	6.0L V8 366 CID		BB078800AB	800	36 Months
1998-1996	GMC	B7	7.0L V8 6998cc 427 CID		BB078800AB	800	36 Months
1981	GMC	Brigadier	7.0L V8 6998cc 427 CID		BB078800AB	800	36 Months
1981	GMC	Brigadier	9.3L V8 9310cc 568 CID		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	-L --		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	10.4L V8 636 CID		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	14.0L L6 14013cc 855 CID		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	14.6L L6 14636cc 893 CID		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	5.2L V6 5212cc 318 CID		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	7.0L L6 6982cc 426 CID		BB078800AB	800	36 Months
1983-1981	GMC	Brigadier	9.0L V6 9047cc 552 CID		BB078800AB	800	36 Months
1983-1982	GMC	Brigadier	12.1L V8 12063cc 736 CID		BB078800AB	800	36 Months
1978,1975	GMC	C15	5.7L V8 350 CID		BB078800AB	800	36 Months
1978,1976	GMC	C15	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15	7.4L V8 454 CID		BB078800AB	800	36 Months
1978-1977	GMC	C15	5.0L V8 305 CID		1AM075700A	700	24 Months
1975	GMC	C15 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1978-1975	GMC	C15 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1975	GMC	C15 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1978-1977	GMC	C15 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1967	GMC	C15/C1500 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	C15/C1500 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	GMC	C15/C1500 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	C15/C1500 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	C15/C1500 Pickup	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969-1967	GMC	C15/C1500 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1967	GMC	C15/C1500 Pickup	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C15/C1500 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C15/C1500 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	C15/C1500 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970-1968	GMC	C15/C1500 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	GMC	C15/C1500 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	GMC	C15/C1500 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	GMC	C15/C1500 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1967	GMC	C15/C1500 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1967	GMC	C15/C1500 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	C15/C1500 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	C15/C1500 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1971-1970	GMC	C15/C1500 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1971-1970	GMC	C15/C1500 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1972	GMC	C15/C1500 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	GMC	C15/C1500 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	C15/C1500 Pickup	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972	GMC	C15/C1500 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months
1972	GMC	C15/C1500 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	GMC	C15/C1500 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	GMC	C15/C1500 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1973-1972	GMC	C15/C1500 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1972	GMC	C15/C1500 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	C15/C1500 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	C15/C1500 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C15/C1500 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C15/C1500 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	C15/C1500 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C15/C1500 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C15/C1500 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1968	GMC	C15/C1500 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968	GMC	C15/C1500 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	GMC	C15/C1500 Suburban	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969-1968	GMC	C15/C1500 Suburban	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C15/C1500 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	C15/C1500 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970-1968	GMC	C15/C1500 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	GMC	C15/C1500 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1968	GMC	C15/C1500 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	C15/C1500 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	C15/C1500 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	C15/C1500 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1971-1969	GMC	C15/C1500 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	GMC	C15/C1500 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	C15/C1500 Suburban	6.6L V8 402 CID		1AM024700B	700	24 Months
1971-1970	GMC	C15/C1500 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1972	GMC	C15/C1500 Suburban	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	GMC	C15/C1500 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	C15/C1500 Suburban	4.8L L6 4801cc 292 CID		BB078800AB	800	36 Months
1972	GMC	C15/C1500 Suburban	6.6L V8 402 CID		BB078800AB	800	36 Months
1972	GMC	C15/C1500 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	GMC	C15/C1500 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	GMC	C15/C1500 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1973-1972	GMC	C15/C1500 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1972	GMC	C15/C1500 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	C15/C1500 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	C15/C1500 Suburban	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	C15/C1500 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Suburban	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	C15/C1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	C15/C1500 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1973	GMC	C15/C1500 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Suburban	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Suburban	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C15/C1500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C15/C1500 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C15/C1500 Suburban	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1980-1979	GMC	C1500	4.8L L6 292 CID		1AM075700A	700	24 Months
1980-1979	GMC	C1500	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1979	GMC	C1500	7.4L V8 454 CID		1AM075700A	700	24 Months
1980-1979	GMC	C1500	7.4L V8 454 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1984-1979	GMC	C1500	4.1L L6 250 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	C1500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	C1500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991	GMC	C1500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	C1500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	GMC	C1500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	C1500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	GMC	C1500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	C1500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	GMC	C1500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	C1500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	GMC	C1500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	C1500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	GMC	C1500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	C1500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1997	GMC	C1500	6.5L V8 395 CID		1AM075700A	700	24 Months
1997-1994	GMC	C1500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994, 1986-1985	GMC	C1500	4.3L V6 262 CID		BB078800AB	800	36 Months
1998-1994, 1990-1988, 1986-1979	GMC	C1500	5.0L V8 305 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988, 1986-1979	GMC	C1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988, 1986-1983	GMC	C1500	5.0L V8 305 CID		BB078800AB	800	36 Months
1998-1994, 1990-1988, 1986-1985	GMC	C1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1994, 1990-1988, 1986-	GMC	C1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998, 1983, 1979							
1999	GMC	C1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	C1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1980-1979	GMC	C1500 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1980-1979	GMC	C1500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1980-1979	GMC	C1500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1986, 1983	GMC	C1500 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1986-1979	GMC	C1500 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	GMC	C1500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	GMC	C1500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1992	GMC	C1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	C1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	C1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	C1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1994, 1986, 1983	GMC	C1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1994, 1986-1979	GMC	C1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1995	GMC	C1500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1997	GMC	C1500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	GMC	C1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	C1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1976-1975	GMC	C25	5.7L V8 350 CID		BB078800AB	800	36 Months
1978	GMC	C25	4.1L L6 250 CID		BB078800AB	800	36 Months
1978	GMC	C25	4.8L L6 292 CID		BB078800AB	800	36 Months
1978-1975	GMC	C25	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	C25	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	C25	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1975	GMC	C25	7.4L V8 454 CID		BB078800AB	800	36 Months
1978-1976	GMC	C25	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977	GMC	C25	5.0L V8 305 CID		1AM075700A	700	24 Months
1978-1977, 1975	GMC	C25	4.1L L6 250 CID		1AM075700A	700	24 Months
1976-1975	GMC	C25 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1978	GMC	C25 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1978	GMC	C25 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1978-1975	GMC	C25 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	C25 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	C25 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1975	GMC	C25 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1978-1977	GMC	C25 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1978-1977	GMC	C25 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1967	GMC	C25/C2500 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	C25/C2500 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	GMC	C25/C2500 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	C25/C2500 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	C25/C2500 Pickup	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969-1967	GMC	C25/C2500 Pickup	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C25/C2500 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C25/C2500 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	C25/C2500 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	GMC	C25/C2500 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	GMC	C25/C2500 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	GMC	C25/C2500 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1967	GMC	C25/C2500 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	GMC	C25/C2500 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	GMC	C25/C2500 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	GMC	C25/C2500 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	GMC	C25/C2500 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	GMC	C25/C2500 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	GMC	C25/C2500 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	GMC	C25/C2500 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	C25/C2500 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	C25/C2500 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	GMC	C25/C2500 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	GMC	C25/C2500 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	C25/C2500 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C25/C2500 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C25/C2500 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	C25/C2500 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C25/C2500 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C25/C2500 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1968	GMC	C25/C2500 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968	GMC	C25/C2500 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	GMC	C25/C2500 Suburban	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969	GMC	C25/C2500 Suburban	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C25/C2500 Suburban	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C25/C2500 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	C25/C2500 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	GMC	C25/C2500 Suburban	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	GMC	C25/C2500 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	GMC	C25/C2500 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	GMC	C25/C2500 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	GMC	C25/C2500 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	GMC	C25/C2500 Suburban	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	GMC	C25/C2500 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	GMC	C25/C2500 Suburban	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	GMC	C25/C2500 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	GMC	C25/C2500 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	C25/C2500 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	C25/C2500 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	GMC	C25/C2500 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	GMC	C25/C2500 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	C25/C2500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1974	GMC	C25/C2500 Suburban	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974	GMC	C25/C2500 Suburban	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	GMC	C25/C2500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1974	GMC	C25/C2500 Suburban	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1974,1972-1971	GMC	C25/C2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1974,1972-1971	GMC	C25/C2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C25/C2500 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Suburban	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	C25/C2500 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	C25/C2500 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Suburban	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C25/C2500 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1979	GMC	C2500	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1979	GMC	C2500	4.1L L6 250 CID		1AM075700A	700	24 Months
1984-1979	GMC	C2500	4.1L L6 250 CID		BB078800AB	800	36 Months
1986-1979	GMC	C2500	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1979	GMC	C2500	4.8L L6 292 CID		BB078800AB	800	36 Months
1993-1988, 1986-1982	GMC	C2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	C2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991	GMC	C2500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	C2500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	GMC	C2500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	C2500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989	GMC	C2500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989	GMC	C2500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989	GMC	C2500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989	GMC	C2500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989	GMC	C2500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989	GMC	C2500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1993-1991,1989	GMC	C2500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991,1989	GMC	C2500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991,1989	GMC	C2500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991,1989	GMC	C2500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991,1989	GMC	C2500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991,1989	GMC	C2500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1995-1994,1990,1988,1986	GMC	C2500	4.3L V6 262 CID		BB078800AB	800	36 Months
1995-1994,1990,1988,1986-1985	GMC	C2500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1992	GMC	C2500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994,1986-1979	GMC	C2500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994,1986-1982,1980-1979	GMC	C2500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1994,1990,1988,1986-1979	GMC	C2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1990,1988,1986-1982	GMC	C2500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997,1993-1992	GMC	C2500	6.5L V8 395 CID		1AM075700A	700	24 Months
1999-1994,1990,1988,1986-1979	GMC	C2500	5.0L V8 305 CID		1AM075700A	700	24 Months
1999-1994,1990,1988,1986-1981	GMC	C2500	5.0L V8 305 CID		BB078800AB	800	36 Months
2000-1999	GMC	C2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	C2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	C2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	C2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	C2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	C2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1980	GMC	C2500 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1984,1982-1979	GMC	C2500 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1984,1982-1979	GMC	C2500 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1986-1982	GMC	C2500 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	GMC	C2500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	GMC	C2500 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1986-1982	GMC	C2500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1992	GMC	C2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	C2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	C2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	C2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	C2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	C2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	GMC	C2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	C2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1994	GMC	C2500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994,1986-1979	GMC	C2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1986-1979	GMC	C2500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994,1986-1982	GMC	C2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1994,1986-1982,1980-1979	GMC	C2500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1997	GMC	C2500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	GMC	C2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	C2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	C2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	C2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1976	GMC	C35	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1975	GMC	C35	5.7L V8 350 CID		BB078800AB	800	36 Months
1978	GMC	C35	5.0L V8 305 CID		1AM075700A	700	24 Months
1978	GMC	C35	4.1L L6 250 CID		BB078800AB	800	36 Months
1978,1975	GMC	C35	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	C35	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	C35	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	C35	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1975	GMC	C35	7.4L V8 454 CID		BB078800AB	800	36 Months
1978-1976	GMC	C35	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977	GMC	C35	4.8L L6 292 CID		BB078800AB	800	36 Months
1967	GMC	C35/C3500 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	C35/C3500 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	GMC	C35/C3500 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	C35/C3500 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	C35/C3500 Pickup	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1969-1967	GMC	C35/C3500 Pickup	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C35/C3500 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	C35/C3500 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	C35/C3500 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1970	GMC	C35/C3500 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1970	GMC	C35/C3500 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	GMC	C35/C3500 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1967	GMC	C35/C3500 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970-1968	GMC	C35/C3500 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1968	GMC	C35/C3500 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1970-1968	GMC	C35/C3500 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1970-1968	GMC	C35/C3500 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	GMC	C35/C3500 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	GMC	C35/C3500 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	GMC	C35/C3500 Pickup	6.6L V8 402 CID		1AM075700A	700	24 Months
1972-1971	GMC	C35/C3500 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972-1971	GMC	C35/C3500 Pickup	6.6L V8 402 CID		BB078800AB	800	36 Months
1972-1971	GMC	C35/C3500 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1971	GMC	C35/C3500 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	C35/C3500 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	C35/C3500 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1971	GMC	C35/C3500 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	GMC	C35/C3500 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	C35/C3500 Pickup	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C35/C3500 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	C35/C3500 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	C35/C3500 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	C35/C3500 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	C35/C3500 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	C35/C3500 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	C35/C3500 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	C35/C3500 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	C35/C3500 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	C35/C3500 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	C35/C3500 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C35/C3500 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C35/C3500 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	C35/C3500 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C35/C3500 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	C35/C3500 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1979	GMC	C3500	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1979	GMC	C3500	4.1L L6 250 CID		1AM075700A	700	24 Months
1980-1979	GMC	C3500	4.1L L6 250 CID		BB078800AB	800	36 Months
1986	GMC	C3500	5.0L V8 305 CID		1AM075700A	700	24 Months
1986	GMC	C3500	5.0L V8 305 CID		BB078800AB	800	36 Months
1986-1979	GMC	C3500	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1979	GMC	C3500	4.8L L6 292 CID		BB078800AB	800	36 Months
1993-1988, 1986-1982	GMC	C3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	C3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	C3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	C3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	C3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	C3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	C3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	C3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	C3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	C3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1992	GMC	C3500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994, 1990, 1986-1979	GMC	C3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994, 1990, 1986-1979	GMC	C3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994, 1990, 1986-1982	GMC	C3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1994, 1990, 1986-1982, 1980-1979	GMC	C3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1997, 1993-1992	GMC	C3500	6.5L V8 395 CID		1AM075700A	700	24 Months
2000-1999	GMC	C3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	C3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	C3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	C3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	C3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	C3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1993-1991	GMC	C3500HD	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	C3500HD	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1993-1991	GMC	C3500HD	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	C3500HD	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	GMC	C3500HD	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	C3500HD	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991	GMC	C3500HD	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	C3500HD	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	GMC	C3500HD	6.5L V8 395 CID		1AM075700A	700	24 Months
1995-1994	GMC	C3500HD	5.7L V8 350 CID		1AM075700A	700	24 Months
1995-1994	GMC	C3500HD	5.7L V8 350 CID		BB078800AB	800	36 Months
2000-1994	GMC	C3500HD	7.4L V8 454 CID		1AM075700A	700	24 Months
2000-1994	GMC	C3500HD	7.4L V8 454 CID		BB078800AB	800	36 Months
2002-1994	GMC	C3500HD	6.5L V8 395 CID		BB078800AB	800	36 Months
2002-2001	GMC	C3500HD	8.1L V8 496 CID		1AM075700A	700	24 Months
2002-2001	GMC	C3500HD	8.1L V8 496 CID		BB078800AB	800	36 Months
2009	GMC	C4500 Topkick	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C4500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C4500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009	GMC	C4500 Topkick	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1986-1980	GMC	C5000	4.8L L6 292 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987	GMC	C5000	5.7L V8 350 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987-1980	GMC	C5000	5.7L V8 350 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1990-1988	GMC	C5000	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1988	GMC	C5000	5.7L V8 350 CID		BB078800AB	800	36 Months
2009	GMC	C5500 Topkick	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C5500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C5500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009	GMC	C5500 Topkick	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1984-1981	GMC	C6000	10.4L V8 636 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1986-1980	GMC	C6000	4.8L L6 292 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987	GMC	C6000	5.7L V8 350 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987	GMC	C6000	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987	GMC	C6000	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987-1980	GMC	C6000	5.7L V8 350 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987-1980	GMC	C6000	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987-1981	GMC	C6000	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1988	GMC	C6000	6.0L V8 366 CID		1AM075700A	700	24 Months
1988	GMC	C6000	6.0L V8 366 CID		BB078800AB	800	36 Months
1990-1988	GMC	C6000	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1988	GMC	C6000	5.7L V8 350 CID		BB078800AB	800	36 Months
2009	GMC	C6500 Topkick	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C6500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C6500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009	GMC	C6500 Topkick	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1980	GMC	C7000	7.4L V8 454 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1982-1980	GMC	C7000	9.1L V8 555 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1985-1982	GMC	C7000	6.1L L6 374 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987	GMC	C7000	10.4L V8 636 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987	GMC	C7000	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987	GMC	C7000	7.0L V8 427 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987	GMC	C7000	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	BB078800AB	800	36 Months
1987-1980	GMC	C7000	10.4L V8 636 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987-1980	GMC	C7000	6.0L V8 366 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987-1980	GMC	C7000	7.0L V8 427 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
1987-1980	GMC	C7000	8.2L V8 501 CID	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM075700A	700	24 Months
2009	GMC	C7500 Topkick	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C7500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	C7500 Topkick	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009	GMC	C7500 Topkick	8.1L V8 496 CID	OE CCA: 615; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Requires 1 to 4 batteries; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	C8500 Topkick	4.8L V8 4800cc 293 CID		BB078800AB	800	36 Months
2009-2003	GMC	C8500 Topkick	8.1L V8 496 CID		BB078800AB	800	36 Months
1979	GMC	Caballero	3.8L V6 231 CID		1AM075700A	700	24 Months
1979	GMC	Caballero	3.8L V6 231 CID		BB078800AB	800	36 Months
1979-1978	GMC	Caballero	3.3L V6 200 CID		1AM075700A	700	24 Months
1979-1978	GMC	Caballero	3.3L V6 200 CID		BB078800AB	800	36 Months
1980-1978	GMC	Caballero	5.0L V8 305 CID		BB078800AB	800	36 Months
1982-1979	GMC	Caballero	4.4L V8 267 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1982-1979	GMC	Caballero	4.4L V8 267 CID		BB078800AB	800	36 Months
1984-1978	GMC	Caballero	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1984-1980	GMC	Caballero	3.8L V6 229 CID		1AM075700A	700	24 Months
1984-1983,1979-1978	GMC	Caballero	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1983,1979-1978	GMC	Caballero	5.7L V8 350 CID		BB078800AB	800	36 Months
1984-1983,1981-1978	GMC	Caballero	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1984-1983,1981-1980	GMC	Caballero	3.8L V6 229 CID		BB078800AB	800	36 Months
1987-1978	GMC	Caballero	5.0L V8 305 CID		1AM075700A	700	24 Months
1987-1985	GMC	Caballero	4.3L V6 262 CID		1AM075700A	700	24 Months
2017	GMC	Canyon	3.6L V6 222 CID		1AM0H6770A	770	24 Months
2017	GMC	Canyon	3.6L V6 222 CID		2AM048615A	615	18 Months
2017	GMC	Canyon	3.6L V6 222 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	GMC	Canyon	2.5L L4 2457cc 153 CID		1AM0H6770A	770	24 Months
2017-2015	GMC	Canyon	2.5L L4 2457cc 153 CID		2AM048615A	615	18 Months
2017-2015	GMC	Canyon	2.5L L4 2457cc 153 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	GMC	Envoy	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.; The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2009-2003	GMC	Envoy	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2009-2005	GMC	Envoy	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2002	GMC	Envoy XL	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.; The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	GMC	Envoy XL	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2006-2003	GMC	Envoy XL	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2005-2004	GMC	Envoy XUV	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2005-2004	GMC	Envoy XUV	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
1955	GMC	F350	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	F350	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	F350	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	F350	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	F350	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	F350	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	F350	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	F350	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	F370	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	F370	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	F370	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	F370	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	F370	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	F370	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	F370	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	FM340	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	FM340	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	FM340	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	FM340	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1957	GMC	FM340	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	FM340	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	FM350	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	FM350	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	FM350	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	FM350	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1957	GMC	FM350	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	FM350	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1966-1963	GMC	G1000 Series	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1966-1964	GMC	G1000 Series	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1966-1964	GMC	G1000 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1976	GMC	G15	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1975	GMC	G15	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	G15	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1977	GMC	G15	5.0L V8 305 CID		1AM075700A	700	24 Months
1967	GMC	G15/G1500 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	G15/G1500 Van	4.6L V8 283 CID		1AM024700B	700	24 Months
1967	GMC	G15/G1500 Van	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1967	GMC	G15/G1500 Van	3.8L L6 230 CID		1AM024700B	700	24 Months
1969-1967	GMC	G15/G1500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	GMC	G15/G1500 Van	4.1L L6 250 CID	w/Top Terminals	1AM024700B	700	24 Months
1970-1968	GMC	G15/G1500 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1971	GMC	G15/G1500 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1973-1971	GMC	G15/G1500 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	G15/G1500 Van	5.0L V8 307 CID		BB078800AB	800	36 Months
1974	GMC	G15/G1500 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	G15/G1500 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	G15/G1500 Van	5.7L V8 350 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1972	GMC	G15/G1500 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1979	GMC	G1500	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1979	GMC	G1500	4.1L L6 250 CID		1AM075700A	700	24 Months
1984-1982	GMC	G1500	4.1L L6 250 CID		BB078800AB	800	36 Months
1993-1979	GMC	G1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1991, 1989, 1987-1982	GMC	G1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1995-1979	GMC	G1500	5.0L V8 305 CID		1AM075700A	700	24 Months
1995-1985	GMC	G1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1995-1991, 1986-1985	GMC	G1500	4.3L V6 262 CID		BB078800AB	800	36 Months
1995-1991, 1989-1982	GMC	G1500	5.0L V8 305 CID		BB078800AB	800	36 Months
1976-1975	GMC	G25	7.4L V8 454 CID		1AM075700A	700	24 Months
1976-1975	GMC	G25	7.4L V8 454 CID		BB078800AB	800	36 Months
1978	GMC	G25	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	G25	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	G25	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	G25	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977	GMC	G25	5.0L V8 305 CID		1AM075700A	700	24 Months
1967	GMC	G25/G2500 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	G25/G2500 Van	4.6L V8 283 CID		1AM024700B	700	24 Months
1967	GMC	G25/G2500 Van	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1967	GMC	G25/G2500 Van	3.8L L6 230 CID		1AM024700B	700	24 Months
1969-1967	GMC	G25/G2500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	GMC	G25/G2500 Van	4.1L L6 250 CID	w/Top Terminals	1AM024700B	700	24 Months
1970	GMC	G25/G2500 Van	5.7L V8 350 CID	w/Top Terminals	1AM024700B	700	24 Months
1970-1968	GMC	G25/G2500 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1971	GMC	G25/G2500 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1973-1971	GMC	G25/G2500 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1971	GMC	G25/G2500 Van	5.0L V8 307 CID		BB078800AB	800	36 Months
1974	GMC	G25/G2500 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974	GMC	G25/G2500 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974	GMC	G25/G2500 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	G25/G2500 Van	4.8L L6 292 CID		BB078800AB	800	36 Months
1974	GMC	G25/G2500 Van	4.8L L6 4786cc 292 CID		BB078800AB	800	36 Months
1974-1971	GMC	G25/G2500 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	G25/G2500 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	G25/G2500 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1980-1979	GMC	G2500	6.6L V8 400 CID		1AM075700A	700	24 Months
1984-1979	GMC	G2500	4.1L L6 250 CID		1AM075700A	700	24 Months
1984-1982	GMC	G2500	4.1L L6 250 CID		BB078800AB	800	36 Months
1993-1983	GMC	G2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1992, 1990-1983	GMC	G2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1995-1979	GMC	G2500	5.0L V8 305 CID		1AM075700A	700	24 Months
1995-1979	GMC	G2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1995-1985	GMC	G2500	4.3L V6 262 CID		1AM075700A	700	24 Months
1995-1991, 1986-1985	GMC	G2500	4.3L V6 262 CID		BB078800AB	800	36 Months
1995-1991, 1989-1982	GMC	G2500	5.0L V8 305 CID		BB078800AB	800	36 Months
1995-1991, 1989-1982	GMC	G2500	5.7L V8 350 CID		BB078800AB	800	36 Months
1995-1994	GMC	G2500	6.5L V8 395 CID		1AM075700A	700	24 Months
1995-1994	GMC	G2500	6.5L V8 395 CID		BB078800AB	800	36 Months
1976	GMC	G35	7.4L V8 454 CID		1AM075700A	700	24 Months
1976	GMC	G35	7.4L V8 454 CID		BB078800AB	800	36 Months
1978	GMC	G35	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	G35	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	G35	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	G35	6.6L V8 400 CID		1AM075700A	700	24 Months
1970	GMC	G35/G3500 Van	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970	GMC	G35/G3500 Van	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970	GMC	G35/G3500 Van	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	GMC	G35/G3500 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1971	GMC	G35/G3500 Van	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1973-1971	GMC	G35/G3500 Van	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	G35/G3500 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974	GMC	G35/G3500 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974	GMC	G35/G3500 Van	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974	GMC	G35/G3500 Van	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	G35/G3500 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	G35/G3500 Van	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	G35/G3500 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	G35/G3500 Van	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	G35/G3500 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	G35/G3500 Van	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	G35/G3500 Van	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1980-1979	GMC	G3500	6.6L V8 400 CID		1AM075700A	700	24 Months
1981	GMC	G3500	5.0L V8 305 CID		1AM075700A	700	24 Months
1984-1982	GMC	G3500	4.1L L6 250 CID		BB078800AB	800	36 Months
1984-1982, 1979	GMC	G3500	4.1L L6 250 CID		1AM075700A	700	24 Months
1993-1983	GMC	G3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1992, 1990-1983	GMC	G3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1995-1985	GMC	G3500	4.3L V6 262 CID		1AM075700A	700	24 Months
1995-1991, 1986-1985	GMC	G3500	4.3L V6 262 CID		BB078800AB	800	36 Months
1996-1979	GMC	G3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1996-1988	GMC	G3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1996-1988	GMC	G3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1996-1991, 1989-1982	GMC	G3500	5.7L V8 350 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1996-1994	GMC	G3500	6.5L V8 395 CID		1AM075700A	700	24 Months
1996-1994	GMC	G3500	6.5L V8 395 CID		BB078800AB	800	36 Months
1965-1964	GMC	I1000	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	I1000	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1965	GMC	I1500	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	I1500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1965	GMC	I2500	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	I2500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966	GMC	I3500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	4.1L L6 250 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	5.0L V8 307 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	GMC	Jimmy	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971	GMC	Jimmy	4.1L L6 250 CID		BB078800AB	800	36 Months
1971	GMC	Jimmy	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1971	GMC	Jimmy	5.0L V8 307 CID		BB078800AB	800	36 Months
1971	GMC	Jimmy	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1972-1971	GMC	Jimmy	5.0L V8 307 CID		1AM075700A	700	24 Months
1973	GMC	Jimmy	4.8L L6 292 CID		1AM075700A	700	24 Months
1973	GMC	Jimmy	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1973	GMC	Jimmy	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1973	GMC	Jimmy	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1973-1971	GMC	Jimmy	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	Jimmy	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	Jimmy	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	Jimmy	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	Jimmy	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	Jimmy	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	Jimmy	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1972	GMC	Jimmy	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	Jimmy	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	Jimmy	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1976,1973	GMC	Jimmy	7.4L V8 454 CID		1AM075700A	700	24 Months
1976,1973	GMC	Jimmy	7.4L V8 454 CID		BB078800AB	800	36 Months
1976-1975	GMC	Jimmy	6.6L V8 400 CID		BB078800AB	800	36 Months
1979-1975	GMC	Jimmy	6.6L V8 400 CID		1AM075700A	700	24 Months
1982-1971	GMC	Jimmy	4.1L L6 250 CID		1AM075700A	700	24 Months
1986-1971	GMC	Jimmy	5.7L V8 350 CID		1AM075700A	700	24 Months
1986-1985	GMC	Jimmy	5.0L V8 305 CID		BB078800AB	800	36 Months
1986-1985,1975-1971	GMC	Jimmy	5.7L V8 350 CID		BB078800AB	800	36 Months
1987-1977	GMC	Jimmy	5.0L V8 305 CID		1AM075700A	700	24 Months
1991-1982	GMC	Jimmy	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	Jimmy	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991-1987	GMC	Jimmy	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991-1987	GMC	Jimmy	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1987	GMC	Jimmy	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1990,1986-1982	GMC	Jimmy	6.2L V8 379 CID		BB078800AB	800	36 Months
1994-1992	GMC	Jimmy	4.3L V6 262 CID		BB078800AB	800	36 Months
2003-1992	GMC	Jimmy	4.3L V6 262 CID		1AM075700A	700	24 Months
2005	GMC	Jimmy	4.3L V6 4294cc		1AM075700A	700	24 Months
1966	GMC	K1000	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1966	GMC	K1000	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1966	GMC	K1000 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1976	GMC	K15	7.4L V8 454 CID		1AM075700A	700	24 Months
1976	GMC	K15	7.4L V8 454 CID		BB078800AB	800	36 Months
1976-1975	GMC	K15	4.8L L6 292 CID		1AM075700A	700	24 Months
1978,1976	GMC	K15	4.1L L6 250 CID		BB078800AB	800	36 Months
1978-1975	GMC	K15	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	K15	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	K15	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977	GMC	K15	5.0L V8 305 CID		1AM075700A	700	24 Months
1978	GMC	K15 Suburban	4.1L L6 250 CID		BB078800AB	800	36 Months
1978-1975	GMC	K15 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	K15 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	K15 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977	GMC	K15 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1967	GMC	K15/K1500 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	K15/K1500 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	GMC	K15/K1500 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1966	GMC	K15/K1500 Pickup	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1968-1967	GMC	K15/K1500 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1966	GMC	K15/K1500 Pickup	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1967	GMC	K15/K1500 Pickup	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1969-1968	GMC	K15/K1500 Pickup	3.8L L6 230 CID		1AM024700B	700	24 Months
1969-1968	GMC	K15/K1500 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K15/K1500 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	K15/K1500 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1971-1967	GMC	K15/K1500 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1967	GMC	K15/K1500 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	K15/K1500 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K15/K1500 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1968	GMC	K15/K1500 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1969	GMC	K15/K1500 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	GMC	K15/K1500 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	K15/K1500 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1971-1970,1968	GMC	K15/K1500 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1972	GMC	K15/K1500 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	K15/K1500 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1973-1972	GMC	K15/K1500 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1972	GMC	K15/K1500 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974	GMC	K15/K1500 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974	GMC	K15/K1500 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	GMC	K15/K1500 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K15/K1500 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1967	GMC	K15/K1500 Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	GMC	K15/K1500 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	GMC	K15/K1500 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1968-1967	GMC	K15/K1500 Suburban	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	K15/K1500 Suburban	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969	GMC	K15/K1500 Suburban	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1967	GMC	K15/K1500 Suburban	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K15/K1500 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1971-1967	GMC	K15/K1500 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K15/K1500 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K15/K1500 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1969	GMC	K15/K1500 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	GMC	K15/K1500 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	K15/K1500 Suburban	6.6L V8 402 CID		1AM024700B	700	24 Months
1971-1970	GMC	K15/K1500 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1971-1970, 1968	GMC	K15/K1500 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1971-1970, 1968	GMC	K15/K1500 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1970, 1968-1967	GMC	K15/K1500 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1972	GMC	K15/K1500 Suburban	6.6L V8 402 CID		1AM075700A	700	24 Months
1972	GMC	K15/K1500 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	K15/K1500 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Suburban	6.6L V8 402 CID		BB078800AB	800	36 Months
1972	GMC	K15/K1500 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1972	GMC	K15/K1500 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1972	GMC	K15/K1500 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	K15/K1500 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	K15/K1500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1974	GMC	K15/K1500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1972	GMC	K15/K1500 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K15/K1500 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	GMC	K15/K1500 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K15/K1500 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1980-1979	GMC	K1500	4.8L L6 292 CID		1AM075700A	700	24 Months
1980-1979	GMC	K1500	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1979	GMC	K1500	7.4L V8 454 CID		1AM075700A	700	24 Months
1980-1979	GMC	K1500	4.8L L6 292 CID		BB078800AB	800	36 Months
1980-1979	GMC	K1500	7.4L V8 454 CID		BB078800AB	800	36 Months
1984, 1982, 1980-1979	GMC	K1500	4.1L L6 250 CID		BB078800AB	800	36 Months
1984-1979	GMC	K1500	4.1L L6 250 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	K1500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	K1500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K1500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K1500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K1500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K1500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K1500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K1500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K1500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K1500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K1500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K1500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K1500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K1500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1994	GMC	K1500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994, 1990, 1986-1979	GMC	K1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994, 1990, 1986-1981, 1979	GMC	K1500	5.0L V8 305 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1998-1994,1990,1986-1982	GMC	K1500	5.0L V8 305 CID		BB078800AB	800	36 Months
1998-1994,1990,1986-1982	GMC	K1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1994,1990,1986-1985	GMC	K1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1998-1994,1990,1986-1985	GMC	K1500	4.3L V6 262 CID		BB078800AB	800	36 Months
1998-1997	GMC	K1500	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	GMC	K1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K1500	5.0L V8 305 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	K1500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1980-1979	GMC	K1500 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1980-1979	GMC	K1500 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1980-1979	GMC	K1500 Suburban	4.1L L6 250 CID		BB078800AB	800	36 Months
1985-1982	GMC	K1500 Suburban	5.0L V8 305 CID		BB078800AB	800	36 Months
1985-1982,1979	GMC	K1500 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1982	GMC	K1500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	GMC	K1500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1992	GMC	K1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	K1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	K1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	K1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1994,1986-1979	GMC	K1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1986-1982	GMC	K1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1995	GMC	K1500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1997	GMC	K1500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	GMC	K1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K1500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	K1500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1978	GMC	K25	4.1L L6 250 CID		BB078800AB	800	36 Months
1978	GMC	K25	4.8L L6 292 CID		BB078800AB	800	36 Months
1978,1976-1975	GMC	K25	4.1L L6 250 CID		1AM075700A	700	24 Months
1978-1975	GMC	K25	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	K25	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	K25	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1976	GMC	K25	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1976	GMC	K25	7.4L V8 454 CID		BB078800AB	800	36 Months
1978-1977	GMC	K25	5.0L V8 305 CID		1AM075700A	700	24 Months
1976	GMC	K25 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1977-1976	GMC	K25 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1978	GMC	K25 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1978-1975	GMC	K25 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	K25 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	K25 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1977	GMC	K25 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1967	GMC	K25/K2500 Pickup	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	K25/K2500 Pickup	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1968	GMC	K25/K2500 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	K25/K2500 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968-1967	GMC	K25/K2500 Pickup	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969-1967	GMC	K25/K2500 Pickup	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K25/K2500 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K25/K2500 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	K25/K2500 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1971-1967	GMC	K25/K2500 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1967	GMC	K25/K2500 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1969	GMC	K25/K2500 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	GMC	K25/K2500 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	K25/K2500 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1971-1970,1968	GMC	K25/K2500 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1972	GMC	K25/K2500 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1972	GMC	K25/K2500 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	K25/K2500 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1972	GMC	K25/K2500 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972	GMC	K25/K2500 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973	GMC	K25/K2500 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1973-1972	GMC	K25/K2500 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	K25/K2500 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973	GMC	K25/K2500 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	K25/K2500 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	K25/K2500 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1968	GMC	K25/K2500 Suburban	5.3L V6 5358cc 327 CID		1AM024700B	700	24 Months
1968	GMC	K25/K2500 Suburban	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	GMC	K25/K2500 Suburban	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1968	GMC	K25/K2500 Suburban	6.5L V8 396 CID		1AM024700B	700	24 Months
1969	GMC	K25/K2500 Suburban	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K25/K2500 Suburban	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K25/K2500 Suburban	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Suburban	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Suburban	4.8L L6 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Suburban	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1968	GMC	K25/K2500 Suburban	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1969	GMC	K25/K2500 Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	GMC	K25/K2500 Suburban	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	K25/K2500 Suburban	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1972	GMC	K25/K2500 Suburban	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	K25/K2500 Suburban	5.0L V8 307 CID		BB078800AB	800	36 Months
1972	GMC	K25/K2500 Suburban	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1972	GMC	K25/K2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1972	GMC	K25/K2500 Suburban	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972	GMC	K25/K2500 Suburban	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1972	GMC	K25/K2500 Suburban	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1972	GMC	K25/K2500 Suburban	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	K25/K2500 Suburban	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	K25/K2500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1974	GMC	K25/K2500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1972	GMC	K25/K2500 Suburban	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Suburban	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Suburban	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Suburban	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K25/K2500 Suburban	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Suburban	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Suburban	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K25/K2500 Suburban	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1980	GMC	K2500	4.1L L6 250 CID		1AM075700A	700	24 Months
1980	GMC	K2500	4.1L L6 250 CID		BB078800AB	800	36 Months
1980-1979	GMC	K2500	6.6L V8 400 CID		1AM075700A	700	24 Months
1986-1979	GMC	K2500	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1982, 1980	GMC	K2500	4.8L L6 292 CID		BB078800AB	800	36 Months
1993-1988, 1986-1982	GMC	K2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1989, 1986-1982	GMC	K2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991	GMC	K2500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991	GMC	K2500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991	GMC	K2500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991	GMC	K2500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K2500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K2500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K2500	5.0L V8 305 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K2500	5.0L V8 305 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K2500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K2500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K2500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K2500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K2500	5.0L V8 305 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K2500	5.0L V8 305 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K2500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K2500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1995-1994, 1990, 1985	GMC	K2500	4.3L V6 262 CID		1AM075700A	700	24 Months
1995-	GMC	K2500	4.3L V6 262 CID		BB078800AB	800	36 Months
1998, 1995-1994, 1990	GMC	K2500	5.0L V8 305 CID		1AM075700A	700	24 Months
1998, 1995-1994, 1990	GMC	K2500	5.0L V8 305 CID		BB078800AB	800	36 Months
1998-1992	GMC	K2500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	GMC	K2500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994	GMC	K2500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-	GMC	K2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1994, 1990, 1986-1979	GMC	K2500	5.7L V8 350 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1998-1994,1990,1986-1982	GMC	K2500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1996,1993-1992	GMC	K2500	6.5L V8 395 CID		1AM075700A	700	24 Months
2000-1999	GMC	K2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	K2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	K2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	K2500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	K2500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	K2500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1980-1979	GMC	K2500 Suburban	6.6L V8 400 CID		1AM075700A	700	24 Months
1984,1982,1980-1979	GMC	K2500 Suburban	4.8L L6 292 CID		BB078800AB	800	36 Months
1984,1982-1979	GMC	K2500 Suburban	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1982	GMC	K2500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1986-1982	GMC	K2500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1992	GMC	K2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	K2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	K2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	K2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	K2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	K2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1992	GMC	K2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	K2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1994	GMC	K2500 Suburban	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994	GMC	K2500 Suburban	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	GMC	K2500 Suburban	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1994,1986-1979	GMC	K2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994,1986-1981	GMC	K2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997	GMC	K2500 Suburban	6.5L V8 395 CID		1AM075700A	700	24 Months
1999	GMC	K2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999	GMC	K2500 Suburban	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	K2500 Suburban	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999	GMC	K2500 Suburban	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1978	GMC	K35	4.8L L6 292 CID		BB078800AB	800	36 Months
1978-1977	GMC	K35	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1977	GMC	K35	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1977	GMC	K35	6.6L V8 400 CID		1AM075700A	700	24 Months
1968	GMC	K35/K3500 Pickup	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1968	GMC	K35/K3500 Pickup	5.4L V8 327 CID		1AM024700B	700	24 Months
1968	GMC	K35/K3500 Pickup	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1969-1968	GMC	K35/K3500 Pickup	5.0L V6 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K35/K3500 Pickup	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1969-1968	GMC	K35/K3500 Pickup	6.5L V8 396 CID		1AM024700B	700	24 Months
1969-1968	GMC	K35/K3500 Pickup	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1971-1968	GMC	K35/K3500 Pickup	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K35/K3500 Pickup	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1968	GMC	K35/K3500 Pickup	4.8L L6 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	K35/K3500 Pickup	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	K35/K3500 Pickup	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1968	GMC	K35/K3500 Pickup	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1969	GMC	K35/K3500 Pickup	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	GMC	K35/K3500 Pickup	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	K35/K3500 Pickup	6.6L V8 402 CID		1AM024700B	700	24 Months
1971-1970	GMC	K35/K3500 Pickup	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1972	GMC	K35/K3500 Pickup	6.6L V8 6588cc 402 CID		1AM075700A	700	24 Months
1972	GMC	K35/K3500 Pickup	5.0L V8 307 CID		BB078800AB	800	36 Months
1972	GMC	K35/K3500 Pickup	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1972	GMC	K35/K3500 Pickup	5.7L V8 350 CID		BB078800AB	800	36 Months
1972	GMC	K35/K3500 Pickup	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1972	GMC	K35/K3500 Pickup	6.6L V8 6588cc 402 CID		BB078800AB	800	36 Months
1973-1972	GMC	K35/K3500 Pickup	5.0L V8 307 CID		1AM075700A	700	24 Months
1973-1972	GMC	K35/K3500 Pickup	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1974	GMC	K35/K3500 Pickup	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	4.8L L6 4801cc 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1972	GMC	K35/K3500 Pickup	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1973	GMC	K35/K3500 Pickup	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	K35/K3500 Pickup	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K35/K3500 Pickup	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K35/K3500 Pickup	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973	GMC	K35/K3500 Pickup	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	K35/K3500 Pickup	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1973	GMC	K35/K3500 Pickup	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1980-1979	GMC	K3500	6.6L V8 400 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1986-1979	GMC	K3500	4.8L L6 292 CID		1AM075700A	700	24 Months
1986-1982, 1980-1979	GMC	K3500	4.8L L6 292 CID		BB078800AB	800	36 Months
1993-1988	GMC	K3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1993-1988	GMC	K3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1988	GMC	K3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1993-1988	GMC	K3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1993-1988, 1986-1982	GMC	K3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1988, 1986-1982	GMC	K3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1991, 1989-1988	GMC	K3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1991, 1989-1988	GMC	K3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1998-1992	GMC	K3500	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994, 1986-1979	GMC	K3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1998-1994, 1986-1982, 1980-1979	GMC	K3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1998-1994, 1990, 1986-1979	GMC	K3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994, 1990, 1986-1982	GMC	K3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1998-1997, 1993-1992	GMC	K3500	6.5L V8 395 CID		1AM075700A	700	24 Months
2000-1999	GMC	K3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	K3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	K3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	K3500	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	K3500	6.5L V8 395 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2000-1999	GMC	K3500	7.4L V8 454 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1967-1965	GMC	L3500	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1967-1965	GMC	L3500	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1967-1966	GMC	LT3500	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1955	GMC	M300	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	M300	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	M300	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	M300	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	M300	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	M300	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	M300	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	M300	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	M340	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	M340	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	M340	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1966	GMC	P1000	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1966	GMC	P1000	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1966	GMC	P1000	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1978	GMC	P15	4.8L L6 292 CID		BB078800AB	800	36 Months
1978-1975	GMC	P15	4.8L L6 292 CID		1AM075700A	700	24 Months
1967	GMC	P15/P1500 Van	4.6L V8 283 CID		1AM024700B	700	24 Months
1967	GMC	P15/P1500 Van	4.8L L6 292 CID		1AM024700B	700	24 Months
1969-1967	GMC	P15/P1500 Van	3.8L L6 230 CID		1AM024700B	700	24 Months
1971	GMC	P15/P1500 Van	6.6L V8 400 CID		1AM024700B	700	24 Months
1971-1968	GMC	P15/P1500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1971-1970	GMC	P15/P1500 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1972	GMC	P15/P1500 Van	6.6L V8 400 CID		1AM075700A	700	24 Months
1973-1972	GMC	P15/P1500 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1974-1972	GMC	P15/P1500 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	P15/P1500 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1979	GMC	P1500	7.4L V8 454 CID		1AM075700A	700	24 Months
1979	GMC	P1500	7.4L V8 454 CID		BB078800AB	800	36 Months
1980-1979	GMC	P1500	4.8L L6 292 CID		1AM075700A	700	24 Months
1980-1979	GMC	P1500	4.8L L6 292 CID		BB078800AB	800	36 Months
1977-1975	GMC	P25	5.7L V8 350 CID		BB078800AB	800	36 Months
1978-1975	GMC	P25	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	P25	5.7L V8 350 CID		1AM075700A	700	24 Months
1967	GMC	P25/P2500 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	P25/P2500 Van	4.6L V8 283 CID		1AM024700B	700	24 Months
1969-1967	GMC	P25/P2500 Van	2.6L L3 159 CID		1AM024700B	700	24 Months
1970, 1967	GMC	P25/P2500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1971	GMC	P25/P2500 Van	6.6L V8 400 CID		1AM024700B	700	24 Months
1971-1967	GMC	P25/P2500 Van	4.8L L6 292 CID		1AM024700B	700	24 Months
1971-1968	GMC	P25/P2500 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1971-1970	GMC	P25/P2500 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1970	GMC	P25/P2500 Van	7.4L V8 454 CID		1AM024700B	700	24 Months
1971-1970	GMC	P25/P2500 Van	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1972	GMC	P25/P2500 Van	6.6L V8 400 CID		1AM075700A	700	24 Months
1972	GMC	P25/P2500 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1973-1972	GMC	P25/P2500 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1974-1972	GMC	P25/P2500 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1972	GMC	P25/P2500 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1972	GMC	P25/P2500 Van	5.7L V8 350 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1972	GMC	P25/P2500 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1973	GMC	P25/P2500 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	P25/P2500 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1989	GMC	P2500	4.8L L6 292 CID		BB078800AB	800	36 Months
1989	GMC	P2500	5.7L V8 350 CID		BB078800AB	800	36 Months
1989	GMC	P2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1989,1987-1979	GMC	P2500	4.8L L6 292 CID		1AM075700A	700	24 Months
1989-1979	GMC	P2500	5.7L V8 350 CID		1AM075700A	700	24 Months
1989-1982	GMC	P2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1978-1975	GMC	P35	4.8L L6 292 CID		1AM075700A	700	24 Months
1978-1975	GMC	P35	5.7L V8 350 CID		1AM075700A	700	24 Months
1978-1975	GMC	P35	7.4L V8 454 CID		1AM075700A	700	24 Months
1978-1975	GMC	P35	4.8L L6 292 CID		BB078800AB	800	36 Months
1978-1975	GMC	P35	5.7L V8 350 CID		BB078800AB	800	36 Months
1978-1975	GMC	P35	7.4L V8 454 CID		BB078800AB	800	36 Months
1967	GMC	P35/P3500 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1967	GMC	P35/P3500 Van	4.6L V8 283 CID		1AM024700B	700	24 Months
1969-1967	GMC	P35/P3500 Van	2.6L L3 159 CID		1AM024700B	700	24 Months
1970	GMC	P35/P3500 Van	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	GMC	P35/P3500 Van	7.4L V8 454 CID		1AM024700B	700	24 Months
1970	GMC	P35/P3500 Van	7.4L V8 7441cc 454 CID		1AM024700B	700	24 Months
1970,1967	GMC	P35/P3500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1967	GMC	P35/P3500 Van	4.8L L6 292 CID		1AM024700B	700	24 Months
1971	GMC	P35/P3500 Van	6.6L V8 400 CID		1AM024700B	700	24 Months
1971-1968	GMC	P35/P3500 Van	5.0L V8 307 CID		1AM024700B	700	24 Months
1972	GMC	P35/P3500 Van	6.6L V8 400 CID		1AM075700A	700	24 Months
1973-1972	GMC	P35/P3500 Van	5.0L V8 307 CID		1AM075700A	700	24 Months
1974-1971	GMC	P35/P3500 Van	4.1L L6 250 CID		1AM075700A	700	24 Months
1974-1971	GMC	P35/P3500 Van	4.8L L6 292 CID		1AM075700A	700	24 Months
1974-1971	GMC	P35/P3500 Van	5.7L V8 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	P35/P3500 Van	4.1L L6 250 CID		BB078800AB	800	36 Months
1974-1971	GMC	P35/P3500 Van	4.8L L6 292 CID		BB078800AB	800	36 Months
1974-1971	GMC	P35/P3500 Van	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1973	GMC	P35/P3500 Van	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	GMC	P35/P3500 Van	4.8L L6 4786cc 292 CID		1AM075700A	700	24 Months
1974-1973	GMC	P35/P3500 Van	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1974-1973	GMC	P35/P3500 Van	4.8L L6 4786cc 292 CID		BB078800AB	800	36 Months
1974-1973,1971	GMC	P35/P3500 Van	7.4L V8 454 CID		1AM075700A	700	24 Months
1974-1973,1971	GMC	P35/P3500 Van	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1973,1971	GMC	P35/P3500 Van	7.4L V8 454 CID		BB078800AB	800	36 Months
1974-1973,1971	GMC	P35/P3500 Van	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1989,1982-1979	GMC	P3500	4.8L L6 292 CID		BB078800AB	800	36 Months
1989-1979	GMC	P3500	4.8L L6 292 CID		1AM075700A	700	24 Months
1991-1989	GMC	P3500	3.9L L4 239 CID		1AM075700A	700	24 Months
1993-1982	GMC	P3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1993-1989,1982	GMC	P3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1999-1979	GMC	P3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1999-1979	GMC	P3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1999-1989,1982-1979	GMC	P3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1999-1989,1982-1979	GMC	P3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1999-1990	GMC	P3500	4.3L V6 262 CID		1AM075700A	700	24 Months
1999-1990	GMC	P3500	4.3L V6 262 CID		BB078800AB	800	36 Months
1999-1994	GMC	P3500	6.5L V8 395 CID		1AM075700A	700	24 Months
1999-1994	GMC	P3500	6.5L V8 395 CID		BB078800AB	800	36 Months
1994	GMC	P6500	6.6L L6 403 CID		BB078800AB	800	36 Months
1962-1961	GMC	PB1000 Series	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1966	GMC	PB1000 Series	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1966-1963	GMC	PB1000 Series	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1966-1963	GMC	PB1000 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	PB15 Series	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966	GMC	PB15 Series	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1966	GMC	PB15 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1965	GMC	PB1500 Series	2.5L L4 153 CID		1AM024700B	700	24 Months
1965	GMC	PB1500 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1965	GMC	PB1500 Series	5.0L V6 305 CID		1AM024700B	700	24 Months
1965-1963	GMC	PB1500 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	PB25 Series	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966	GMC	PB25 Series	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1966	GMC	PB25 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1965	GMC	PB2500 Series	2.5L L4 153 CID		1AM024700B	700	24 Months
1965	GMC	PB2500 Series	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1965	GMC	PB2500 Series	5.0L V6 305 CID		1AM024700B	700	24 Months
1965-1963	GMC	PB2500 Series	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966	GMC	PB2500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1966	GMC	PB2500 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1966	GMC	PB3500 Van	4.1L L6 250 CID		1AM024700B	700	24 Months
1966	GMC	PB3500 Van	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1955	GMC	PM150	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	PM150	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	PM150	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	PM150	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	PM150	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	PM150	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	PM150	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	PM150	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	PM151	4.1L L6 248 CID		1AM024700B	700	24 Months
1956	GMC	PM151	5.2L V8 317 CID		1AM024700B	700	24 Months
1957	GMC	PM151	5.7L V8 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	PM151	4.4L L6 270 CID		1AM024700B	700	24 Months
1959-1958	GMC	PM151	5.5L V8 336 CID		1AM024700B	700	24 Months
1955	GMC	PM152	4.1L L6 248 CID		1AM024700B	700	24 Months
1957	GMC	PM152	5.7L V8 347 CID		1AM024700B	700	24 Months
1959-1957	GMC	PM152	4.4L L6 270 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1959-1958	GMC	PM152	5.5L V8 336 CID		1AM024700B	700	24 Months
1955	GMC	PM153	4.1L L6 248 CID		1AM024700B	700	24 Months
1957	GMC	PM153	5.7L V8 347 CID		1AM024700B	700	24 Months
1959	GMC	PM153	5.5L V8 336 CID		1AM024700B	700	24 Months
1959,1957	GMC	PM153	4.4L L6 270 CID		1AM024700B	700	24 Months
1955	GMC	PM250	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	PM250	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	PM250	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	PM250	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	PM250	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	PM250	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	PM250	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	PM250	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1956	GMC	PM251	5.2L V8 317 CID		1AM024700B	700	24 Months
1959-1956	GMC	PM251	4.4L L6 270 CID		1AM024700B	700	24 Months
1959-1958	GMC	PM251	5.5L V8 336 CID		1AM024700B	700	24 Months
1955	GMC	PM252	4.1L L6 248 CID		1AM024700B	700	24 Months
1958	GMC	PM252	4.4L L6 270 CID		1AM024700B	700	24 Months
1958	GMC	PM252	5.5L V8 336 CID		1AM024700B	700	24 Months
1955	GMC	PM253	4.1L L6 248 CID		1AM024700B	700	24 Months
1958	GMC	PM253	4.4L L6 270 CID		1AM024700B	700	24 Months
1958	GMC	PM253	5.5L V8 336 CID		1AM024700B	700	24 Months
1960	GMC	PV1000	4.4L L6 270 CID		1AM024700B	700	24 Months
1987	GMC	R1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1987	GMC	R1500	5.0L V8 305 CID		1AM075700A	700	24 Months
1987	GMC	R1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1987	GMC	R1500	6.2L V8 379 CID		1AM075700A	700	24 Months
1987	GMC	R1500	4.3L V6 262 CID		BB078800AB	800	36 Months
1987	GMC	R1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1987	GMC	R1500	6.2L V8 379 CID		BB078800AB	800	36 Months
1987	GMC	R1500 Suburban	5.0L V8 305 CID		1AM075700A	700	24 Months
1990-1987	GMC	R1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1987	GMC	R1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	GMC	R1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	GMC	R1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	GMC	R1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991	GMC	R1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	R1500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	R1500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1987	GMC	R2500	4.3L V6 262 CID	Starting Battery	1AM075700A	700	24 Months
1987	GMC	R2500	4.3L V6 262 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1987	GMC	R2500	5.0L V8 305 CID		1AM075700A	700	24 Months
1987	GMC	R2500	4.3L V6 262 CID	Starting Battery	BB078800AB	800	36 Months
1987	GMC	R2500	4.3L V6 262 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	GMC	R2500	4.8L L6 292 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	GMC	R2500	4.8L L6 292 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	GMC	R2500	4.8L L6 292 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	GMC	R2500	4.8L L6 292 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1989-1987	GMC	R2500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1989-1987	GMC	R2500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1989-1987	GMC	R2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1989-1987	GMC	R2500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1989-1987	GMC	R2500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1989-1987	GMC	R2500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1989-1987	GMC	R2500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1989-1987	GMC	R2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1989-1987	GMC	R2500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1989-1987	GMC	R2500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	R2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991-1987	GMC	R2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991-1987	GMC	R2500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	R2500 Suburban	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1991-1987	GMC	R2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991-1987	GMC	R2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991-1987	GMC	R2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	R2500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1991-1987	GMC	R2500 Suburban	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1991-1987	GMC	R2500 Suburban	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1988-1987	GMC	R3500	4.8L L6 292 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	GMC	R3500	4.8L L6 292 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	GMC	R3500	4.8L L6 292 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	GMC	R3500	4.8L L6 292 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1990	GMC	R3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1990	GMC	R3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1990	GMC	R3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1990	GMC	R3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1991,1989-1987	GMC	R3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991,1989-1987	GMC	R3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991,1989-1987	GMC	R3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1991,1989-1987	GMC	R3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991,1989-1987	GMC	R3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991,1989-1987	GMC	R3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991,1989-1987	GMC	R3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1991,1989-1987	GMC	R3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	R3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	R3500	6.2L V8 379 CID		BB078800AB	800	36 Months
1984-1983	GMC	S15	2.0L L4 122 CID		1AM075700A	700	24 Months
1984-1983	GMC	S15	2.0L L4 122 CID		BB078800AB	800	36 Months
1985-1982	GMC	S15	1.9L L4 119 CID		1AM075700A	700	24 Months
1985-1984	GMC	S15	1.9L L4 119 CID		BB078800AB	800	36 Months
1985-1984	GMC	S15	2.2L L4 134 CID		BB078800AB	800	36 Months
1990-1982	GMC	S15	2.8L V6 173 CID		1AM075700A	700	24 Months
1990-1985	GMC	S15	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1990-1985	GMC	S15	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1990-1987,1985-1983	GMC	S15	2.8L V6 173 CID		BB078800AB	800	36 Months
1990-1988	GMC	S15	4.3L V6 262 CID		1AM075700A	700	24 Months
1990-1988	GMC	S15	4.3L V6 262 CID		BB078800AB	800	36 Months
1984	GMC	S15 Jimmy	1.9L L4 119 CID		BB078800AB	800	36 Months
1984-1983	GMC	S15 Jimmy	1.9L L4 119 CID		1AM075700A	700	24 Months
1984-1983	GMC	S15 Jimmy	2.0L L4 122 CID		1AM075700A	700	24 Months
1984-1983	GMC	S15 Jimmy	2.0L L4 122 CID		BB078800AB	800	36 Months
1988-1985	GMC	S15 Jimmy	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1988-1985	GMC	S15 Jimmy	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1989-1983	GMC	S15 Jimmy	2.8L V6 173 CID		1AM075700A	700	24 Months
1989-1987,1985-1983	GMC	S15 Jimmy	2.8L V6 173 CID		BB078800AB	800	36 Months
1991-1988	GMC	S15 Jimmy	4.3L V6 262 CID		1AM075700A	700	24 Months
1991-1988	GMC	S15 Jimmy	4.3L V6 262 CID		BB078800AB	800	36 Months
1955	GMC	S300	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	S300	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	S300	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	S300	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	S300	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	S300	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	S300	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	S300	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1955	GMC	S370	4.1L L6 4065cc 248 CID		1AM024700B	700	24 Months
1955	GMC	S370	4.7L V8 4720cc 288 CID		1AM024700B	700	24 Months
1956-1955	GMC	S370	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956-1955	GMC	S370	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	S370	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	S370	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1959-1957	GMC	S370	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	S370	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1990-1985	GMC	Safari	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1990-1985	GMC	Safari	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
2005-1985	GMC	Safari	4.3L V6 262 CID		1AM075700A	700	24 Months
2005-1985	GMC	Safari	4.3L V6 262 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 1500	5.0L V8 305 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 1500	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 1500	5.0L V8 305 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 1500	5.7L V8 350 CID		BB078800AB	800	36 Months
2013	GMC	Savana 1500	4.3L V6 4293cc 262 CID		1AM075700A	700	24 Months
2013	GMC	Savana 1500	4.3L V6 4293cc 262 CID		BB078800AB	800	36 Months
2014,2012-1996	GMC	Savana 1500	4.3L V6 262 CID		1AM075700A	700	24 Months
2014,2012-1996	GMC	Savana 1500	4.3L V6 262 CID		BB078800AB	800	36 Months
2014-2003	GMC	Savana 1500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2014-2003	GMC	Savana 1500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 2500	5.0L V8 305 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 2500	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 2500	6.5L V8 395 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 2500	5.0L V8 305 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 2500	5.7L V8 350 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 2500	6.5L V8 395 CID		BB078800AB	800	36 Months
2005-1996	GMC	Savana 2500	4.3L V6 262 CID		1AM075700A	700	24 Months
2005-1996	GMC	Savana 2500	4.3L V6 262 CID		BB078800AB	800	36 Months
2005-2003	GMC	Savana 2500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2005-2003	GMC	Savana 2500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2016-2003	GMC	Savana 2500	4.8L V8 294 CID		1AM075700A	700	24 Months
2016-2003	GMC	Savana 2500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2016-2006	GMC	Savana 2500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2017-2003	GMC	Savana 2500	4.8L V8 294 CID		BB078800AB	800	36 Months
2017-2003	GMC	Savana 2500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2000-1996	GMC	Savana 3500	7.4L V8 454 CID		1AM075700A	700	24 Months
2000-1996	GMC	Savana 3500	7.4L V8 454 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 3500	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 3500	6.5L V8 395 CID		1AM075700A	700	24 Months
2002-1996	GMC	Savana 3500	5.7L V8 350 CID		BB078800AB	800	36 Months
2002-1996	GMC	Savana 3500	6.5L V8 395 CID		BB078800AB	800	36 Months
2002-2001	GMC	Savana 3500	8.1L V8 496 CID		1AM075700A	700	24 Months
2002-2001	GMC	Savana 3500	8.1L V8 496 CID		BB078800AB	800	36 Months
2016-2003	GMC	Savana 3500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2016-2004	GMC	Savana 3500	4.8L V8 294 CID		1AM075700A	700	24 Months
2016-2006	GMC	Savana 3500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2017-2003	GMC	Savana 3500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2017-2004	GMC	Savana 3500	4.8L V8 294 CID		BB078800AB	800	36 Months
2015-2011	GMC	Savana 4500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2016-2009	GMC	Savana 4500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2016-2009	GMC	Savana 4500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2007	GMC	Sierra	5.3L V8 5328cc 325 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra	5.3L V8 5328cc 325 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2010-2008	GMC	Sierra	6.2L V8 6199cc 378 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2008	GMC	Sierra	6.2L V8 6199cc 378 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2011	GMC	Sierra	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2011	GMC	Sierra	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2014	GMC	Sierra	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2014	GMC	Sierra	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2014	GMC	Sierra	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2014	GMC	Sierra	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2002-1999	GMC	Sierra 1500	4.3L V6 262 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	GMC	Sierra 1500	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	GMC	Sierra 1500	4.3L V6 262 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	GMC	Sierra 1500	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	GMC	Sierra 1500	4.3L V6 262 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 1500	4.8L V8 294 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 1500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 1500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 1500	4.3L V6 262 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 1500	4.8L V8 294 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 1500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 1500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2007	GMC	Sierra 1500	4.3L V6 262 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500	4.8L V8 294 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500	4.3L V6 262 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500	4.8L V8 294 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500	4.3L V6 262 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500	4.8L V8 294 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2012-2008	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	GMC	Sierra 1500	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 1500	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 1500	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 1500	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 1500	4.3L V6 262 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	GMC	Sierra 1500	4.8L V8 294 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2014	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2016-2014	GMC	Sierra 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2014	GMC	Sierra 1500	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2014	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2014	GMC	Sierra 1500	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2014	GMC	Sierra 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2007	GMC	Sierra 1500 Classic	4.3L V6 262 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500 Classic	4.8L V8 294 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500 Classic	5.3L V8 5328cc 325 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500 Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500 Classic	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500 Classic	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500 Classic	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500 Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500 Classic	4.3L V6 262 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500 Classic	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500 Classic	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500 Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500 Classic	4.3L V6 262 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500 Classic	4.8L V8 294 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500 Classic	5.3L V8 5328cc 325 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500 Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500 Classic	4.3L V6 262 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500 Classic	4.8L V8 294 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500 Classic	5.3L V8 5328cc 325 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 1500 Classic	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2001	GMC	Sierra 1500 HD	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 1500 HD	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2005,2003	GMC	Sierra 1500 HD	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2005,2003	GMC	Sierra 1500 HD	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2007	GMC	Sierra 1500 HD Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 1500 HD Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 1500 HD Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 1500 HD Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 1500 HD Classic	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2000-1999	GMC	Sierra 2500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	Sierra 2500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-1999	GMC	Sierra 2500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-1999	GMC	Sierra 2500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2004-2003	GMC	Sierra 2500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2004-2003	GMC	Sierra 2500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2002-2001	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 2500 HD	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Sierra 2500 HD	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2004-2003	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 2500 HD	8.1L V8 496 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 2500 HD	8.1L V8 496 CID		BB078800AB	800	36 Months
2007	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2008	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2014	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2014	GMC	Sierra 2500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2016	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2016	GMC	Sierra 2500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2007	GMC	Sierra 2500 HD Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 2500 HD Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 2500 HD Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 2500 HD Classic	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 2500 HD Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 2500 HD Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 2500 HD Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 2500 HD Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 2500 HD Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 2500 HD Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 2500 HD Classic	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 2500 HD Classic	8.1L V8 496 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2001	GMC	Sierra 3500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 3500	6.6L V8 6599cc 403 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 3500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Sierra 3500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Sierra 3500	6.6L V8 6599cc 403 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Sierra 3500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2004-2003	GMC	Sierra 3500	6.6L V8 6599cc 403 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 3500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 3500	8.1L V8 496 CID		1AM075700A	700	24 Months
2006-2003	GMC	Sierra 3500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 3500	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2006-2003	GMC	Sierra 3500	8.1L V8 496 CID		BB078800AB	800	36 Months
2007	GMC	Sierra 3500 Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 3500 Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 3500 Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 3500 Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 3500 Classic	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 3500 Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 3500 Classic	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 3500 Classic	8.1L V8 496 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 3500 Classic	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 3500 Classic	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 3500 Classic	8.1L V8 496 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 3500 Classic	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 3500 Classic	8.1L V8 496 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	1AM075700A	700	24 Months
2007	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	1AM0H6770A	770	24 Months
2007	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.; Late, Top Terminal	2AM048615A	615	18 Months
2007	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Early; Installation may take up to 30 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Early; Installation may take up to 45 minutes. Battery located under hood.; Side Terminal	BB078800AB	800	36 Months
2007	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2008	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2013-2008	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015-2008	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2014	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM948080A	800	24 Months
2017-2014	GMC	Sierra 3500 HD	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2016	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM948080A	800	24 Months
2017-2016	GMC	Sierra 3500 HD	6.6L V8 6599cc 403 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
1993-1991	GMC	Sonoma	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1993-1991	GMC	Sonoma	2.8L V6 173 CID		1AM075700A	700	24 Months
1993-1991	GMC	Sonoma	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1993-1991	GMC	Sonoma	2.8L V6 173 CID		BB078800AB	800	36 Months
1993-1991	GMC	Sonoma	4.3L V6 262 CID		BB078800AB	800	36 Months
2003-1994	GMC	Sonoma	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
2004-1991	GMC	Sonoma	4.3L V6 262 CID		1AM075700A	700	24 Months
1972-1971	GMC	Sprint	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1972-1971	GMC	Sprint	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1972-1971	GMC	Sprint	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1972-1971	GMC	Sprint	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1974	GMC	Sprint	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974	GMC	Sprint	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974	GMC	Sprint	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974	GMC	Sprint	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	GMC	Sprint	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974	GMC	Sprint	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1971	GMC	Sprint	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	GMC	Sprint	7.4L V8 7439cc 454 CID		1AM075700A	700	24 Months
1974-1971	GMC	Sprint	7.4L V8 7441cc 454 CID		1AM075700A	700	24 Months
1974-1971	GMC	Sprint	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	GMC	Sprint	7.4L V8 7439cc 454 CID		BB078800AB	800	36 Months
1974-1971	GMC	Sprint	7.4L V8 7441cc 454 CID		BB078800AB	800	36 Months
1975-1971	GMC	Sprint	7.4L V8 454 CID		1AM075700A	700	24 Months
1975-1971	GMC	Sprint	7.4L V8 454 CID		BB078800AB	800	36 Months
1975-1974	GMC	Sprint	6.6L V8 402 CID		1AM075700A	700	24 Months
1975-1974	GMC	Sprint	6.6L V8 402 CID		BB078800AB	800	36 Months
1976-1974	GMC	Sprint	6.6L V8 400 CID		1AM075700A	700	24 Months
1976-1974	GMC	Sprint	6.6L V8 400 CID		BB078800AB	800	36 Months
1977-1971	GMC	Sprint	5.7L V8 350 CID		1AM075700A	700	24 Months
1977-1971	GMC	Sprint	5.7L V8 350 CID		BB078800AB	800	36 Months
1977-1975, 1972-1971	GMC	Sprint	4.1L L6 250 CID		1AM075700A	700	24 Months
1977-1976	GMC	Sprint	5.0L V8 305 CID		1AM075700A	700	24 Months
1977-1976	GMC	Sprint	5.0L V8 305 CID		BB078800AB	800	36 Months
1977-1976, 1972-1971	GMC	Sprint	4.1L L6 250 CID		BB078800AB	800	36 Months
1962-1960	GMC	Suburban	3.8L L6 3852cc 235 CID		1AM024700B	700	24 Months
1962-1961	GMC	Suburban	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1965-1960	GMC	Suburban	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1966	GMC	Suburban	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1966	GMC	Suburban	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1966-1960	GMC	Suburban	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1966-1963	GMC	Suburban	2.5L L4 2507cc 153 CID		1AM024700B	700	24 Months
1966-1963	GMC	Suburban	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1966-1963	GMC	Suburban	4.8L L6 4801cc 292 CID		1AM024700B	700	24 Months
1966-1965	GMC	Suburban	5.7L V6 5753cc 351 CID		1AM024700B	700	24 Months
1991	GMC	Syclone	4.3L V6 262 CID		1AM075700A	700	24 Months
1991	GMC	Syclone	4.3L V6 262 CID		BB078800AB	800	36 Months
2009	GMC	T6500	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009	GMC	T7500	7.8L L6 475 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010	GMC	Terrain	3.0L V6 182 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011	GMC	Terrain	2.4L L4 2384cc 145 CID	Battery located in engine compartment; OE CCA: 525; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2011-2010	GMC	Terrain	3.0L V6 182 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2012-2010	GMC	Terrain	3.0L V6 182 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1956	GMC	Truck	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1956	GMC	Truck	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1957	GMC	Truck	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1959-1956	GMC	Truck	5.3L V8 5272cc 322 CID		1AM024700B	700	24 Months
1959-1957	GMC	Truck	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1959-1958	GMC	Truck	5.5L V8 5522cc 337 CID		1AM024700B	700	24 Months
1960	GMC	Truck	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1960-1956	GMC	Truck	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1993-1992	GMC	Typhoon	4.3L V6 262 CID		1AM075700A	700	24 Months
1993-1992	GMC	Typhoon	4.3L V6 262 CID		BB078800AB	800	36 Months
1987	GMC	V1500	4.3L V6 262 CID		1AM075700A	700	24 Months
1987	GMC	V1500	5.0L V8 305 CID		1AM075700A	700	24 Months
1987	GMC	V1500	5.7L V8 350 CID		1AM075700A	700	24 Months
1987	GMC	V1500	6.2L V8 379 CID		1AM075700A	700	24 Months
1987	GMC	V1500	4.3L V6 262 CID		BB078800AB	800	36 Months
1987	GMC	V1500	5.7L V8 350 CID		BB078800AB	800	36 Months
1987	GMC	V1500	6.2L V8 379 CID		BB078800AB	800	36 Months
1990-1987	GMC	V1500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1987	GMC	V1500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	GMC	V1500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	GMC	V1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	GMC	V1500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991	GMC	V1500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	V1500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	V1500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1987	GMC	V2500	4.8L L6 292 CID	Starting Battery	1AM075700A	700	24 Months
1987	GMC	V2500	4.8L L6 292 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1987	GMC	V2500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1987	GMC	V2500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1987	GMC	V2500	6.2L V8 379 CID		1AM075700A	700	24 Months
1987	GMC	V2500	4.8L L6 292 CID	Starting Battery	BB078800AB	800	36 Months
1987	GMC	V2500	4.8L L6 292 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1987	GMC	V2500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1987	GMC	V2500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1987	GMC	V2500	6.2L V8 379 CID		BB078800AB	800	36 Months
1990-1987	GMC	V2500 Suburban	5.7L V8 350 CID		1AM075700A	700	24 Months
1990-1987	GMC	V2500 Suburban	5.7L V8 350 CID		BB078800AB	800	36 Months
1991	GMC	V2500 Suburban	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991	GMC	V2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991	GMC	V2500 Suburban	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991	GMC	V2500 Suburban	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	V2500 Suburban	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	V2500 Suburban	6.2L V8 379 CID		BB078800AB	800	36 Months
1962-1961	GMC	V3000 Forward Control	4.4L L6 4425cc 270 CID		1AM024700B	700	24 Months
1962-1961	GMC	V3000 Forward Control	5.0L V6 5012cc 305 CID		1AM024700B	700	24 Months
1988-1987	GMC	V3500	4.8L L6 292 CID	Starting Battery	1AM075700A	700	24 Months
1988-1987	GMC	V3500	4.8L L6 292 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1988-1987	GMC	V3500	4.8L L6 292 CID	Starting Battery	BB078800AB	800	36 Months
1988-1987	GMC	V3500	4.8L L6 292 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1990	GMC	V3500	5.7L V8 350 CID		1AM075700A	700	24 Months
1990	GMC	V3500	7.4L V8 454 CID		1AM075700A	700	24 Months
1990	GMC	V3500	5.7L V8 350 CID		BB078800AB	800	36 Months
1990	GMC	V3500	7.4L V8 454 CID		BB078800AB	800	36 Months
1991,1989-1987	GMC	V3500	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1991,1989-1987	GMC	V3500	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991,1989-1987	GMC	V3500	7.4L V8 454 CID	Starting Battery	1AM075700A	700	24 Months
1991,1989-1987	GMC	V3500	7.4L V8 454 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1991,1989-1987	GMC	V3500	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1991,1989-1987	GMC	V3500	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991,1989-1987	GMC	V3500	7.4L V8 454 CID	Starting Battery	BB078800AB	800	36 Months
1991,1989-1987	GMC	V3500	7.4L V8 454 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1991-1987	GMC	V3500	6.2L V8 379 CID		1AM075700A	700	24 Months
1991-1987	GMC	V3500	6.2L V8 379 CID		BB078800AB	800	36 Months
2003	GMC	W4500 Forward	5.7L V8 350 CID		BB078800AB	800	36 Months
1999	GMC	W5500 Forward	4.8L L4 290 CID		BB078800AB	800	36 Months
1993-1992	GMC	Yukon	5.7L V8 350 CID	Starting Battery	1AM075700A	700	24 Months
1993-1992	GMC	Yukon	5.7L V8 350 CID	Auxiliary Battery;	1AM075700A	700	24 Months
1993-1992	GMC	Yukon	5.7L V8 350 CID	Starting Battery	BB078800AB	800	36 Months
1993-1992	GMC	Yukon	5.7L V8 350 CID	Auxiliary Battery;	BB078800AB	800	36 Months
1997	GMC	Yukon	6.5L V8 395 CID		1AM075700A	700	24 Months
1997-1994	GMC	Yukon	6.5L V8 395 CID		BB078800AB	800	36 Months
1998-1994	GMC	Yukon	5.7L V8 350 CID		1AM075700A	700	24 Months
1998-1994	GMC	Yukon	5.7L V8 350 CID		BB078800AB	800	36 Months
2000-1999	GMC	Yukon	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2000-1999	GMC	Yukon	5.7L V8 350 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2000	GMC	Yukon	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	GMC	Yukon	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	GMC	Yukon	4.8L V8 294 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2000	GMC	Yukon	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Yukon	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Yukon	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	GMC	Yukon	4.8L V8 294 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon	4.8L V8 294 CID		BB078800AB	800	36 Months
2006-2003	GMC	Yukon	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2006-2003	GMC	Yukon	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2007	GMC	Yukon	6.2L V8 6162cc 376 CID	Battery located in engine compartment; Late Model; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008-2007	GMC	Yukon	6.2L V8 6199cc 378 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2007	GMC	Yukon	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2007	GMC	Yukon	6.2L V8 6199cc 378 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2007	GMC	Yukon	4.8L V8 294 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2007	GMC	Yukon	6.2L V8 6199cc 378 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2007	GMC	Yukon	4.8L V8 294 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2007	GMC	Yukon	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	GMC	Yukon	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	GMC	Yukon	5.3L V8 5328cc 325 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2008	GMC	Yukon	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2008	GMC	Yukon	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2008	GMC	Yukon	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2007	GMC	Yukon	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2013-2008	GMC	Yukon	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2007	GMC	Yukon	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2014	GMC	Yukon	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2014	GMC	Yukon	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2015	GMC	Yukon	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	GMC	Yukon	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2015	GMC	Yukon XL	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	GMC	Yukon XL	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2017-2015	GMC	Yukon XL	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2017-2015	GMC	Yukon XL	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2002-2000	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID		BB078800AB	800	36 Months
2006-2003	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2009-2007	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2007	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2009-2007	GMC	Yukon XL 1500	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2007	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	GMC	Yukon XL 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2007	GMC	Yukon XL 1500	6.2L V8 6162cc 376 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2007	GMC	Yukon XL 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014	GMC	Yukon XL 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM940800A	800	24 Months
2014	GMC	Yukon XL 1500	6.2L V8 6162cc 376 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2014-2007	GMC	Yukon XL 1500	5.3L V8 5328cc 325 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2002-2000	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2000	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2001	GMC	Yukon XL 2500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
2002-2001	GMC	Yukon XL 2500	8.1L V8 496 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2006-2003	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon XL 2500	8.1L V8 496 CID		1AM075700A	700	24 Months
2006-2003	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006-2003	GMC	Yukon XL 2500	8.1L V8 496 CID		BB078800AB	800	36 Months
2011-2007	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2007	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID	Battery located in engine compartment; OE CCA: 615; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2007	GMC	Yukon XL 2500	6.0L V8 5967cc 364 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1957-1955	Hillman	Husky	1.3L L4 1265cc 77 CID		1AM024700B	700	24 Months
1958	Hillman	Husky	1.4L L4 1390cc 85 CID		1AM024700B	700	24 Months
1951-1950	Hillman	Minx	1.2L L4 1185cc 72 CID		1AM024700B	700	24 Months
1955-1950	Hillman	Minx	1.3L L4 1265cc 77 CID		1AM024700B	700	24 Months
1958-1955	Hillman	Minx	1.4L L4 1390cc 85 CID		1AM024700B	700	24 Months
1993-1990	Honda	Accord	2.2L L4 2156cc		1AM024700B	700	24 Months
1997-1994	Honda	Accord	2.2L L4 2156cc		1AM035550A	550	24 Months
1997-1995	Honda	Accord	2.7L V6 2675cc		1AM024700B	700	24 Months
2002-1998	Honda	Accord	3.0L V6 2997cc		1AM024700B	700	24 Months
2002-1998	Honda	Accord	2.3L L4 2254cc		1AM035550A	550	24 Months
2002-1998	Honda	Accord	2.3L L4 2254cc		2AM035500A	500	18 Months
2007-2005	Honda	Accord	3.0L V6 2997cc		1AM035550A	550	24 Months
2007-2005	Honda	Accord	3.0L V6 2997cc		2AM035500A	500	18 Months
2009-2008	Honda	Accord	2.4L L4 2354cc 144 CID		1AM035550A	550	24 Months
2009-2008	Honda	Accord	2.4L L4 2354cc 144 CID		2AM035500A	500	18 Months
2012-2008	Honda	Accord	3.5L V6 3471cc		1AM035550A	550	24 Months
2011-2010	Honda	Accord Crosstour	3.5L V6 3471cc		1AM035550A	550	24 Months
2014-2012	Honda	Crosstour	3.5L V6 3471cc	OE battery has flush vents. Check battery box before installing	1AM035550A	550	24 Months
1997-1995	Honda	Odyssey	2.2L L4 2156cc		1AM035550A	550	24 Months
1998	Honda	Odyssey	2.3L L4 2234cc		1AM035550A	550	24 Months
2004-1999	Honda	Odyssey	3.5L V6 3474cc		1AM035550A	550	24 Months
2010-2005	Honda	Odyssey	3.5L V6 3471cc	OE battery has flush vents. Check battery box before installing; On the raised vent cap batteries, remove the vent cap to fit the positive connector on securely. IMPORTANT TO PLACE THE VENT CAP BACK ON THE BATTERY ONCE THE CONNECTOR IS SECURED.	1AM035550A	550	24 Months
2014-2011	Honda	Odyssey	3.5L V6 3471cc	OE battery has flush vents. Check battery box before installing; Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM035550A	550	24 Months
2015	Honda	Odyssey	3.5L V6 3471cc	Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM035550A	550	24 Months
1995-1994	Honda	Passport	3.2L V6 3165cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1996	Honda	Passport	2.6L L4 2559cc		1AM024700B	700	24 Months
1996	Honda	Passport	2.6L L4 2559cc		BB086525AB	525	36 Months
1997-1996	Honda	Passport	3.2L V6 3165cc		1AM024700B	700	24 Months
2004-2003	Honda	Pilot	3.5L V6 3475cc	OE battery has flush vents. Check battery box before installing	1AM035550A	550	24 Months
2008-2005	Honda	Pilot	3.5L V6 3471cc	OE battery has flush vents. Check battery box before installing	1AM035550A	550	24 Months
2015-2009	Honda	Pilot	3.5L V6 3471cc	OE battery has flush vents. Check battery box before installing; Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM035550A	550	24 Months
2017	Honda	Pilot	3.5L V6 3471cc	Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM0H6770A	770	24 Months
2017-2016	Honda	Pilot	3.5L V6 3471cc	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; Elite, Touring; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2016	Honda	Pilot	3.5L V6 3471cc	Battery located in engine compartment; Exc Elite, Touring; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1991-1990	Honda	Prelude	2.0L L4 1958cc		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1991-1990	Honda	Prelude	2.1L L4 2056cc		1AM024700B	700	24 Months
1996-1992	Honda	Prelude	2.3L L4 2259cc		1AM035550A	550	24 Months
2001-1992	Honda	Prelude	2.2L L4 2156cc		1AM035550A	550	24 Months
2013-2006	Honda	Ridgeline	3.5L V6 3471cc		1AM035550A	550	24 Months
2014	Honda	Ridgeline	3.5L V6 3471cc	OE battery has flush vents. Check battery box before installing	1AM035550A	550	24 Months
2017	Honda	Ridgeline	3.5L V6 3471cc		1AM0H6770A	770	24 Months
2017	Honda	Ridgeline	3.5L V6 3471cc	Battery located in engine compartment; OE CCA: 620; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1956	Hudson	Hornet	5.0L L6 308 CID		1AM024700B	700	24 Months
1956	Hudson	Hornet	5.8L V8 352 CID		1AM024700B	700	24 Months
1957	Hudson	Hornet	5.4L V8 327 CID		1AM024700B	700	24 Months
1956	Hudson	Hornet Special	4.1L V8 250 CID		1AM024700B	700	24 Months
1956	Hudson	Rambler	3.2L L6 196 CID		1AM024700B	700	24 Months
1956	Hudson	Wasp	3.3L L6 331cc 202 CID		1AM024700B	700	24 Months
2008	Hummer	H2	6.2L V8 6199cc 378 CID		1AM0H6770A	770	24 Months
2009	Hummer	H2	6.2L V8 376 CID		1AM0H6770A	770	24 Months
2009-2008	Hummer	H2	6.2L V8 6162cc 376 CID		1AM0H6770A	770	24 Months
2015-2014	Hyundai	Accent	1.6L L4 1591cc 97 CID	Battery located in engine compartment; OE CCA: 550; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2014	Hyundai	Accent	1.6L L4 1591cc 97 CID	Battery located in engine compartment; OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Hyundai	Accent	1.6L L4 1591cc 97 CID	OE CCA: 550; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Hyundai	Accent	1.6L L4 1591cc 97 CID	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Hyundai	Accent	1.6L L4 1591cc 97 CID		1AM0H6770A	770	24 Months
2016-2015	Hyundai	Accent	1.6L L4 1591cc 97 CID		2AM048615A	615	18 Months
2016-2015	Hyundai	Accent	1.6L L4 1591cc 97 CID		BBOH6600AA	600	36 Months
2011-2006	Hyundai	Azera	3.8L V6 3778cc		1AM124700A	700	24 Months
2017-2007	Hyundai	Azera	3.3L V6 3342cc		1AM124700A	700	24 Months
1995-1992	Hyundai	Elantra	1.6L L4 1596cc		1AM024700B	700	24 Months
1995-1993	Hyundai	Elantra	1.8L L4 1836cc		1AM024700B	700	24 Months
1996	Hyundai	Elantra	1.8L L4 1795cc		1AM024700B	700	24 Months
2006-1999	Hyundai	Elantra	2.0L L4 1975cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2012-2011	Hyundai	Elantra	2.0L L4 1975cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2011	Hyundai	Elantra	1.8L L4 1797cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2014	Hyundai	Elantra	2.0L L4 1999cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Hyundai	Elantra	1.8L L4 1797cc; w/ Automatic Trans.	OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Hyundai	Elantra	2.0L L4 1999cc	OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013	Hyundai	Elantra Coupe	1.8L L4 1797cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Hyundai	Elantra Coupe	2.0L L4 1999cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013	Hyundai	Elantra GT	1.8L L4 1797cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2014	Hyundai	Elantra GT	2.0L L4 1999cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2010-2007	Hyundai	Entourage	3.8L V6 3778cc		1AM124700A	700	24 Months
2011	Hyundai	Equus	4.6L V8 4627cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2011	Hyundai	Equus	4.6L V8 4627cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2011	Hyundai	Equus	4.6L V8 4627cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2011	Hyundai	Equus	4.6L V8 4627cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2013-2012	Hyundai	Equus	5.0L V8 5038cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014	Hyundai	Equus	5.0L V8 5038cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2012	Hyundai	Equus	5.0L V8 5038cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2016-2012	Hyundai	Equus	5.0L V8 5038cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2016-2012	Hyundai	Equus	5.0L V8 5038cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2016-2015	Hyundai	Equus	5.0L V8 5038cc	Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1988-1986	Hyundai	Excel	1.5L L4 1468cc; Sold in United States	Check polarity before connecting cables.; Modification of the holddown may be necessary.	1AM024700B	700	24 Months
1989	Hyundai	Excel	1.5L L4 1468cc	Check polarity before connecting cables.; Modification of the holddown may be necessary.	1AM024700B	700	24 Months
1994-1990	Hyundai	Excel	1.5L L4 1468cc		1AM024700B	700	24 Months
2012-2009	Hyundai	Genesis	4.6L V8 4627cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2012-2009	Hyundai	Genesis	4.6L V8 4627cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2012-2009	Hyundai	Genesis	4.6L V8 4627cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2012-2009	Hyundai	Genesis	4.6L V8 4627cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2013-2012	Hyundai	Genesis	5.0L V8 5038cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2013-2012	Hyundai	Genesis	5.0L V8 5038cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2013-2012	Hyundai	Genesis	5.0L V8 5038cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2014	Hyundai	Genesis	3.8L V6 3778cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2015,2013-2009	Hyundai	Genesis	3.8L V6 3778cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Hyundai	Genesis	3.8L V6 3778cc	Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2009	Hyundai	Genesis	3.8L V6 3778cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016-2009	Hyundai	Genesis	3.8L V6 3778cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2016-2009	Hyundai	Genesis	3.8L V6 3778cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2016-2014	Hyundai	Genesis	5.0L V8 5038cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H9950A	950	24 Months
2014-2010	Hyundai	Genesis Coupe	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2015-2010	Hyundai	Genesis Coupe	3.8L V6 3778cc		1AM124700A	700	24 Months
2016	Hyundai	Genesis Coupe	3.8L V6 3778cc		2AM049850A	850	18 Months
2016	Hyundai	Genesis Coupe	3.8L V6 3778cc		BB0H8800AC	800	36 Months
2016	Hyundai	Genesis Coupe	3.8L V6 3778cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Hyundai	Genesis Coupe	3.8L V6 3778cc		BBEH8800AA	800	36 Months
2005-2003	Hyundai	Santa Fe	3.5L V6 3500cc		1AM124700A	700	24 Months
2006	Hyundai	Santa Fe	3.5L V6 3467cc		1AM124700A	700	24 Months
2006-2001	Hyundai	Santa Fe	2.4L L4 2351cc		1AM124700A	700	24 Months
2009-2001	Hyundai	Santa Fe	2.7L V6 2656cc		1AM124700A	700	24 Months
2009-2007	Hyundai	Santa Fe	3.3L V6 3342cc		1AM124700A	700	24 Months
2010	Hyundai	Santa Fe	2.4L L4 2359cc		1AM124700A	700	24 Months
2010	Hyundai	Santa Fe	3.5L V6 3470cc		1AM124700A	700	24 Months
2012-2011	Hyundai	Santa Fe	2.4L L4 2359cc	Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM124700A	700	24 Months
2012-2011	Hyundai	Santa Fe	3.5L V6 3470cc	Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM124700A	700	24 Months
2016-2013	Hyundai	Santa Fe	3.3L V6 3342cc	Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM124700A	700	24 Months
2016-2013	Hyundai	Santa Fe XL	3.3L V6 3342cc	Remove the air duct above the battery by removing 2 plastic pins. Once the pins are removed, remove the air duct to get directly to the battery.	1AM124700A	700	24 Months
1992-1991	Hyundai	Scoupe	1.5L L4 1468cc	Modification of the holddown may be necessary.	1AM024700B	700	24 Months
1995-1993	Hyundai	Scoupe	1.5L L4 1495cc	Modification of the holddown may be necessary.	1AM024700B	700	24 Months
1995-1994	Hyundai	Scoupe	1.5L L4 1495cc	Best-fit estimate, check clearance and polarity before connecting cables.; Modification of the holddown may be necessary.	BB0T5590AB	590	36 Months
1991-1989	Hyundai	Sonata	2.4L L4 2351cc		1AM024700B	700	24 Months
1994-1990	Hyundai	Sonata	3.0L V6 2972cc		1AM024700B	700	24 Months
1998-1992	Hyundai	Sonata	2.0L L4 1997cc		1AM024700B	700	24 Months
2001-1999	Hyundai	Sonata	2.5L V6 2493cc		1AM124700A	700	24 Months
2005-1999	Hyundai	Sonata	2.4L L4 2351cc		1AM124700A	700	24 Months
2005-2002	Hyundai	Sonata	2.7L V6 2656cc		1AM124700A	700	24 Months
2010-2006	Hyundai	Sonata	2.4L L4 2359cc		1AM124700A	700	24 Months
2010-2006	Hyundai	Sonata	3.3L V6 3342cc		1AM124700A	700	24 Months
2013-2011	Hyundai	Sonata	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2013-2011	Hyundai	Sonata	2.4L L4 2359cc; GAS		1AM124700A	700	24 Months
1997	Hyundai	Tiburon	1.8L L4 1795cc		1AM124700A	700	24 Months
1997	Hyundai	Tiburon	2.0L L4 1975cc		1AM124700A	700	24 Months
2001-1998	Hyundai	Tiburon	2.0L L4 1997cc		1AM124700A	700	24 Months
2008-2003	Hyundai	Tiburon	2.0L L4 1975cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2008-2003	Hyundai	Tiburon	2.7L V6 2656cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2009-2005	Hyundai	Tucson	2.7L V6 2656cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2012-2010	Hyundai	Tucson	2.4L L4 2359cc		1AM124700A	700	24 Months
2013-2011, 2009-2005	Hyundai	Tucson	2.0L L4 1975cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2015-2013	Hyundai	Tucson	2.4L L4 2359cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2016	Hyundai	Tucson	1.6L L4 1591cc 97 CID		1AM124700A	700	24 Months
2016-2014	Hyundai	Tucson	2.0L L4 1999cc	Installation may take up to 30 minutes. Battery located under hood.	1AM124700A	700	24 Months
2012	Hyundai	Veloster	1.6L L4 1591cc 97 CID	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2013	Hyundai	Veloster	1.6L L4 1591cc 97 CID; Turbocharged	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Hyundai	Veloster	1.6L L4 1591cc 97 CID; Turbocharged	OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2012-2007	Hyundai	Veracruz	3.8L V6 3778cc		1AM124700A	700	24 Months
2001	Hyundai	XG300	3.0L V6 2972cc		1AM124700A	700	24 Months
2005-2002	Hyundai	XG350	3.5L V6 3500cc		1AM124700A	700	24 Months
2004-2003	Infiniti	FX35	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.	2AM035500A	500	18 Months
2006-2005	Infiniti	FX35	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.; w/o Intelligent Key	2AM035500A	500	18 Months
2009-2005	Infiniti	FX35	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.; w/o Intelligent Key	1AM035550A	550	24 Months
2012-2010, 2004-2003	Infiniti	FX35	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2004-2003	Infiniti	FX45	4.5L V8 4500cc	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2004-2003	Infiniti	FX45	4.5L V8 4500cc	Installation may take up to 45 minutes. Battery located under hood.	2AM035550A	500	18 Months
2005	Infiniti	FX45	4.5L V8 4500cc	Installation may take up to 45 minutes. Battery located under hood.; w/o Intelligent Key	1AM035550A	550	24 Months
2005	Infiniti	FX45	4.5L V8 4500cc	Installation may take up to 45 minutes. Battery located under hood.; w/o Intelligent Key	2AM035500A	500	18 Months
2006	Infiniti	FX45	4.5L V8 4494cc	Installation may take up to 45 minutes. Battery located under hood.; w/o Intelligent Key	2AM035500A	500	18 Months
2008-2006	Infiniti	FX45	4.5L V8 4494cc	Installation may take up to 45 minutes. Battery located under hood.; w/o Intelligent Key	1AM035550A	550	24 Months
1996-1991	Infiniti	G20	2.0L L4 1998cc	Calif.; Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
1996-1991	Infiniti	G20	2.0L L4 1998cc	Calif.; Installation may take up to 30 minutes. Battery located under hood.	2AM035500A	500	18 Months
2006-2003	Infiniti	G35	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.	2AM035500A	500	18 Months
2008-2003	Infiniti	G35	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2013-2008	Infiniti	G37	3.7L V6 3696cc	Installation may take up to 60 minutes. Battery located by passenger side firewall under plastic panel.	1AM035550A	550	24 Months
2013-2012	Infiniti	G37	3.7L V6 3696cc 226 CID	Installation may take up to 60 minutes. Battery located by passenger side firewall under plastic panel.	1AM035550A	550	24 Months
1997-1996	Infiniti	I30	3.0L V6 2988cc 182 CID		1AM035550A	550	24 Months
1997-1996	Infiniti	I30	3.0L V6 2988cc 182 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1997-1996	Infiniti	I30	3.0L V6 2988cc 182 CID	Calif.	2AM240530A	530	18 Months
2004-2003	Infiniti	I35	3.5L V6 3498cc		1AM035550A	550	24 Months
2004-2003	Infiniti	I35	3.5L V6 3498cc		2AM035500A	500	18 Months
2004-2003	Infiniti	I35	3.5L V6 3498cc		2AM240530A	530	18 Months
1997-1993	Infiniti	J30	3.0L V6 2960cc 181 CID		1AM024700B	700	24 Months
1992-1990	Infiniti	M30	3.0L V6 2960cc 181 CID		1AM024700B	700	24 Months
2004-2003	Infiniti	M45	4.5L V8 4500cc	Installation may take up to 45 minutes. Battery located under hood.	1AM024700B	700	24 Months
1996-1990	Infiniti	Q45	4.5L V8 4494cc		1AM024700B	700	24 Months
2001-1997	Infiniti	Q45	4.1L V8 4130cc		1AM024700B	700	24 Months
2006-2004	Infiniti	Q45	4.5L V8 4494cc		1AM035550A	550	24 Months
2006-2004	Infiniti	Q45	4.5L V8 4494cc		2AM035500A	500	18 Months
2006-2004	Infiniti	Q45	4.5L V8 4494cc		2AM240530A	530	18 Months
2000-1997	Infiniti	QX4	3.3L V6 3275cc; Sold in Canada	w/Heated Seats	1AM024700B	700	24 Months
2003-2001	Infiniti	QX4	3.5L V6 3498cc		1AM024700B	700	24 Months
2010-2004	Infiniti	QX56	5.6L V8 5552cc	A shift release button may need to be activated to get the car out of park. See owner's manual for easy walk through steps.;	1AM270710A	710	24 Months
1974	International	100	4.2L L6 258 CID		1AM024700B	700	24 Months
1974	International	100	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	International	100	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	International	100	5.0L V8 304 CID		1AM024700B	700	24 Months
1974	International	100	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1974	International	100	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1974	International	100	5.6L V8 345 CID		1AM024700B	700	24 Months
1974	International	100	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1974	International	100	6.4L V8 392 CID		1AM024700B	700	24 Months
1974	International	100	6.4L V8 6424cc 392 CID		1AM024700B	700	24 Months
1974	International	100	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1974	International	100	6.6L V8 6571cc 401 CID		1AM024700B	700	24 Months
1966	International	1000A	3.9L L6 241 CID		1AM024700B	700	24 Months
1966	International	1000A	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1966	International	1000A	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1966	International	1000A	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1966	International	1000A	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1967	International	1000B	3.9L L6 241 CID		1AM024700B	700	24 Months
1967	International	1000B	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1967	International	1000B	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1967	International	1000B	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1967	International	1000B	4.4L V8 266 CID		1AM024700B	700	24 Months
1967	International	1000B	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1967	International	1000B	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1968	International	1000C	3.9L L6 241 CID		1AM024700B	700	24 Months
1968	International	1000C	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1968	International	1000C	4.0L L6 241 CID		1AM024700B	700	24 Months
1968	International	1000C	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1968	International	1000C	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1968	International	1000C	4.4L V8 266 CID		1AM024700B	700	24 Months
1968	International	1000C	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1968	International	1000C	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	3.9L L6 241 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	4.4L V8 266 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	5.0L V8 304 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1970-1969	International	1000D	6.4L V8 6424cc 392 CID		1AM024700B	700	24 Months
1971	International	1010	3.8L L6 232 CID		1AM024700B	700	24 Months
1971	International	1010	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1973-1971	International	1010	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1971	International	1010	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1973-1971	International	1010	5.7L V8 345 CID		1AM024700B	700	24 Months
1973-1971	International	1010	6.4L V8 6424cc 392 CID		1AM024700B	700	24 Months
1973-1972	International	1010	4.2L L6 258 CID		1AM024700B	700	24 Months
1973-1972	International	1010	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1972	International	1010	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1973-1972	International	1010	5.0L V8 304 CID		1AM024700B	700	24 Months
1973-1972	International	1010	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1973-1972	International	1010	6.4L V8 392 CID		1AM024700B	700	24 Months
1973-1972	International	1010	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1966	International	1100A	3.9L L6 241 CID		1AM024700B	700	24 Months
1966	International	1100A	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1966	International	1100A	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1966	International	1100A	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1966	International	1100A	5.0L V8 304 CID		1AM024700B	700	24 Months
1966	International	1100A	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1966	International	1100A	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1967	International	1100B	3.9L L6 241 CID		1AM024700B	700	24 Months
1967	International	1100B	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1967	International	1100B	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1967	International	1100B	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1967	International	1100B	4.4L V8 266 CID		1AM024700B	700	24 Months
1967	International	1100B	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1967	International	1100B	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1968	International	1100C	3.9L L6 241 CID		1AM024700B	700	24 Months
1968	International	1100C	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1968	International	1100C	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1968	International	1100C	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1968	International	1100C	4.4L V8 266 CID		1AM024700B	700	24 Months
1968	International	1100C	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1968	International	1100C	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1970-1969	International	1100D	3.8L L6 232 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1969	International	1300D	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1970-1969	International	1300D	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1970-1969	International	1300D	6.4L V8 6424cc 392 CID		1AM024700B	700	24 Months
1971	International	1310	3.8L L6 232 CID		1AM024700B	700	24 Months
1971	International	1310	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1971	International	1310	4.3L V8 4360cc 266 CID		1AM024700B	700	24 Months
1973-1971	International	1310	5.0L V8 304 CID		1AM024700B	700	24 Months
1973-1971	International	1310	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1971	International	1310	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1973-1971	International	1310	5.7L V8 345 CID		1AM024700B	700	24 Months
1973-1971	International	1310	6.4L V8 6424cc 392 CID		1AM024700B	700	24 Months
1973-1972	International	1310	4.2L L6 258 CID		1AM024700B	700	24 Months
1973-1972	International	1310	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1972	International	1310	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1973-1972	International	1310	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1973-1972	International	1310	6.4L V8 392 CID		1AM024700B	700	24 Months
1973-1972	International	1310	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1975	International	150	5.0L V8 304 CID		1AM024700B	700	24 Months
1975	International	150	5.6L V8 345 CID		1AM024700B	700	24 Months
1975	International	150	6.4L V8 392 CID		1AM024700B	700	24 Months
1966	International	1500A	3.6L L6 3606cc 220 CID		1AM024700B	700	24 Months
1966	International	1500A	3.9L L6 3934cc 240 CID		1AM024700B	700	24 Months
1966	International	1500A	4.3L L6 4327cc 264 CID		1AM024700B	700	24 Months
1966	International	1500A	4.4L V8 4360cc 266 CID		1AM024700B	700	24 Months
1966	International	1500A	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1968-1967	International	1500B	3.6L L6 3606cc 220 CID		1AM024700B	700	24 Months
1968-1967	International	1500B	3.9L L6 3934cc 240 CID		1AM024700B	700	24 Months
1968-1967	International	1500B	4.3L L6 4327cc 264 CID		1AM024700B	700	24 Months
1969-1967	International	1500B	4.4L V8 4360cc 266 CID		1AM024700B	700	24 Months
1969-1967	International	1500B	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1968	International	1500C	3.6L L6 3606cc 220 CID		1AM024700B	700	24 Months
1968	International	1500C	3.9L L6 3934cc 240 CID		1AM024700B	700	24 Months
1968	International	1500C	4.3L L6 4327cc 264 CID		1AM024700B	700	24 Months
1969-1968	International	1500C	4.4L V8 4360cc 266 CID		1AM024700B	700	24 Months
1969-1968	International	1500C	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1971-1969	International	1500D	4.4L V8 4360cc 266 CID		1AM024700B	700	24 Months
1971-1969	International	1500D	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1979	International	1724	7.3L V8 7310cc 446 CID		1AM024700B	700	24 Months
1982-1979	International	1724	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1982-1979	International	1724	6.6L V8 6622cc 404 CID		1AM024700B	700	24 Months
1979	International	1754	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1979	International	1754	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1982-1980	International	1754	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1981-1979	International	1824	6.6L V8 6622cc 404 CID		1AM024700B	700	24 Months
1981-1979	International	1824	7.3L V8 7310cc 446 CID		1AM024700B	700	24 Months
1983-1979	International	1824	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1979	International	1854	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1983-1979	International	1854	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1983-1980	International	1854	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1979	International	1924 S	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1982-1979	International	1924 S	6.6L V8 6622cc 404 CID		1AM024700B	700	24 Months
1982-1979	International	1924 S	7.3L V8 7310cc 446 CID		1AM024700B	700	24 Months
1982-1979	International	1925 S	6.6L V8 6622cc 404 CID		1AM024700B	700	24 Months
1982-1979	International	1925 S	7.3L V8 7310cc 446 CID		1AM024700B	700	24 Months
1979	International	1954	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1983-1979	International	1954	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1983-1980	International	1954	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1979	International	1955	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1982-1980	International	1955	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1983-1979	International	1955	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1974	International	200	4.2L L6 258 CID		1AM024700B	700	24 Months
1974	International	200	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	International	200	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	International	200	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1974	International	200	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1974	International	200	5.6L V8 5654cc 345 CID		1AM024700B	700	24 Months
1974	International	200	6.4L V8 6424cc 392 CID		1AM024700B	700	24 Months
1974	International	200	6.4L V8 6425cc 392 CID		1AM024700B	700	24 Months
1975-1974	International	200	5.0L V8 304 CID		1AM024700B	700	24 Months
1975-1974	International	200	5.6L V8 345 CID		1AM024700B	700	24 Months
1975-1974	International	200	6.4L V8 392 CID		1AM024700B	700	24 Months
1979	International	2155	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1980	International	2155	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1983-1979	International	2155	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1979	International	2275	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1980	International	2275	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1983-1979	International	2275	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	2275	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1979	International	2275	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	2275	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983	International	2276 S	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983	International	2276 S	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983	International	2276 S	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983	International	2276 S	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983	International	2375 S	10.0L L6 10014cc 611 CID		1AM024700B	700	24 Months
1983-1979	International	2574	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	2574	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1979	International	2574	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	2574	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983-1979	International	2575	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	2575	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1979	International	2575	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	2575	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983-1979	International	2674	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	2674	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1983-1979	International	2674	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	2674	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1967-1966	International	900A	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1958-1957	International	A100 Truck	3.6L L6 220 CID		1AM024700B	700	24 Months
1958-1957	International	A100 Truck	4.3L L6 264 CID		1AM024700B	700	24 Months
1958-1957	International	A102	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1958-1957	International	A110	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1958-1957	International	A110	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1958-1957	International	A112	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1958-1957	International	A120	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1958-1957	International	A120	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1958-1957	International	A122	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1958-1957	International	A122	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1958-1957	International	A130	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1958-1957	International	A130	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1958-1957	International	A132	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1958-1957	International	A132	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1965,1963-1957	International	AB120	3.6L L6 220 CID		1AM024700B	700	24 Months
1965,1963-1961	International	AB120	3.9L L6 241 CID		1AM024700B	700	24 Months
1960-1957	International	AM120	3.6L L6 220 CID		1AM024700B	700	24 Months
1960-1957	International	AM130	3.6L L6 220 CID		1AM024700B	700	24 Months
1960-1957	International	AM132	3.6L L6 220 CID		1AM024700B	700	24 Months
1961,1958-1957	International	AM80	1.5L L4 91 CID		1AM024700B	700	24 Months
1959	International	B100	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1959	International	B100	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1959	International	B102	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1959	International	B102	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1959	International	B110	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1960-1959	International	B110	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1959	International	B112	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1960-1959	International	B112	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1959	International	B120	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1960-1959	International	B120	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1959	International	B122	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1960-1959	International	B122	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1959	International	B130	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1960-1959	International	B130	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1959	International	B132	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1960-1959	International	B132	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C100	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C100	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C100	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1964-1963	International	C1000	2.5L V8 155 CID		1AM024700B	700	24 Months
1964-1963	International	C1000	3.9L L6 241 CID		1AM024700B	700	24 Months
1964-1963	International	C1000	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C102	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C102	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C102	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C110	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C110	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C110	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1964	International	C1100	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1964	International	C1100	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1964-1963	International	C1100	2.5L V8 155 CID		1AM024700B	700	24 Months
1964-1963	International	C1100	3.9L L6 241 CID		1AM024700B	700	24 Months
1964-1963	International	C1100	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C112	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C112	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C112	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C120	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C120	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C120	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1964	International	C1200	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1964	International	C1200	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1964-1963	International	C1200	2.5L V8 155 CID		1AM024700B	700	24 Months
1964-1963	International	C1200	3.9L L6 241 CID		1AM024700B	700	24 Months
1964-1963	International	C1200	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C122	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C122	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C122	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C130	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C130	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C130	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1964-1963	International	C1300	2.5L V8 155 CID		1AM024700B	700	24 Months
1964-1963	International	C1300	3.9L L6 241 CID		1AM024700B	700	24 Months
1964-1963	International	C1300	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1962-1961	International	C132	2.5L V8 155 CID		1AM024700B	700	24 Months
1962-1961	International	C132	3.9L L6 241 CID		1AM024700B	700	24 Months
1962-1961	International	C132	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1964	International	C900	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1980	International	Cargostar	6.6L V8 404 CID		1AM024700B	700	24 Months
1980	International	Cargostar	7.3L V8 446 CID		1AM024700B	700	24 Months
1980	International	Cargostar	7.6L L6 466 CID		1AM024700B	700	24 Months
1980	International	Cargostar	8.8L V8 537 CID		1AM024700B	700	24 Months
1983,1980	International	Cargostar	6.4L V8 392 CID		1AM024700B	700	24 Months
1983-1980	International	Cargostar	5.7L V8 345 CID		1AM024700B	700	24 Months
1983-1981	International	Cargostar	9.0L L6 551 CID		1AM024700B	700	24 Months
1966-1965	International	CO4000 Transtar	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1966-1965	International	CO4000 Transtar	7.8L V8 7834cc 478 CID		1AM024700B	700	24 Months
1966-1965	International	CO4000 Transtar	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1965	International	D1000	3.9L L6 241 CID		1AM024700B	700	24 Months
1965	International	D1000	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1965	International	D1100	3.9L L6 241 CID		1AM024700B	700	24 Months
1965	International	D1100	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1965	International	D1200	3.9L L6 241 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1965	International	D1200	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1965	International	D1200	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1965	International	D1200	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1965	International	D300	3.9L L6 241 CID		1AM024700B	700	24 Months
1965	International	D300	4.4L V8 266 CID		1AM024700B	700	24 Months
1965	International	D900	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1981-1979	International	F1924	6.6L V8 6622cc 404 CID		1AM024700B	700	24 Months
1981-1979	International	F1924	7.3L V8 7310cc 446 CID		1AM024700B	700	24 Months
1979	International	F1954	9.0L V8 8998cc 549 CID		1AM024700B	700	24 Months
1982-1980	International	F1954	9.0L V8 9031cc 551 CID		1AM024700B	700	24 Months
1983-1979	International	F1954	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1983-1979	International	F2275	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	F2275	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1979	International	F2275	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	F2275	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983	International	F2276 S	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983	International	F2276 S	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983	International	F2276 S	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983	International	F2276 S	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983	International	F2375 S	10.0L L6 10014cc 611 CID		1AM024700B	700	24 Months
1982-1979	International	F2554	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1983-1979	International	F2574	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	F2574	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1979	International	F2574	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	F2574	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983-1979	International	F2575	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	F2575	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1983-1981	International	F2575	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1982	International	F2575	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1980	International	F2654	7.6L L6 7638cc 466 CID		1AM024700B	700	24 Months
1983-1979	International	F2674	14.0L L6 14013cc 855 CID		1AM024700B	700	24 Months
1983-1979	International	F2674	7.0L L6 6982cc 426 CID		1AM024700B	700	24 Months
1983-1979	International	F2674	9.0L V6 9047cc 552 CID		1AM024700B	700	24 Months
1983-1979	International	F2674	9.3L V8 9310cc 568 CID		1AM024700B	700	24 Months
1964-1961	International	M Series Van	2.5L L4 152 CID		1AM024700B	700	24 Months
1964-1963	International	M Series Van	3.6L L6 220 CID		1AM024700B	700	24 Months
1968	International	M1100	3.6L L6 220 CID		1AM024700B	700	24 Months
1968-1965	International	M1100	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1970-1969	International	M1100	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	International	M1100	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1969	International	M1100	3.9L L6 241 CID		1AM024700B	700	24 Months
1970-1969	International	M1100	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1971	International	M1100	3.2L L4 196 CID		1AM024700B	700	24 Months
1971	International	M1100	3.2L L4 3203cc 196 CID		1AM024700B	700	24 Months
1971	International	M1100	3.2L L4 3212cc 196 CID		1AM024700B	700	24 Months
1971,1968	International	M1100	2.5L L4 152 CID		1AM024700B	700	24 Months
1971,1968-1965	International	M1100	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1972	International	M1100	4.2L L6 258 CID		1AM024700B	700	24 Months
1972	International	M1100	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1972	International	M1100	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1972-1969	International	M1100	5.0L V8 304 CID		1AM024700B	700	24 Months
1972-1969	International	M1100	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1972-1969	International	M1100	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1972-1969	International	M1100	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1967-1965	International	M1200	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1968	International	M1200	3.6L L6 220 CID		1AM024700B	700	24 Months
1968	International	M1200	4.4L V8 266 CID		1AM024700B	700	24 Months
1968-1965	International	M1200	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1970-1968	International	M1200	3.9L L6 241 CID		1AM024700B	700	24 Months
1970-1968	International	M1200	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1971-1969	International	M1200	3.8L L6 232 CID		1AM024700B	700	24 Months
1971-1969	International	M1200	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1972	International	M1200	4.2L L6 258 CID		1AM024700B	700	24 Months
1972	International	M1200	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1972	International	M1200	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1972-1969	International	M1200	5.0L V8 304 CID		1AM024700B	700	24 Months
1972-1969	International	M1200	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1972-1969	International	M1200	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1967-1965	International	M1400	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1969	International	M1400	3.8L L6 232 CID		1AM024700B	700	24 Months
1969	International	M1400	3.9L L6 241 CID		1AM024700B	700	24 Months
1969	International	M1400	5.0L V8 304 CID		1AM024700B	700	24 Months
1969	International	M1400	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1967-1965	International	M700	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1967-1965	International	M700	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1968	International	M800	3.6L L6 220 CID		1AM024700B	700	24 Months
1968-1965	International	M800	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1970-1969	International	M800	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	International	M800	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1969	International	M800	3.9L L6 241 CID		1AM024700B	700	24 Months
1970-1969	International	M800	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1971,1968	International	M800	2.5L L4 152 CID		1AM024700B	700	24 Months
1971,1968-1965	International	M800	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1971-1969	International	M800	5.0L V8 304 CID		1AM024700B	700	24 Months
1971-1969	International	M800	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1971-1969	International	M800	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	3.8L L6 232 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	3.9L L6 241 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	5.0L V8 304 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1969	International	M800 Navy	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1970-1969	International	M800 Post Office	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	International	M800 Post Office	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1969	International	M800 Post Office	3.9L L6 241 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1969	International	M800 Post Office	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1971	International	M800 Post Office	2.5L L4 152 CID		1AM024700B	700	24 Months
1971	International	M800 Post Office	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1972	International	M800 Post Office	4.2L L6 258 CID		1AM024700B	700	24 Months
1972	International	M800 Post Office	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1972	International	M800 Post Office	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1972,1970-1969	International	M800 Post Office	5.0L V8 304 CID		1AM024700B	700	24 Months
1972,1970-1969	International	M800 Post Office	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1972,1970-1969	International	M800 Post Office	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1968	International	MA1200	3.6L L6 220 CID		1AM024700B	700	24 Months
1968	International	MA1200	3.6L L6 3608cc 220 CID		1AM024700B	700	24 Months
1968	International	MA1200	4.4L V8 266 CID		1AM024700B	700	24 Months
1970-1968	International	MA1200	3.9L L6 241 CID		1AM024700B	700	24 Months
1970-1968	International	MA1200	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1971-1969	International	MA1200	3.8L L6 232 CID		1AM024700B	700	24 Months
1971-1969	International	MA1200	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1971-1969	International	MA1200	5.0L V8 304 CID		1AM024700B	700	24 Months
1971-1969	International	MA1200	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1971-1969	International	MA1200	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1974	International	MHC1310	4.2L L6 258 CID		1AM024700B	700	24 Months
1974	International	MHC1310	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	International	MHC1310	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	International	MHC1310	5.0L V8 304 CID		1AM024700B	700	24 Months
1974	International	MHC1310	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1974	International	MHC1310	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1975	International	MS	5.6L V8 345 CID		1AM024700B	700	24 Months
1975	International	MS	6.4L V8 392 CID		1AM024700B	700	24 Months
1974-1972	International	MS1210	4.2L L6 258 CID		1AM024700B	700	24 Months
1974-1972	International	MS1210	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974-1972	International	MS1210	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974-1972	International	MS1210	5.0L V8 304 CID		1AM024700B	700	24 Months
1974-1972	International	MS1210	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1974-1972	International	MS1210	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1956	International	S110	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1956	International	S112	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1956	International	S120	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1956	International	S122	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1956	International	S130	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1956	International	S132	3.9L L6 3933cc 240 CID		1AM024700B	700	24 Months
1982-1980	International	S1624	5.7L V8 345 CID		1AM024700B	700	24 Months
1980	International	S1723	6.4L V8 392 CID		1AM024700B	700	24 Months
1980	International	S1723	6.6L V8 404 CID		1AM024700B	700	24 Months
1982-1980	International	S1723	5.7L V8 345 CID		1AM024700B	700	24 Months
1980	International	S1724	6.4L V8 392 CID		1AM024700B	700	24 Months
1980	International	S1724	6.6L V8 404 CID		1AM024700B	700	24 Months
1982-1980	International	S1724	5.7L V8 345 CID		1AM024700B	700	24 Months
1982-1981	International	S1754	9.0L L6 551 CID		1AM024700B	700	24 Months
1980	International	S1823	6.6L V8 404 CID		1AM024700B	700	24 Months
1980	International	S1823	7.3L V8 446 CID		1AM024700B	700	24 Months
1982-1980	International	S1823	5.7L V8 345 CID		1AM024700B	700	24 Months
1980	International	S1824	5.7L V8 345 CID		1AM024700B	700	24 Months
1980	International	S1824	6.6L V8 404 CID		1AM024700B	700	24 Months
1980	International	S1824	7.3L V8 446 CID		1AM024700B	700	24 Months
1983-1980	International	S1824	6.4L V8 392 CID		1AM024700B	700	24 Months
1983-1981	International	S1853	9.0L L6 551 CID		1AM024700B	700	24 Months
1983-1981	International	S1854	9.0L L6 551 CID		1AM024700B	700	24 Months
1980	International	S1924	6.6L V8 404 CID		1AM024700B	700	24 Months
1980	International	S1924	7.3L V8 446 CID		1AM024700B	700	24 Months
1982-1980	International	S1924	7.6L L6 466 CID		1AM024700B	700	24 Months
1980	International	S1925	6.6L V8 404 CID		1AM024700B	700	24 Months
1980	International	S1925	7.3L V8 446 CID		1AM024700B	700	24 Months
1982-1980	International	S1925	7.6L L6 466 CID		1AM024700B	700	24 Months
1983-1981	International	S1954	7.6L L6 466 CID		1AM024700B	700	24 Months
1983-1981	International	S1955	7.6L L6 466 CID		1AM024700B	700	24 Months
1980	International	S2125	8.8L V8 537 CID		1AM024700B	700	24 Months
1981-1980	International	S2125	7.6L L6 466 CID		1AM024700B	700	24 Months
1980	International	S2524	8.8L V8 537 CID		1AM024700B	700	24 Months
1982-1980	International	S2524	7.6L L6 466 CID		1AM024700B	700	24 Months
1982-1981	International	S2554	7.6L L6 466 CID		1AM024700B	700	24 Months
1968	International	Scout	4.4L V8 266 CID		1AM024700B	700	24 Months
1970	International	Scout	4.3L L6 265 CID		1AM024700B	700	24 Months
1970	International	Scout	4.3L L6 4335cc 264 CID		1AM024700B	700	24 Months
1970-1961	International	Scout	2.5L L4 2491cc 152 CID		1AM024700B	700	24 Months
1970-1967	International	Scout	3.2L L4 3203cc 196 CID		1AM024700B	700	24 Months
1970-1967	International	Scout	3.2L L4 3212cc 196 CID		1AM024700B	700	24 Months
1970-1968	International	Scout	2.5L L4 152 CID		1AM024700B	700	24 Months
1970-1968	International	Scout	3.2L L4 196 CID		1AM024700B	700	24 Months
1970-1969	International	Scout	5.0L V8 304 CID		1AM024700B	700	24 Months
1970-1969	International	Scout	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1970-1969	International	Scout	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1971	International	Scout II	3.8L L6 232 CID		1AM075700A	700	24 Months
1971	International	Scout II	3.8L L6 3802cc 232 CID		1AM075700A	700	24 Months
1971	International	Scout II	5.6L V8 5654cc 345 CID		1AM075700A	700	24 Months
1971	International	Scout II	3.8L L6 232 CID		BB078800AB	800	36 Months
1971	International	Scout II	3.8L L6 3802cc 232 CID		BB078800AB	800	36 Months
1971	International	Scout II	5.6L V8 5654cc 345 CID		BB078800AB	800	36 Months
1973	International	Scout II	4.2L L6 258 CID		1AM024700B	700	24 Months
1973	International	Scout II	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973	International	Scout II	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974-1971	International	Scout II	3.2L L4 3203cc 196 CID		1AM075700A	700	24 Months
1974-1971	International	Scout II	3.2L L4 3212cc 196 CID		1AM075700A	700	24 Months
1974-1971	International	Scout II	5.0L V8 4982cc 304 CID		1AM075700A	700	24 Months
1974-1971	International	Scout II	5.0L V8 4983cc 304 CID		1AM075700A	700	24 Months
1974-1971	International	Scout II	3.2L L4 3203cc 196 CID		BB078800AB	800	36 Months
1974-1971	International	Scout II	3.2L L4 3212cc 196 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1971	International	Scout II	5.0L V8 4982cc 304 CID		BB078800AB	800	36 Months
1974-1971	International	Scout II	5.0L V8 4983cc 304 CID		BB078800AB	800	36 Months
1974-1972	International	Scout II	5.7L V8 345 CID		1AM024700B	700	24 Months
1975	International	Scout II	6.4L V8 392 CID		1AM075700A	700	24 Months
1975	International	Scout II	6.4L V8 392 CID		BB078800AB	800	36 Months
1978-1976	International	Scout II	3.2L L4 196 CID		1AM024700B	700	24 Months
1978-1976	International	Scout II	5.0L V8 304 CID		1AM024700B	700	24 Months
1978-1976	International	Scout II	5.6L V8 345 CID		1AM024700B	700	24 Months
1980-1979,1975,1971	International	Scout II	5.6L V8 345 CID		1AM075700A	700	24 Months
1980-1979,1975,1971	International	Scout II	5.6L V8 345 CID		BB078800AB	800	36 Months
1980-1979,1975-1971	International	Scout II	3.2L L4 196 CID		1AM075700A	700	24 Months
1980-1979,1975-1971	International	Scout II	5.0L V8 304 CID		1AM075700A	700	24 Months
1980-1979,1975-1971	International	Scout II	3.2L L4 196 CID		BB078800AB	800	36 Months
1980-1979,1975-1971	International	Scout II	5.0L V8 304 CID		BB078800AB	800	36 Months
1993-1992	Isuzu	Amigo	2.3L L4 2254cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1994-1992	Isuzu	Amigo	2.6L L4 2559cc; w/ Automatic Trans.		1AM024700B	700	24 Months
2006-2003	Isuzu	Ascender	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2008-2003	Isuzu	Ascender	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
1966-1961	Isuzu	Bellel	2.0L L4 1991cc 122 CID		1AM035550A	550	24 Months
1966-1961	Isuzu	Bellel	2.0L L4 1991cc 122 CID		2AM035500A	500	18 Months
1999-1997	Isuzu	Hombre	4.3L V6 4294cc		1AM075700A	700	24 Months
2000	Isuzu	Hombre	4.3L V6 262 CID		1AM075700A	700	24 Months
1984-1981	Isuzu	I-Mark	1.8L L4 1817cc; DIESEL		1AM024700B	700	24 Months
1984-1981	Isuzu	I-Mark	1.8L L4 1817cc; GAS		1AM035550A	550	24 Months
1984-1981	Isuzu	I-Mark	1.8L L4 1817cc; GAS		2AM035500A	500	18 Months
1984-1981	Isuzu	I-Mark	1.8L L4 1817cc; GAS		2AM240530A	530	18 Months
1985	Isuzu	I-Mark	1.8L L4 1817cc		1AM035550A	550	24 Months
1985	Isuzu	I-Mark	1.8L L4 1817cc		2AM035500A	500	18 Months
1985	Isuzu	I-Mark	1.8L L4 1817cc		2AM240530A	530	18 Months
1989	Isuzu	I-Mark	1.6L L4 1588cc		1AM035550A	550	24 Months
1989	Isuzu	I-Mark	1.6L L4 1588cc		2AM035500A	500	18 Months
1989	Isuzu	I-Mark	1.6L L4 1588cc		2AM240530A	530	18 Months
1989-1985	Isuzu	I-Mark	1.5L L4 1471cc		1AM035550A	550	24 Months
1989-1985	Isuzu	I-Mark	1.5L L4 1471cc		2AM035500A	500	18 Months
1987-1983	Isuzu	Impulse	1.9L L4 1949cc		1AM024700B	700	24 Months
1987-1985	Isuzu	Impulse	2.0L L4 1994cc		1AM024700B	700	24 Months
1989-1988	Isuzu	Impulse	2.0L L4 1994cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1989-1988	Isuzu	Impulse	2.3L L4 2254cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1992	Isuzu	Impulse	1.8L L4 1809cc 110 CID		1AM035550A	550	24 Months
1992	Isuzu	Impulse	1.8L L4 1809cc 110 CID		2AM035500A	500	18 Months
1992-1990	Isuzu	Impulse	1.6L L4 1588cc		1AM035550A	550	24 Months
1992-1990	Isuzu	Impulse	1.6L L4 1588cc		2AM035500A	500	18 Months
2003-1992	Isuzu	NPR	5.7L V8 350 CID		1AM024700B	700	24 Months
2005-2003	Isuzu	NPR	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
2003-1999	Isuzu	NPR-HD	5.7L V8 350 CID		1AM024700B	700	24 Months
2005-2003	Isuzu	NPR-HD	6.0L V8 5967cc 364 CID		1AM024700B	700	24 Months
1997-1996	Isuzu	Oasis	2.2L L4 2156cc		1AM035550A	550	24 Months
1998	Isuzu	Oasis	2.3L L4 2254cc		1AM035550A	550	24 Months
1999	Isuzu	Oasis	2.3L L4 2234cc		1AM035550A	550	24 Months
1982-1981	Isuzu	Pickup	1.8L L4 1817cc		1AM024700B	700	24 Months
1987	Isuzu	Pickup	2.3L L4 2254cc		1AM024700B	700	24 Months
1987-1981	Isuzu	Pickup	2.2L L4 2238cc		1AM024700B	700	24 Months
1994-1988	Isuzu	Pickup	2.3L L4 2254cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1994-1988	Isuzu	Pickup	2.6L L4 2559cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1992-1991	Isuzu	Rodeo	3.1L V6 3137cc		1AM024700B	700	24 Months
1995-1993	Isuzu	Rodeo	3.2L V6 3165cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1995-1993	Isuzu	Rodeo	3.2L V6 3165cc; w/ Standard Trans.		BB086525AB	525	36 Months
1996,1992	Isuzu	Rodeo	2.6L L4 2559cc		1AM024700B	700	24 Months
1997-1993	Isuzu	Rodeo	2.6L L4 2559cc		BB086525AB	525	36 Months
1997-1996	Isuzu	Rodeo	3.2L V6 3165cc		1AM024700B	700	24 Months
2003	Isuzu	Rodeo	2.2L L4 2180cc		1AM270710A	710	24 Months
2003-2001	Isuzu	Rodeo	3.2L V6 3165cc		1AM270710A	710	24 Months
2003-2002	Isuzu	Rodeo Sport	3.2L V6 3165cc		1AM270710A	710	24 Months
1992	Isuzu	Stylus	1.8L L4 1809cc 110 CID		1AM035550A	550	24 Months
1992	Isuzu	Stylus	1.8L L4 1809cc 110 CID		2AM035500A	500	18 Months
1993-1991	Isuzu	Stylus	1.6L L4 1588cc		1AM035550A	550	24 Months
1993-1991	Isuzu	Stylus	1.6L L4 1588cc		2AM035500A	500	18 Months
1987-1986,1984	Isuzu	Trooper	2.2L L4 2238cc		1AM024700B	700	24 Months
1991-1990	Isuzu	Trooper	2.6L L4 2559cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1991-1990	Isuzu	Trooper	2.8L V6 2827cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1997-1992	Isuzu	Trooper	3.2L V6 3165cc		1AM024700B	700	24 Months
2002-1998	Isuzu	Trooper	3.5L V6 3475cc		1AM024700B	700	24 Months
2001-1999	Isuzu	VehiCROSS	3.5L V6 3475cc		1AM024700B	700	24 Months
1957-1956	Jaguar	2.4	2.5L L6 2483cc 152 CID		2AM035500A	500	18 Months
1966-1960,1957-1956	Jaguar	2.4	2.5L L6 2483cc 152 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1966-1960,1957-1956	Jaguar	2.4	2.5L L6 2483cc 152 CID		1AM270710A	710	24 Months
1966-1960,1957-1956	Jaguar	2.4	2.5L L6 2483cc 152 CID		2AM240530A	530	18 Months
1960-1957	Jaguar	3.4	3.4L L6 3442cc 210 CID		1AM035550A	550	24 Months
1960-1957	Jaguar	3.4	3.4L L6 3442cc 210 CID		1AM270710A	710	24 Months
1960-1957	Jaguar	3.4	3.4L L6 3442cc 210 CID		2AM240530A	530	18 Months
1966-1960	Jaguar	3.8	3.8L L6 3781cc 231 CID		1AM035550A	550	24 Months
1966-1960	Jaguar	3.8	3.8L L6 3781cc 231 CID		1AM270710A	710	24 Months
1966-1960	Jaguar	3.8	3.8L L6 3781cc 231 CID		2AM240530A	530	18 Months
1967	Jaguar	340	3.4L L6 3442cc 210 CID		1AM035550A	550	24 Months
1967	Jaguar	340	3.4L L6 3442cc 210 CID		2AM240530A	530	18 Months
1967	Jaguar	420	4.2L L6 4235cc 258 CID		1AM035550A	550	24 Months
1967	Jaguar	420	4.2L L6 4235cc 258 CID		2AM035500A	500	18 Months
1967	Jaguar	420	4.2L L6 4235cc 258 CID		2AM240530A	530	18 Months
1953-1952	Jaguar	C-Type	3.4L L6 3442cc 210 CID		1AM035550A	550	24 Months
1953-1952	Jaguar	C-Type	3.4L L6 3442cc 210 CID		1AM270710A	710	24 Months
1953-1952	Jaguar	C-Type	3.4L L6 3442cc 210 CID		2AM240530A	530	18 Months
1956-1954	Jaguar	D-Type	3.4L L6 3442cc 210 CID		1AM035550A	550	24 Months
1956-1954	Jaguar	D-Type	3.4L L6 3442cc 210 CID		1AM270710A	710	24 Months
1956-1954	Jaguar	D-Type	3.4L L6 3442cc 210 CID		2AM240530A	530	18 Months
1964-1962	Jaguar	Mark X	3.8L L6 3781cc 231 CID		1AM035550A	550	24 Months
1964-1962	Jaguar	Mark X	3.8L L6 3781cc 231 CID		2AM035500A	500	18 Months
1964-1962	Jaguar	Mark X	3.8L L6 3781cc 231 CID		2AM240530A	530	18 Months
1966-1964	Jaguar	Mark X	4.2L L6 4235cc 258 CID		1AM035550A	550	24 Months
1966-1964	Jaguar	Mark X	4.2L L6 4235cc 258 CID		2AM035500A	500	18 Months
1966-1964	Jaguar	Mark X	4.2L L6 4235cc 258 CID		2AM240530A	530	18 Months
2002	Jaguar	S-Type	3.0L V6 2968cc 181 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2000	Jaguar	S-Type	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2002-2000	Jaguar	S-Type	4.0L V8 3996cc 244 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-2000	Jaguar	S-Type	3.0L V6 2968cc 181 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2003	Jaguar	S-Type	3.0L V6 2968cc 181 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2003	Jaguar	S-Type	4.2L V8 4196cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2008-2000	Jaguar	S-Type	3.0L V6 2968cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2008-2003	Jaguar	S-Type	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1985-1982	Jaguar	Vanden Plas	4.2L L6 4235cc	Modification of the holddown may be necessary.	BB078800AB	800	36 Months
1987-1986	Jaguar	Vanden Plas	4.2L L6 4235cc	Modification of the holddown may be necessary.	1AM260575A	575	24 Months
1987-1986	Jaguar	Vanden Plas	4.2L L6 4235cc	Modification of the holddown may be necessary.	BB26R540AD	540	36 Months
1989	Jaguar	Vanden Plas	3.6L L6 3590cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
1989	Jaguar	Vanden Plas	3.6L L6 3590cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
1989	Jaguar	Vanden Plas	3.6L L6 3590cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1989	Jaguar	Vanden Plas	3.6L L6 3590cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
1990	Jaguar	Vanden Plas	4.0L L6 3980cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-1998	Jaguar	Vanden Plas	4.0L V8 3996cc 244 CID		2AM049850A	850	18 Months
2003-1998	Jaguar	Vanden Plas	4.0L V8 3996cc 244 CID		BBOH8800AC	800	36 Months
2003-1998	Jaguar	Vanden Plas	4.0L V8 3996cc 244 CID	OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-1998	Jaguar	Vanden Plas	4.0L V8 3996cc 244 CID		BBEH8800AA	800	36 Months
2009	Jaguar	Vanden Plas	4.2L V8 4196cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2009	Jaguar	Vanden Plas	4.2L V8 4196cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2009	Jaguar	Vanden Plas	4.2L V8 4196cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2010-2009	Jaguar	XF	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2010-2009	Jaguar	XF	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2010-2009	Jaguar	XF	4.2L V8 4196cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2010-2009	Jaguar	XF	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2012-2011	Jaguar	XF	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2012-2011	Jaguar	XF	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2012-2011	Jaguar	XF	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2013	Jaguar	XF	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2013	Jaguar	XF	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2013	Jaguar	XF	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2013-2010	Jaguar	XF	5.0L V8 5000cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2010	Jaguar	XF	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2010	Jaguar	XF	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2014-2010	Jaguar	XF	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2015-2014	Jaguar	XF	2.0L L4 1999cc 122 CID		2AM049850A	850	18 Months
2015-2014	Jaguar	XF	2.0L L4 1999cc 122 CID		BBOH8800AC	800	36 Months
2015-2014	Jaguar	XF	2.0L L4 1999cc 122 CID		BBEH8800AA	800	36 Months
2013-2010	Jaguar	XFR	5.0L V8 5000cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2011	Jaguar	XFR	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2013-2011	Jaguar	XFR	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2013-2011	Jaguar	XFR	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2011	Jaguar	XFR	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2011	Jaguar	XFR	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2014-2011	Jaguar	XFR	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2015,2010	Jaguar	XFR	5.0L V8 5000cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2015,2010	Jaguar	XFR	5.0L V8 5000cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2015,2010	Jaguar	XFR	5.0L V8 5000cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2014-2013	Jaguar	XFR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2013	Jaguar	XFR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2014-2013	Jaguar	XFR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2015	Jaguar	XFR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2015	Jaguar	XFR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2015	Jaguar	XFR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
1971-1969	Jaguar	XJ	2.8L L6 2792cc 170 CID	Modification of the holddown may be necessary.	1AM260575A	575	24 Months
1971-1969	Jaguar	XJ	4.2L L6 4235cc 258 CID		1AM260575A	575	24 Months
1971-1969	Jaguar	XJ	2.8L L6 2792cc 170 CID	Modification of the holddown may be necessary.	BB26R540AD	540	36 Months
1971-1969	Jaguar	XJ	4.2L L6 4235cc 258 CID		BB26R540AD	540	36 Months
2013	Jaguar	XJ	3.0L V6 2995cc 183 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2011	Jaguar	XJ	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2013-2011	Jaguar	XJ	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2013-2011	Jaguar	XJ	5.0L V8 5000cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2011	Jaguar	XJ	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2015-2011	Jaguar	XJ	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2015-2011	Jaguar	XJ	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2015-2011	Jaguar	XJ	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2015-2013	Jaguar	XJ	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under back right rear seat	2AM049850A	850	18 Months
2015-2013	Jaguar	XJ	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under back right rear seat	BB0H8800AC	800	36 Months
2015-2013	Jaguar	XJ	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under back right rear seat	BBEH8800AA	800	36 Months
2015-2014	Jaguar	XJ	5.0L V8 5000cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1974-1973	Jaguar	XJ12	5.3L V12 5343cc 326 CID		1AM260575A	575	24 Months
1974-1973	Jaguar	XJ12	5.3L V12 5343cc 326 CID		BB26R540AD	540	36 Months
1979-1973	Jaguar	XJ12	5.3L V12 5343cc		1AM260575A	575	24 Months
1979-1973	Jaguar	XJ12	5.3L V12 5343cc		BB26R540AD	540	36 Months
1986-1981	Jaguar	XJ12	5.3L V12 5343cc	Special 12-volt: 9 7/8in. x 6 21/32in. x 3 11/16in., assembly no. 11.	1AM260575A	575	24 Months
1986-1981	Jaguar	XJ12	5.3L V12 5343cc	Special 12-volt: 9 7/8in. x 6 21/32in. x 3 11/16in., assembly no. 11.	BB26R540AD	540	36 Months
1974-1972	Jaguar	XJ6	4.2L L6 4235cc 258 CID		1AM260575A	575	24 Months
1974-1972	Jaguar	XJ6	4.2L L6 4235cc 258 CID		BB26R540AD	540	36 Months
1980-1972	Jaguar	XJ6	4.2L L6 4235cc		1AM260575A	575	24 Months
1980-1972	Jaguar	XJ6	4.2L L6 4235cc		BB26R540AD	540	36 Months
1985-1981	Jaguar	XJ6	4.2L L6 4235cc		1AM075700A	700	24 Months
1985-1981	Jaguar	XJ6	4.2L L6 4235cc		BB078800AB	800	36 Months
1997	Jaguar	XJ6	4.0L L6 3980cc	Battery gasses need to be vented to outside.; Best fit estimate. Match to original battery to assure proper fit and polarity.; OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-1998	Jaguar	XJ8	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2003-1998	Jaguar	XJ8	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2003-1998	Jaguar	XJ8	4.0L V8 3996cc 244 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003-1998	Jaguar	XJ8	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2004	Jaguar	XJ8	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006-2004	Jaguar	XJ8	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006-2004	Jaguar	XJ8	4.2L V8 4196cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2004	Jaguar	XJ8	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
1997	Jaguar	XJR	4.0L L6 3980cc		2AM049850A	850	18 Months
1997	Jaguar	XJR	4.0L L6 3980cc		BB0H8800AC	800	36 Months
1997	Jaguar	XJR	4.0L L6 3980cc	Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1997	Jaguar	XJR	4.0L L6 3980cc		BBEH8800AA	800	36 Months
1999-1998	Jaguar	XJR	4.0L V8 3996cc 244 CID		2AM049850A	850	18 Months
1999-1998	Jaguar	XJR	4.0L V8 3996cc 244 CID		BB0H8800AC	800	36 Months
1999-1998	Jaguar	XJR	4.0L V8 3996cc 244 CID		BBEH8800AA	800	36 Months
2002-1998	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2002-2000	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2002-2000	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2002-2000	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2003	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2003	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2003	Jaguar	XJR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2004	Jaguar	XJR	4.2L V8 4196cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2004	Jaguar	XJR	4.2L V8 4196cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2004	Jaguar	XJR	4.2L V8 4196cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2006-2004	Jaguar	XJR	4.2L V8 4196cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2005	Jaguar	XJR	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006-2005	Jaguar	XJR	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2006-2005	Jaguar	XJR	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
1981-1976	Jaguar	XJS	5.3L V12 5343cc		1AM260575A	575	24 Months
1981-1976	Jaguar	XJS	5.3L V12 5343cc		BB26R540AD	540	36 Months
1985-1982	Jaguar	XJS	5.3L V12 5343cc	Special 12-volt: 9 7/8in. x 6 21/32in. x 3 11/16in., assembly no. 11.	1AM260575A	575	24 Months
1985-1982	Jaguar	XJS	5.3L V12 5343cc	Special 12-volt: 9 7/8in. x 6 21/32in. x 3 11/16in., assembly no. 11.	BB26R540AD	540	36 Months
1996-1995	Jaguar	XJS	4.0L L6 3980cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1996-1995	Jaguar	XJS	4.0L L6 3980cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
1996-1995	Jaguar	XJS	4.0L L6 3980cc	Battery is vented to outside of vehicle.	BBOH6600AA	600	36 Months
1996-1995	Jaguar	XJS	4.0L L6 3980cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2010	Jaguar	XK	5.0L V8 5000cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2010	Jaguar	XK	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2010	Jaguar	XK	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2014-2010	Jaguar	XK	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
1999-1997	Jaguar	XK8	4.0L V8 3996cc 244 CID	Installation may take up to 30 minutes.	2AM049850A	850	18 Months
1999-1997	Jaguar	XK8	4.0L V8 3996cc 244 CID	Installation may take up to 30 minutes.	BBOH8800AC	800	36 Months
1999-1997	Jaguar	XK8	4.0L V8 3996cc 244 CID	Installation may take up to 30 minutes.	BBEH8800AA	800	36 Months
2002-1997	Jaguar	XK8	4.0L V8 3996cc 244 CID	Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2002-2000	Jaguar	XK8	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	2AM049850A	850	18 Months
2002-2000	Jaguar	XK8	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	BBOH8800AC	800	36 Months
2002-2000	Jaguar	XK8	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	BBEH8800AA	800	36 Months
2003	Jaguar	XK8	4.2L V8 4196cc	Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2003	Jaguar	XK8	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	2AM049850A	850	18 Months
2006-2003	Jaguar	XK8	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	BBOH8800AC	800	36 Months
2006-2003	Jaguar	XK8	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.	BBEH8800AA	800	36 Months
2006-2004	Jaguar	XK8	4.2L V8 4196cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1964-1961	Jaguar	XKE	3.8L L6 231 CID		1AM260575A	575	24 Months
1964-1961	Jaguar	XKE	3.8L L6 3781cc 231 CID		1AM260575A	575	24 Months
1964-1961	Jaguar	XKE	3.8L L6 231 CID		BB26R540AD	540	36 Months
1964-1961	Jaguar	XKE	3.8L L6 3781cc 231 CID		BB26R540AD	540	36 Months
1971-1964	Jaguar	XKE	4.2L L6 4235cc 258 CID		1AM260575A	575	24 Months
1971-1964	Jaguar	XKE	4.2L L6 4235cc 258 CID		BB26R540AD	540	36 Months
1971-1968	Jaguar	XKE	4.2L L6 4235cc		1AM260575A	575	24 Months
1971-1968	Jaguar	XKE	4.2L L6 4235cc		BB26R540AD	540	36 Months
1974-1971	Jaguar	XKE	5.3L V12 5343cc		1AM260575A	575	24 Months
1974-1971	Jaguar	XKE	5.3L V12 5343cc 326 CID		1AM260575A	575	24 Months
1974-1971	Jaguar	XKE	5.3L V12 5343cc		BB26R540AD	540	36 Months
1974-1971	Jaguar	XKE	5.3L V12 5343cc 326 CID		BB26R540AD	540	36 Months
2002-2000	Jaguar	XKR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2002-2000	Jaguar	XKR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2002-2000	Jaguar	XKR	4.0L V8 3996cc 244 CID	Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2002-2000	Jaguar	XKR	4.0L V8 3996cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2003	Jaguar	XKR	4.2L V8 4196cc	Battery located in luggage compartment; OE CCA: 680; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2003	Jaguar	XKR	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006-2003	Jaguar	XKR	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2006-2003	Jaguar	XKR	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2004	Jaguar	XKR	4.2L V8 4196cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2012-2011	Jaguar	XKR	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2012-2011	Jaguar	XKR	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2012-2011	Jaguar	XKR	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2013-2010	Jaguar	XKR	5.0L V8 5000cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2010	Jaguar	XKR	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2010	Jaguar	XKR	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2014-2010	Jaguar	XKR	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013-2012	Jaguar	XKR-S	5.0L V8 5000cc	Battery gasses need to be vented to outside.; Battery located in luggage compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2012	Jaguar	XKR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2012	Jaguar	XKR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2014-2012	Jaguar	XKR-S	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2005-2002	Jaguar	X-Type	2.5L V6 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2005-2002	Jaguar	X-Type	2.5L V6 152 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2005-2004	Jaguar	X-Type	2.5L V6 152 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2006-2001	Jaguar	X-Type	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2006-2001	Jaguar	X-Type	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2006-2002	Jaguar	X-Type	3.0L V6 2968cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2006-2002	Jaguar	X-Type	3.0L V6 2968cc 181 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2006-2004	Jaguar	X-Type	3.0L V6 2968cc 181 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008-2007	Jaguar	X-Type	3.0L V6 2968cc 181 CID	Battery located in engine compartment; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1960-1959	Jeep	6-226	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1965-1963	Jeep	6-230	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1965-1964	Jeep	6-230	3.8L L6 232 CID		1AM024700B	700	24 Months
1974	Jeep	Cherokee	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	Cherokee	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	Cherokee	6.6L V8 6571cc 401 CID		1AM024700B	700	24 Months
1974	Jeep	Cherokee	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1978-1974	Jeep	Cherokee	4.2L L6 258 CID		1AM024700B	700	24 Months
1978-1974	Jeep	Cherokee	6.6L V8 401 CID		1AM024700B	700	24 Months
1979-1974	Jeep	Cherokee	5.9L V8 360 CID		1AM024700B	700	24 Months
2017-2014	Jeep	Cherokee	2.4L L4 2360cc 144 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017-2014	Jeep	Cherokee	3.2L V6 3239cc 198 CID		1AM940800A	800	24 Months
2017-2014	Jeep	Cherokee	2.4L L4 2360cc 144 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2017-2014	Jeep	Cherokee	2.4L L4 2360cc 144 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	BB0H6600AA	600	36 Months
2017-2014	Jeep	Cherokee	3.2L V6 3239cc 198 CID		BB0H7730AB	730	36 Months
2017-2014	Jeep	Cherokee	2.4L L4 2360cc 144 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1966	Jeep	CJ3	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1966-1959	Jeep	CJ3	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1968	Jeep	CJ5	3.1L L4 192 CID		1AM024700B	700	24 Months
1968	Jeep	CJ5	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1971-1966	Jeep	CJ5	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1971-1968	Jeep	CJ5	2.2L L4 134 CID		1AM024700B	700	24 Months
1973-1959	Jeep	CJ5	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1974-1971	Jeep	CJ5	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974-1971	Jeep	CJ5	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1974-1972	Jeep	CJ5	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1974-1972	Jeep	CJ5	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974-1972	Jeep	CJ5	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1978-1972	Jeep	CJ5	4.2L L6 258 CID		1AM024700B	700	24 Months
1978-1975	Jeep	CJ5	3.8L L6 232 CID		1AM024700B	700	24 Months
1979-1972	Jeep	CJ5	5.0L V8 304 CID		1AM024700B	700	24 Months
1968-1966	Jeep	CJ5A	2.2L L4 134 CID		1AM024700B	700	24 Months
1968-1966	Jeep	CJ5A	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1968	Jeep	CJ6	3.1L L4 192 CID		1AM024700B	700	24 Months
1968	Jeep	CJ6	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1968	Jeep	CJ6	3.7L V6 225 CID		1AM024700B	700	24 Months
1971-1959	Jeep	CJ6	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1971-1966	Jeep	CJ6	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1971-1968	Jeep	CJ6	2.2L L4 134 CID		1AM024700B	700	24 Months
1974-1971	Jeep	CJ6	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974-1971	Jeep	CJ6	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1974-1972	Jeep	CJ6	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1974-1972	Jeep	CJ6	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974-1972	Jeep	CJ6	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1975	Jeep	CJ6	3.8L L6 232 CID		1AM024700B	700	24 Months
1975-1972	Jeep	CJ6	4.2L L6 258 CID		1AM024700B	700	24 Months
1975-1972	Jeep	CJ6	5.0L V8 304 CID		1AM024700B	700	24 Months
1968-1966	Jeep	CJ6A	2.2L L4 134 CID		1AM024700B	700	24 Months
1968-1966	Jeep	CJ6A	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1978-1976	Jeep	CJ7	3.8L L6 232 CID		1AM024700B	700	24 Months
1978-1976	Jeep	CJ7	4.2L L6 258 CID		1AM024700B	700	24 Months
1979-1976	Jeep	CJ7	5.0L V8 304 CID		1AM024700B	700	24 Months
2008	Jeep	Commander	3.7L V6 226 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008	Jeep	Commander	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008	Jeep	Commander	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; Late; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2008	Jeep	Commander	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; Late; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009	Jeep	Commander	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009	Jeep	Commander	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009-2008	Jeep	Commander	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Jeep	Commander	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Jeep	Commander	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Jeep	Commander	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2010	Jeep	Commander	3.7L V6 226 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Jeep	Commander	5.7L V8 345 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Jeep	Commander	3.7L V6 226 CID		BBEH7680AA	680	36 Months
2010	Jeep	Commander	5.7L V8 345 CID		BBEH7680AA	680	36 Months
2010,2007-2006	Jeep	Commander	3.7L V6 226 CID		1AM940800A	800	24 Months
2010,2007-2006	Jeep	Commander	5.7L V8 345 CID		1AM940800A	800	24 Months
2010,2007-2006	Jeep	Commander	3.7L V6 226 CID		BB0H7730AB	730	36 Months
2010,2007-2006	Jeep	Commander	5.7L V8 345 CID		BB0H7730AB	730	36 Months
1967	Jeep	Commando	2.2L L4 134 CID		1AM024700B	700	24 Months
1971-1966	Jeep	Commando	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1973	Jeep	Commando	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1973	Jeep	Commando	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1973-1966	Jeep	Commando	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1973-1972	Jeep	Commando	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1973-1972	Jeep	Commando	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	Commando	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
2017-2007	Jeep	Compass	2.0L L4 1998cc 122 CID		BB086525AB	525	36 Months
2017-2007	Jeep	Compass	2.4L L4 2360cc 144 CID		BB086525AB	525	36 Months
1968-1963	Jeep	Dispatcher	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1969-1961	Jeep	Dispatcher	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1969-1966	Jeep	Dispatcher	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1966-1959	Jeep	DJ3	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1966-1963	Jeep	DJ3	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1968-1965	Jeep	DJ5	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1971-1965	Jeep	DJ5	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1971-1966	Jeep	DJ5	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1971-1967	Jeep	DJ5	2.2L L4 134 CID		1AM024700B	700	24 Months
1974-1972	Jeep	DJ5	3.8L L6 232 CID		1AM024700B	700	24 Months
1974-1973	Jeep	DJ5	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1978-1972	Jeep	DJ5	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1978-1973	Jeep	DJ5	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1979,1974-1973	Jeep	DJ5	4.2L L6 258 CID		1AM024700B	700	24 Months
1968	Jeep	DJ6	2.2L L4 134 CID		1AM024700B	700	24 Months
1968-1965	Jeep	DJ6	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1968-1965	Jeep	DJ6	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1968-1966	Jeep	DJ6	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1966-1963	Jeep	F-134	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1960-1959	Jeep	F4	2.2L L4 134 CID		1AM024700B	700	24 Months
1962-1959	Jeep	F4-134	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1960-1959	Jeep	FA-134	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1966	Jeep	FC150	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1966-1959	Jeep	FC150	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1966-1964,1961-1959	Jeep	FC150	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1966-1959	Jeep	FC170	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1966-1964,1961-1959	Jeep	FC170	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1966-1963	Jeep	FC170HD	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1964	Jeep	FJ3	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1963-1961	Jeep	FJ3A	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1964	Jeep	FJ3A	2.2L L4 134 CID		1AM024700B	700	24 Months
1965-1962	Jeep	Gladiator	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	Gladiator	3.8L L6 230 CID		1AM024700B	700	24 Months
1969-1965	Jeep	Gladiator	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1969-1965	Jeep	Gladiator	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
2001-1999	Jeep	Grand Cherokee	4.7L V8 287 CID		1AM065750A	750	24 Months
2001-1999	Jeep	Grand Cherokee	4.7L V8 287 CID		2AM065650A	650	18 Months
2001-1999	Jeep	Grand Cherokee	4.7L V8 287 CID		BB065675AA	675	36 Months
2001-1999	Jeep	Grand Cherokee	4.7L V8 287 CID		BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004	Jeep	Grand Cherokee	4.0L L6 3956cc 241 CID		1AM065750A	750	24 Months
2004	Jeep	Grand Cherokee	4.0L L6 3956cc 241 CID		2AM065650A	650	18 Months
2004	Jeep	Grand Cherokee	4.0L L6 3956cc 241 CID		BB065675AA	675	36 Months
2004	Jeep	Grand Cherokee	4.0L L6 3956cc 241 CID		BB065850AB	850	36 Months
2004-1999	Jeep	Grand Cherokee	4.0L L6 242 CID		1AM065750A	750	24 Months
2004-1999	Jeep	Grand Cherokee	4.0L L6 242 CID		2AM065650A	650	18 Months
2004-1999	Jeep	Grand Cherokee	4.0L L6 242 CID		BB065675AA	675	36 Months
2004-1999	Jeep	Grand Cherokee	4.0L L6 242 CID		BB065850AB	850	36 Months
2007	Jeep	Grand Cherokee	3.0L V6 2985cc 182 CID		1AM940800A	800	24 Months
2007	Jeep	Grand Cherokee	3.0L V6 2985cc 182 CID		BB0H7730AB	730	36 Months
2008	Jeep	Grand Cherokee	3.7L V6 226 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008	Jeep	Grand Cherokee	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2008	Jeep	Grand Cherokee	3.7L V6 226 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008	Jeep	Grand Cherokee	5.7L V8 345 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Battery located in engine compartment; Call service specialist before changing battery; Late Model; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008	Jeep	Grand Cherokee	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; Late; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2008	Jeep	Grand Cherokee	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; Late; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2008	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Consult with a service specialist if you have further questions.; Late; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009	Jeep	Grand Cherokee	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009	Jeep	Grand Cherokee	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH7680AA	680	36 Months
2009-2008	Jeep	Grand Cherokee	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Jeep	Grand Cherokee	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	1AM940800A	800	24 Months
2009-2008	Jeep	Grand Cherokee	3.0L V6 2985cc 182 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	2AM049850A	850	18 Months
2009-2008	Jeep	Grand Cherokee	3.7L V6 226 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Jeep	Grand Cherokee	5.7L V8 345 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H7730AB	730	36 Months
2009-2008	Jeep	Grand Cherokee	3.0L V6 2985cc 182 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2008	Jeep	Grand Cherokee	3.0L V6 2985cc 182 CID	Battery located in engine compartment; Call service specialist before changing battery; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2008	Jeep	Grand Cherokee	3.0L V6 2985cc 182 CID	Consult with a service specialist if you have further questions.; When changing a battery in a vehicle equipped with a MYGIG Radio, sales code REN or REZ (or a repair where the battery must be disconnected) the feed fuse for the radio must be removed prior to disconnecting or reconnecting the battery.	BBEH8800AA	800	36 Months
2010	Jeep	Grand Cherokee	3.7L V6 226 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010	Jeep	Grand Cherokee	5.7L V8 345 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010	Jeep	Grand Cherokee	3.7L V6 226 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Jeep	Grand Cherokee	5.7L V8 345 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID	Battery located in engine compartment; OE CCA: 625; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Jeep	Grand Cherokee	3.7L V6 226 CID		BBEH7680AA	680	36 Months
2010	Jeep	Grand Cherokee	5.7L V8 345 CID		BBEH7680AA	680	36 Months
2010	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID		BBEH7680AA	680	36 Months
2010,2007-2005	Jeep	Grand Cherokee	3.7L V6 226 CID		1AM940800A	800	24 Months
2010,2007-2005	Jeep	Grand Cherokee	5.7L V8 345 CID		1AM940800A	800	24 Months
2010,2007-2005	Jeep	Grand Cherokee	3.7L V6 226 CID		BB0H7730AB	730	36 Months
2010,2007-2005	Jeep	Grand Cherokee	5.7L V8 345 CID		BB0H7730AB	730	36 Months
2010,2007-2006	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID		1AM940800A	800	24 Months
2010,2007-2006	Jeep	Grand Cherokee	6.1L V8 6059cc 370 CID		BB0H7730AB	730	36 Months
2013-2011	Jeep	Grand Cherokee	3.6L V6 3604cc 220 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013-2011	Jeep	Grand Cherokee	5.7L V8 345 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013-2012	Jeep	Grand Cherokee	6.4L V8 6424cc 392 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2015-2014	Jeep	Grand Cherokee	3.0L V6 2987cc 182 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2015-2014	Jeep	Grand Cherokee	3.6L V6 3604cc 220 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located under passenger front seat; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Jeep	Grand Cherokee	3.0L V6 2987cc 182 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Jeep	Grand Cherokee	3.6L V6 3604cc 220 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Jeep	Grand Cherokee	5.7L V8 345 CID	Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 401; Reserve Capacity: 18; Start Stop Auxiliary	BBUA200AD	200	36 Months
2016	Jeep	Grand Cherokee	6.4L V8 6424cc 392 CID	Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 401; Reserve Capacity: 18; Start Stop Auxiliary	BBUA200AD	200	36 Months
2017	Jeep	Grand Cherokee	3.0L V6 2987cc 182 CID	Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 401; Reserve Capacity: 18; Start Stop Auxiliary	BBUA200AD	200	36 Months
2017-2016	Jeep	Grand Cherokee	3.6L V6 3604cc 220 CID	Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 401; Reserve Capacity: 18; Start Stop Auxiliary	BBUA200AD	200	36 Months
1986-1985	Jeep	Grand Wagoneer	4.2L L6 258 CID	Fleet Option	1AM024700B	700	24 Months
1987-1985	Jeep	Grand Wagoneer	5.9L V8 360 CID	Fleet Option	1AM024700B	700	24 Months
1974	Jeep	J10	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	J10	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	J10	6.6L V8 6571cc 401 CID		1AM024700B	700	24 Months
1974	Jeep	J10	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1978-1974	Jeep	J10	4.2L L6 258 CID		1AM024700B	700	24 Months
1978-1974	Jeep	J10	6.6L V8 401 CID		1AM024700B	700	24 Months
1979-1974	Jeep	J10	5.9L V8 360 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-100	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-100	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-100	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1965	Jeep	J-100	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1971-1965	Jeep	J-100	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1971-1968	Jeep	J-100	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1971-1969	Jeep	J-100	5.7L V8 350 CID		1AM024700B	700	24 Months
1972-1968	Jeep	J-100	3.8L L6 232 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-100	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-100	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	J20	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	J20	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	J20	6.6L V8 6571cc 401 CID		1AM024700B	700	24 Months
1974	Jeep	J20	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1976,1974	Jeep	J20	4.2L L6 258 CID		1AM024700B	700	24 Months
1978-1974	Jeep	J20	6.6L V8 401 CID		1AM024700B	700	24 Months
1979-1974	Jeep	J20	5.9L V8 360 CID		1AM024700B	700	24 Months
1964	Jeep	J-200	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-200	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-200	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1964	Jeep	J-210	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-210	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-210	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1964	Jeep	J-220	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-220	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-220	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1964	Jeep	J-230	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-230	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-230	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1965	Jeep	J-2500	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967-1966	Jeep	J-2500	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-2500	5.4L V8 327 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-2500	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1971-1965	Jeep	J-2500	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1971-1968	Jeep	J-2500	3.8L L6 232 CID		1AM024700B	700	24 Months
1971-1969	Jeep	J-2500	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1969	Jeep	J-2500	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-2500	5.0L V8 304 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-2500	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-2500	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-2500	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	J-2500	4.2L L6 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	J-2500	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	J-2500	5.9L V8 360 CID		1AM024700B	700	24 Months
1965	Jeep	J-2600	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-2600	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-2600	5.4L V8 327 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-2600	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970-1968	Jeep	J-2600	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-2600	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1965	Jeep	J-2600	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1971-1969	Jeep	J-2600	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972	Jeep	J-2600	5.0L V8 304 CID		1AM024700B	700	24 Months
1972	Jeep	J-2600	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-2600	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-2600	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	J-2600	4.2L L6 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	J-2600	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	J-2600	5.9L V8 360 CID		1AM024700B	700	24 Months
1965	Jeep	J-2700	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-2700	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-2700	5.4L V8 327 CID		1AM024700B	700	24 Months
1969-1968	Jeep	J-2700	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-2700	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-2700	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-2700	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-2700	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1965	Jeep	J-2800	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-2800	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-2800	5.4L V8 327 CID		1AM024700B	700	24 Months
1968-1965	Jeep	J-2800	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1968-1965	Jeep	J-2800	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1964	Jeep	J-300	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-300	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-300	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1964	Jeep	J-310	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-310	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-310	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1964	Jeep	J-320	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-320	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-320	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1964	Jeep	J-330	3.8L L6 232 CID		1AM024700B	700	24 Months
1965	Jeep	J-330	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1965-1963	Jeep	J-330	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1965	Jeep	J-3500	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-3500	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-3500	5.4L V8 327 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3500	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3500	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970-1968	Jeep	J-3500	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3500	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3500	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1965	Jeep	J-3600	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-3600	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-3600	5.4L V8 327 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3600	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3600	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970-1968	Jeep	J-3600	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3600	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3600	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1965	Jeep	J-3700	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1966	Jeep	J-3700	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-3700	5.4L V8 327 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3700	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3700	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970-1968	Jeep	J-3700	3.8L L6 232 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3700	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3700	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1965	Jeep	J-3800	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	J-3800	3.8L L6 230 CID		1AM024700B	700	24 Months
1968	Jeep	J-3800	3.8L L6 232 CID		1AM024700B	700	24 Months
1968	Jeep	J-3800	5.4L V8 327 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3800	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970-1965	Jeep	J-3800	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970-1969	Jeep	J-3800	5.7L V8 350 CID		1AM024700B	700	24 Months
1971	Jeep	J-3800	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1971	Jeep	J-3800	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1971-1969	Jeep	J-3800	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1970	Jeep	J-4500	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970	Jeep	J-4500	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970	Jeep	J-4500	5.7L V8 350 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-4500	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-4500	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4500	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4500	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970	Jeep	J-4600	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970	Jeep	J-4600	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970	Jeep	J-4600	5.7L V8 350 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-4600	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-4600	5.0L V8 4983cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4600	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4600	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1970	Jeep	J-4700	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970	Jeep	J-4700	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1970	Jeep	J-4700	5.7L V8 350 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-4700	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4700	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4700	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1970	Jeep	J-4800	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1970	Jeep	J-4800	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1972-1971	Jeep	J-4800	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4800	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1971	Jeep	J-4800	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1971-1966	Jeep	Jeepster	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1971-1966	Jeep	Jeepster	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1971-1967	Jeep	Jeepster	2.2L L4 134 CID		1AM024700B	700	24 Months
2002	Jeep	Liberty	2.4L L4 148 CID		BB086525AB	525	36 Months
2002	Jeep	Liberty	3.7L V6 226 CID		BB086525AB	525	36 Months
2017-2007	Jeep	Patriot	2.0L L4 1998cc 122 CID		BB086525AB	525	36 Months
2017-2007	Jeep	Patriot	2.4L L4 2360cc 144 CID		BB086525AB	525	36 Months
2015	Jeep	Renegade	1.4L L4 1368cc 83 CID	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Jeep	Renegade	2.4L L4 2360cc 144 CID	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Jeep	Renegade	1.4L L4 1368cc 83 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Jeep	Renegade	2.4L L4 2360cc 144 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Jeep	Renegade	1.4L L4 1368cc 83 CID	Must remove the red tab with 2 philips head screws from the battery in order to pull off the positive cable harness off.; Under Hood	1AM0H6770A	770	24 Months
2016-2015	Jeep	Renegade	2.4L L4 2360cc 144 CID	Must remove the red tab with 2 philips head screws from the battery in order to pull off the positive cable harness off.; Under Hood	1AM0H6770A	770	24 Months
2016-2015	Jeep	Renegade	1.4L L4 1368cc 83 CID	Must remove the red tab with 2 philips head screws from the battery in order to pull off the positive cable harness off.; Under Hood	2AM048615A	615	18 Months
2016-2015	Jeep	Renegade	2.4L L4 2360cc 144 CID	Must remove the red tab with 2 philips head screws from the battery in order to pull off the positive cable harness off.; Under Hood	2AM048615A	615	18 Months
2016-2015	Jeep	Renegade	1.4L L4 1368cc 83 CID	Must remove the red tab with 2 philips head screws from the battery in order to pull off the positive cable harness off.; Under Hood	BB0H6600AA	600	36 Months
2016-2015	Jeep	Renegade	2.4L L4 2360cc 144 CID	Must remove the red tab with 2 philips head screws from the battery in order to pull off the positive cable harness off.; Under Hood	BB0H6600AA	600	36 Months
1965-1962	Jeep	Tornado	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1965-1962	Jeep	Truck	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1966-1958	Jeep	Truck	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1966-1958	Jeep	Truck	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1967-1961	Jeep	Universal	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1967-1966	Jeep	Universal	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1968-1963	Jeep	Universal Truck	3.2L L4 3147cc 192 CID		1AM024700B	700	24 Months
1969-1961	Jeep	Universal Truck	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1969-1966	Jeep	Universal Truck	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1962	Jeep	Utility	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1962-1961	Jeep	Utility	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1962-1961	Jeep	Utility	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1964-1958	Jeep	Utility Wagon	2.2L L4 2197cc 134 CID		1AM024700B	700	24 Months
1964-1958	Jeep	Utility Wagon	3.7L L6 3704cc 226 CID		1AM024700B	700	24 Months
1964-1962	Jeep	Utility Wagon	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1965-1963	Jeep	Wagoneer	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1967-1966	Jeep	Wagoneer	3.8L L6 230 CID		1AM024700B	700	24 Months
1968-1965	Jeep	Wagoneer	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1971	Jeep	Wagoneer	3.8L L6 232 CID		1AM024700B	700	24 Months
1971	Jeep	Wagoneer	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1965	Jeep	Wagoneer	3.8L L6 3802cc 232 CID		1AM024700B	700	24 Months
1971-1968	Jeep	Wagoneer	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1972	Jeep	Wagoneer	5.0L V8 4982cc 304 CID		1AM024700B	700	24 Months
1973-1972	Jeep	Wagoneer	4.2L L6 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	Wagoneer	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1973-1972	Jeep	Wagoneer	4.2L L6 4229cc 258 CID		1AM024700B	700	24 Months
1974	Jeep	Wagoneer	6.6L V8 6571cc 401 CID		1AM024700B	700	24 Months
1974	Jeep	Wagoneer	6.6L V8 6572cc 401 CID		1AM024700B	700	24 Months
1978-1974	Jeep	Wagoneer	6.6L V8 401 CID		1AM024700B	700	24 Months
1979-1972	Jeep	Wagoneer	5.9L V8 360 CID		1AM024700B	700	24 Months
1958	Jeep	Willys	2.2L L4 2197cc 134 CID	12-volt; Late	1AM024700B	700	24 Months
2013-2012	Jeep	Wrangler	3.6L V6 3604cc 220 CID		1AM0H6770A	770	24 Months
2013-2012	Jeep	Wrangler	3.6L V6 3604cc 220 CID		2AM048615A	615	18 Months
2013-2012	Jeep	Wrangler	3.6L V6 3604cc 220 CID		BB0H6600AA	600	36 Months
2013-2012	Jeep	Wrangler	3.6L V6 3604cc 220 CID	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2014	Jeep	Wrangler	3.6L V6 3604cc 220 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2016	Kawasaki	KAF1000 Mule PRO-DX Diesel	-L -- 993cc		1AM260575A	575	24 Months
2017-2016	Kawasaki	KAF1000 Mule PRO-DX Diesel	-L -- 993cc		BB26R540AD	540	36 Months
2017-2016	Kawasaki	KAF1000 Mule PRO-DXT Diesel	-L -- 993cc		1AM260575A	575	24 Months
2017-2016	Kawasaki	KAF1000 Mule PRO-DXT Diesel	-L -- 993cc		BB26R540AD	540	36 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT	-L -- 812cc		1AM260575A	575	24 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT	-L -- 812cc		BB26R540AD	540	36 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT EPS	-L -- 812cc		1AM260575A	575	24 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT EPS	-L -- 812cc		BB26R540AD	540	36 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT EPS Camo	-L -- 812cc		1AM260575A	575	24 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT EPS Camo	-L -- 812cc		BB26R540AD	540	36 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT EPS LE	-L -- 812cc		1AM260575A	575	24 Months
2017-2015	Kawasaki	KAF820 Mule PRO-FXT EPS LE	-L -- 812cc		BB26R540AD	540	36 Months
2017-2016	Kawasaki	KAF820 Mule PRO-FXT Ranch Edition	-L -- 812cc		1AM260575A	575	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Kawasaki	KAF820 Mule PRO-FXT Ranch Edition	-L -- 812cc		BB26R540AD	540	36 Months
2002-2000	Kawasaki	KAF950 Mule 2510 Diesel	-L -- 953cc		1AM260575A	575	24 Months
2002-2000	Kawasaki	KAF950 Mule 2510 Diesel	-L -- 953cc		BB26R540AD	540	36 Months
2008-2003	Kawasaki	KAF950 Mule 3010 Diesel 4x4	-L -- 953cc		1AM260575A	575	24 Months
2008-2003	Kawasaki	KAF950 Mule 3010 Diesel 4x4	-L -- 953cc		BB26R540AD	540	36 Months
2008-2007	Kawasaki	KAF950 Mule 3010 Trans 4x4 Diesel	-L -- 953cc		1AM260575A	575	24 Months
2008-2007	Kawasaki	KAF950 Mule 3010 Trans 4x4 Diesel	-L -- 953cc		BB26R540AD	540	36 Months
2013-2009	Kawasaki	KAF950 Mule 4010 Diesel 4x4	-L -- 953cc		1AM260575A	575	24 Months
2013-2009	Kawasaki	KAF950 Mule 4010 Diesel 4x4	-L -- 953cc		BB26R540AD	540	36 Months
2013-2009	Kawasaki	KAF950 Mule 4010 Trans 4x4 Diesel	-L -- 953cc		1AM260575A	575	24 Months
2013-2009	Kawasaki	KAF950 Mule 4010 Trans 4x4 Diesel	-L -- 953cc		BB26R540AD	540	36 Months
2006-2004	Kia	Amanti	3.5L V6 3497cc	Installation may take up to 45 minutes. Battery located under hood.	1AM124700A	700	24 Months
2009-2007	Kia	Amanti	3.8L V6 3778cc	Installation may take up to 45 minutes. Battery located under hood.	1AM124700A	700	24 Months
2011-2009	Kia	Borrego	3.8L V6 3778cc		1AM124700A	700	24 Months
2016-2014	Kia	Cadenza	3.3L V6 3342cc		1AM124700A	700	24 Months
2013-2010	Kia	Forte	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2013-2010	Kia	Forte	2.4L L4 2359cc		1AM124700A	700	24 Months
2016-2014	Kia	Forte	1.8L L4 1797cc	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2014	Kia	Forte	2.0L L4 1999cc 122 CID	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Kia	Forte	2.0L L4 1999cc 122 CID; EX		1AM0H6770A	770	24 Months
2017	Kia	Forte	2.0L L4 1999cc 122 CID; S		1AM0H6770A	770	24 Months
2017	Kia	Forte	2.0L L4 1999cc 122 CID; SX		1AM0H6770A	770	24 Months
2017	Kia	Forte	2.0L L4 1999cc 122 CID; LX	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017	Kia	Forte	2.0L L4 1999cc 122 CID; EX	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Kia	Forte	2.0L L4 1999cc 122 CID; S	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2010	Kia	Forte Koup	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2013-2010	Kia	Forte Koup	2.4L L4 2359cc		1AM124700A	700	24 Months
2016-2014	Kia	Forte Koup	2.0L L4 1999cc 122 CID	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2012	Kia	Forte5	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2013-2012	Kia	Forte5	2.4L L4 2359cc		1AM124700A	700	24 Months
2016-2014	Kia	Forte5	1.6L L4 1591cc 97 CID	Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2014	Kia	Forte5	2.0L L4 1999cc 122 CID	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Kia	Forte5	2.0L L4 1999cc 122 CID; EX		1AM0H6770A	770	24 Months
2017	Kia	Forte5	1.6L L4 1591cc 97 CID	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017	Kia	Forte5	2.0L L4 1999cc 122 CID; LX	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017	Kia	Forte5	2.0L L4 1999cc 122 CID; EX	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Kia	K900	3.8L V6 3778cc	AGM Valve Regulated Lead Acid (VRLA) is required;	1AM0H9950A	950	24 Months
2017-2015	Kia	K900	5.0L V8 5038cc	AGM Valve Regulated Lead Acid (VRLA) is required;	1AM0H9950A	950	24 Months
2001	Kia	Magentis	2.5L V6 2500cc		1AM124700A	700	24 Months
2004-2002	Kia	Magentis	2.7L V6 2700cc		1AM124700A	700	24 Months
2006-2001	Kia	Magentis	2.4L L4 2351cc		1AM124700A	700	24 Months
2010-2005	Kia	Magentis	2.7L V6 2656cc		1AM124700A	700	24 Months
2010-2007	Kia	Magentis	2.4L L4 2359cc		1AM124700A	700	24 Months
2001	Kia	Optima	2.5L V6 2500cc		1AM124700A	700	24 Months
2006-2002	Kia	Optima	2.4L L4 2351cc		1AM124700A	700	24 Months
2010-2002	Kia	Optima	2.7L V6 2656cc		1AM124700A	700	24 Months
2010-2006	Kia	Optima	2.4L L4 2359cc		1AM124700A	700	24 Months
2013-2011	Kia	Optima	2.4L L4 2359cc; GAS		1AM124700A	700	24 Months
2015-2011	Kia	Optima	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2002-2001	Kia	Rio	1.5L L4 1493cc		1AM035550A	550	24 Months
2002-2001	Kia	Rio	1.5L L4 1493cc		2AM035500A	500	18 Months
2005-2003	Kia	Rio	1.6L L4 1594cc		1AM035550A	550	24 Months
2005-2003	Kia	Rio	1.6L L4 1594cc		2AM035500A	500	18 Months
2015-2013	Kia	Rio	1.6L L4 1591cc 97 CID	w/ISG	1AM0H6770A	770	24 Months
2012-2007	Kia	Rondo	2.4L L4 2359cc		1AM124700A	700	24 Months
2012-2007	Kia	Rondo	2.7L V6 2656cc		1AM124700A	700	24 Months
2017-2014	Kia	Rondo	2.0L L4 1999cc 122 CID		1AM124700A	700	24 Months
2005-2002	Kia	Sedona	3.5L V6 3497cc		1AM124700A	700	24 Months
2010-2006	Kia	Sedona	3.8L V6 3778cc		1AM124700A	700	24 Months
2014,2012-2011	Kia	Sedona	3.5L V6 3470cc		1AM124700A	700	24 Months
2017-2015	Kia	Sedona	3.3L V6 3342cc	non R-MDPS	1AM124700A	700	24 Months
1997-1995	Kia	Sephia	1.8L L4 1839cc	Best-fit estimate, check clearance and polarity before connecting cables.	BB0T5590AB	590	36 Months
2001-1998	Kia	Sephia	1.8L L4 1793cc	Best-fit estimate, check clearance and polarity before connecting cables.	BB0T5590AB	590	36 Months
2013-2011	Kia	Sorento	3.5L V6 3470cc		1AM124700A	700	24 Months
2015-2011	Kia	Sorento	2.4L L4 2359cc		1AM124700A	700	24 Months
2015-2014	Kia	Sorento	3.3L V6 3342cc		1AM124700A	700	24 Months
2014	Kia	Soul	1.6L L4 1591cc	w/ISG	1AM0H6770A	770	24 Months
2016-2015	Kia	Soul	1.6L L4 1591cc	AGM Valve Regulated Lead Acid (VRLA) is required; w/ISG	1AM0H6770A	770	24 Months
2016-2015	Kia	Soul	2.0L L4 1999cc 122 CID	AGM Valve Regulated Lead Acid (VRLA) is required; w/ISG	1AM0H6770A	770	24 Months
2003-2000	Kia	Spectra	1.8L L4 1793cc	Best-fit estimate, check clearance and polarity before connecting cables.	BB0T5590AB	590	36 Months
2002	Kia	Sportage	2.0L L4 1998cc 122 CID	Best-fit estimate, check clearance and polarity before connecting cables.	BB086525AB	525	36 Months
2010-2005	Kia	Sportage	2.0L L4 1975cc		1AM124700A	700	24 Months
2010-2005	Kia	Sportage	2.7L V6 2656cc		1AM124700A	700	24 Months
2016-2011	Kia	Sportage	2.0L L4 1998cc 122 CID		1AM124700A	700	24 Months
2016-2011	Kia	Sportage	2.4L L4 2359cc		1AM124700A	700	24 Months
2017	Kia	Sportage	2.0L L4 1998cc 122 CID		1AM0H6770A	770	24 Months
2017	Kia	Sportage	2.4L L4 2359cc		1AM0H6770A	770	24 Months
2017	Kia	Sportage	2.0L L4 1998cc 122 CID	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017	Kia	Sportage	2.4L L4 2359cc	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2012	Lamborghini	Aventador	6.5L V12 6498cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2012	Lamborghini	Aventador	6.5L V12 6498cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2012	Lamborghini	Aventador	6.5L V12 6498cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012	Lamborghini	Aventador	6.5L V12 6498cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2008	Lamborghini	Gallardo	5.0L V10 4961cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009	Lamborghini	Gallardo	5.0L V10 4961cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2008	Lamborghini	Gallardo	5.0L V10 4961cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2009-2008	Lamborghini	Gallardo	5.0L V10 4961cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2009-2008	Lamborghini	Gallardo	5.0L V10 4961cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2012-2009	Lamborghini	Gallardo	5.2L V10 5204cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2012-2009	Lamborghini	Gallardo	5.2L V10 5204cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2012-2009	Lamborghini	Gallardo	5.2L V10 5204cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2012-2009	Lamborghini	Gallardo	5.2L V10 5204cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2010-2008	Lamborghini	Murcielago	6.5L V12 6496cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2010-2008	Lamborghini	Murcielago	6.5L V12 6496cc	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2010-2008	Lamborghini	Murcielago	6.5L V12 6496cc	Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2010-2008	Lamborghini	Murcielago	6.5L V12 6496cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
1960-1959	Lancia	Aurelia	2.5L V6 2451cc 150 CID		1AM035550A	550	24 Months
1960-1959	Lancia	Aurelia	2.5L V6 2451cc 150 CID		1AM270710A	710	24 Months
1960-1959	Lancia	Aurelia	2.5L V6 2451cc 150 CID		2AM035500A	500	18 Months
1960-1959	Lancia	Aurelia	2.5L V6 2451cc 150 CID		2AM240530A	530	18 Months
1993	Land Rover	Defender 110	3.9L V8 3950cc		1AM024700B	700	24 Months
1995-1994	Land Rover	Defender 90	3.9L V8 3950cc	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM024700B	700	24 Months
1997	Land Rover	Defender 90	4.0L V8 3950cc	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM024700B	700	24 Months
2002-1999	Land Rover	Discovery	4.0L V8 3950cc		1AM024700B	700	24 Months
2003	Land Rover	Discovery	4.6L V8 4554cc 278 CID	May require height adapter at dealership.	1AM024700B	700	24 Months
2003	Land Rover	Discovery	4.6L V8 4554cc 278 CID		1AM024700B	700	24 Months
2005-2002	Land Rover	Freelander	2.5L V6 2500cc 153 CID		1AM0H6770A	770	24 Months
2006	Land Rover	Freelander	2.5L V6 2500cc 153 CID		BBOH5500AB	500	36 Months
1973-1964	Land Rover	Land Rover	2.3L L4 2286cc 140 CID; GAS		1AM024700B	700	24 Months
1974-1964	Land Rover	Land Rover	2.3L L4 2286cc 140 CID; DIESEL		1AM024700B	700	24 Months
1974-1967	Land Rover	Land Rover	2.6L L6 2625cc 160 CID		1AM024700B	700	24 Months
2012-2008	Land Rover	LR2	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2012-2008	Land Rover	LR2	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2012-2011	Land Rover	LR2	3.2L L6 3192cc 195 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2012-2011	Land Rover	LR2	3.2L L6 3192cc 195 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2014-2013	Land Rover	LR2	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2014-2013	Land Rover	LR2	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2015	Land Rover	LR2	2.0L L4 1999cc 122 CID		1AM940800A	800	24 Months
2015	Land Rover	LR2	2.0L L4 1999cc 122 CID		BBOH7730AB	730	36 Months
2006-2005	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2006-2005	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBOH8800AC	800	36 Months
2006-2005	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery located in engine compartment; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2005	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2009-2005	Land Rover	LR3	4.4L V8 4394cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2009-2005	Land Rover	LR3	4.4L V8 4394cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2009-2005	Land Rover	LR3	4.4L V8 4394cc	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2007	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2009-2007	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2009-2007	Land Rover	LR3	4.0L V6 4009cc 245 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2012-2011	Land Rover	LR4	5.0L V8 4999cc 305 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2012-2011	Land Rover	LR4	5.0L V8 4999cc 305 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2013-2010	Land Rover	LR4	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2013-2010	Land Rover	LR4	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2014	Land Rover	LR4	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2014	Land Rover	LR4	3.0L V6 2995cc 183 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Installation may take up to 30 minutes. Battery located under hood.	BBOH7730AB	730	36 Months
2016-2015	Land Rover	LR4	3.0L V6 2995cc 183 CID		1AM940800A	800	24 Months
2016-2015	Land Rover	LR4	3.0L V6 2995cc 183 CID		BBOH7730AB	730	36 Months
1974-1970	Land Rover	Range Rover	3.5L V8 3528cc 215 CID		1AM024700B	700	24 Months
1988-1987	Land Rover	Range Rover	3.5L V8 3532cc 216 CID; Sold in United States	Manufacturers recommended replacement battery shown, may vary from OE battery.	1AM024700B	700	24 Months
1995	Land Rover	Range Rover	4.2L V8 4200cc		1AM024700B	700	24 Months
2005-2003	Land Rover	Range Rover	4.4L V8 4398cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2005-2003	Land Rover	Range Rover	4.4L V8 4398cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2005-2003	Land Rover	Range Rover	4.4L V8 4398cc	Battery located in engine compartment; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2006	Land Rover	Range Rover	4.2L V8 4196cc	Battery located in engine compartment; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	Land Rover	Range Rover	4.4L V8 4394cc	Battery located in engine compartment; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2006,2004-2003	Land Rover	Range Rover	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H9950A	950	24 Months
2009-2006	Land Rover	Range Rover	4.2L V8 4196cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009-2006,2004-2003	Land Rover	Range Rover	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009-2007	Land Rover	Range Rover	4.2L V8 4196cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2009-2007	Land Rover	Range Rover	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2009-2007	Land Rover	Range Rover	4.2L V8 4196cc	Battery located in engine compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2007	Land Rover	Range Rover	4.4L V8 4394cc	Battery located in engine compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2007	Land Rover	Range Rover	4.2L V8 4196cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2009-2007	Land Rover	Range Rover	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2012-2010	Land Rover	Range Rover	5.0L V8 5000cc	Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2012-2010	Land Rover	Range Rover	5.0L V8 5000cc	Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2012-2010	Land Rover	Range Rover	5.0L V8 5000cc	Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2013	Land Rover	Range Rover	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2013	Land Rover	Range Rover	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2013	Land Rover	Range Rover	5.0L V8 5000cc 305 CID	Battery is vented to outside of vehicle.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2013-2010	Land Rover	Range Rover	5.0L V8 5000cc	Battery located in engine compartment; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2012	Land Rover	Range Rover Evoque	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2013-2012	Land Rover	Range Rover Evoque	2.0L L4 1999cc 122 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
2009-2006	Land Rover	Range Rover Sport	4.2L V8 4196cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009-2006	Land Rover	Range Rover Sport	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	2AM049850A	850	18 Months
2009-2006	Land Rover	Range Rover Sport	4.2L V8 4196cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2009-2006	Land Rover	Range Rover Sport	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H8800AC	800	36 Months
2009-2006	Land Rover	Range Rover Sport	4.2L V8 4196cc	Battery located in engine compartment; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2006	Land Rover	Range Rover Sport	4.4L V8 4394cc	Battery located in engine compartment; OE CCA: 720; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2006	Land Rover	Range Rover Sport	4.2L V8 4196cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2009-2006	Land Rover	Range Rover Sport	4.4L V8 4394cc	Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BBEH8800AA	800	36 Months
2013-2010	Land Rover	Range Rover Sport	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	1AM940800A	800	24 Months
2013-2010	Land Rover	Range Rover Sport	5.0L V8 5000cc	Battery is vented to outside of vehicle.; Do not use AGM battery.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H7730AB	730	36 Months
1991-1990	Lexus	ES250	2.5L V6 2508cc		1AM035550A	550	24 Months
1991-1990	Lexus	ES250	2.5L V6 2508cc		2AM035500A	500	18 Months
1998-1996,1993-1992	Lexus	ES300	3.0L V6 2959cc		1AM035550A	550	24 Months
1998-1996,1993-1992	Lexus	ES300	3.0L V6 2959cc		2AM035500A	500	18 Months
2003-1999,1995-1994	Lexus	ES300	3.0L V6 2995cc		1AM035550A	550	24 Months
2003-1999,1995-1994	Lexus	ES300	3.0L V6 2995cc		2AM035500A	500	18 Months
2017-2016	Lexus	GS F	5.0L V8 4969cc 303 CID		1AM024700B	700	24 Months
2017	Lexus	GS Turbo	2.0L L4 1998cc		1AM024700B	700	24 Months
2016	Lexus	GS200t	2.0L L4 1998cc		1AM024700B	700	24 Months
2005-1998	Lexus	GS300	3.0L L6 2997cc		1AM024700B	700	24 Months
2006	Lexus	GS300	3.0L V6 2994cc		1AM024700B	700	24 Months
2017-2013,2011-2007	Lexus	GS350	3.5L V6 3456cc	Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM024700B	700	24 Months
2000-1998	Lexus	GS400	4.0L V8 3969cc		1AM024700B	700	24 Months
2007-2001	Lexus	GS430	4.3L V8 4293cc		1AM024700B	700	24 Months
2011-2008	Lexus	GS460	4.6L V8 4608cc		1AM024700B	700	24 Months
2009-2003	Lexus	GX470	4.7L V8 4663cc 285 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM270710A	710	24 Months
2014-2008	Lexus	IS F	5.0L V8 4969cc 303 CID		1AM024700B	700	24 Months
2017	Lexus	IS Turbo	2.0L L4 1998cc		1AM024700B	700	24 Months
2016	Lexus	IS200t	2.0L L4 1998cc		1AM024700B	700	24 Months
2015-2006	Lexus	IS250	2.5L V6 2499cc	Installation may take up to 30 minutes. Battery located under hood.	1AM024700B	700	24 Months
2005-2001	Lexus	IS300	3.0L L6 2997cc	Installation may take up to 30 minutes. Battery located under hood.	1AM024700B	700	24 Months
2017-2016	Lexus	IS300	3.5L V6 3456cc	Installation may take up to 30 minutes. Battery located under hood.	1AM024700B	700	24 Months
2017-2006	Lexus	IS350	3.5L V6 3456cc	Installation may take up to 30 minutes. Battery located under hood.	1AM024700B	700	24 Months
2016-2007	Lexus	LS460	4.6L V8 4608cc	Installation may take up to 45 minutes. Battery located under hood.	1AM024700B	700	24 Months
1997-1996	Lexus	LX450	4.5L L6 4477cc		1AM270710A	710	24 Months
2007-1998	Lexus	LX470	4.7L V8 4663cc 285 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2013,2011-2008	Lexus	LX570	5.7L V8 5663cc 345 CID		1AM270710A	710	24 Months
2015	Lexus	NX300h	2.5L L4 2494cc 152 CID	OE CCA: 460; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017-2015	Lexus	NX300h	2.5L L4 2494cc 152 CID		BB0H5500AB	500	36 Months
2017-2016	Lexus	NX300h	2.5L L4 2494cc 152 CID	Battery Located in Trunk.; OE CCA: 460; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2017	Lexus	RC Turbo	2.0L L4 1998cc		1AM024700B	700	24 Months
2016	Lexus	RC200t	2.0L L4 1998cc		1AM024700B	700	24 Months
2017-2016	Lexus	RC300	3.5L V6 3456cc		1AM024700B	700	24 Months
2017-2015	Lexus	RC350	3.5L V6 3456cc		1AM024700B	700	24 Months
2017-2016	Lexus	RX450h	3.5L V6 3456cc		BB0H5500AB	500	36 Months
2017-2016	Lexus	RX450h	3.5L V6 3456cc	OE CCA: 460; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1996-1992	Lexus	SC300	3.0L L6 2997cc		1AM035550A	550	24 Months
1996-1992	Lexus	SC300	3.0L L6 2997cc		1AM270710A	710	24 Months
1996-1992	Lexus	SC300	3.0L L6 2997cc		2AM035500A	500	18 Months
1996-1992	Lexus	SC300	3.0L L6 2997cc		2AM240530A	530	18 Months
2000-1996	Lexus	SC400	4.0L V8 3969cc	Installation may take up to 30 minutes. Battery located under hood.	1AM270710A	710	24 Months
2002	Lexus	SC430	4.3L V8 4293cc	Battery located in engine compartment; OE CCA: 625; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2002	Lexus	SC430	4.3L V8 4293cc		1AM0H6770A	770	24 Months
2010-2003	Lexus	SC430	4.3L V8 4293cc		2AM048615A	615	18 Months
2010-2003	Lexus	SC430	4.3L V8 4293cc		BB0H6600AA	600	36 Months
2010-2003	Lexus	SC430	4.3L V8 4293cc	Battery located in engine compartment; OE CCA: 585; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2003	Lincoln	Aviator	4.6L V8 281 CID		1AM065750A	750	24 Months
2005-2003	Lincoln	Aviator	4.6L V8 281 CID		2AM065650A	650	18 Months
2005-2003	Lincoln	Aviator	4.6L V8 281 CID		BB065675AA	675	36 Months
2005-2003	Lincoln	Aviator	4.6L V8 281 CID		BB065850AB	850	36 Months
2003-2002	Lincoln	Blackwood	5.4L V8 330 CID		1AM065750A	750	24 Months
2003-2002	Lincoln	Blackwood	5.4L V8 330 CID		2AM065650A	650	18 Months
2003-2002	Lincoln	Blackwood	5.4L V8 330 CID		BB065675AA	675	36 Months
2003-2002	Lincoln	Blackwood	5.4L V8 330 CID		BB065850AB	850	36 Months
1965-1961	Lincoln	Continental	7.0L V8 7048cc 430 CID		1AM035550A	550	24 Months
1965-1961	Lincoln	Continental	7.0L V8 7048cc 430 CID		1AM270710A	710	24 Months
1965-1961	Lincoln	Continental	7.0L V8 7048cc 430 CID		2AM035500A	500	18 Months
1965-1961	Lincoln	Continental	7.0L V8 7048cc 430 CID		2AM240530A	530	18 Months
1974-1973,1971	Lincoln	Continental	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973,1971	Lincoln	Continental	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973,1971	Lincoln	Continental	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1978-1973,1971	Lincoln	Continental	7.5L V8 460 CID		1AM035550A	550	24 Months
1978-1973,1971	Lincoln	Continental	7.5L V8 460 CID		2AM035500A	500	18 Months
1978-1973,1971	Lincoln	Continental	7.5L V8 460 CID		2AM240530A	530	18 Months
1979-1977	Lincoln	Continental	6.6L V8 400 CID		1AM035550A	550	24 Months
1979-1977	Lincoln	Continental	6.6L V8 400 CID		2AM035500A	500	18 Months
1979-1977	Lincoln	Continental	6.6L V8 400 CID		2AM240530A	530	18 Months
1983	Lincoln	Continental	5.0L V8 302 CID		1AM035550A	550	24 Months
1983	Lincoln	Continental	5.0L V8 302 CID		2AM035500A	500	18 Months
1983	Lincoln	Continental	5.0L V8 302 CID		2AM240530A	530	18 Months
1984	Lincoln	Continental	2.4L L6 146 CID		BB065850AB	850	36 Months
1994-1988	Lincoln	Continental	3.8L V6 232 CID		BB065850AB	850	36 Months
1994-1989	Lincoln	Continental	3.8L V6 232 CID		1AM065750A	750	24 Months
1994-1989	Lincoln	Continental	3.8L V6 232 CID		2AM065650A	650	18 Months
1994-1989	Lincoln	Continental	3.8L V6 232 CID		BB065675AA	675	36 Months
2002-1995	Lincoln	Continental	4.6L V8 281 CID		BB065850AB	850	36 Months
2002-1997	Lincoln	Continental	4.6L V8 281 CID		1AM065750A	750	24 Months
2017	Lincoln	Continental	3.7L V6 3726cc 227 CID	Non Livery	1AM0H6770A	770	24 Months
2017	Lincoln	Continental	2.7L V6 164 CID		1AM940800A	800	24 Months
2017	Lincoln	Continental	3.0L V6 2956cc 181 CID		1AM940800A	800	24 Months
2017	Lincoln	Continental	3.7L V6 3726cc 227 CID	Livery	1AM940800A	800	24 Months
2017	Lincoln	Continental	3.7L V6 3726cc 227 CID	Non Livery	2AM048615A	615	18 Months
2017	Lincoln	Continental	2.7L V6 164 CID		BB0H7730AB	730	36 Months
2017	Lincoln	Continental	3.0L V6 2956cc 181 CID		BB0H7730AB	730	36 Months
2017	Lincoln	Continental	3.7L V6 3726cc 227 CID	Livery	BB0H7730AB	730	36 Months
2017	Lincoln	Continental	3.7L V6 3726cc 227 CID	Battery located in engine compartment; Non Livery; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1971	Lincoln	Mark III	7.5L V8 460 CID		1AM035550A	550	24 Months
1971	Lincoln	Mark III	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1971	Lincoln	Mark III	7.5L V8 460 CID		2AM035500A	500	18 Months
1971	Lincoln	Mark III	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1971	Lincoln	Mark III	7.5L V8 460 CID		2AM240530A	530	18 Months
1971	Lincoln	Mark III	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1972	Lincoln	Mark IV	7.5L V8 460 CID		1AM270710A	710	24 Months
1972	Lincoln	Mark IV	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1972	Lincoln	Mark IV	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Lincoln	Mark IV	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Lincoln	Mark IV	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1972	Lincoln	Mark IV	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1972	Lincoln	Mark IV	7.5L V8 460 CID		2AM035500A	500	18 Months
1976-1972	Lincoln	Mark IV	7.5L V8 460 CID		2AM240530A	530	18 Months
2008-2006	Lincoln	Mark LT	5.4L V8 330 CID		1AM065750A	750	24 Months
2008-2006	Lincoln	Mark LT	5.4L V8 330 CID		2AM065650A	650	18 Months
2008-2006	Lincoln	Mark LT	5.4L V8 330 CID		BB065675AA	675	36 Months
2008-2006	Lincoln	Mark LT	5.4L V8 330 CID		BB065850AB	850	36 Months
1978-1977	Lincoln	Mark V	7.5L V8 460 CID		1AM035550A	550	24 Months
1978-1977	Lincoln	Mark V	7.5L V8 460 CID		2AM035500A	500	18 Months
1978-1977	Lincoln	Mark V	7.5L V8 460 CID		2AM240530A	530	18 Months
1979-1977	Lincoln	Mark V	6.6L V8 400 CID		1AM035550A	550	24 Months
1979-1977	Lincoln	Mark V	6.6L V8 400 CID		2AM035500A	500	18 Months
1979-1977	Lincoln	Mark V	6.6L V8 400 CID		2AM240530A	530	18 Months
1985-1984	Lincoln	Mark VII	2.4L L6 146 CID		BB065850AB	850	36 Months
1992-1987	Lincoln	Mark VII	5.0L V8 302 CID		BB065850AB	850	36 Months
1998-1993	Lincoln	Mark VIII	4.6L V8 281 CID		1AM065750A	750	24 Months
1998-1993	Lincoln	Mark VIII	4.6L V8 281 CID		2AM065650A	650	18 Months
1998-1993	Lincoln	Mark VIII	4.6L V8 281 CID		BB065675AA	675	36 Months
1998-1993	Lincoln	Mark VIII	4.6L V8 281 CID		BB065850AB	850	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Lincoln	MKC	2.0L L4 1999cc 122 CID	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Lincoln	MKC	2.0L L4 1999cc 122 CID	OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Lincoln	MKC	2.3L L4 2300cc 140 CID	OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Lincoln	MKC	2.0L L4 1999cc 122 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2016-2015	Lincoln	MKC	2.0L L4 1999cc 122 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2017	Lincoln	MKC	2.0L L4 1999cc 122 CID	w/o Start/Stop	1AM0H6770A	770	24 Months
2017	Lincoln	MKC	2.0L L4 1999cc 122 CID	w/o Start/Stop	2AM048615A	615	18 Months
2017	Lincoln	MKC	2.0L L4 1999cc 122 CID	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100; w/o Start Stop	BBAH6650AA	650	36 Months
2017,2015	Lincoln	MKC	2.3L L4 2300cc 140 CID	Battery located in engine compartment; OE CCA: 610; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Lincoln	MKC	2.3L L4 2300cc 140 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2017-2015	Lincoln	MKC	2.3L L4 2300cc 140 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2014-2011	Lincoln	MKS	3.5L V6 3490cc 213 CID		1AM065750A	750	24 Months
2014-2011	Lincoln	MKS	3.5L V6 3490cc 213 CID		2AM065650A	650	18 Months
2014-2011	Lincoln	MKS	3.5L V6 3490cc 213 CID		BB065675AA	675	36 Months
2014-2011	Lincoln	MKS	3.5L V6 3490cc 213 CID		BB065850AB	850	36 Months
2016-2009	Lincoln	MKS	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2016-2009	Lincoln	MKS	3.7L V6 3726cc 227 CID		2AM065650A	650	18 Months
2016-2009	Lincoln	MKS	3.7L V6 3726cc 227 CID		BB065675AA	675	36 Months
2016-2009	Lincoln	MKS	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
2016-2010	Lincoln	MKS	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2016-2010	Lincoln	MKS	3.5L V6 3496cc 213 CID		2AM065650A	650	18 Months
2016-2010	Lincoln	MKS	3.5L V6 3496cc 213 CID		BB065675AA	675	36 Months
2016-2010	Lincoln	MKS	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2016,2014-2013	Lincoln	MKT	2.0L L4 1999cc 122 CID		2AM065650A	650	18 Months
2016,2014-2013	Lincoln	MKT	2.0L L4 1999cc 122 CID		BB065675AA	675	36 Months
2016-2013	Lincoln	MKT	2.0L L4 1999cc 122 CID		1AM065750A	750	24 Months
2016-2013	Lincoln	MKT	2.0L L4 1999cc 122 CID		BB065850AB	850	36 Months
2016-2015,2012-2010	Lincoln	MKT	3.5L V6 3496cc 213 CID		2AM065650A	650	18 Months
2016-2015,2012-2010	Lincoln	MKT	3.7L V6 3726cc 227 CID		2AM065650A	650	18 Months
2016-2015,2012-2010	Lincoln	MKT	3.5L V6 3496cc 213 CID		BB065675AA	675	36 Months
2016-2015,2012-2010	Lincoln	MKT	3.7L V6 3726cc 227 CID		BB065675AA	675	36 Months
2017-2010	Lincoln	MKT	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017-2010	Lincoln	MKT	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2017-2010	Lincoln	MKT	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
2017-2010	Lincoln	MKT	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
2010-2007	Lincoln	MKX	3.5L V6 3496cc 213 CID		1AM360650A	650	24 Months
2015-2011	Lincoln	MKX	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2015-2011	Lincoln	MKX	3.7L V6 3726cc 227 CID		2AM065650A	650	18 Months
2015-2011	Lincoln	MKX	3.7L V6 3726cc 227 CID		BB065675AA	675	36 Months
2015-2011	Lincoln	MKX	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
2016	Lincoln	MKX	2.7L V6 164 CID		1AM940800A	800	24 Months
2016	Lincoln	MKX	3.7L V6 3726cc 227 CID		1AM940800A	800	24 Months
2016	Lincoln	MKX	2.7L V6 164 CID		BB0H7730AB	730	36 Months
2016	Lincoln	MKX	3.7L V6 3726cc 227 CID		BB0H7730AB	730	36 Months
2017	Lincoln	MKX	2.7L V6 164 CID	w/o Start/Stop	1AM940800A	800	24 Months
2017	Lincoln	MKX	2.7L V6 164 CID	w/o Start/Stop	BB0H7730AB	730	36 Months
2010-2009,2007	Lincoln	MKZ	3.5L V6 3490cc 213 CID		1AM960590A	590	24 Months
2012-2007	Lincoln	MKZ	3.5L V6 3496cc 213 CID		1AM960590A	590	24 Months
2012-2011	Lincoln	MKZ	3.5L V6 3497cc 213 CID		1AM960590A	590	24 Months
2014-2013	Lincoln	MKZ	2.0L L4 1999cc 122 CID; GAS		1AM960590A	590	24 Months
2015	Lincoln	MKZ	2.0L L4 1999cc 122 CID; GAS		BB0T5590AB	590	36 Months
2016	Lincoln	MKZ	2.0L L4 1999cc 122 CID		BB0T5590AB	590	36 Months
2016-2013	Lincoln	MKZ	3.7L V6 3726cc 227 CID		BB0T5590AB	590	36 Months
2017	Lincoln	MKZ	2.0L L4 1999cc 122 CID; GAS		1AM940800A	800	24 Months
2017	Lincoln	MKZ	3.0L V6 2956cc 181 CID		1AM940800A	800	24 Months
2017	Lincoln	MKZ	2.0L L4 1999cc 122 CID; GAS		BB0H7730AB	730	36 Months
2017	Lincoln	MKZ	3.0L V6 2956cc 181 CID		BB0H7730AB	730	36 Months
2017	Lincoln	MKZ	2.0L L4 1999cc 122 CID; ELECTRIC/GAS	Battery is vented to outside of vehicle.	BB0T5590AB	590	36 Months
2006-1998	Lincoln	Navigator	5.4L V8 330 CID		2AM065650A	650	18 Months
2006-1998	Lincoln	Navigator	5.4L V8 330 CID		BB065675AA	675	36 Months
2011	Lincoln	Navigator	5.4L V8 5407cc 330 CID		1AM065750A	750	24 Months
2011	Lincoln	Navigator	5.4L V8 5407cc 330 CID	Exc. Climate Seats	2AM065650A	650	18 Months
2011	Lincoln	Navigator	5.4L V8 5407cc 330 CID	Exc. Climate Seats	BB065675AA	675	36 Months
2011	Lincoln	Navigator	5.4L V8 5407cc 330 CID		BB065850AB	850	36 Months
2012-2011	Lincoln	Navigator	5.4L V8 5408cc 330 CID		1AM065750A	750	24 Months
2012-2011	Lincoln	Navigator	5.4L V8 5408cc 330 CID	Exc. Climate Seats	2AM065650A	650	18 Months
2012-2011	Lincoln	Navigator	5.4L V8 5408cc 330 CID	Exc. Climate Seats	BB065675AA	675	36 Months
2012-2011	Lincoln	Navigator	5.4L V8 5408cc 330 CID		BB065850AB	850	36 Months
2014-1998	Lincoln	Navigator	5.4L V8 330 CID		1AM065750A	750	24 Months
2014-1998	Lincoln	Navigator	5.4L V8 330 CID		BB065850AB	850	36 Months
2014-2007	Lincoln	Navigator	5.4L V8 330 CID	Exc. Climate Seats	2AM065650A	650	18 Months
2014-2007	Lincoln	Navigator	5.4L V8 330 CID	Exc. Climate Seats	BB065675AA	675	36 Months
2017-2015	Lincoln	Navigator	3.5L V6 3496cc 213 CID		1AM065750A	750	24 Months
2017-2015	Lincoln	Navigator	3.5L V6 3496cc 213 CID		BB065850AB	850	36 Months
1983	Lincoln	Town Car	5.0L V8 302 CID		1AM035550A	550	24 Months
1983	Lincoln	Town Car	5.0L V8 302 CID		2AM035500A	500	18 Months
1983	Lincoln	Town Car	5.0L V8 302 CID		2AM240530A	530	18 Months
1990-1988	Lincoln	Town Car	5.0L V8 302 CID		1AM065750A	750	24 Months
1990-1988	Lincoln	Town Car	5.0L V8 302 CID		2AM065650A	650	18 Months
1990-1988	Lincoln	Town Car	5.0L V8 302 CID		BB065675AA	675	36 Months
1990-1988	Lincoln	Town Car	5.0L V8 302 CID		BB065850AB	850	36 Months
2005-1991	Lincoln	Town Car	4.6L V8 281 CID		2AM065650A	650	18 Months
2005-1991	Lincoln	Town Car	4.6L V8 281 CID		BB065675AA	675	36 Months
2011-1991	Lincoln	Town Car	4.6L V8 281 CID		1AM065750A	750	24 Months
2011-1991	Lincoln	Town Car	4.6L V8 281 CID		BB065850AB	850	36 Months
2011-2006	Lincoln	Town Car	4.6L V8 281 CID	w/Short Wheel Base	2AM065650A	650	18 Months
2011-2006	Lincoln	Town Car	4.6L V8 281 CID	w/Short Wheel Base	BB065675AA	675	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1977	Lincoln	Versailles	5.8L V8 351 CID		1AM035550A	550	24 Months
1977	Lincoln	Versailles	5.8L V8 351 CID		2AM035500A	500	18 Months
1977	Lincoln	Versailles	5.8L V8 351 CID		2AM240530A	530	18 Months
1979-1977	Lincoln	Versailles	5.0L V8 302 CID		1AM035550A	550	24 Months
1979-1977	Lincoln	Versailles	5.0L V8 302 CID		2AM035500A	500	18 Months
1979-1977	Lincoln	Versailles	5.0L V8 302 CID		2AM240530A	530	18 Months
2006	Lincoln	Zephyr	3.0L V6 183 CID		1AM960590A	590	24 Months
2006	Lincoln	Zephyr	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2007-2005	Lotus	Elise	1.8L L4 1795cc		1AM260575A	575	24 Months
2009-2008	Lotus	Elise	1.8L L4 1795cc	Battery gasses need to be vented to outside.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2007-2006	Lotus	Exige	1.8L L4 1795cc		1AM260575A	575	24 Months
2009-2008	Lotus	Exige	1.8L L4 1795cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2009-2008	Lotus	Exige	1.8L L4 1795cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2009-2008	Lotus	Exige	1.8L L4 1795cc	Battery is vented to outside of vehicle.	BB0H6600AA	600	36 Months
2009-2008	Lotus	Exige	1.8L L4 1795cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2008	Maserati	GranTurismo	4.2L V8 4244cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2011-2008	Maserati	GranTurismo	4.2L V8 4244cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM048615A	615	18 Months
2011-2008	Maserati	GranTurismo	4.2L V8 4244cc	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H6600AA	600	36 Months
2011-2008	Maserati	GranTurismo	4.2L V8 4244cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2009	Maserati	GranTurismo	4.7L V8 4691cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2013-2009	Maserati	GranTurismo	4.7L V8 4691cc	Battery is vented to outside of vehicle.; Best performance estimate.	2AM048615A	615	18 Months
2013-2009	Maserati	GranTurismo	4.7L V8 4691cc	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H6600AA	600	36 Months
2013-2009	Maserati	GranTurismo	4.7L V8 4691cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2008	Maserati	Quattroporte	4.2L V8 4244cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2011-2008	Maserati	Quattroporte	4.2L V8 4244cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2011-2008	Maserati	Quattroporte	4.2L V8 4244cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2011-2008	Maserati	Quattroporte	4.2L V8 4244cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2009	Maserati	Quattroporte	4.7L V8 4691cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2012-2003	Maybach	57	5.5L V12 5499cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2012-2006	Maybach	57	6.0L V12 5980cc 365 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2012-2003	Maybach	62	5.5L V12 5499cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2012-2007	Maybach	62	6.0L V12 5980cc 365 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
1971-1970	Mazda	1200	1.2L L4 1169cc 71 CID		1AM024700B	700	24 Months
1971-1970	Mazda	1800	1.8L L4 1796cc 110 CID		1AM024700B	700	24 Months
2014-2011	Mazda	2	1.5L L4 1498cc 91 CID		1AM035550A	550	24 Months
2014-2011	Mazda	2	1.5L L4 1498cc 91 CID		2AM035500A	500	18 Months
2007	Mazda	3	2.3L L4 2260cc		2AM035500A	500	18 Months
2009	Mazda	3	2.0L L4 1999cc 122 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
2009	Mazda	3	2.0L L4 1999cc 122 CID		1AM260575A	575	24 Months
2009	Mazda	3	2.0L L4 1999cc 122 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
2009	Mazda	3	2.0L L4 1999cc 122 CID		BB26R540AD	540	36 Months
2009-2008	Mazda	3	2.3L L4 2260cc; w/ Automatic Trans.		1AM035550A	550	24 Months
2009-2008	Mazda	3	2.3L L4 2260cc; w/ Automatic Trans.		2AM035500A	500	18 Months
2010	Mazda	3	2.5L L4 2488cc 152 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
2010	Mazda	3	2.5L L4 2488cc 152 CID		1AM260575A	575	24 Months
2010	Mazda	3	2.5L L4 2488cc 152 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
2010	Mazda	3	2.5L L4 2488cc 152 CID		BB26R540AD	540	36 Months
2010-2008	Mazda	3	2.0L L4 2000cc 122 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
2010-2008	Mazda	3	2.0L L4 2000cc 122 CID		1AM260575A	575	24 Months
2010-2008	Mazda	3	2.3L L4 2260cc		1AM260575A	575	24 Months
2010-2008	Mazda	3	2.0L L4 2000cc 122 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
2010-2008	Mazda	3	2.0L L4 2000cc 122 CID		BB26R540AD	540	36 Months
2010-2008	Mazda	3	2.3L L4 2260cc		BB26R540AD	540	36 Months
2013	Mazda	3	2.0L L4 1999cc 122 CID		1AM035550A	550	24 Months
2013	Mazda	3	2.5L L4 2489cc 152 CID		1AM035550A	550	24 Months
2013	Mazda	3	2.0L L4 1999cc 122 CID		2AM035500A	500	18 Months
2013	Mazda	3	2.5L L4 2489cc 152 CID		2AM035500A	500	18 Months
2013-2011,2007,2005-2004	Mazda	3	2.0L L4 2000cc 122 CID		2AM035500A	500	18 Months
2013-2011,2007-2004	Mazda	3	2.0L L4 2000cc 122 CID		1AM035550A	550	24 Months
2013-2011,2007-2004	Mazda	3	2.3L L4 2260cc		1AM035550A	550	24 Months
2015-2011	Mazda	3	2.5L L4 2488cc 152 CID		1AM035550A	550	24 Months
2015-2011	Mazda	3	2.5L L4 2488cc 152 CID		2AM035500A	500	18 Months
2015-2012	Mazda	3	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2015-2014	Mazda	3	2.0L L4 1998cc 122 CID; w/ Invalid ID Engine		2AM035500A	500	18 Months
2016	Mazda	3	2.0L L4 1998cc 122 CID	Non i-ELOOP	1AM035550A	550	24 Months
2016	Mazda	3	2.5L L4 2488cc 152 CID	Non i-ELOOP	1AM035550A	550	24 Months
2013-2012	Mazda	3 Sport	2.0L L4 2000cc 122 CID		1AM035550A	550	24 Months
2013-2012	Mazda	3 Sport	2.0L L4 2000cc 122 CID		2AM035500A	500	18 Months
2013-2012	Mazda	3 Sport	2.5L L4 2488cc 152 CID		2AM035500A	500	18 Months
2014-2012	Mazda	3 Sport	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2014-2012	Mazda	3 Sport	2.5L L4 2488cc 152 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1987-1986	Mazda	323	1.6L L4 1597cc	Check polarity before connecting cables.; Exc. Calif.	1AM035550A	550	24 Months
1987-1986	Mazda	323	1.6L L4 1597cc	Check polarity before connecting cables.; Exc. Calif.	2AM035500A	500	18 Months
1995-1988	Mazda	323	1.6L L4 1597cc		1AM035550A	550	24 Months
1995-1988	Mazda	323	1.6L L4 1597cc		2AM035500A	500	18 Months
1995-1993, 1991-1990	Mazda	323	1.8L L4 1839cc		1AM035550A	550	24 Months
1995-1993, 1991-1990	Mazda	323	1.8L L4 1839cc		2AM035500A	500	18 Months
2008-2006	Mazda	5	2.3L L4 2260cc	Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
2009	Mazda	5	2.3L L4 2260cc; w/ Automatic Trans.	Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
2009	Mazda	5	2.3L L4 2260cc	Installation may take up to 30 minutes. Battery located under hood.	1AM260575A	575	24 Months
2009	Mazda	5	2.3L L4 2260cc; w/ Automatic Trans.	Installation may take up to 30 minutes. Battery located under hood.	2AM035500A	500	18 Months
2009	Mazda	5	2.3L L4 2260cc	Installation may take up to 30 minutes. Battery located under hood.	BB26R540AD	540	36 Months
2010	Mazda	5	2.3L L4 2260cc; w/ Automatic Trans.	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2010	Mazda	5	2.3L L4 2260cc	Installation may take up to 45 minutes. Battery located under hood.	1AM260575A	575	24 Months
2010	Mazda	5	2.3L L4 2260cc; w/ Standard Trans.	Installation may take up to 45 minutes. Battery located under hood.	BB26R540AD	540	36 Months
2013	Mazda	5	2.5L L4 2489cc 152 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2015-2012	Mazda	5	2.5L L4 2488cc 152 CID; w/ Automatic Trans.	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2015-2012	Mazda	5	2.5L L4 2488cc 152 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM260575A	575	24 Months
2015-2012	Mazda	5	2.5L L4 2488cc 152 CID; w/ Standard Trans.	Installation may take up to 45 minutes. Battery located under hood.	BB26R540AD	540	36 Months
2007-2006	Mazda	6	2.3L L4 2260cc; Mazdaspeed		1AM035550A	550	24 Months
2007-2006	Mazda	6	2.3L L4 2260cc; i		1AM960590A	590	24 Months
2008, 2005-2003	Mazda	6	2.3L L4 2260cc		1AM960590A	590	24 Months
2008-2003	Mazda	6	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2008-2006	Mazda	6	3.0L V6 2968cc		1AM960590A	590	24 Months
2013-2009	Mazda	6	2.5L L4 2488cc 152 CID		1AM960590A	590	24 Months
2013-2009	Mazda	6	3.7L V6 3726cc 227 CID		1AM960590A	590	24 Months
2013-2011	Mazda	6	2.5L L4 2489cc 152 CID		1AM960590A	590	24 Months
2017-2014	Mazda	6	2.5L L4 2488cc 152 CID	Non i-ELOOP	1AM035550A	550	24 Months
1971	Mazda	616	1.6L L4 1586cc		1AM024700B	700	24 Months
1972-1970	Mazda	616	1.6L L4 1586cc 97 CID		1AM024700B	700	24 Months
1972	Mazda	618	1.8L L4 1796cc		1AM024700B	700	24 Months
1973-1972	Mazda	618	1.8L L4 1796cc 110 CID		1AM024700B	700	24 Months
1982-1979	Mazda	626	2.0L L4 1970cc		1AM024700B	700	24 Months
1983	Mazda	626	2.0L L4 1970cc		1AM035550A	550	24 Months
1983	Mazda	626	2.0L L4 1970cc		2AM035500A	500	18 Months
1985	Mazda	626	2.0L L4 1998cc 122 CID; GAS		1AM035550A	550	24 Months
1985	Mazda	626	2.0L L4 1998cc 122 CID; DIESEL		1AM270710A	710	24 Months
1985	Mazda	626	2.0L L4 1998cc 122 CID; GAS		2AM035500A	500	18 Months
1987-1986, 1984	Mazda	626	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
1987-1986, 1984	Mazda	626	2.0L L4 1998cc 122 CID		2AM035500A	500	18 Months
1992-1988	Mazda	626	2.2L L4 2184cc		1AM035550A	550	24 Months
1992-1988	Mazda	626	2.2L L4 2184cc		2AM035500A	500	18 Months
2002-1998	Mazda	626	2.0L L4 1991cc		1AM360650A	650	24 Months
2002-1998	Mazda	626	2.5L V6 2497cc		1AM360650A	650	24 Months
1974-1972	Mazda	808	1.6L L4 1586cc 97 CID		1AM024700B	700	24 Months
1977-1972	Mazda	808	1.6L L4 1587cc		1AM024700B	700	24 Months
1991-1988	Mazda	929	3.0L V6 2954cc 180 CID		1AM035550A	550	24 Months
1991-1988	Mazda	929	3.0L V6 2954cc 180 CID		2AM035500A	500	18 Months
1995-1992	Mazda	929	3.0L V6 2954cc 180 CID; Sold in United States		1AM035550A	550	24 Months
1995-1992	Mazda	929	3.0L V6 2954cc 180 CID; Sold in United States		2AM035500A	500	18 Months
1974-1972	Mazda	B1600	1.6L L4 1586cc 97 CID		1AM024700B	700	24 Months
1976-1972	Mazda	B1600	1.6L L4 1586cc		1AM024700B	700	24 Months
1978-1977	Mazda	B1800	1.8L L4 1796cc		1AM024700B	700	24 Months
1984-1979	Mazda	B2000	2.0L L4 1970cc		1AM024700B	700	24 Months
1987-1986	Mazda	B2000	2.0L L4 1998cc 122 CID		1AM024700B	700	24 Months
1984-1982	Mazda	B2200	2.2L L4 2209cc		1AM024700B	700	24 Months
1990-1987	Mazda	B2200	2.2L L4 2184cc		1AM024700B	700	24 Months
1988	Mazda	B2600	2.6L L4 2555cc	Heavy Duty; Optional	1AM270710A	710	24 Months
1988-1987	Mazda	B2600	2.6L L4 2555cc		1AM035550A	550	24 Months
1988-1987	Mazda	B2600	2.6L L4 2555cc		2AM035500A	500	18 Months
1988-1987	Mazda	B2600	2.6L L4 2555cc		2AM240530A	530	18 Months
1993-1989	Mazda	B2600	2.6L L4 2606cc		1AM024700B	700	24 Months
1997-1994	Mazda	B4000	4.0L V6 4016cc		1AM065750A	750	24 Months
1997-1994	Mazda	B4000	4.0L V6 4016cc		2AM065650A	650	18 Months
1997-1994	Mazda	B4000	4.0L V6 4016cc		BB065675AA	675	36 Months
1997-1994	Mazda	B4000	4.0L V6 4016cc		BB065850AB	850	36 Months
1978-1976	Mazda	Cosmo	1.3L R2 1308cc		1AM024700B	700	24 Months
2016	Mazda	CX-3	2.0L L4 1998cc 122 CID	Non i-ELOOP	1AM035550A	550	24 Months
2017	Mazda	CX-3	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2016-2013	Mazda	CX-5	2.0L L4 1998cc 122 CID	Non-BCI group size.	1AM035550A	550	24 Months
2016-2014	Mazda	CX-5	2.5L L4 2488cc 152 CID	Non-BCI group size.	1AM035550A	550	24 Months
2009-2007	Mazda	CX-7	2.3L L4 2260cc		2AM035500A	500	18 Months
2010-2007	Mazda	CX-7	2.3L L4 2260cc		1AM035550A	550	24 Months
2012-2010	Mazda	CX-7	2.5L L4 2488cc 152 CID		1AM035550A	550	24 Months
2012-2011	Mazda	CX-7	2.3L L4 2260cc; Sold in United States		1AM035550A	550	24 Months
2016	Mazda	CX-9	2.5L L4 2488cc 152 CID		1AM035550A	550	24 Months
1978-1977	Mazda	GLC	1.3L L4 1272cc		1AM024700B	700	24 Months
1980-1979	Mazda	GLC	1.4L L4 1415cc		1AM024700B	700	24 Months
1985-1981	Mazda	GLC	1.5L L4 1490cc	Exc. Calif.	1AM035550A	550	24 Months
1985-1981	Mazda	GLC	1.5L L4 1490cc	Exc. Calif.	2AM035500A	500	18 Months
2001	Mazda	Millenia	2.5L V6 2497cc		2AM240530A	530	18 Months
2001-1995	Mazda	Millenia	2.5L V6 2497cc		1AM035550A	550	24 Months
2001-1995	Mazda	Millenia	2.3L V6 2254cc		2AM035500A	500	18 Months
2001-1995	Mazda	Millenia	2.5L V6 2497cc		2AM035500A	500	18 Months
2002-1995	Mazda	Millenia	2.3L V6 2254cc		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1977-1976	Mazda	Mizer	1.3L L4 1272cc		1AM024700B	700	24 Months
1992-1989	Mazda	MPV	2.6L L4 2606cc; Sold in United States		1AM035550A	550	24 Months
1992-1989	Mazda	MPV	3.0L V6 2954cc 180 CID; Sold in United States		1AM035550A	550	24 Months
1992-1989	Mazda	MPV	2.6L L4 2606cc; Sold in United States		2AM035500A	500	18 Months
1992-1989	Mazda	MPV	3.0L V6 2954cc 180 CID; Sold in United States		2AM035500A	500	18 Months
1994-1993	Mazda	MPV	2.6L L4 2606cc		1AM035550A	550	24 Months
1994-1993	Mazda	MPV	2.6L L4 2606cc		2AM035500A	500	18 Months
1994-1993	Mazda	MPV	2.6L L4 2606cc; 4WD		2AM240530A	530	18 Months
1995-1993	Mazda	MPV	3.0L V6 2954cc 180 CID; 4WD		2AM240530A	530	18 Months
1998-1993	Mazda	MPV	3.0L V6 2954cc 180 CID		1AM035550A	550	24 Months
1998-1993	Mazda	MPV	3.0L V6 2954cc 180 CID		2AM035500A	500	18 Months
1998-1996	Mazda	MPV	3.0L V6 2954cc 180 CID		2AM240530A	530	18 Months
2006-2002	Mazda	MPV	3.0L V6 2968cc 181 CID		1AM035550A	550	24 Months
2006-2002	Mazda	MPV	3.0L V6 2968cc 181 CID		2AM035500A	500	18 Months
2006-2002	Mazda	MPV	3.0L V6 2968cc 181 CID		2AM240530A	530	18 Months
1995-1992	Mazda	MX-3	1.8L V6 1845cc		1AM035550A	550	24 Months
1995-1992	Mazda	MX-3	1.8L V6 1845cc		2AM035500A	500	18 Months
1996-1992	Mazda	MX-3	1.6L L4 1597cc		1AM035550A	550	24 Months
1996-1992	Mazda	MX-3	1.6L L4 1597cc		2AM035500A	500	18 Months
1992-1988	Mazda	MX-6	2.2L L4 2184cc		1AM035550A	550	24 Months
1992-1988	Mazda	MX-6	2.2L L4 2184cc		2AM035500A	500	18 Months
1994-1991	Mazda	Navajo	4.0L V6 4016cc		1AM065750A	750	24 Months
1994-1991	Mazda	Navajo	4.0L V6 4016cc		2AM065650A	650	18 Months
1994-1991	Mazda	Navajo	4.0L V6 4016cc		BB065675AA	675	36 Months
1994-1991	Mazda	Navajo	4.0L V6 4016cc		BB065850AB	850	36 Months
1998-1995	Mazda	Protege	1.5L L4 1489cc		1AM035550A	550	24 Months
1998-1995	Mazda	Protege	1.5L L4 1489cc		2AM035500A	500	18 Months
2000-1990	Mazda	Protege	1.8L L4 1839cc		1AM035550A	550	24 Months
2000-1990	Mazda	Protege	1.8L L4 1839cc		2AM035500A	500	18 Months
2003-1999	Mazda	Protege	1.6L L4 1589cc		1AM035550A	550	24 Months
2003-1999	Mazda	Protege	1.6L L4 1589cc		2AM035500A	500	18 Months
2003-2001	Mazda	Protege	2.0L L4 2000cc		1AM035550A	550	24 Months
2003-2001	Mazda	Protege	2.0L L4 2000cc		2AM035500A	500	18 Months
2003-2002	Mazda	Protege5	2.0L L4 2000cc		1AM035550A	550	24 Months
2003-2002	Mazda	Protege5	2.0L L4 2000cc		2AM035500A	500	18 Months
1972-1970	Mazda	R100	1.1L R2 1146cc		1AM024700B	700	24 Months
1977-1974	Mazda	Rotary Pickup	1.3L R2 1308cc		1AM024700B	700	24 Months
1974-1971	Mazda	RX-2	1.1L R2 1146cc		1AM024700B	700	24 Months
1978-1972	Mazda	RX-3	1.1L R2 1146cc		1AM024700B	700	24 Months
1978-1974	Mazda	RX-4	1.3L R2 1308cc		1AM024700B	700	24 Months
1982-1979	Mazda	RX-7	1.1L R2 1146cc		1AM024700B	700	24 Months
1985-1984	Mazda	RX-7	1.1L R2 1146cc		1AM035550A	550	24 Months
1985-1984	Mazda	RX-7	1.1L R2 1146cc		2AM035500A	500	18 Months
1993	Mazda	RX-7	1.3L R2 1308cc		2AM240530A	530	18 Months
1995-1993, 1991-1984	Mazda	RX-7	1.3L R2 1308cc		1AM035550A	550	24 Months
1995-1993, 1991-1984	Mazda	RX-7	1.3L R2 1308cc		2AM035500A	500	18 Months
1995-1994	Mazda	RX-7	1.3L R2 1308cc; Sold in Canada; w/ Automatic Trans.		2AM240530A	530	18 Months
2011	Mazda	RX-8	1.3L R2 1308cc; Sold in United States	Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
2008, 2006-2005	Mazda	Tribute	2.3L L4 140 CID		1AM960590A	590	24 Months
2011-2008, 2006-2001	Mazda	Tribute	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2011-2009	Mazda	Tribute	2.5L L4 2488cc 152 CID		1AM960590A	590	24 Months
1957-1956	Mercedes-Benz	180	1.8L L4 1767cc 108 CID		1AM035550A	550	24 Months
1957-1956	Mercedes-Benz	180	1.8L L4 1767cc 108 CID		2AM035500A	500	18 Months
1957-1956	Mercedes-Benz	180	1.8L L4 1767cc 108 CID		2AM240530A	530	18 Months
1959-1956	Mercedes-Benz	180A	1.9L L4 116 CID		1AM035550A	550	24 Months
1959-1956	Mercedes-Benz	180A	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1959-1956	Mercedes-Benz	180A	1.9L L4 116 CID		2AM035500A	500	18 Months
1959-1956	Mercedes-Benz	180A	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1959-1956	Mercedes-Benz	180A	1.9L L4 116 CID		2AM240530A	530	18 Months
1959-1956	Mercedes-Benz	180A	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 116 CID		1AM035550A	550	24 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 116 CID		1AM270710A	710	24 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 1897cc 116 CID		1AM270710A	710	24 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 116 CID		2AM035500A	500	18 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 116 CID		2AM240530A	530	18 Months
1962-1960	Mercedes-Benz	180b	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1963	Mercedes-Benz	180C	1.9L L4 116 CID		1AM035550A	550	24 Months
1963	Mercedes-Benz	180C	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1963	Mercedes-Benz	180C	1.9L L4 116 CID		1AM270710A	710	24 Months
1963	Mercedes-Benz	180C	1.9L L4 1897cc 116 CID		1AM270710A	710	24 Months
1963	Mercedes-Benz	180C	1.9L L4 116 CID		2AM035500A	500	18 Months
1963	Mercedes-Benz	180C	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1963	Mercedes-Benz	180C	1.9L L4 116 CID		2AM240530A	530	18 Months
1963	Mercedes-Benz	180C	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1962-1960	Mercedes-Benz	180D	1.8L L4 108 CID		1AM035550A	550	24 Months
1962-1960	Mercedes-Benz	180D	1.8L L4 108 CID		2AM035500A	500	18 Months
1962-1960	Mercedes-Benz	180D	1.8L L4 108 CID		2AM240530A	530	18 Months
1963	Mercedes-Benz	180D	2.0L L4 121 CID		1AM035550A	550	24 Months
1963	Mercedes-Benz	180D	2.0L L4 1988cc 121 CID		1AM035550A	550	24 Months
1963	Mercedes-Benz	180D	2.0L L4 121 CID		2AM035500A	500	18 Months
1963	Mercedes-Benz	180D	2.0L L4 1988cc 121 CID		2AM035500A	500	18 Months
1963	Mercedes-Benz	180D	2.0L L4 121 CID		2AM240530A	530	18 Months
1963	Mercedes-Benz	180D	2.0L L4 1988cc 121 CID		2AM240530A	530	18 Months
1963-1960	Mercedes-Benz	180D	1.8L L4 1767cc 108 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1963-1960	Mercedes-Benz	180D	1.8L L4 1767cc 108 CID		2AM035500A	500	18 Months
1963-1960	Mercedes-Benz	180D	1.8L L4 1767cc 108 CID		2AM240530A	530	18 Months
1965-1964, 1959-1956	Mercedes-Benz	190	1.9L L4 116 CID		1AM035550A	550	24 Months
1965-1964, 1959-1956	Mercedes-Benz	190	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1965-1964, 1959-1956	Mercedes-Benz	190	1.9L L4 116 CID		2AM035500A	500	18 Months
1965-1964, 1959-1956	Mercedes-Benz	190	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1965-1964, 1959-1956	Mercedes-Benz	190	1.9L L4 116 CID		2AM240530A	530	18 Months
1965-1964, 1959-1956	Mercedes-Benz	190	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 116 CID		1AM035550A	550	24 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 116 CID		1AM270710A	710	24 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 1897cc 116 CID		1AM270710A	710	24 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 116 CID		2AM035500A	500	18 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 116 CID		2AM240530A	530	18 Months
1962-1960	Mercedes-Benz	190B	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 116 CID		1AM035550A	550	24 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 116 CID		1AM270710A	710	24 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 1897cc 116 CID		1AM270710A	710	24 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 116 CID		2AM035500A	500	18 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 116 CID		2AM240530A	530	18 Months
1965-1963	Mercedes-Benz	190C	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1985-1984	Mercedes-Benz	190D	2.2L L4 2197cc		1AM0H6770A	770	24 Months
1989-1986	Mercedes-Benz	190D	2.5L L5 2497cc		2AM049850A	850	18 Months
1989-1986	Mercedes-Benz	190D	2.5L L5 2497cc		BB0H8800AC	800	36 Months
1989-1986	Mercedes-Benz	190D	2.5L L5 2497cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BB0H8800AB	800	36 Months
1989-1986	Mercedes-Benz	190D	2.5L L5 2497cc		BB0H8800AA	800	36 Months
1961-1959	Mercedes-Benz	190DB	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1961-1959	Mercedes-Benz	190DB	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1961-1959	Mercedes-Benz	190DB	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1962	Mercedes-Benz	190DB	1.8L L4 1767cc 108 CID		1AM035550A	550	24 Months
1962	Mercedes-Benz	190DB	1.8L L4 1767cc 108 CID		2AM035500A	500	18 Months
1962	Mercedes-Benz	190DB	1.8L L4 1767cc 108 CID		2AM240530A	530	18 Months
1962-1960	Mercedes-Benz	190DB	1.8L L4 108 CID		1AM035550A	550	24 Months
1962-1960	Mercedes-Benz	190DB	1.8L L4 108 CID		2AM035500A	500	18 Months
1962-1960	Mercedes-Benz	190DB	1.8L L4 108 CID		2AM240530A	530	18 Months
1965-1963	Mercedes-Benz	190DC	2.0L L4 121 CID		1AM035550A	550	24 Months
1965-1963	Mercedes-Benz	190DC	2.0L L4 1988cc 121 CID		1AM035550A	550	24 Months
1965-1963	Mercedes-Benz	190DC	2.0L L4 121 CID		2AM035500A	500	18 Months
1965-1963	Mercedes-Benz	190DC	2.0L L4 1988cc 121 CID		2AM035500A	500	18 Months
1965-1963	Mercedes-Benz	190DC	2.0L L4 121 CID		2AM240530A	530	18 Months
1965-1963	Mercedes-Benz	190DC	2.0L L4 1988cc 121 CID		2AM240530A	530	18 Months
1986-1984	Mercedes-Benz	190E	2.3L L4 2299cc		BB0T5590AB	590	36 Months
1987	Mercedes-Benz	190E	2.6L L6 2599cc	OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BB0H5550AA	550	36 Months
1987-1984	Mercedes-Benz	190E	2.3L L4 2299cc	OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BB0H5550AA	550	36 Months
1988	Mercedes-Benz	190E	2.3L L4 2299cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BB0H6650AA	650	36 Months
1993-1987	Mercedes-Benz	190E	2.6L L6 2599cc		1AM0H6770A	770	24 Months
1993-1987	Mercedes-Benz	190E	2.6L L6 2599cc		2AM048615A	615	18 Months
1993-1987	Mercedes-Benz	190E	2.6L L6 2599cc		BB0H6600AA	600	36 Months
1993-1988	Mercedes-Benz	190E	2.6L L6 2599cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BB0H6650AA	650	36 Months
1993-1991	Mercedes-Benz	190E	2.3L L4 2299cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BB0H6650AA	650	36 Months
1993-1991, 1988-1987	Mercedes-Benz	190E	2.3L L4 2299cc		1AM0H6770A	770	24 Months
1993-1991, 1988-1987	Mercedes-Benz	190E	2.3L L4 2299cc		2AM048615A	615	18 Months
1993-1991, 1988-1987	Mercedes-Benz	190E	2.3L L4 2299cc		BB0H6600AA	600	36 Months
1963-1955	Mercedes-Benz	190SL	1.9L L4 116 CID		1AM035550A	550	24 Months
1963-1955	Mercedes-Benz	190SL	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1963-1955	Mercedes-Benz	190SL	1.9L L4 116 CID		2AM035500A	500	18 Months
1963-1955	Mercedes-Benz	190SL	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1963-1955	Mercedes-Benz	190SL	1.9L L4 116 CID		2AM240530A	530	18 Months
1963-1955	Mercedes-Benz	190SL	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1963-1960	Mercedes-Benz	190SL	1.9L L4 116 CID		1AM270710A	710	24 Months
1963-1960	Mercedes-Benz	190SL	1.9L L4 1897cc 116 CID		1AM270710A	710	24 Months
1967-1966	Mercedes-Benz	200	2.0L L4 121 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	200	2.0L L4 121 CID		1AM270710A	710	24 Months
1967-1966	Mercedes-Benz	200	2.0L L4 121 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	200	2.0L L4 121 CID		2AM240530A	530	18 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 121 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 1988cc 121 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 121 CID		1AM270710A	710	24 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 1988cc 121 CID		1AM270710A	710	24 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 121 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 1988cc 121 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 121 CID		2AM240530A	530	18 Months
1967-1966	Mercedes-Benz	200D	2.0L L4 1988cc 121 CID		2AM240530A	530	18 Months
1959-1956	Mercedes-Benz	219	2.2L L6 134 CID		1AM270710A	710	24 Months
1959-1956	Mercedes-Benz	219	2.2L L6 134 CID		2AM240530A	530	18 Months
1953-1951	Mercedes-Benz	220	2.2L L6 134 CID		1AM270710A	710	24 Months
1965-1955	Mercedes-Benz	220	2.2L L6 134 CID		1AM035550A	550	24 Months
1965-1955	Mercedes-Benz	220	2.2L L6 2195cc 134 CID		1AM035550A	550	24 Months
1965-1955	Mercedes-Benz	220	2.2L L6 134 CID		2AM035500A	500	18 Months
1965-1955	Mercedes-Benz	220	2.2L L6 2195cc 134 CID		2AM035500A	500	18 Months
1965-1955	Mercedes-Benz	220	2.2L L6 2195cc 134 CID		2AM240530A	530	18 Months
1965-1955, 1953-1951	Mercedes-Benz	220	2.2L L6 134 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1965-1964	Mercedes-Benz	220	2.3L L6 2306cc 141 CID		1AM035550A	550	24 Months
1965-1964	Mercedes-Benz	220	2.3L L6 2306cc 141 CID		2AM035500A	500	18 Months
1965-1964	Mercedes-Benz	220	2.3L L6 2306cc 141 CID		2AM240530A	530	18 Months
1969	Mercedes-Benz	220	2.2L L4 2197cc		1AM035550A	550	24 Months
1969	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		1AM035550A	550	24 Months
1969	Mercedes-Benz	220	2.2L L4 2197cc		2AM035500A	500	18 Months
1969	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		2AM035500A	500	18 Months
1969	Mercedes-Benz	220	2.2L L4 2197cc		2AM240530A	530	18 Months
1969	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		2AM240530A	530	18 Months
1972-1970	Mercedes-Benz	220	2.2L L4 2197cc		BB0H5500AB	500	36 Months
1972-1970	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		BB0H5500AB	500	36 Months
1972-1970	Mercedes-Benz	220	2.2L L4 2197cc		BB0T5590AB	590	36 Months
1972-1970	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		BB0T5590AB	590	36 Months
1972-1970	Mercedes-Benz	220	2.2L L4 2197cc	OE CCA: 290; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972-1970	Mercedes-Benz	220	2.2L L4 2197cc 134 CID	OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc		1AM0H6770A	770	24 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		1AM0H6770A	770	24 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc		2AM048615A	615	18 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		2AM048615A	615	18 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc		BB0H6600AA	600	36 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc 134 CID		BB0H6600AA	600	36 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1973	Mercedes-Benz	220	2.2L L4 2197cc 134 CID	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1955	Mercedes-Benz	220a	2.2L L6 2195cc 134 CID		1AM035550A	550	24 Months
1955	Mercedes-Benz	220a	2.2L L6 2195cc 134 CID		2AM035500A	500	18 Months
1955	Mercedes-Benz	220a	2.2L L6 2195cc 134 CID		2AM240530A	530	18 Months
1955-1954	Mercedes-Benz	220a	2.2L L6 134 CID		1AM035550A	550	24 Months
1955-1954	Mercedes-Benz	220a	2.2L L6 134 CID		2AM035500A	500	18 Months
1955-1954	Mercedes-Benz	220a	2.2L L6 134 CID		2AM240530A	530	18 Months
1965-1958	Mercedes-Benz	220b	2.2L L6 2195cc 134 CID		1AM035550A	550	24 Months
1965-1958	Mercedes-Benz	220b	2.2L L6 2195cc 134 CID		2AM035500A	500	18 Months
1965-1958	Mercedes-Benz	220b	2.2L L6 2195cc 134 CID		2AM240530A	530	18 Months
1971-1969	Mercedes-Benz	220D	2.2L L4 2197cc		1AM035550A	550	24 Months
1971-1969	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID		1AM035550A	550	24 Months
1971-1969	Mercedes-Benz	220D	2.2L L4 2197cc		2AM035500A	500	18 Months
1971-1969	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID		2AM035500A	500	18 Months
1971-1969	Mercedes-Benz	220D	2.2L L4 2197cc		2AM240530A	530	18 Months
1971-1969	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID		2AM240530A	530	18 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc		2AM049850A	850	18 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID		2AM049850A	850	18 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc		BB0H8800AC	800	36 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID		BB0H8800AC	800	36 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc		BBEH8800AA	800	36 Months
1973-1972	Mercedes-Benz	220D	2.2L L4 2197cc 134 CID		BBEH8800AA	800	36 Months
1962-1961	Mercedes-Benz	220S	2.2L L6 134 CID		1AM270710A	710	24 Months
1962-1961	Mercedes-Benz	220S	2.2L L6 2195cc 134 CID		1AM270710A	710	24 Months
1965-1960	Mercedes-Benz	220S	2.2L L6 134 CID		1AM035550A	550	24 Months
1965-1960	Mercedes-Benz	220S	2.2L L6 2195cc 134 CID		1AM035550A	550	24 Months
1965-1960	Mercedes-Benz	220S	2.2L L6 134 CID		2AM035500A	500	18 Months
1965-1960	Mercedes-Benz	220S	2.2L L6 2195cc 134 CID		2AM035500A	500	18 Months
1965-1960	Mercedes-Benz	220S	2.2L L6 134 CID		2AM240530A	530	18 Months
1965-1960	Mercedes-Benz	220S	2.2L L6 2195cc 134 CID		2AM240530A	530	18 Months
1965-1964	Mercedes-Benz	220SE	2.3L L6 2306cc 141 CID		1AM035550A	550	24 Months
1965-1964	Mercedes-Benz	220SE	2.3L L6 2306cc 141 CID		2AM035500A	500	18 Months
1965-1964	Mercedes-Benz	220SE	2.3L L6 134 CID		2AM240530A	530	18 Months
1966-1958	Mercedes-Benz	220SE	2.2L L6 134 CID		1AM035550A	550	24 Months
1966-1958	Mercedes-Benz	220SE	2.2L L6 134 CID		2AM035500A	500	18 Months
1966-1958	Mercedes-Benz	220SE	2.2L L6 134 CID		2AM240530A	530	18 Months
1966-1959	Mercedes-Benz	220SE	2.2L L6 2195cc 134 CID		1AM035550A	550	24 Months
1966-1959	Mercedes-Benz	220SE	2.2L L6 2195cc 134 CID		2AM035500A	500	18 Months
1966-1959	Mercedes-Benz	220SE	2.2L L6 2195cc 134 CID		2AM240530A	530	18 Months
1966-1964, 1962-1960	Mercedes-Benz	220SE	2.2L L6 134 CID		1AM270710A	710	24 Months
1966-1964, 1962-1960	Mercedes-Benz	220SE	2.2L L6 2195cc 134 CID		1AM270710A	710	24 Months
1967-1966	Mercedes-Benz	230	2.3L L6 2306cc 141 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	230	2.3L L6 2306cc 141 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	230	2.3L L6 2306cc 141 CID		2AM240530A	530	18 Months
1969	Mercedes-Benz	230	2.3L L6 2306cc 141 CID		1AM0H6770A	770	24 Months
1969	Mercedes-Benz	230	2.3L L6 2306cc 141 CID		2AM048615A	615	18 Months
1969	Mercedes-Benz	230	2.3L L6 2306cc 141 CID		BB0H6600AA	600	36 Months
1978-1974	Mercedes-Benz	230	2.3L L4 2307cc		1AM0H6770A	770	24 Months
1978-1974	Mercedes-Benz	230	2.3L L4 2307cc		2AM048615A	615	18 Months
1978-1974	Mercedes-Benz	230	2.3L L4 2307cc		BB0H6600AA	600	36 Months
1978-1974	Mercedes-Benz	230	2.3L L4 2307cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1967-1966	Mercedes-Benz	230S	2.3L L6 2306cc 141 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	230S	2.3L L6 2306cc 141 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	230S	2.3L L6 2306cc 141 CID		2AM240530A	530	18 Months
1966-1963	Mercedes-Benz	230SL	2.3L L6 2306cc 141 CID		1AM035550A	550	24 Months
1966-1963	Mercedes-Benz	230SL	2.3L L6 2306cc 141 CID		2AM035500A	500	18 Months
1966-1963	Mercedes-Benz	230SL	2.3L L6 2306cc 141 CID		2AM240530A	530	18 Months
1983-1974	Mercedes-Benz	240D	2.4L L4 2404cc		2AM049850A	850	18 Months
1983-1974	Mercedes-Benz	240D	2.4L L4 2404cc		BB0H8800AC	800	36 Months
1983-1974	Mercedes-Benz	240D	2.4L L4 2404cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1983-1974	Mercedes-Benz	240D	2.4L L4 2404cc		BBEH8800AA	800	36 Months
1968	Mercedes-Benz	250	2.5L L6 2496cc 152 CID		1AM035550A	550	24 Months
1968	Mercedes-Benz	250	2.5L L6 2496cc 152 CID		2AM035500A	500	18 Months
1968	Mercedes-Benz	250	2.5L L6 2496cc 152 CID		2AM240530A	530	18 Months
1970-1969	Mercedes-Benz	250	2.5L L6 2496cc 152 CID		1AM0H6770A	770	24 Months
1970-1969	Mercedes-Benz	250	2.5L L6 2496cc 152 CID		2AM048615A	615	18 Months
1970-1969	Mercedes-Benz	250	2.5L L6 2496cc 152 CID		BB0H6600AA	600	36 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc		1AM0H6770A	770	24 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc 169 CID		1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc		2AM048615A	615	18 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc 169 CID		2AM048615A	615	18 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc		BB0H6600AA	600	36 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc 169 CID		BB0H6600AA	600	36 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972-1971	Mercedes-Benz	250	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1973-1969	Mercedes-Benz	250	2.5L L6 2496cc 152 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1973-1969	Mercedes-Benz	250	2.5L L6 2496cc 152 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1973-1971	Mercedes-Benz	250	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1973-1971	Mercedes-Benz	250	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc		1AM0H6770A	770	24 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc 169 CID		1AM0H6770A	770	24 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc		2AM048615A	615	18 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc 169 CID		2AM048615A	615	18 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc		BB0H6600AA	600	36 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc 169 CID		BB0H6600AA	600	36 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972-1970	Mercedes-Benz	250C	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1973-1969	Mercedes-Benz	250C	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1973-1969	Mercedes-Benz	250C	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1967-1966	Mercedes-Benz	250S	2.5L L6 2496cc 152 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	250S	2.5L L6 2496cc 152 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	250S	2.5L L6 2496cc 152 CID		2AM240530A	530	18 Months
1967-1966	Mercedes-Benz	250SE	2.5L L6 2496cc 152 CID		1AM035550A	550	24 Months
1967-1966	Mercedes-Benz	250SE	2.5L L6 2496cc 152 CID		2AM035500A	500	18 Months
1967-1966	Mercedes-Benz	250SE	2.5L L6 2496cc 152 CID		2AM240530A	530	18 Months
1967	Mercedes-Benz	250SL	2.5L L6 2496cc 152 CID		1AM035550A	550	24 Months
1967	Mercedes-Benz	250SL	2.5L L6 2496cc 152 CID		2AM035500A	500	18 Months
1967	Mercedes-Benz	250SL	2.5L L6 2496cc 152 CID		2AM240530A	530	18 Months
1987	Mercedes-Benz	260E	2.6L L6 2599cc	OE CCA: 550; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1989-1987	Mercedes-Benz	260E	2.6L L6 2599cc		1AM0H6770A	770	24 Months
1989-1987	Mercedes-Benz	260E	2.6L L6 2599cc		2AM048615A	615	18 Months
1989-1987	Mercedes-Benz	260E	2.6L L6 2599cc		BB0H6600AA	600	36 Months
1989-1988	Mercedes-Benz	260E	2.6L L6 2599cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1989-1988	Mercedes-Benz	260E	2.6L L6 2599cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1976-1973	Mercedes-Benz	280	2.8L L6 2746cc		1AM0H6770A	770	24 Months
1976-1973	Mercedes-Benz	280	2.8L L6 2746cc		2AM048615A	615	18 Months
1976-1973	Mercedes-Benz	280	2.8L L6 2746cc		BB0H6600AA	600	36 Months
1976-1973	Mercedes-Benz	280	2.8L L6 2746cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1976-1973	Mercedes-Benz	280	2.8L L6 2746cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1976-1973	Mercedes-Benz	280C	2.8L L6 2746cc		1AM0H6770A	770	24 Months
1976-1973	Mercedes-Benz	280C	2.8L L6 2746cc		2AM048615A	615	18 Months
1976-1973	Mercedes-Benz	280C	2.8L L6 2746cc		BB0H6600AA	600	36 Months
1976-1973	Mercedes-Benz	280C	2.8L L6 2746cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1976-1973	Mercedes-Benz	280C	2.8L L6 2746cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1980-1978	Mercedes-Benz	280CE	2.8L L6 2746cc		BB0T5590AB	590	36 Months
1980-1978	Mercedes-Benz	280CE	2.8L L6 2746cc	OE CCA: 420; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1981	Mercedes-Benz	280CE	2.8L L6 2778cc		BB0T5590AB	590	36 Months
1981	Mercedes-Benz	280CE	2.8L L6 2778cc	OE CCA: 420; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1977	Mercedes-Benz	280E	2.8L L6 2746cc		BB0H5500AB	500	36 Months
1977	Mercedes-Benz	280E	2.8L L6 2746cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1977	Mercedes-Benz	280E	2.8L L6 2746cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1980-1977	Mercedes-Benz	280E	2.8L L6 2746cc		BB0T5590AB	590	36 Months
1980-1978	Mercedes-Benz	280E	2.8L L6 2746cc	OE CCA: 420; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1981	Mercedes-Benz	280E	2.8L L6 2778cc		BB0T5590AB	590	36 Months
1981	Mercedes-Benz	280E	2.8L L6 2778cc	OE CCA: 420; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	Mercedes-Benz	280S	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	Mercedes-Benz	280S	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1971-1969	Mercedes-Benz	280S	2.8L L6 2778cc		1AM0H6770A	770	24 Months
1971-1969	Mercedes-Benz	280S	2.8L L6 2778cc		2AM048615A	615	18 Months
1971-1969	Mercedes-Benz	280S	2.8L L6 2778cc		BB0H6600AA	600	36 Months
1976-1975	Mercedes-Benz	280S	2.8L L6 2746cc		BB0H5500AB	500	36 Months
1976-1975	Mercedes-Benz	280S	2.8L L6 2746cc		BB0T5590AB	590	36 Months
1976-1975	Mercedes-Benz	280S	2.8L L6 2746cc	OE CCA: 420; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1970	Mercedes-Benz	280SE	3.5L V8 3504cc		1AM0H6770A	770	24 Months
1970	Mercedes-Benz	280SE	3.5L V8 3504cc		2AM048615A	615	18 Months
1970	Mercedes-Benz	280SE	3.5L V8 3504cc		BB0H6600AA	600	36 Months
1970	Mercedes-Benz	280SE	3.5L V8 3504cc	OE CCA: 460; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1972	Mercedes-Benz	280SE	4.5L V8 4520cc		1AM0H6770A	770	24 Months
1972	Mercedes-Benz	280SE	4.5L V8 4520cc		2AM048615A	615	18 Months
1972	Mercedes-Benz	280SE	4.5L V8 4520cc		BB0H6600AA	600	36 Months
1972	Mercedes-Benz	280SE	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972	Mercedes-Benz	280SE	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1972-1968	Mercedes-Benz	280SE	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972-1968	Mercedes-Benz	280SE	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1972-1969	Mercedes-Benz	280SE	2.8L L6 2778cc		1AM0H6770A	770	24 Months
1972-1969	Mercedes-Benz	280SE	2.8L L6 2778cc		2AM048615A	615	18 Months
1972-1969	Mercedes-Benz	280SE	2.8L L6 2778cc		BB0H6600AA	600	36 Months
1973	Mercedes-Benz	280SE	4.5L V8 4520cc		2AM049850A	850	18 Months
1973	Mercedes-Benz	280SE	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1973	Mercedes-Benz	280SE	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973	Mercedes-Benz	280SE	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1977	Mercedes-Benz	280SE	2.8L L6 2746cc		BB0H5500AB	500	36 Months
1980-1977	Mercedes-Benz	280SE	2.8L L6 2746cc		BB0T5590AB	590	36 Months
1980-1977	Mercedes-Benz	280SE	2.8L L6 2746cc	OE CCA: 420; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	Mercedes-Benz	280SEL	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	Mercedes-Benz	280SEL	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc		1AM0H6770A	770	24 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc 169 CID		1AM0H6770A	770	24 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc		2AM048615A	615	18 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc 169 CID		2AM048615A	615	18 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc		BB0H6600AA	600	36 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc 169 CID		BB0H6600AA	600	36 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1969	Mercedes-Benz	280SEL	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc		1AM0H6770A	770	24 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID		1AM0H6770A	770	24 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc		2AM048615A	615	18 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID		2AM048615A	615	18 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc		BB0H6600AA	600	36 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID		BB0H6600AA	600	36 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1972	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc		2AM049850A	850	18 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID		2AM049850A	850	18 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID		BB0H8800AC	800	36 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1973	Mercedes-Benz	280SEL	4.5L V8 4520cc 276 CID		BBEH8800AA	800	36 Months
1971-1968	Mercedes-Benz	280SL	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	Mercedes-Benz	280SL	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1971-1968	Mercedes-Benz	280SL	2.8L L6 2778cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1971-1968	Mercedes-Benz	280SL	2.8L L6 2778cc 169 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1971-1969	Mercedes-Benz	280SL	2.8L L6 2778cc		1AM0H6770A	770	24 Months
1971-1969	Mercedes-Benz	280SL	2.8L L6 2778cc 169 CID		1AM0H6770A	770	24 Months
1971-1969	Mercedes-Benz	280SL	2.8L L6 2778cc		2AM048615A	615	18 Months
1971-1969	Mercedes-Benz	280SL	2.8L L6 2778cc 169 CID		2AM048615A	615	18 Months
1971-1969	Mercedes-Benz	280SL	2.8L L6 2778cc		BB0H6600AA	600	36 Months
1971-1969	Mercedes-Benz	280SL	2.8L L6 2778cc 169 CID		BB0H6600AA	600	36 Months
1981-1978	Mercedes-Benz	300CD	3.0L L5 3005cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1982	Mercedes-Benz	300CD	3.0L L5 3005cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1982-1978	Mercedes-Benz	300CD	3.0L L5 3005cc		2AM049850A	850	18 Months
1982-1978	Mercedes-Benz	300CD	3.0L L5 3005cc		BB0H8800AC	800	36 Months
1982-1978	Mercedes-Benz	300CD	3.0L L5 3005cc		BBEH8800AA	800	36 Months
1985-1983	Mercedes-Benz	300CD	3.0L L5 2998cc		2AM049850A	850	18 Months
1985-1983	Mercedes-Benz	300CD	3.0L L5 2998cc		BB0H8800AC	800	36 Months
1985-1983	Mercedes-Benz	300CD	3.0L L5 2998cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1983	Mercedes-Benz	300CD	3.0L L5 2998cc		BBEH8800AA	800	36 Months
1989	Mercedes-Benz	300CE	3.0L L6 2962cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1992-1988	Mercedes-Benz	300CE	3.0L L6 2962cc		1AM0H6770A	770	24 Months
1992-1988	Mercedes-Benz	300CE	3.0L L6 2962cc		2AM048615A	615	18 Months
1992-1988	Mercedes-Benz	300CE	3.0L L6 2962cc		BB0H6600AA	600	36 Months
1992-1990, 1988	Mercedes-Benz	300CE	3.0L L6 2962cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993	Mercedes-Benz	300CE	3.2L L6 3199cc		1AM0H6770A	770	24 Months
1993	Mercedes-Benz	300CE	3.2L L6 3199cc		2AM048615A	615	18 Months
1993	Mercedes-Benz	300CE	3.2L L6 3199cc		BB0H6600AA	600	36 Months
1993	Mercedes-Benz	300CE	3.2L L6 3199cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1981-1975	Mercedes-Benz	300D	3.0L L5 3005cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1982	Mercedes-Benz	300D	3.0L L5 3005cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1982-1975	Mercedes-Benz	300D	3.0L L5 3005cc		2AM049850A	850	18 Months
1982-1975	Mercedes-Benz	300D	3.0L L5 3005cc		BB0H8800AC	800	36 Months
1982-1975	Mercedes-Benz	300D	3.0L L5 3005cc		BBEH8800AA	800	36 Months
1984-1983	Mercedes-Benz	300D	3.0L L5 2998cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985	Mercedes-Benz	300D	3.0L L5 2998cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1983	Mercedes-Benz	300D	3.0L L5 2998cc		2AM049850A	850	18 Months
1985-1983	Mercedes-Benz	300D	3.0L L5 2998cc		BB0H8800AC	800	36 Months
1985-1983	Mercedes-Benz	300D	3.0L L5 2998cc		BBEH8800AA	800	36 Months
1987	Mercedes-Benz	300D	3.0L L6 2998cc		2AM049850A	850	18 Months
1987	Mercedes-Benz	300D	3.0L L6 2998cc		BB0H8800AC	800	36 Months
1987	Mercedes-Benz	300D	3.0L L6 2998cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1987	Mercedes-Benz	300D	3.0L L6 2998cc		BBEH8800AA	800	36 Months
1991-1990	Mercedes-Benz	300D	2.5L L5 2497cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1993-1990	Mercedes-Benz	300D	2.5L L5 2497cc		2AM049850A	850	18 Months
1988-1986	Mercedes-Benz	300E	3.0L L6 2962cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1992-1990	Mercedes-Benz	300E	2.6L L6 2599cc		1AM0H6770A	770	24 Months
1992-1990	Mercedes-Benz	300E	2.6L L6 2599cc		2AM048615A	615	18 Months
1992-1990	Mercedes-Benz	300E	2.6L L6 2599cc		BB0H6600AA	600	36 Months
1992-1990	Mercedes-Benz	300E	2.6L L6 2599cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993	Mercedes-Benz	300E	2.8L L6 2799cc		1AM0H6770A	770	24 Months
1993	Mercedes-Benz	300E	3.2L L6 3199cc		1AM0H6770A	770	24 Months
1993	Mercedes-Benz	300E	2.8L L6 2799cc		2AM048615A	615	18 Months
1993	Mercedes-Benz	300E	3.2L L6 3199cc		2AM048615A	615	18 Months
1993	Mercedes-Benz	300E	2.8L L6 2799cc		BB0H6600AA	600	36 Months
1993	Mercedes-Benz	300E	3.2L L6 3199cc		BB0H6600AA	600	36 Months
1993	Mercedes-Benz	300E	2.8L L6 2799cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993	Mercedes-Benz	300E	3.2L L6 3199cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993-1986	Mercedes-Benz	300E	3.0L L6 2962cc		1AM0H6770A	770	24 Months
1993-1986	Mercedes-Benz	300E	3.0L L6 2962cc		2AM048615A	615	18 Months
1993-1986	Mercedes-Benz	300E	3.0L L6 2962cc		BB0H6600AA	600	36 Months
1993-1989	Mercedes-Benz	300E	3.0L L6 2962cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1982-1978	Mercedes-Benz	300SD	3.0L L5 3005cc		2AM049850A	850	18 Months
1982-1978	Mercedes-Benz	300SD	3.0L L5 3005cc		BB0H8800AC	800	36 Months
1982-1978	Mercedes-Benz	300SD	3.0L L5 3005cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1982-1978	Mercedes-Benz	300SD	3.0L L5 3005cc		BBEH8800AA	800	36 Months
1985-1983	Mercedes-Benz	300SD	3.0L L5 2998cc		2AM049850A	850	18 Months
1985-1983	Mercedes-Benz	300SD	3.0L L5 2998cc		BB0H8800AC	800	36 Months
1985-1983	Mercedes-Benz	300SD	3.0L L5 2998cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1983	Mercedes-Benz	300SD	3.0L L5 2998cc		BBEH8800AA	800	36 Months
1993-1992	Mercedes-Benz	300SD	3.4L L6 3449cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1987-1986	Mercedes-Benz	300SDL	3.0L L6 2998cc		2AM049850A	850	18 Months
1987-1986	Mercedes-Benz	300SDL	3.0L L6 2998cc		BB0H8800AC	800	36 Months
1987-1986	Mercedes-Benz	300SDL	3.0L L6 2998cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1987-1986	Mercedes-Benz	300SDL	3.0L L6 2998cc		BBEH8800AA	800	36 Months
1962, 1960	Mercedes-Benz	300SE	3.0L L6 183 CID		1AM270710A	710	24 Months
1963	Mercedes-Benz	300SE	3.0L L6 2996cc 183 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1963	Mercedes-Benz	300SE	3.0L L6 2996cc 183 CID		2AM035500A	500	18 Months
1963	Mercedes-Benz	300SE	3.0L L6 2996cc 183 CID		2AM240530A	530	18 Months
1966-1962,1960	Mercedes-Benz	300SE	3.0L L6 183 CID		1AM035550A	550	24 Months
1966-1962,1960	Mercedes-Benz	300SE	3.0L L6 183 CID		2AM035500A	500	18 Months
1966-1962,1960	Mercedes-Benz	300SE	3.0L L6 183 CID		2AM240530A	530	18 Months
1989-1988	Mercedes-Benz	300SE	3.0L L6 2962cc		1AM0H6770A	770	24 Months
1989-1988	Mercedes-Benz	300SE	3.0L L6 2962cc		2AM048615A	615	18 Months
1989-1988	Mercedes-Benz	300SE	3.0L L6 2962cc		BB0H6600AA	600	36 Months
1989-1988	Mercedes-Benz	300SE	3.0L L6 2962cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1989-1988	Mercedes-Benz	300SE	3.0L L6 2962cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1991-1990	Mercedes-Benz	300SE	3.0L L6 2962cc		2AM049850A	850	18 Months
1991-1990	Mercedes-Benz	300SE	3.0L L6 2962cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1993-1992	Mercedes-Benz	300SE	3.2L L6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1963	Mercedes-Benz	300SEL	3.0L L6 2996cc 183 CID		1AM270710A	710	24 Months
1964-1963	Mercedes-Benz	300SEL	3.0L L6 183 CID		1AM270710A	710	24 Months
1965,1963	Mercedes-Benz	300SEL	3.0L L6 2996cc 183 CID		1AM035550A	550	24 Months
1965,1963	Mercedes-Benz	300SEL	3.0L L6 2996cc 183 CID		2AM035500A	500	18 Months
1965,1963	Mercedes-Benz	300SEL	3.0L L6 2996cc 183 CID		2AM240530A	530	18 Months
1967-1963	Mercedes-Benz	300SEL	3.0L L6 183 CID		1AM035550A	550	24 Months
1967-1963	Mercedes-Benz	300SEL	3.0L L6 183 CID		2AM035500A	500	18 Months
1967-1963	Mercedes-Benz	300SEL	3.0L L6 183 CID		2AM240530A	530	18 Months
1969	Mercedes-Benz	300SEL	2.8L L6 2778cc		1AM035550A	550	24 Months
1969	Mercedes-Benz	300SEL	2.8L L6 2778cc		2AM035500A	500	18 Months
1969	Mercedes-Benz	300SEL	2.8L L6 2778cc		2AM240530A	530	18 Months
1970	Mercedes-Benz	300SEL	3.5L V8 3504cc	OE CCA: 460; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1971	Mercedes-Benz	300SEL	3.5L V8 3504cc	OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1971-1970	Mercedes-Benz	300SEL	3.5L V8 3504cc		1AM0H6770A	770	24 Months
1971-1970	Mercedes-Benz	300SEL	6.3L V8 6329cc 386 CID	OE CCA: 460; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1972	Mercedes-Benz	300SEL	4.5L V8 4520cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1972	Mercedes-Benz	300SEL	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973	Mercedes-Benz	300SEL	4.5L V8 4520cc	OE CCA: 460; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1973-1972	Mercedes-Benz	300SEL	4.5L V8 4520cc		2AM049850A	850	18 Months
1973-1972	Mercedes-Benz	300SEL	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1973-1972	Mercedes-Benz	300SEL	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1989-1988	Mercedes-Benz	300SEL	3.0L L6 2962cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1989-1988	Mercedes-Benz	300SEL	3.0L L6 2962cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1991-1988	Mercedes-Benz	300SEL	3.0L L6 2962cc		2AM049850A	850	18 Months
1991-1988	Mercedes-Benz	300SEL	3.0L L6 2962cc		BB0H8800AC	800	36 Months
1991-1988	Mercedes-Benz	300SEL	3.0L L6 2962cc		BBEH8800AA	800	36 Months
1991-1990	Mercedes-Benz	300SEL	3.0L L6 2962cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1962,1960	Mercedes-Benz	300SL	3.0L L6 183 CID		1AM270710A	710	24 Months
1963,1959-1954	Mercedes-Benz	300SL	3.0L L6 2996cc 183 CID		1AM035550A	550	24 Months
1963,1959-1954	Mercedes-Benz	300SL	3.0L L6 2996cc 183 CID		2AM035500A	500	18 Months
1963,1959-1954	Mercedes-Benz	300SL	3.0L L6 2996cc 183 CID		2AM240530A	530	18 Months
1963-1962,1960	Mercedes-Benz	300SL	3.0L L6 183 CID		1AM035550A	550	24 Months
1963-1962,1960	Mercedes-Benz	300SL	3.0L L6 183 CID		2AM035500A	500	18 Months
1963-1962,1960	Mercedes-Benz	300SL	3.0L L6 183 CID		2AM240530A	530	18 Months
1991-1990	Mercedes-Benz	300SL	3.0L L6 2962cc		2AM049850A	850	18 Months
1991-1990	Mercedes-Benz	300SL	3.0L L6 2962cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1993-1992	Mercedes-Benz	300SL	3.0L L6 2962cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1982-1979	Mercedes-Benz	300TD	3.0L L5 3005cc		2AM049850A	850	18 Months
1982-1979	Mercedes-Benz	300TD	3.0L L5 3005cc		BB0H8800AC	800	36 Months
1982-1979	Mercedes-Benz	300TD	3.0L L5 3005cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1982-1979	Mercedes-Benz	300TD	3.0L L5 3005cc		BBEH8800AA	800	36 Months
1985-1983	Mercedes-Benz	300TD	3.0L L5 2998cc		2AM049850A	850	18 Months
1985-1983	Mercedes-Benz	300TD	3.0L L5 2998cc		BB0H8800AC	800	36 Months
1985-1983	Mercedes-Benz	300TD	3.0L L5 2998cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1983	Mercedes-Benz	300TD	3.0L L5 2998cc		BBEH8800AA	800	36 Months
1987	Mercedes-Benz	300TD	3.0L L6 2998cc		2AM049850A	850	18 Months
1987	Mercedes-Benz	300TD	3.0L L6 2998cc		BB0H8800AC	800	36 Months
1987	Mercedes-Benz	300TD	3.0L L6 2998cc		BBEH8800AA	800	36 Months
1993	Mercedes-Benz	300TE	3.2L L6 3199cc		1AM0H6770A	770	24 Months
1993	Mercedes-Benz	300TE	3.2L L6 3199cc		2AM048615A	615	18 Months
1993	Mercedes-Benz	300TE	3.2L L6 3199cc		BB0H6600AA	600	36 Months
1993	Mercedes-Benz	300TE	3.2L L6 3199cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1993	Mercedes-Benz	300TE	3.2L L6 3199cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993-1988	Mercedes-Benz	300TE	3.0L L6 2962cc		1AM0H6770A	770	24 Months
1993-1988	Mercedes-Benz	300TE	3.0L L6 2962cc		2AM048615A	615	18 Months
1993-1988	Mercedes-Benz	300TE	3.0L L6 2962cc		BB0H6600AA	600	36 Months
1993-1988	Mercedes-Benz	300TE	3.0L L6 2962cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1993-1988	Mercedes-Benz	300TE	3.0L L6 2962cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1991	Mercedes-Benz	350SD	3.4L L6 3449cc		2AM049850A	850	18 Months
1991	Mercedes-Benz	350SD	3.4L L6 3449cc		BB0H8800AC	800	36 Months
1991	Mercedes-Benz	350SD	3.4L L6 3449cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1991	Mercedes-Benz	350SD	3.4L L6 3449cc		BBEH8800AA	800	36 Months
1991-1990	Mercedes-Benz	350SDL	3.4L L6 3449cc		2AM049850A	850	18 Months
1991-1990	Mercedes-Benz	350SDL	3.4L L6 3449cc		BB0H8800AC	800	36 Months
1991-1990	Mercedes-Benz	350SDL	3.4L L6 3449cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1991-1990	Mercedes-Benz	350SDL	3.4L L6 3449cc		BBEH8800AA	800	36 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc		1AM0H6770A	770	24 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc 276 CID		1AM0H6770A	770	24 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc		2AM048615A	615	18 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc 276 CID		2AM048615A	615	18 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc		BB0H6600AA	600	36 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc 276 CID		BB0H6600AA	600	36 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc 276 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1972	Mercedes-Benz	350SL	4.5L V8 4520cc 276 CID	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1985-1984	Mercedes-Benz	380SE	3.8L V8 3839cc		1AM0H6770A	770	24 Months
1985-1984	Mercedes-Benz	380SE	3.8L V8 3839cc		2AM048615A	615	18 Months
1985-1984	Mercedes-Benz	380SE	3.8L V8 3839cc		BB0H6600AA	600	36 Months
1985-1984	Mercedes-Benz	380SE	3.8L V8 3839cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1985-1984	Mercedes-Benz	380SE	3.8L V8 3839cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1983-1982	Mercedes-Benz	380SEC	3.8L V8 3839cc		1AM0H6770A	770	24 Months
1983-1982	Mercedes-Benz	380SEC	3.8L V8 3839cc		2AM048615A	615	18 Months
1983-1982	Mercedes-Benz	380SEC	3.8L V8 3839cc		BB0H6600AA	600	36 Months
1983-1982	Mercedes-Benz	380SEC	3.8L V8 3839cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1983-1982	Mercedes-Benz	380SEC	3.8L V8 3839cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1983-1981	Mercedes-Benz	380SEL	3.8L V8 3839cc		1AM0H6770A	770	24 Months
1983-1981	Mercedes-Benz	380SEL	3.8L V8 3839cc		2AM048615A	615	18 Months
1983-1981	Mercedes-Benz	380SEL	3.8L V8 3839cc		BB0H6600AA	600	36 Months
1983-1981	Mercedes-Benz	380SEL	3.8L V8 3839cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1983-1981	Mercedes-Benz	380SEL	3.8L V8 3839cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1985-1981	Mercedes-Benz	380SL	3.8L V8 3839cc		2AM049850A	850	18 Months
1985-1981	Mercedes-Benz	380SL	3.8L V8 3839cc		BB0H8800AC	800	36 Months
1985-1981	Mercedes-Benz	380SL	3.8L V8 3839cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1981	Mercedes-Benz	380SL	3.8L V8 3839cc		BBEH8800AA	800	36 Months
1981	Mercedes-Benz	380SLC	3.8L V8 3839cc		2AM049850A	850	18 Months
1981	Mercedes-Benz	380SLC	3.8L V8 3839cc		BB0H8800AC	800	36 Months
1981	Mercedes-Benz	380SLC	3.8L V8 3839cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1981	Mercedes-Benz	380SLC	3.8L V8 3839cc		BBEH8800AA	800	36 Months
1993-1992	Mercedes-Benz	400E	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1992	Mercedes-Benz	400SE	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1993	Mercedes-Benz	400SEL	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1987-1986	Mercedes-Benz	420SEL	4.2L V8 4196cc	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1987-1986	Mercedes-Benz	420SEL	4.2L V8 4196cc	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
1987-1986	Mercedes-Benz	420SEL	4.2L V8 4196cc	Installation may take up to 45 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
1987-1986	Mercedes-Benz	420SEL	4.2L V8 4196cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1987-1986	Mercedes-Benz	420SEL	4.2L V8 4196cc	OE CCA: 550; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1991-1988	Mercedes-Benz	420SEL	4.2L V8 4196cc	Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
1991-1988	Mercedes-Benz	420SEL	4.2L V8 4196cc	Installation may take up to 45 minutes. Battery located under hood.	BB0H8800AC	800	36 Months
1991-1988	Mercedes-Benz	420SEL	4.2L V8 4196cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1991-1988	Mercedes-Benz	420SEL	4.2L V8 4196cc	Installation may take up to 45 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
1976-1973	Mercedes-Benz	450SE	4.5L V8 4520cc		2AM049850A	850	18 Months
1976-1973	Mercedes-Benz	450SE	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1976-1973	Mercedes-Benz	450SE	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1976-1973	Mercedes-Benz	450SE	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1976-1973	Mercedes-Benz	450SEL	4.5L V8 4520cc		2AM049850A	850	18 Months
1976-1973	Mercedes-Benz	450SEL	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1976-1973	Mercedes-Benz	450SEL	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1976-1973	Mercedes-Benz	450SEL	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1979-1977	Mercedes-Benz	450SEL	6.8L V8 6835cc		1AM0H6770A	770	24 Months
1979-1977	Mercedes-Benz	450SEL	6.8L V8 6835cc		2AM048615A	615	18 Months
1979-1977	Mercedes-Benz	450SEL	6.8L V8 6835cc		BB0H6600AA	600	36 Months
1979-1977	Mercedes-Benz	450SEL	6.8L V8 6835cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1979-1977	Mercedes-Benz	450SEL	6.8L V8 6835cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1980-1977	Mercedes-Benz	450SEL	4.5L V8 4520cc		1AM0H6770A	770	24 Months
1980-1977	Mercedes-Benz	450SEL	4.5L V8 4520cc		2AM048615A	615	18 Months
1980-1977	Mercedes-Benz	450SEL	4.5L V8 4520cc		BB0H6600AA	600	36 Months
1980-1977	Mercedes-Benz	450SEL	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1980-1977	Mercedes-Benz	450SEL	4.5L V8 4520cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1980-1973	Mercedes-Benz	450SL	4.5L V8 4520cc		2AM049850A	850	18 Months
1980-1973	Mercedes-Benz	450SL	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1980-1973	Mercedes-Benz	450SL	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1980-1973	Mercedes-Benz	450SL	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1980-1973	Mercedes-Benz	450SLC	4.5L V8 4520cc		2AM049850A	850	18 Months
1980-1973	Mercedes-Benz	450SLC	4.5L V8 4520cc		BB0H8800AC	800	36 Months
1980-1973	Mercedes-Benz	450SLC	4.5L V8 4520cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1980-1973	Mercedes-Benz	450SLC	4.5L V8 4520cc		BBEH8800AA	800	36 Months
1993-1992	Mercedes-Benz	500E	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1985-1984	Mercedes-Benz	500SEC	5.0L V8 4973cc		1AM0H6770A	770	24 Months
1985-1984	Mercedes-Benz	500SEC	5.0L V8 4973cc		2AM048615A	615	18 Months
1985-1984	Mercedes-Benz	500SEC	5.0L V8 4973cc		BB0H6600AA	600	36 Months
1985-1984	Mercedes-Benz	500SEC	5.0L V8 4973cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1985-1984	Mercedes-Benz	500SEC	5.0L V8 4973cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993	Mercedes-Benz	500SEC	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1985-1984	Mercedes-Benz	500SEL	5.0L V8 4973cc		1AM0H6770A	770	24 Months
1985-1984	Mercedes-Benz	500SEL	5.0L V8 4973cc		2AM048615A	615	18 Months
1985-1984	Mercedes-Benz	500SEL	5.0L V8 4973cc		BB0H6600AA	600	36 Months
1985-1984	Mercedes-Benz	500SEL	5.0L V8 4973cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1985-1984	Mercedes-Benz	500SEL	5.0L V8 4973cc	OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1993-1992	Mercedes-Benz	500SEL	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1990	Mercedes-Benz	500SL	5.0L V8 4973cc		2AM049850A	850	18 Months
1991-1990	Mercedes-Benz	500SL	5.0L V8 4973cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1993-1991	Mercedes-Benz	500SL	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1991-1986	Mercedes-Benz	560SEC	5.6L V8 5547cc		2AM049850A	850	18 Months
1991-1986	Mercedes-Benz	560SEC	5.6L V8 5547cc		BB0H8800AC	800	36 Months
1991-1986	Mercedes-Benz	560SEC	5.6L V8 5547cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1991-1986	Mercedes-Benz	560SEC	5.6L V8 5547cc		BBEH8800AA	800	36 Months
1991-1986	Mercedes-Benz	560SEL	5.6L V8 5547cc		2AM049850A	850	18 Months
1991-1986	Mercedes-Benz	560SEL	5.6L V8 5547cc		BB0H8800AC	800	36 Months
1991-1986	Mercedes-Benz	560SEL	5.6L V8 5547cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1991-1986	Mercedes-Benz	560SEL	5.6L V8 5547cc		BBEH8800AA	800	36 Months
1989-1986	Mercedes-Benz	560SL	5.6L V8 5547cc		2AM049850A	850	18 Months
1989-1986	Mercedes-Benz	560SL	5.6L V8 5547cc		BB0H8800AC	800	36 Months
1989-1986	Mercedes-Benz	560SL	5.6L V8 5547cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1989-1986	Mercedes-Benz	560SL	5.6L V8 5547cc		BBEH8800AA	800	36 Months
1966-1964	Mercedes-Benz	600	6.3L V8 6329cc 386 CID		1AM035550A	550	24 Months
1966-1964	Mercedes-Benz	600	6.3L V8 6329cc 386 CID		2AM035500A	500	18 Months
1966-1964	Mercedes-Benz	600	6.3L V8 6329cc 386 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972-1969	Mercedes-Benz	600	6.3L V8 6329cc 386 CID		2AM049850A	850	18 Months
1993	Mercedes-Benz	600SEC	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1993-1992	Mercedes-Benz	600SEL	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1993	Mercedes-Benz	600SL	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2011-2006	Mercedes-Benz	B200	2.0L L4 2034cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.	1AM0H6770A	770	24 Months
2015-2013	Mercedes-Benz	B250	2.0L L4 1991cc	Best performance estimate.	1AM0H6770A	770	24 Months
2017	Mercedes-Benz	B250	2.0L L4 1991cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
1996-1994	Mercedes-Benz	C220	2.2L L4 2199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2000-1997	Mercedes-Benz	C230	2.3L L4 2295cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2002	Mercedes-Benz	C230	2.3L L4 2295cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2003	Mercedes-Benz	C230	1.8L L4 1796cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005-2004	Mercedes-Benz	C230	1.8L L4 1796cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2007-2006	Mercedes-Benz	C230	2.5L V6 2496cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2006	Mercedes-Benz	C230	2.5L V6 2496cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2009-2006	Mercedes-Benz	C230	2.5L V6 2496cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBOH8800AC	800	36 Months
2009-2006	Mercedes-Benz	C230	2.5L V6 2496cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2009-2008	Mercedes-Benz	C230	2.5L V6 2496cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005-2001	Mercedes-Benz	C240	2.6L V6 2597cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2011-2010	Mercedes-Benz	C250	2.5L V6 2496cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes.; See owner's manual for battery location.	1AM940800A	800	24 Months
2011-2010	Mercedes-Benz	C250	2.5L V6 2496cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes.; See owner's manual for battery location.	BBOH7730AB	730	36 Months
2012	Mercedes-Benz	C250	1.8L L4 1796cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2012-2010	Mercedes-Benz	C250	2.5L V6 2496cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1995	Mercedes-Benz	C280	2.8L L6 2799cc 171 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1997-1994	Mercedes-Benz	C280	2.8L L6 2799cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2000-1998	Mercedes-Benz	C280	2.8L V6 2799cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2007-2006	Mercedes-Benz	C280	3.0L V6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2007-2006	Mercedes-Benz	C280	3.0L V6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBOH8800AC	800	36 Months
2007-2006	Mercedes-Benz	C280	3.0L V6 2996cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2007-2006	Mercedes-Benz	C280	3.0L V6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2012-2008	Mercedes-Benz	C300	3.0L V6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; See owner's manual for battery location.	1AM940800A	800	24 Months
2012-2008	Mercedes-Benz	C300	3.0L V6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; See owner's manual for battery location.	BBOH7730AB	730	36 Months
2012-2008	Mercedes-Benz	C300	3.0L V6 2996cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2014-2013	Mercedes-Benz	C300	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; See owner's manual for battery location.	1AM940800A	800	24 Months
2014-2013	Mercedes-Benz	C300	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; See owner's manual for battery location.	BBOH7730AB	730	36 Months
2014-2013	Mercedes-Benz	C300	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2015	Mercedes-Benz	C300	2.0L L4 1991cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM940800A	800	24 Months
2015	Mercedes-Benz	C300	2.0L L4 1991cc	Battery is vented to outside of vehicle.; Best performance estimate.	BBOH7730AB	730	36 Months
2015	Mercedes-Benz	C300	2.0L L4 1991cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2016	Mercedes-Benz	C300	2.0L L4 1991cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2004-2002	Mercedes-Benz	C32 AMG	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2005-2001	Mercedes-Benz	C320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2007-2006	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Located by driver's side firewall, under air filter.	2AM049850A	850	18 Months
2007-2006	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Located by driver's side firewall, under air filter.	BBOH8800AC	800	36 Months
2007-2006	Mercedes-Benz	C350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2006	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Located by driver's side firewall, under air filter.	BBEH8800AA	800	36 Months
2013	Mercedes-Benz	C350	3.5L V6 3498cc 213 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2013	Mercedes-Benz	C350	3.5L V6 3498cc 213 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2014-2008	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2014-2008	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2015	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM940800A	800	24 Months
2015	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H7730AB	730	36 Months
2015-2008	Mercedes-Benz	C350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2016	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.	1AM940800A	800	24 Months
2016	Mercedes-Benz	C350	3.5L V6 3498cc	Battery is vented to outside of vehicle.	BB0H7730AB	730	36 Months
2016	Mercedes-Benz	C350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1997-1995	Mercedes-Benz	C36 AMG	3.6L L6 3606cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2015	Mercedes-Benz	C400	3.0L V6 2996cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2000-1998	Mercedes-Benz	C43 AMG	4.3L V8 4266cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006	Mercedes-Benz	C55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006	Mercedes-Benz	C55 AMG	5.5L V8 5439cc 335 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006	Mercedes-Benz	C55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2005	Mercedes-Benz	C55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1999-1997	Mercedes-Benz	CL500	5.0L V8 4973cc 303 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2001	Mercedes-Benz	CL500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2001-1998	Mercedes-Benz	CL500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2003-2002	Mercedes-Benz	CL500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005-2002	Mercedes-Benz	CL500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005-2001	Mercedes-Benz	CL55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2010-2007	Mercedes-Benz	CL550	5.5L V8 5461cc	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BB0V4520AC	520	36 Months
1999-1997	Mercedes-Benz	CL600	6.0L V12 5987cc 365 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1999-1997	Mercedes-Benz	CL600	6.0L V12 5987cc 365 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
1999-1997	Mercedes-Benz	CL600	6.0L V12 5987cc 365 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
1999-1998	Mercedes-Benz	CL600	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
1999-1998	Mercedes-Benz	CL600	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
1999-1998	Mercedes-Benz	CL600	6.0L V12 5987cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1999-1998	Mercedes-Benz	CL600	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2002-2001	Mercedes-Benz	CL600	5.8L V12 5786cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2002-2001	Mercedes-Benz	CL600	5.8L V12 5786cc 353 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2014-2007	Mercedes-Benz	CL600	5.5L V12 5513cc 336 CID	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BB0V4520AC	520	36 Months
2014-2008	Mercedes-Benz	CL65 AMG	6.0L V12 5980cc 365 CID	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BB0V4520AC	520	36 Months
2017	Mercedes-Benz	CLA250	2.0L L4 1991cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2017	Mercedes-Benz	CLA45 AMG	2.0L L4 1991cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2005-1998	Mercedes-Benz	CLK320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2009-2006	Mercedes-Benz	CLK350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2009-2006	Mercedes-Benz	CLK350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H8800AC	800	36 Months
2009-2006	Mercedes-Benz	CLK350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2006	Mercedes-Benz	CLK350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BBEH8800AA	800	36 Months
2003-1999	Mercedes-Benz	CLK430	4.3L V8 4266cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005-2003	Mercedes-Benz	CLK500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2006	Mercedes-Benz	CLK500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	Mercedes-Benz	CLK500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H8800AC	800	36 Months
2006	Mercedes-Benz	CLK500	5.0L V8 4966cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006	Mercedes-Benz	CLK500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BBEH8800AA	800	36 Months
2006	Mercedes-Benz	CLK55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006	Mercedes-Benz	CLK55 AMG	5.5L V8 5439cc 335 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006	Mercedes-Benz	CLK55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2001	Mercedes-Benz	CLK55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2009-2007	Mercedes-Benz	CLK550	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2009-2007	Mercedes-Benz	CLK550	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BB0H8800AC	800	36 Months
2009-2007	Mercedes-Benz	CLK550	5.5L V8 5461cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2007	Mercedes-Benz	CLK550	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	BBEH8800AA	800	36 Months
2009-2007	Mercedes-Benz	CLK63 AMG	6.3L V8 6208cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2009-2007	Mercedes-Benz	CLK63 AMG	6.3L V8 6208cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2009-2007	Mercedes-Benz	CLK63 AMG	6.3L V8 6208cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2007	Mercedes-Benz	CLK63 AMG	6.3L V8 6208cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2017	Mercedes-Benz	CLS400	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2017	Mercedes-Benz	CLS550	4.6L V8 4663cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2017	Mercedes-Benz	CLS63 AMG S	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBUAU200AD	200	36 Months
1999-1995	Mercedes-Benz	E300	3.0L L6 2996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	2AM049850A	850	18 Months
2009-2008	Mercedes-Benz	E300	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2013-2012	Mercedes-Benz	E300	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM940800A	800	24 Months
2013-2012	Mercedes-Benz	E300	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H7730AB	730	36 Months
1997-1994	Mercedes-Benz	E320	3.2L L6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
1998	Mercedes-Benz	E320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2002-1999	Mercedes-Benz	E320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	2AM049850A	850	18 Months
2005-2003	Mercedes-Benz	E320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.; Starting Battery	2AM049850A	850	18 Months
2006-2005	Mercedes-Benz	E320	3.2L L6 3222cc	AGM Valve-Regulated Battery Required.; Auxiliary; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2008-2007	Mercedes-Benz	E320	3.0L V6 2987cc	AGM Valve-Regulated Battery Required.; Auxiliary; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2009	Mercedes-Benz	E320	3.0L V6 2987cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 760; OE Group: 49; Primary Battery; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009	Mercedes-Benz	E320	3.0L V6 2987cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2009-2007	Mercedes-Benz	E320	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; Starting Battery	2AM049850A	850	18 Months
2006	Mercedes-Benz	E350	3.5L V6 3498cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2008-2007	Mercedes-Benz	E350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009	Mercedes-Benz	E350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2011-2006	Mercedes-Benz	E350	3.5L V6 3498cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2013	Mercedes-Benz	E350	3.0L V6 2987cc	AGM Valve-Regulated Battery Required.; Auxiliary; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBUAU200AD	200	36 Months
2017	Mercedes-Benz	E400	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBUAU200AD	200	36 Months
1995-1994	Mercedes-Benz	E420	4.2L V8 4196cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	2AM049850A	850	18 Months
1997	Mercedes-Benz	E420	4.2L V8 4196cc	Installation may take up to 30 minutes. Battery located under rear seat.	1AM0H6770A	770	24 Months
2002-1998	Mercedes-Benz	E430	4.3L V8 4266cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	2AM049850A	850	18 Months
1994	Mercedes-Benz	E500	5.0L V8 4973cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2003	Mercedes-Benz	E500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Starting Battery	2AM049850A	850	18 Months
2006	Mercedes-Benz	E500	5.0L V8 4966cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2006-2004	Mercedes-Benz	E500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; Starting Battery	2AM049850A	850	18 Months
2000-1998	Mercedes-Benz	E55 AMG	5.5L V8 5439cc 332 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	2AM049850A	850	18 Months
2003-1999	Mercedes-Benz	E55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	2AM049850A	850	18 Months
2005-2004	Mercedes-Benz	E55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.; Starting Battery	2AM049850A	850	18 Months
2006	Mercedes-Benz	E55 AMG	5.5L V8 5439cc 335 CID	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2009-2007	Mercedes-Benz	E550	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; Starting Battery	2AM049850A	850	18 Months
2011	Mercedes-Benz	E550	5.5L V8 5461cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 700; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Primary Battery; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2011-2007	Mercedes-Benz	E550	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2011-2010	Mercedes-Benz	E550	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.; Starting Battery	1AM940800A	800	24 Months
2017	Mercedes-Benz	E550	4.6L V8 4663cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2017-2012	Mercedes-Benz	E550	4.6L V8 4663cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2017-2012	Mercedes-Benz	E550	4.6L V8 4663cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2011-2007	Mercedes-Benz	E63 AMG	6.3L V8 6208cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2013	Mercedes-Benz	E63 AMG	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2014	Mercedes-Benz	E63 AMG	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2015	Mercedes-Benz	E63 AMG	5.5L V8 5461cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2014	Mercedes-Benz	E63 AMG S	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005	Mercedes-Benz	G500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under floor.	2AM049850A	850	18 Months
2006,2004-2002	Mercedes-Benz	G500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under floor.	2AM049850A	850	18 Months
2008-2007	Mercedes-Benz	G500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under floor.	2AM049850A	850	18 Months
2011-2003	Mercedes-Benz	G55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under floor.; Starting Battery	2AM049850A	850	18 Months
2017	Mercedes-Benz	G63 AMG	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2009-2007	Mercedes-Benz	GL320	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.	2AM049850A	850	18 Months
2017	Mercedes-Benz	GLA250	2.0L L4 1991cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLA45 AMG	2.0L L4 1991cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE350	3.5L V6 3498cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE400	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE43 AMG	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE550	4.6L V8 4663cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE550e	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE63 AMG	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLE63 AMG S	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2014-2010	Mercedes-Benz	GLK350	3.5L V6 3498cc	AGM Valve-Regulated Battery Required; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2017	Mercedes-Benz	GLS450	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLS550	4.6L V8 4663cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	GLS63 AMG	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	Maybach S550	4.6L V8 4663cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2016	Mercedes-Benz	Maybach S600	6.0L V12 5980cc 365 CID	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2016	Mercedes-Benz	Metris	2.0L L4 1991cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017-2016	Mercedes-Benz	Metris	2.0L L4 1991cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017-2016	Mercedes-Benz	Metris	2.0L L4 1991cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017-2016	Mercedes-Benz	Metris	2.0L L4 1991cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017-2016	Mercedes-Benz	Metris	2.0L L4 1991cc	Battery gasses need to be vented to outside.; Battery located under passenger front seat; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017-2016	Mercedes-Benz	Metris	2.0L L4 1991cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2003-1998	Mercedes-Benz	ML320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
2009	Mercedes-Benz	ML320	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	BB0H8800AC	800	36 Months
2009	Mercedes-Benz	ML320	3.0L V6 2987cc	Battery gasses need to be vented to outside.; Battery located under passenger seat; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009	Mercedes-Benz	ML320	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	BBEH8800AA	800	36 Months
2009-2007	Mercedes-Benz	ML320	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located behind the passenger seat.	2AM049850A	850	18 Months
2005-2003	Mercedes-Benz	ML350	3.7L V6 3699cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
2005-2004	Mercedes-Benz	ML350	3.7L V6 3699cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2001-1999	Mercedes-Benz	ML430	4.3L V8 4266cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
2002	Mercedes-Benz	ML500	5.0L V8 4966cc		2AM049850A	850	18 Months
2005-2002	Mercedes-Benz	ML500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
2005-2003	Mercedes-Benz	ML500	5.0L V8 4966cc 303 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
2003-2000	Mercedes-Benz	ML55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM049850A	850	18 Months
2011-2008	Mercedes-Benz	ML550	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.	2AM049850A	850	18 Months
2015-2012	Mercedes-Benz	ML550	4.6L V8 4663cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.; Starting Battery	2AM049850A	850	18 Months
2011-2007	Mercedes-Benz	ML63 AMG	6.3L V8 6208cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.	2AM049850A	850	18 Months
2013	Mercedes-Benz	ML63 AMG	5.5L V8 5461cc 333 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.	2AM049850A	850	18 Months
2015-2012	Mercedes-Benz	ML63 AMG	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Located under passenger seat.; Starting Battery	2AM049850A	850	18 Months
1995-1994	Mercedes-Benz	S350	3.4L L6 3449cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
1995-1994	Mercedes-Benz	S350	3.4L L6 3449cc	AGM Valve-Regulated Battery Required.; Battery Located in Trunk.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2008	Mercedes-Benz	S450	4.6L V8 4663cc	Auxiliary AGM battery used for the backup braking and computer systems.; Auxiliary Battery; Located in engine compartment.	BB0V4520AC	520	36 Months
1999-1994	Mercedes-Benz	S500	5.0L V8 4973cc	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2001-2000	Mercedes-Benz	S500	5.0L V8 4966cc	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2007	Mercedes-Benz	S550	5.5L V8 5461cc	Auxiliary AGM battery used for the backup braking and computer systems.; Auxiliary Battery; Located in engine compartment.	BB0V4520AC	520	36 Months
2016-2012	Mercedes-Benz	S550	4.6L V8 4663cc	Best performance estimate.; DIN/EN Size; Non-BCI group size.; Starting Battery	BB0V4520AC	520	36 Months
2017	Mercedes-Benz	S550	4.6L V8 4663cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	S550e	3.0L V6 2996cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2002-2001	Mercedes-Benz	S600	5.8L V12 5786cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2009-2007	Mercedes-Benz	S600	5.5L V12 5513cc 336 CID	Auxiliary AGM battery used for the backup braking and computer systems.; Auxiliary Battery; Located in engine compartment.	BB0V4520AC	520	36 Months
2017	Mercedes-Benz	S600	6.0L V12 5980cc 365 CID	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2009-2008	Mercedes-Benz	S63 AMG	6.3L V8 6208cc	Auxiliary AGM battery used for the backup braking and computer systems.; Auxiliary Battery; Located in engine compartment.	BB0V4520AC	520	36 Months
2010	Mercedes-Benz	S63 AMG	6.3L V8 6208cc	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18; Starting Battery	BBAUA200AD	200	36 Months
2013-2011	Mercedes-Benz	S63 AMG	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18; Starting Battery	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	S63 AMG	5.5L V8 5461cc	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
2009-2007	Mercedes-Benz	S65 AMG	6.0L V12 5980cc 365 CID	Auxiliary AGM battery used for the backup braking and computer systems.; Auxiliary Battery; Located in engine compartment.	BB0V4520AC	520	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013	Mercedes-Benz	S65 AMG	6.0L V12 5980cc 365 CID	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 200; OE Exact Fit; OE Group: 400; Refer to owner's manual for electrical set up requirements.; Reserve Capacity: 18; Starting Battery	BBAUA200AD	200	36 Months
2017	Mercedes-Benz	S65 AMG	6.0L V12 5980cc 365 CID	AGM Valve-Regulated Battery Required.; Auxiliary Battery; OE CCA: 200; OE Exact Fit; OE Group: 400; Reserve Capacity: 18	BBAUA200AD	200	36 Months
1997-1994	Mercedes-Benz	SL320	3.2L L6 3199cc	Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
1998-1997	Mercedes-Benz	SL500	5.0L V8 4973cc 303 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2002-1994	Mercedes-Benz	SL500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2005-2003	Mercedes-Benz	SL500	5.0L V8 4973cc	Battery is vented to outside of vehicle.; Starting Battery	BBOV4520AC	520	36 Months
2006	Mercedes-Benz	SL500	5.0L V8 4966cc	Battery is vented to outside of vehicle.; Starting Battery	BBOV4520AC	520	36 Months
2008-2007	Mercedes-Benz	SL55 AMG	5.5L V8 5439cc 335 CID	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2012-2007	Mercedes-Benz	SL550	5.5L V8 5461cc	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2016-2015	Mercedes-Benz	SL550	4.6L V8 4663cc	Battery located under hood.; Best performance estimate.; DIN/EN Size; Non-BCI group size.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2017,2014-2013	Mercedes-Benz	SL550	4.6L V8 4663cc	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
1998-1996	Mercedes-Benz	SL600	6.0L V12 5987cc 365 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2002-1994	Mercedes-Benz	SL600	6.0L V12 5987cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	2AM049850A	850	18 Months
2011-2004	Mercedes-Benz	SL600	5.5L V12 5513cc 336 CID	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2012-2009	Mercedes-Benz	SL63 AMG	6.3L V8 6208cc	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2014-2013	Mercedes-Benz	SL63 AMG	5.5L V8 5461cc	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2017-2015	Mercedes-Benz	SL63 AMG	5.5L V8 5461cc	Battery located under hood.; Best performance estimate.; DIN/EN Size; Non-BCI group size.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2011-2005	Mercedes-Benz	SL65 AMG	6.0L V12 5980cc 365 CID	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2016-2013	Mercedes-Benz	SL65 AMG	6.0L V12 5980cc 365 CID	Battery located under hood.; Best performance estimate.; DIN/EN Size; Non-BCI group size.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2001-2000	Mercedes-Benz	SLK230	2.3L L4 2295cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2004-2002,1999-1998	Mercedes-Benz	SLK230	2.3L L4 2295cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011-2009	Mercedes-Benz	SLK300	3.0L V6 2996cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004-2002	Mercedes-Benz	SLK32 AMG	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2001	Mercedes-Benz	SLK320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2004-2002	Mercedes-Benz	SLK320	3.2L V6 3199cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2005	Mercedes-Benz	SLK350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2007	Mercedes-Benz	SLK350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011-2005	Mercedes-Benz	SLK350	3.5L V6 3498cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2013	Mercedes-Benz	SLK350	3.5L V6 3498cc 213 CID	Auxiliary Battery; Battery is vented to outside of vehicle.; Best performance estimate.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2014-2013	Mercedes-Benz	SLK350	3.5L V6 3498cc 213 CID	Battery is vented to outside of vehicle.; Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2015-2008	Mercedes-Benz	SLK350	3.5L V6 3498cc	Auxiliary Battery; Battery is vented to outside of vehicle.; Best performance estimate.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2015-2008	Mercedes-Benz	SLK350	3.5L V6 3498cc	Battery is vented to outside of vehicle.; Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2005	Mercedes-Benz	SLK55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2011-2007	Mercedes-Benz	SLK55 AMG	5.5L V8 5439cc 335 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2014-2012	Mercedes-Benz	SLK55 AMG	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2014-2013	Mercedes-Benz	SLK55 AMG	5.5L V8 5461cc 333 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2015	Mercedes-Benz	SLK55 AMG	5.5L V8 5461cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2016	Mercedes-Benz	SLK55 AMG	5.5L V8 5461cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2009-2005	Mercedes-Benz	SLR McLaren	5.5L V8 5439cc 335 CID	Battery located under hood.; See owner's manual for battery location.; Starting Battery	BBOV4520AC	520	36 Months
2009-2007	Mercedes-Benz	SLR McLaren	5.4L V8 5439cc 332 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Installation may take up to 30 minutes.; See owner's manual for battery location.	1AM0H6770A	770	24 Months
2016	Mercedes-Benz	Sprinter 2500	3.0L V6 2987cc	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Mercedes-Benz	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Mercedes-Benz	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017	Mercedes-Benz	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BB0H8800AC	800	36 Months
2017	Mercedes-Benz	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Mercedes-Benz	Sprinter 2500	3.0L V6 2987cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Mercedes-Benz	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BBEH8800AA	800	36 Months
2017-2010	Mercedes-Benz	Sprinter 2500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2017-2014	Mercedes-Benz	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017-2014	Mercedes-Benz	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017-2014	Mercedes-Benz	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017-2014	Mercedes-Benz	Sprinter 2500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2016	Mercedes-Benz	Sprinter 3500	3.0L V6 2987cc	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Mercedes-Benz	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Mercedes-Benz	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	1AM0H6770A	770	24 Months
2017	Mercedes-Benz	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BB0H8800AC	800	36 Months
2017	Mercedes-Benz	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Mercedes-Benz	Sprinter 3500	3.0L V6 2987cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Mercedes-Benz	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	BBEH8800AA	800	36 Months
2017-2010	Mercedes-Benz	Sprinter 3500	3.0L V6 2987cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. One battery located under hood, the other is located under front seat.	2AM049850A	850	18 Months
2017-2014	Mercedes-Benz	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017-2015	Mercedes-Benz	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017-2015	Mercedes-Benz	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017-2015	Mercedes-Benz	Sprinter 3500	2.1L L4 2143cc 131 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
1977-1975	Mercury	Bobcat	2.3L L4 140 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Bobcat	2.8L V6 171 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Bobcat	2.3L L4 140 CID		BB26R540AD	540	36 Months
1977-1975	Mercury	Bobcat	2.8L V6 171 CID		BB26R540AD	540	36 Months
1967	Mercury	Brougham	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1967	Mercury	Brougham	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967	Mercury	Brougham	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967	Mercury	Brougham	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1967	Mercury	Brougham	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1967	Mercury	Brougham	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967	Mercury	Brougham	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967	Mercury	Brougham	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1967	Mercury	Brougham	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1967	Mercury	Brougham	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967	Mercury	Brougham	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967	Mercury	Brougham	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1967	Mercury	Brougham	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1967	Mercury	Brougham	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1967	Mercury	Brougham	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967	Mercury	Brougham	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1964	Mercury	Caliente	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1964	Mercury	Caliente	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964	Mercury	Caliente	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1964	Mercury	Caliente	4.3L V8 4261cc 260 CID		1AM270710A	710	24 Months
1964	Mercury	Caliente	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1964	Mercury	Caliente	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1964	Mercury	Caliente	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964	Mercury	Caliente	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1964	Mercury	Caliente	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1965	Mercury	Caliente	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1965	Mercury	Caliente	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1965	Mercury	Caliente	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1965	Mercury	Caliente	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1964	Mercury	Caliente	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1964	Mercury	Caliente	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1964	Mercury	Caliente	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1965	Mercury	Caliente	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1967-1965	Mercury	Caliente	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1967-1966	Mercury	Caliente	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1967-1966	Mercury	Caliente	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967-1966	Mercury	Caliente	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1967-1966	Mercury	Caliente	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1967-1966	Mercury	Caliente	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1967-1966	Mercury	Capri	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Capri	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Capri	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1967-1966	Mercury	Capri	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1967-1966	Mercury	Capri	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Capri	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Capri	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967-1966	Mercury	Capri	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Capri	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1967-1966	Mercury	Capri	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1971	Mercury	Capri	2.0L L4 1989cc 122 CID		1AM035550A	550	24 Months
1971	Mercury	Capri	2.0L L4 1993cc 122 CID		1AM035550A	550	24 Months
1971	Mercury	Capri	2.0L L4 1989cc 122 CID		2AM035500A	500	18 Months
1971	Mercury	Capri	2.0L L4 1993cc 122 CID		2AM035500A	500	18 Months
1971	Mercury	Capri	2.0L L4 1989cc 122 CID		2AM240530A	530	18 Months
1971	Mercury	Capri	2.0L L4 1993cc 122 CID		2AM240530A	530	18 Months
1971-1970	Mercury	Capri	1.6L L4 1599cc 98 CID		1AM035550A	550	24 Months
1971-1970	Mercury	Capri	1.6L L4 1599cc 98 CID		2AM035500A	500	18 Months
1971-1970	Mercury	Capri	1.6L L4 1598cc 98 CID		2AM240530A	530	18 Months
1971-1970	Mercury	Capri	1.6L L4 1599cc 98 CID		2AM240530A	530	18 Months
1977-1975	Mercury	Capri	2.3L L4 140 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Capri	2.3L L4 140 CID		BB26R540AD	540	36 Months
1977-1976	Mercury	Capri	2.8L V6 171 CID		1AM260575A	575	24 Months
1977-1976	Mercury	Capri	2.8L V6 171 CID		BB26R540AD	540	36 Months
1994-1991,1971-1970	Mercury	Capri	1.6L L4 1598cc 98 CID		1AM035550A	550	24 Months
1994-1991,1971-1970	Mercury	Capri	1.6L L4 1598cc 98 CID		2AM035500A	500	18 Months
1960	Mercury	Colony Park	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1960	Mercury	Colony Park	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1960	Mercury	Colony Park	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1960	Mercury	Colony Park	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Colony Park	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Colony Park	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Colony Park	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Colony Park	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Colony Park	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Colony Park	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Colony Park	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Colony Park	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1967-1965	Mercury	Colony Park	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1965	Mercury	Colony Park	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1965	Mercury	Colony Park	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1965	Mercury	Colony Park	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Colony Park	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Colony Park	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967-1966	Mercury	Colony Park	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Colony Park	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1968	Mercury	Colony Park	7.0L V8 428 CID		1AM035550A	550	24 Months
1968	Mercury	Colony Park	6.4L V8 390 CID		1AM270710A	710	24 Months
1968	Mercury	Colony Park	7.0L V8 428 CID		1AM270710A	710	24 Months
1968	Mercury	Colony Park	7.0L V8 428 CID		2AM035500A	500	18 Months
1968	Mercury	Colony Park	7.0L V8 428 CID		2AM240530A	530	18 Months
1968,1964-1962	Mercury	Colony Park	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Colony Park	6.4L V8 390 CID		1AM260575A	575	24 Months
1969-1968	Mercury	Colony Park	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1969-1968	Mercury	Colony Park	6.4L V8 390 CID		BB26R540AD	540	36 Months
1969-1968	Mercury	Colony Park	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970,1968	Mercury	Colony Park	6.4L V8 390 CID		1AM035550A	550	24 Months
1970,1968	Mercury	Colony Park	6.4L V8 390 CID		2AM035500A	500	18 Months
1970,1968	Mercury	Colony Park	6.4L V8 390 CID		2AM240530A	530	18 Months
1970,1968-1962	Mercury	Colony Park	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970,1968-1962	Mercury	Colony Park	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1970,1968-1962	Mercury	Colony Park	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1970-1966	Mercury	Colony Park	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Mercury	Colony Park	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1966	Mercury	Colony Park	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Mercury	Colony Park	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1973,1970-1969	Mercury	Colony Park	7.0L V8 429 CID		1AM270710A	710	24 Months
1973,1970-1969	Mercury	Colony Park	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Mercury	Colony Park	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Colony Park	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Colony Park	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Colony Park	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Colony Park	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Mercury	Colony Park	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Colony Park	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Colony Park	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Colony Park	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Colony Park	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1971	Mercury	Colony Park	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1971	Mercury	Colony Park	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Colony Park	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Colony Park	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Colony Park	6.6L V8 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Colony Park	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Colony Park	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Colony Park	6.6L V8 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Colony Park	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Colony Park	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Colony Park	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Colony Park	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Colony Park	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Mercury	Colony Park	7.5L V8 460 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Colony Park	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Colony Park	7.5L V8 460 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Colony Park	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Colony Park	7.5L V8 460 CID		2AM240530A	530	18 Months
1974-1972	Mercury	Colony Park	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1974-1973	Mercury	Colony Park	6.6L V8 400 CID		1AM270710A	710	24 Months
1974-1973	Mercury	Colony Park	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973	Mercury	Colony Park	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1973	Mercury	Colony Park	7.5L V8 460 CID		1AM270710A	710	24 Months
1974-1973	Mercury	Colony Park	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1991,1988	Mercury	Colony Park	5.0L V8 302 CID		1AM065750A	750	24 Months
1991,1988	Mercury	Colony Park	5.0L V8 302 CID		2AM065650A	650	18 Months
1991,1988	Mercury	Colony Park	5.0L V8 302 CID		BB065675AA	675	36 Months
1991,1988	Mercury	Colony Park	5.0L V8 302 CID		BB065850AB	850	36 Months
1963-1960	Mercury	Comet	2.4L L6 2360cc 144 CID		1AM260575A	575	24 Months
1963-1960	Mercury	Comet	2.4L L6 2360cc 144 CID		BB26R540AD	540	36 Months
1963-1961	Mercury	Comet	2.4L L6 144 CID		1AM260575A	575	24 Months
1963-1961	Mercury	Comet	2.4L L6 144 CID		BB26R540AD	540	36 Months
1964	Mercury	Comet	2.8L L6 170 CID		1AM035550A	550	24 Months
1964	Mercury	Comet	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1964	Mercury	Comet	2.8L L6 170 CID		2AM035500A	500	18 Months
1964	Mercury	Comet	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1964	Mercury	Comet	2.8L L6 170 CID		2AM240530A	530	18 Months
1964	Mercury	Comet	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1964-1963	Mercury	Comet	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Mercury	Comet	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Mercury	Comet	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1967-1964	Mercury	Comet	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1964	Mercury	Comet	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1964	Mercury	Comet	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1965	Mercury	Comet	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1965	Mercury	Comet	4.7L V8 4727cc 289 CID		1AM260575A	575	24 Months
1967-1965	Mercury	Comet	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1965	Mercury	Comet	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1965	Mercury	Comet	4.7L V8 4727cc 289 CID		BB26R540AD	540	36 Months
1968	Mercury	Comet	3.3L L6 3278cc 200 CID		1AM035550A	550	24 Months
1968	Mercury	Comet	3.3L L6 3278cc 200 CID		2AM035500A	500	18 Months
1968	Mercury	Comet	3.3L L6 3278cc 200 CID		2AM240530A	530	18 Months
1968,1965	Mercury	Comet	3.3L L6 200 CID		1AM035550A	550	24 Months
1968,1965	Mercury	Comet	3.3L L6 200 CID		2AM035500A	500	18 Months
1968,1965	Mercury	Comet	3.3L L6 200 CID		2AM240530A	530	18 Months
1968-1964	Mercury	Comet	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1968-1964	Mercury	Comet	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1968-1964	Mercury	Comet	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	4.1L L6 250 CID		1AM035550A	550	24 Months
1969	Mercury	Comet	4.1L L6 4097cc 250 CID		1AM035550A	550	24 Months
1969	Mercury	Comet	4.1L L6 4098cc 250 CID		1AM035550A	550	24 Months
1969	Mercury	Comet	5.8L V8 351 CID		1AM035550A	550	24 Months
1969	Mercury	Comet	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1969	Mercury	Comet	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1969	Mercury	Comet	5.8L V8 351 CID		1AM260575A	575	24 Months
1969	Mercury	Comet	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1969	Mercury	Comet	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1969	Mercury	Comet	5.8L V8 351 CID		1AM270710A	710	24 Months
1969	Mercury	Comet	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1969	Mercury	Comet	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1969	Mercury	Comet	6.4L V8 390 CID		1AM270710A	710	24 Months
1969	Mercury	Comet	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969	Mercury	Comet	4.1L L6 250 CID		2AM035500A	500	18 Months
1969	Mercury	Comet	4.1L L6 4097cc 250 CID		2AM035500A	500	18 Months
1969	Mercury	Comet	4.1L L6 4098cc 250 CID		2AM035500A	500	18 Months
1969	Mercury	Comet	5.8L V8 351 CID		2AM035500A	500	18 Months
1969	Mercury	Comet	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1969	Mercury	Comet	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1969	Mercury	Comet	4.1L L6 250 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	4.1L L6 4097cc 250 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	4.1L L6 4098cc 250 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	5.8L V8 351 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	5.8L V8 351 CID		2AM240530A	530	18 Months
1969	Mercury	Comet	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1969	Mercury	Comet	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1969-1966	Mercury	Comet	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1969-1966	Mercury	Comet	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1969-1966	Mercury	Comet	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1969-1966	Mercury	Comet	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1969-1966	Mercury	Comet	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1969-1968	Mercury	Comet	5.0L V8 302 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Comet	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Comet	6.4L V8 390 CID		1AM260575A	575	24 Months
1969-1968	Mercury	Comet	5.0L V8 302 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Comet	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Comet	5.0L V8 302 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Comet	6.4L V8 390 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Comet	6.4L V8 390 CID		BB26R540AD	540	36 Months
1972-1971	Mercury	Comet	2.8L L6 170 CID		1AM260575A	575	24 Months
1972-1971	Mercury	Comet	2.8L L6 170 CID		BB26R540AD	540	36 Months
1972-1971,1963-1961	Mercury	Comet	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1972-1971,1963-1961	Mercury	Comet	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
1974-1971,1968	Mercury	Comet	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1974-1971,1968	Mercury	Comet	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1974-1971,1968-1965	Mercury	Comet	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1974-1971,1968-1965	Mercury	Comet	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1974-1971,1969	Mercury	Comet	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1974-1971,1969	Mercury	Comet	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1974-1971,1969	Mercury	Comet	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1974-1971,1969	Mercury	Comet	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1977-1971,1968,1965	Mercury	Comet	3.3L L6 200 CID		1AM260575A	575	24 Months
1977-1971,1968,1965	Mercury	Comet	3.3L L6 200 CID		BB26R540AD	540	36 Months
1977-1971,1969	Mercury	Comet	4.1L L6 250 CID		1AM260575A	575	24 Months
1977-1971,1969	Mercury	Comet	4.1L L6 250 CID		BB26R540AD	540	36 Months
1977-1971,1969-1968	Mercury	Comet	5.0L V8 302 CID		1AM260575A	575	24 Months
1977-1971,1969-1968	Mercury	Comet	5.0L V8 302 CID		BB26R540AD	540	36 Months
1960	Mercury	Commuter	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1960	Mercury	Commuter	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1960	Mercury	Commuter	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1960	Mercury	Commuter	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1961	Mercury	Commuter	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1961	Mercury	Commuter	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1961	Mercury	Commuter	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1961	Mercury	Commuter	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Commuter	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Commuter	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Commuter	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Commuter	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1963	Mercury	Commuter	6.6L V8 6654cc 406 CID		1AM035550A	550	24 Months
1963	Mercury	Commuter	6.6L V8 6654cc 406 CID		1AM270710A	710	24 Months
1963	Mercury	Commuter	6.6L V8 6654cc 406 CID		2AM035500A	500	18 Months
1963	Mercury	Commuter	6.6L V8 6654cc 406 CID		2AM240530A	530	18 Months
1964-1961	Mercury	Commuter	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1964-1961	Mercury	Commuter	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1964-1961	Mercury	Commuter	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1964-1961	Mercury	Commuter	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1967	Mercury	Commuter	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967	Mercury	Commuter	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967	Mercury	Commuter	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1963	Mercury	Commuter	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1963	Mercury	Commuter	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1963	Mercury	Commuter	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1963	Mercury	Commuter	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Commuter	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Commuter	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967-1966	Mercury	Commuter	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Commuter	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1968	Mercury	Commuter	6.4L V8 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1968	Mercury	Commuter	7.0L V8 428 CID		1AM035550A	550	24 Months
1968	Mercury	Commuter	6.4L V8 390 CID		1AM260575A	575	24 Months
1968	Mercury	Commuter	7.0L V8 428 CID		1AM270710A	710	24 Months
1968	Mercury	Commuter	6.4L V8 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1968	Mercury	Commuter	7.0L V8 428 CID		2AM035500A	500	18 Months
1968	Mercury	Commuter	6.4L V8 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1968	Mercury	Commuter	7.0L V8 428 CID		2AM240530A	530	18 Months
1968	Mercury	Commuter	6.4L V8 390 CID		BB26R540AD	540	36 Months
1968-1965	Mercury	Commuter	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1968-1965	Mercury	Commuter	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1968-1965	Mercury	Commuter	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1968-1965	Mercury	Commuter	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1968-1965	Mercury	Commuter	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1968-1966	Mercury	Commuter	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1968-1966	Mercury	Commuter	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1968-1966	Mercury	Commuter	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1968-1966	Mercury	Commuter	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1968	Mercury	Cougar	4.7L V8 289 CID		1AM035550A	550	24 Months
1968	Mercury	Cougar	5.0L V8 302 CID		1AM035550A	550	24 Months
1968	Mercury	Cougar	7.0L V8 427 CID		1AM035550A	550	24 Months
1968	Mercury	Cougar	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1968	Mercury	Cougar	4.7L V8 289 CID		1AM270710A	710	24 Months
1968	Mercury	Cougar	5.0L V8 302 CID		1AM270710A	710	24 Months
1968	Mercury	Cougar	7.0L V8 427 CID		1AM270710A	710	24 Months
1968	Mercury	Cougar	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1968	Mercury	Cougar	4.7L V8 289 CID		2AM035500A	500	18 Months
1968	Mercury	Cougar	5.0L V8 302 CID		2AM035500A	500	18 Months
1968	Mercury	Cougar	7.0L V8 427 CID		2AM035500A	500	18 Months
1968	Mercury	Cougar	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1968	Mercury	Cougar	4.7L V8 289 CID		2AM240530A	530	18 Months
1968	Mercury	Cougar	7.0L V8 427 CID		2AM240530A	530	18 Months
1968	Mercury	Cougar	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1968-1967	Mercury	Cougar	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1968-1967	Mercury	Cougar	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1968-1967	Mercury	Cougar	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1968-1967	Mercury	Cougar	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1969	Mercury	Cougar	5.8L V8 351 CID		1AM270710A	710	24 Months
1969	Mercury	Cougar	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1969	Mercury	Cougar	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1969	Mercury	Cougar	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1969-1967	Mercury	Cougar	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cougar	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Cougar	6.4L V8 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cougar	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cougar	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cougar	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Cougar	6.4L V8 390 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1967	Mercury	Cougar	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970-1967	Mercury	Cougar	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1970-1967	Mercury	Cougar	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1970-1968	Mercury	Cougar	7.0L V8 428 CID		1AM035550A	550	24 Months
1970-1968	Mercury	Cougar	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1968	Mercury	Cougar	7.0L V8 428 CID		2AM035500A	500	18 Months
1970-1968	Mercury	Cougar	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1968	Mercury	Cougar	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1968	Mercury	Cougar	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1969	Mercury	Cougar	7.0L V8 428 CID		1AM260575A	575	24 Months
1970-1969	Mercury	Cougar	7.0L V8 7014cc 428 CID		1AM260575A	575	24 Months
1970-1969	Mercury	Cougar	7.0L V8 428 CID		BB26R540AD	540	36 Months
1970-1969	Mercury	Cougar	7.0L V8 7014cc 428 CID		BB26R540AD	540	36 Months
1971-1969	Mercury	Cougar	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1971-1969	Mercury	Cougar	7.0L V8 7030cc 429 CID		1AM260575A	575	24 Months
1971-1969	Mercury	Cougar	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1971-1969	Mercury	Cougar	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1971-1969	Mercury	Cougar	7.0L V8 7030cc 429 CID		BB26R540AD	540	36 Months
1971-1970	Mercury	Cougar	7.0L V8 429 CID		1AM035550A	550	24 Months
1971-1970	Mercury	Cougar	7.0L V8 429 CID		1AM260575A	575	24 Months
1971-1970	Mercury	Cougar	7.0L V8 429 CID		2AM035500A	500	18 Months
1971-1970	Mercury	Cougar	7.0L V8 429 CID		2AM240530A	530	18 Months
1971-1970	Mercury	Cougar	7.0L V8 429 CID		BB26R540AD	540	36 Months
1973-1969	Mercury	Cougar	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Cougar	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Cougar	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Cougar	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Cougar	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Cougar	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1974	Mercury	Cougar	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974	Mercury	Cougar	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974	Mercury	Cougar	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974	Mercury	Cougar	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1969	Mercury	Cougar	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1974-1969	Mercury	Cougar	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1974-1973	Mercury	Cougar	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1973	Mercury	Cougar	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1973	Mercury	Cougar	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1973	Mercury	Cougar	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1973	Mercury	Cougar	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1973	Mercury	Cougar	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1973	Mercury	Cougar	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1973	Mercury	Cougar	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1973	Mercury	Cougar	7.5L V8 460 CID		2AM035500A	500	18 Months
1976-1973	Mercury	Cougar	7.5L V8 460 CID		2AM240530A	530	18 Months
1977,1969	Mercury	Cougar	5.0L V8 302 CID		1AM260575A	575	24 Months
1977,1969	Mercury	Cougar	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977-1973	Mercury	Cougar	6.6L V8 400 CID		1AM035550A	550	24 Months
1977-1973	Mercury	Cougar	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1974	Mercury	Cougar	5.8L V8 351 CID		1AM260575A	575	24 Months
1977-1974	Mercury	Cougar	5.8L V8 351 CID		BB26R540AD	540	36 Months
1978-1973	Mercury	Cougar	6.6L V8 400 CID		2AM240530A	530	18 Months
1979-1969	Mercury	Cougar	5.8L V8 351 CID		2AM240530A	530	18 Months
1979-1977,1969-1968	Mercury	Cougar	5.0L V8 302 CID		2AM240530A	530	18 Months
1993-1989	Mercury	Cougar	3.8L V6 232 CID	Cold Climate	1AM065750A	750	24 Months
1993-1989	Mercury	Cougar	3.8L V6 232 CID	Cold Climate	2AM065650A	650	18 Months
1993-1989	Mercury	Cougar	3.8L V6 232 CID	Cold Climate	BB065675AA	675	36 Months
1993-1989	Mercury	Cougar	3.8L V6 232 CID	Cold Climate	BB065850AB	850	36 Months
1993-1991,1988	Mercury	Cougar	5.0L V8 302 CID		1AM065750A	750	24 Months
1993-1991,1988	Mercury	Cougar	5.0L V8 302 CID		2AM065650A	650	18 Months
1993-1991,1988	Mercury	Cougar	5.0L V8 302 CID		BB065675AA	675	36 Months
1993-1991,1988-1986	Mercury	Cougar	5.0L V8 302 CID		BB065850AB	850	36 Months
1997-1994	Mercury	Cougar	3.8L V6 232 CID		1AM065750A	750	24 Months
1997-1994	Mercury	Cougar	4.6L V8 281 CID		1AM065750A	750	24 Months
1997-1994	Mercury	Cougar	3.8L V6 232 CID		2AM065650A	650	18 Months
1997-1994	Mercury	Cougar	4.6L V8 281 CID		2AM065650A	650	18 Months
1997-1994	Mercury	Cougar	3.8L V6 232 CID		BB065675AA	675	36 Months
1997-1994	Mercury	Cougar	4.6L V8 281 CID		BB065675AA	675	36 Months
1997-1994	Mercury	Cougar	3.8L V6 232 CID		BB065850AB	850	36 Months
1997-1994	Mercury	Cougar	4.6L V8 281 CID		BB065850AB	850	36 Months
2002-1999	Mercury	Cougar	2.0L L4 1989cc 121 CID		1AM960590A	590	24 Months
2002-1999	Mercury	Cougar	2.5L V6 2450cc 155 CID		1AM960590A	590	24 Months
1960	Mercury	Country Cruiser	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1960	Mercury	Country Cruiser	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1960	Mercury	Country Cruiser	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1960	Mercury	Country Cruiser	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1963	Mercury	Country Cruiser	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1963	Mercury	Country Cruiser	3.6L V8 3622cc 221 CID		1AM035550A	550	24 Months
1963	Mercury	Country Cruiser	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1963	Mercury	Country Cruiser	3.6L V8 3622cc 221 CID		1AM270710A	710	24 Months
1963	Mercury	Country Cruiser	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1963	Mercury	Country Cruiser	3.6L V8 3622cc 221 CID		2AM035500A	500	18 Months
1963	Mercury	Country Cruiser	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1963	Mercury	Country Cruiser	3.6L V8 3622cc 221 CID		2AM240530A	530	18 Months
1964	Mercury	Cyclone	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1964	Mercury	Cyclone	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1964	Mercury	Cyclone	4.3L V8 4261cc 260 CID		1AM270710A	710	24 Months
1964	Mercury	Cyclone	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1964	Mercury	Cyclone	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1964	Mercury	Cyclone	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1965-1964	Mercury	Cyclone	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1965-1964	Mercury	Cyclone	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1965-1964	Mercury	Cyclone	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1966	Mercury	Cyclone	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1966	Mercury	Cyclone	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1968	Mercury	Cyclone	7.0L V8 427 CID		1AM035550A	550	24 Months
1968	Mercury	Cyclone	7.0L V8 427 CID		1AM270710A	710	24 Months
1968	Mercury	Cyclone	7.0L V8 427 CID		2AM035500A	500	18 Months
1968	Mercury	Cyclone	7.0L V8 427 CID		2AM240530A	530	18 Months
1968-1964	Mercury	Cyclone	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1968-1964	Mercury	Cyclone	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1968-1964	Mercury	Cyclone	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1969-1965	Mercury	Cyclone	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1969-1965	Mercury	Cyclone	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1969-1965	Mercury	Cyclone	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969-1967	Mercury	Cyclone	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cyclone	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Cyclone	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Cyclone	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Cyclone	6.4L V8 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cyclone	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cyclone	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Cyclone	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Cyclone	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Cyclone	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Cyclone	6.4L V8 390 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Cyclone	7.0L V8 428 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Cyclone	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1969-1968, 1965	Mercury	Cyclone	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1970	Mercury	Cyclone	7.0L V8 429 CID		1AM270710A	710	24 Months
1970-1966	Mercury	Cyclone	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970-1966	Mercury	Cyclone	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1970-1966	Mercury	Cyclone	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1970-1968	Mercury	Cyclone	5.0L V8 302 CID		1AM035550A	550	24 Months
1970-1968	Mercury	Cyclone	5.0L V8 302 CID		2AM035500A	500	18 Months
1970-1968	Mercury	Cyclone	5.0L V8 302 CID		2AM240530A	530	18 Months
1970-1969	Mercury	Cyclone	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1971	Mercury	Cyclone	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1971	Mercury	Cyclone	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1971	Mercury	Cyclone	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1971-1969	Mercury	Cyclone	5.8L V8 351 CID		1AM035550A	550	24 Months
1971-1969	Mercury	Cyclone	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1971-1969	Mercury	Cyclone	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1971-1969	Mercury	Cyclone	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1971-1969	Mercury	Cyclone	5.8L V8 351 CID		2AM035500A	500	18 Months
1971-1969	Mercury	Cyclone	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1971-1969	Mercury	Cyclone	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1971-1969	Mercury	Cyclone	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1971-1969	Mercury	Cyclone	5.8L V8 351 CID		2AM240530A	530	18 Months
1971-1969	Mercury	Cyclone	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1971-1969	Mercury	Cyclone	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1971-1969	Mercury	Cyclone	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1971-1970	Mercury	Cyclone	7.0L V8 429 CID		1AM035550A	550	24 Months
1971-1970	Mercury	Cyclone	7.0L V8 429 CID		2AM035500A	500	18 Months
1971-1970	Mercury	Cyclone	7.0L V8 429 CID		2AM240530A	530	18 Months
1976-1975	Mercury	Grand Marquis	6.6L V8 400 CID		1AM270710A	710	24 Months
1976-1975	Mercury	Grand Marquis	7.5L V8 460 CID		1AM270710A	710	24 Months
1977-1975	Mercury	Grand Marquis	6.6L V8 400 CID		1AM035550A	550	24 Months
1977-1975	Mercury	Grand Marquis	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1975	Mercury	Grand Marquis	6.6L V8 400 CID		2AM240530A	530	18 Months
1978-1975	Mercury	Grand Marquis	7.5L V8 460 CID		1AM035550A	550	24 Months
1978-1975	Mercury	Grand Marquis	7.5L V8 460 CID		2AM035500A	500	18 Months
1978-1975	Mercury	Grand Marquis	7.5L V8 460 CID		2AM240530A	530	18 Months
1989-1988	Mercury	Grand Marquis	5.8L V8 351 CID		1AM065750A	750	24 Months
1989-1988	Mercury	Grand Marquis	5.8L V8 351 CID		2AM065650A	650	18 Months
1989-1988	Mercury	Grand Marquis	5.8L V8 351 CID		BB065675AA	675	36 Months
1989-1988	Mercury	Grand Marquis	5.8L V8 351 CID		BB065850AB	850	36 Months
1991-1988	Mercury	Grand Marquis	5.0L V8 302 CID		1AM065750A	750	24 Months
1991-1988	Mercury	Grand Marquis	5.0L V8 302 CID		2AM065650A	650	18 Months
1991-1988	Mercury	Grand Marquis	5.0L V8 302 CID		BB065675AA	675	36 Months
1991-1988	Mercury	Grand Marquis	5.0L V8 302 CID		BB065850AB	850	36 Months
1995-1992	Mercury	Grand Marquis	4.6L V8 281 CID	w/Heated Windshield	BB065850AB	850	36 Months
2011-1996	Mercury	Grand Marquis	4.6L V8 281 CID		BB065850AB	850	36 Months
2011-1997	Mercury	Grand Marquis	4.6L V8 281 CID		1AM065750A	750	24 Months
2011-1997	Mercury	Grand Marquis	4.6L V8 281 CID		2AM065650A	650	18 Months
2011-1997	Mercury	Grand Marquis	4.6L V8 281 CID		BB065675AA	675	36 Months
1963	Mercury	Marauder	6.6L V8 6654cc 406 CID		1AM035550A	550	24 Months
1963	Mercury	Marauder	6.6L V8 6654cc 406 CID		1AM270710A	710	24 Months
1963	Mercury	Marauder	6.6L V8 6654cc 406 CID		2AM035500A	500	18 Months
1963	Mercury	Marauder	6.6L V8 6654cc 406 CID		2AM240530A	530	18 Months
1964-1963	Mercury	Marauder	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1964-1963	Mercury	Marauder	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1964-1963	Mercury	Marauder	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1964-1963	Mercury	Marauder	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1967-1963	Mercury	Marauder	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1963	Mercury	Marauder	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1963	Mercury	Marauder	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1963	Mercury	Marauder	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Marauder	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Marauder	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Marauder	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1970-1965	Mercury	Marauder	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1970-1965	Mercury	Marauder	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970-1966	Mercury	Marauder	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Mercury	Marauder	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1966	Mercury	Marauder	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1966	Mercury	Marauder	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1967	Mercury	Marauder	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1970-1967	Mercury	Marauder	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1970-1967	Mercury	Marauder	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1970-1969	Mercury	Marauder	6.4L V8 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1970-1969	Mercury	Marauder	7.0L V8 429 CID		1AM035550A	550	24 Months
1970-1969	Mercury	Marauder	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1970-1969	Mercury	Marauder	6.4L V8 390 CID		1AM260575A	575	24 Months
1970-1969	Mercury	Marauder	7.0L V8 429 CID		1AM270710A	710	24 Months
1970-1969	Mercury	Marauder	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1970-1969	Mercury	Marauder	6.4L V8 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1970-1969	Mercury	Marauder	7.0L V8 429 CID		2AM035500A	500	18 Months
1970-1969	Mercury	Marauder	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1970-1969	Mercury	Marauder	6.4L V8 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1970-1969	Mercury	Marauder	7.0L V8 429 CID		2AM240530A	530	18 Months
1970-1969	Mercury	Marauder	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1970-1969	Mercury	Marauder	6.4L V8 390 CID		BB26R540AD	540	36 Months
2004-2003	Mercury	Marauder	4.6L V8 281 CID		1AM065750A	750	24 Months
2004-2003	Mercury	Marauder	4.6L V8 281 CID		2AM065650A	650	18 Months
2004-2003	Mercury	Marauder	4.6L V8 281 CID		BB065675AA	675	36 Months
2004-2003	Mercury	Marauder	4.6L V8 281 CID		BB065850AB	850	36 Months
2008-2005	Mercury	Mariner	2.3L I4 140 CID		1AM960590A	590	24 Months
2009-2008	Mercury	Mariner	3.0L V6 183 CID		1AM960590A	590	24 Months
2011-2005	Mercury	Mariner	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2011-2009	Mercury	Mariner	2.5L I4 2488cc 152 CID		1AM960590A	590	24 Months
1967	Mercury	Marquis	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967	Mercury	Marquis	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967	Mercury	Marquis	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967	Mercury	Marquis	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967	Mercury	Marquis	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967	Mercury	Marquis	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967	Mercury	Marquis	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1967	Mercury	Marquis	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969	Mercury	Marquis	6.4L V8 390 CID		1AM270710A	710	24 Months
1969	Mercury	Marquis	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Marquis	7.0L V8 428 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Marquis	7.0L V8 428 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Marquis	7.0L V8 428 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Marquis	7.0L V8 428 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Marquis	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1967	Mercury	Marquis	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1967	Mercury	Marquis	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1967	Mercury	Marquis	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1967	Mercury	Marquis	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Mercury	Marquis	6.4L V8 390 CID		1AM260575A	575	24 Months
1970-1968	Mercury	Marquis	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1970-1968	Mercury	Marquis	6.4L V8 390 CID		BB26R540AD	540	36 Months
1970-1968	Mercury	Marquis	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970-1969	Mercury	Marquis	6.4L V8 390 CID		1AM035550A	550	24 Months
1970-1969	Mercury	Marquis	6.4L V8 390 CID		2AM035500A	500	18 Months
1970-1969	Mercury	Marquis	6.4L V8 390 CID		2AM240530A	530	18 Months
1970-1969,1967	Mercury	Marquis	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970-1969,1967	Mercury	Marquis	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1970-1969,1967	Mercury	Marquis	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1973	Mercury	Marquis	5.8L V8 351 CID		1AM260575A	575	24 Months
1973	Mercury	Marquis	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1973	Mercury	Marquis	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1973	Mercury	Marquis	5.8L V8 351 CID		BB26R540AD	540	36 Months
1973	Mercury	Marquis	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1973	Mercury	Marquis	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1973-1969	Mercury	Marquis	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Marquis	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Marquis	7.0L V8 429 CID		1AM270710A	710	24 Months
1973-1969	Mercury	Marquis	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Mercury	Marquis	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Marquis	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Marquis	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Mercury	Marquis	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Marquis	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Marquis	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Marquis	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1971	Mercury	Marquis	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1971	Mercury	Marquis	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Marquis	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1973-1972	Mercury	Marquis	5.8L V8 351 CID		1AM270710A	710	24 Months
1973-1972	Mercury	Marquis	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1973-1972	Mercury	Marquis	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1974-1970	Mercury	Marquis	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1974-1970	Mercury	Marquis	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1974-1970	Mercury	Marquis	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Marquis	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Marquis	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Marquis	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1971	Mercury	Marquis	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1971	Mercury	Marquis	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Marquis	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Marquis	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Marquis	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1972	Mercury	Marquis	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Marquis	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1972	Mercury	Marquis	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Marquis	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1971	Mercury	Marquis	6.6L V8 400 CID		1AM270710A	710	24 Months
1976-1972	Mercury	Marquis	7.5L V8 460 CID		1AM270710A	710	24 Months
1977-1971	Mercury	Marquis	6.6L V8 400 CID		1AM035550A	550	24 Months
1977-1971	Mercury	Marquis	6.6L V8 400 CID		2AM035500A	500	18 Months
1977-1971	Mercury	Marquis	6.6L V8 400 CID		2AM240530A	530	18 Months
1978-1972	Mercury	Marquis	7.5L V8 460 CID		1AM035550A	550	24 Months
1978-1972	Mercury	Marquis	7.5L V8 460 CID		2AM035500A	500	18 Months
1978-1972	Mercury	Marquis	7.5L V8 460 CID		2AM240530A	530	18 Months
1961	Mercury	Meteor	2.8L L6 2786cc 170 CID		1AM035550A	550	24 Months
1961	Mercury	Meteor	3.7L L6 223 CID		1AM035550A	550	24 Months
1961	Mercury	Meteor	2.8L L6 2786cc 170 CID		1AM270710A	710	24 Months
1961	Mercury	Meteor	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1961	Mercury	Meteor	3.7L L6 223 CID		1AM270710A	710	24 Months
1961	Mercury	Meteor	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1961	Mercury	Meteor	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1961	Mercury	Meteor	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1961	Mercury	Meteor	2.8L L6 2786cc 170 CID		2AM035500A	500	18 Months
1961	Mercury	Meteor	3.7L L6 223 CID		2AM035500A	500	18 Months
1961	Mercury	Meteor	2.8L L6 2786cc 170 CID		2AM240530A	530	18 Months
1961	Mercury	Meteor	3.6L L6 3655cc 223 CID		2AM240530A	530	18 Months
1961	Mercury	Meteor	3.7L L6 223 CID		2AM240530A	530	18 Months
1962	Mercury	Meteor	4.3L V8 4261cc 260 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Meteor	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Meteor	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Meteor	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Meteor	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Meteor	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Meteor	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Meteor	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1963	Mercury	Meteor	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1963	Mercury	Meteor	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1963	Mercury	Meteor	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1963	Mercury	Meteor	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1963	Mercury	Meteor	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1963	Mercury	Meteor	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1963	Mercury	Meteor	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1963-1961	Mercury	Meteor	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1963-1961	Mercury	Meteor	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1963-1961	Mercury	Meteor	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1963-1962	Mercury	Meteor	3.6L V8 3622cc 221 CID		1AM035550A	550	24 Months
1963-1962	Mercury	Meteor	2.8L L6 170 CID		1AM260575A	575	24 Months
1963-1962	Mercury	Meteor	2.8L L6 2786cc 170 CID		1AM260575A	575	24 Months
1963-1962	Mercury	Meteor	3.6L V8 3622cc 221 CID		2AM035500A	500	18 Months
1963-1962	Mercury	Meteor	3.6L V8 3622cc 221 CID		2AM240530A	530	18 Months
1963-1962	Mercury	Meteor	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1963-1962	Mercury	Meteor	2.8L L6 170 CID		BB26R540AD	540	36 Months
1963-1962	Mercury	Meteor	2.8L L6 2786cc 170 CID		BB26R540AD	540	36 Months
2008	Mercury	Milan	3.0L V6 183 CID		1AM960590A	590	24 Months
2009-2006	Mercury	Milan	2.3L L4 140 CID		1AM960590A	590	24 Months
2011-2006	Mercury	Milan	3.0L V6 2968cc 181 CID		1AM960590A	590	24 Months
2011-2010	Mercury	Milan	2.5L L4 2488cc 152 CID; GAS		1AM960590A	590	24 Months
1977-1975	Mercury	Monarch	3.3L L6 200 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Monarch	4.1L L6 250 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Monarch	5.0L V8 302 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Monarch	5.8L V8 351 CID		1AM260575A	575	24 Months
1977-1975	Mercury	Monarch	3.3L L6 200 CID		BB26R540AD	540	36 Months
1977-1975	Mercury	Monarch	4.1L L6 250 CID		BB26R540AD	540	36 Months
1977-1975	Mercury	Monarch	5.0L V8 302 CID		BB26R540AD	540	36 Months
1977-1975	Mercury	Monarch	5.8L V8 351 CID		BB26R540AD	540	36 Months
1960	Mercury	Montclair	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1960	Mercury	Montclair	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1960	Mercury	Montclair	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1960	Mercury	Montclair	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1964	Mercury	Montclair	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1964	Mercury	Montclair	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1964	Mercury	Montclair	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1964	Mercury	Montclair	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1967-1964	Mercury	Montclair	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1965	Mercury	Montclair	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1967-1965	Mercury	Montclair	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1965	Mercury	Montclair	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1967-1965	Mercury	Montclair	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1965	Mercury	Montclair	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1967-1965	Mercury	Montclair	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Montclair	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Montclair	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967-1966	Mercury	Montclair	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Montclair	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1968	Mercury	Montclair	7.0L V8 428 CID		1AM035550A	550	24 Months
1968	Mercury	Montclair	6.4L V8 390 CID		1AM260575A	575	24 Months
1968	Mercury	Montclair	7.0L V8 428 CID		1AM270710A	710	24 Months
1968	Mercury	Montclair	7.0L V8 428 CID		2AM035500A	500	18 Months
1968	Mercury	Montclair	7.0L V8 428 CID		2AM240530A	530	18 Months
1968	Mercury	Montclair	6.4L V8 390 CID		BB26R540AD	540	36 Months
1968-1965	Mercury	Montclair	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1968-1965	Mercury	Montclair	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1968-1966	Mercury	Montclair	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1968-1966	Mercury	Montclair	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1968-1966	Mercury	Montclair	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1968-1966	Mercury	Montclair	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1968	Mercury	Montego	3.3L L6 200 CID	w/AC	1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1968	Mercury	Montego	3.3L L6 3277cc 200 CID	w/AC	1AM035550A	550	24 Months
1968	Mercury	Montego	3.3L L6 3278cc 200 CID	w/AC	1AM035550A	550	24 Months
1968	Mercury	Montego	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1968	Mercury	Montego	3.3L L6 200 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	3.3L L6 3278cc 200 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	7.0L V8 427 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	7.0L V8 428 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	7.0L V8 6997cc 427 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	7.0L V8 7014cc 428 CID		1AM260575A	575	24 Months
1968	Mercury	Montego	3.3L L6 200 CID	w/AC	2AM035500A	500	18 Months
1968	Mercury	Montego	3.3L L6 3277cc 200 CID	w/AC	2AM035500A	500	18 Months
1968	Mercury	Montego	3.3L L6 3278cc 200 CID	w/AC	2AM035500A	500	18 Months
1968	Mercury	Montego	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1968	Mercury	Montego	3.3L L6 200 CID	w/AC	2AM240530A	530	18 Months
1968	Mercury	Montego	3.3L L6 3277cc 200 CID	w/AC	2AM240530A	530	18 Months
1968	Mercury	Montego	3.3L L6 3278cc 200 CID	w/AC	2AM240530A	530	18 Months
1968	Mercury	Montego	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1968	Mercury	Montego	3.3L L6 200 CID		BB26R540AD	540	36 Months
1968	Mercury	Montego	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1968	Mercury	Montego	3.3L L6 3278cc 200 CID		BB26R540AD	540	36 Months
1968	Mercury	Montego	7.0L V8 427 CID		BB26R540AD	540	36 Months
1968	Mercury	Montego	7.0L V8 428 CID		BB26R540AD	540	36 Months
1968	Mercury	Montego	7.0L V8 6997cc 427 CID		BB26R540AD	540	36 Months
1968	Mercury	Montego	7.0L V8 7014cc 428 CID		BB26R540AD	540	36 Months
1969	Mercury	Montego	7.0L V8 428 CID		1AM035550A	550	24 Months
1969	Mercury	Montego	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1969	Mercury	Montego	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1969	Mercury	Montego	7.0L V8 428 CID		1AM270710A	710	24 Months
1969	Mercury	Montego	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1969	Mercury	Montego	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1969	Mercury	Montego	7.0L V8 428 CID		2AM035500A	500	18 Months
1969	Mercury	Montego	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1969	Mercury	Montego	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1969	Mercury	Montego	7.0L V8 428 CID		2AM240530A	530	18 Months
1969	Mercury	Montego	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1969	Mercury	Montego	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Montego	6.4L V8 390 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Montego	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1969-1968	Mercury	Montego	6.4L V8 390 CID		1AM260575A	575	24 Months
1969-1968	Mercury	Montego	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1969-1968	Mercury	Montego	6.4L V8 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Montego	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1969-1968	Mercury	Montego	6.4L V8 390 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Montego	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1969-1968	Mercury	Montego	6.4L V8 390 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Montego	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1969-1968	Mercury	Montego	6.4L V8 390 CID		BB26R540AD	540	36 Months
1969-1968	Mercury	Montego	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1971,1969	Mercury	Montego	5.8L V8 351 CID		1AM270710A	710	24 Months
1971,1969	Mercury	Montego	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1971,1969	Mercury	Montego	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1971-1970	Mercury	Montego	7.0L V8 429 CID		1AM270710A	710	24 Months
1971-1970	Mercury	Montego	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973	Mercury	Montego	5.0L V8 302 CID		1AM035550A	550	24 Months
1973	Mercury	Montego	5.0L V8 302 CID		2AM035500A	500	18 Months
1973	Mercury	Montego	5.0L V8 302 CID		2AM240530A	530	18 Months
1973-1970	Mercury	Montego	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1970	Mercury	Montego	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1970	Mercury	Montego	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1970	Mercury	Montego	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1970	Mercury	Montego	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1970	Mercury	Montego	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1971,1969	Mercury	Montego	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1973-1971,1969	Mercury	Montego	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1971,1969	Mercury	Montego	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1973-1971,1969	Mercury	Montego	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1971,1969	Mercury	Montego	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1973-1971,1969	Mercury	Montego	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months
1974,1970-1969	Mercury	Montego	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1974,1970-1969	Mercury	Montego	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1974,1970-1969	Mercury	Montego	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1974,1970-1969	Mercury	Montego	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1974-1968	Mercury	Montego	5.0L V8 302 CID		1AM260575A	575	24 Months
1974-1968	Mercury	Montego	5.0L V8 302 CID		BB26R540AD	540	36 Months
1974-1969	Mercury	Montego	4.1L L6 250 CID		1AM260575A	575	24 Months
1974-1969	Mercury	Montego	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1974-1969	Mercury	Montego	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1974-1969	Mercury	Montego	4.1L L6 250 CID		BB26R540AD	540	36 Months
1974-1969	Mercury	Montego	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1974-1969	Mercury	Montego	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1974-1972	Mercury	Montego	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Montego	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Montego	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Montego	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Montego	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1972	Mercury	Montego	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1973	Mercury	Montego	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1973	Mercury	Montego	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1973	Mercury	Montego	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
1976-1972	Mercury	Montego	6.6L V8 400 CID		1AM035550A	550	24 Months
1976-1972	Mercury	Montego	6.6L V8 400 CID		2AM035500A	500	18 Months
1976-1972	Mercury	Montego	6.6L V8 400 CID		2AM240530A	530	18 Months
1976-1973	Mercury	Montego	7.5L V8 460 CID		1AM035550A	550	24 Months
1976-1973	Mercury	Montego	7.5L V8 460 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1976-1973	Mercury	Montego	7.5L V8 460 CID		2AM240530A	530	18 Months
1976-1974, 1970-1969	Mercury	Montego	5.8L V8 351 CID		1AM260575A	575	24 Months
1976-1974, 1970-1969	Mercury	Montego	5.8L V8 351 CID		BB26R540AD	540	36 Months
1976-1975, 1973-1971, 1969	Mercury	Montego	5.8L V8 351 CID		1AM035550A	550	24 Months
1976-1975, 1973-1971, 1969	Mercury	Montego	5.8L V8 351 CID		2AM035500A	500	18 Months
1976-1975, 1973-1971, 1969	Mercury	Montego	5.8L V8 351 CID		2AM240530A	530	18 Months
2007-2005	Mercury	Montego	3.0L V6 183 CID		1AM360650A	650	24 Months
2007-2005	Mercury	Montego	3.0L V6 2968cc 181 CID		1AM360650A	650	24 Months
1960	Mercury	Monterey	5.1L V8 5114cc 312 CID		1AM035550A	550	24 Months
1960	Mercury	Monterey	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1960	Mercury	Monterey	5.1L V8 5114cc 312 CID		2AM035500A	500	18 Months
1960	Mercury	Monterey	5.1L V8 5114cc 312 CID		2AM240530A	530	18 Months
1960-1958	Mercury	Monterey	6.3L V8 6277cc 383 CID		1AM270710A	710	24 Months
1960-1958	Mercury	Monterey	7.0L V8 7048cc 430 CID		1AM270710A	710	24 Months
1962	Mercury	Monterey	4.8L V8 292 CID		1AM035550A	550	24 Months
1962	Mercury	Monterey	4.8L V8 292 CID		1AM270710A	710	24 Months
1962	Mercury	Monterey	4.8L V8 292 CID		2AM035500A	500	18 Months
1962	Mercury	Monterey	4.8L V8 292 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Monterey	4.8L V8 4786cc 292 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Monterey	5.8L V8 5769cc 352 CID		1AM035550A	550	24 Months
1962-1961	Mercury	Monterey	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Monterey	4.8L V8 4786cc 292 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Monterey	5.8L V8 5769cc 352 CID		1AM270710A	710	24 Months
1962-1961	Mercury	Monterey	4.8L V8 4786cc 292 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Monterey	5.8L V8 5769cc 352 CID		2AM035500A	500	18 Months
1962-1961	Mercury	Monterey	4.8L V8 4786cc 292 CID		2AM240530A	530	18 Months
1962-1961	Mercury	Monterey	5.8L V8 5769cc 352 CID		2AM240530A	530	18 Months
1963-1962	Mercury	Monterey	6.6L V8 6654cc 406 CID		1AM270710A	710	24 Months
1967-1963	Mercury	Monterey	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1965	Mercury	Monterey	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1967-1965	Mercury	Monterey	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1965	Mercury	Monterey	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1967-1965	Mercury	Monterey	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1965	Mercury	Monterey	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1967-1965	Mercury	Monterey	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Monterey	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Monterey	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967-1966	Mercury	Monterey	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Monterey	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1969, 1963-1962	Mercury	Monterey	6.4L V8 390 CID		1AM270710A	710	24 Months
1969, 1964-1961	Mercury	Monterey	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1970-1965	Mercury	Monterey	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1970-1965	Mercury	Monterey	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1970-1966	Mercury	Monterey	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1970-1966	Mercury	Monterey	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1970-1966	Mercury	Monterey	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1970-1966	Mercury	Monterey	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1970-1968	Mercury	Monterey	7.0L V8 428 CID		1AM035550A	550	24 Months
1970-1968	Mercury	Monterey	6.4L V8 390 CID		1AM260575A	575	24 Months
1970-1968	Mercury	Monterey	7.0L V8 428 CID		1AM270710A	710	24 Months
1970-1968	Mercury	Monterey	7.0L V8 428 CID		2AM035500A	500	18 Months
1970-1968	Mercury	Monterey	7.0L V8 428 CID		2AM240530A	530	18 Months
1970-1968	Mercury	Monterey	6.4L V8 390 CID		BB26R540AD	540	36 Months
1970-1969, 1963-1962	Mercury	Monterey	6.4L V8 390 CID		1AM035550A	550	24 Months
1970-1969, 1963-1962	Mercury	Monterey	6.4L V8 390 CID		2AM035500A	500	18 Months
1970-1969, 1963-1962	Mercury	Monterey	6.4L V8 390 CID		2AM240530A	530	18 Months
1970-1969, 1964-1962	Mercury	Monterey	6.4L V8 6391cc 390 CID		1AM035550A	550	24 Months
1970-1969, 1964-1962	Mercury	Monterey	6.4L V8 6391cc 390 CID		2AM035500A	500	18 Months
1970-1969, 1964-1962	Mercury	Monterey	6.4L V8 6391cc 390 CID		2AM240530A	530	18 Months
1973	Mercury	Monterey	5.8L V8 351 CID		1AM260575A	575	24 Months
1973	Mercury	Monterey	5.8L V8 5752cc 351 CID		1AM260575A	575	24 Months
1973	Mercury	Monterey	5.8L V8 5753cc 351 CID		1AM260575A	575	24 Months
1973	Mercury	Monterey	5.8L V8 351 CID		BB26R540AD	540	36 Months
1973	Mercury	Monterey	5.8L V8 5752cc 351 CID		BB26R540AD	540	36 Months
1973	Mercury	Monterey	5.8L V8 5753cc 351 CID		BB26R540AD	540	36 Months
1973-1969	Mercury	Monterey	7.0L V8 429 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Monterey	7.0L V8 7030cc 429 CID		1AM035550A	550	24 Months
1973-1969	Mercury	Monterey	7.0L V8 429 CID		1AM270710A	710	24 Months
1973-1969	Mercury	Monterey	7.0L V8 7030cc 429 CID		1AM270710A	710	24 Months
1973-1969	Mercury	Monterey	7.0L V8 429 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Monterey	7.0L V8 7030cc 429 CID		2AM035500A	500	18 Months
1973-1969	Mercury	Monterey	7.0L V8 429 CID		2AM240530A	530	18 Months
1973-1969	Mercury	Monterey	7.0L V8 7030cc 429 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Monterey	5.8L V8 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Monterey	5.8L V8 5753cc 351 CID		1AM035550A	550	24 Months
1973-1971	Mercury	Monterey	5.8L V8 351 CID		1AM270710A	710	24 Months
1973-1971	Mercury	Monterey	5.8L V8 5752cc 351 CID		1AM270710A	710	24 Months
1973-1971	Mercury	Monterey	5.8L V8 5753cc 351 CID		1AM270710A	710	24 Months
1973-1971	Mercury	Monterey	5.8L V8 351 CID		2AM035500A	500	18 Months
1973-1971	Mercury	Monterey	5.8L V8 5753cc 351 CID		2AM035500A	500	18 Months
1973-1971	Mercury	Monterey	5.8L V8 351 CID		2AM240530A	530	18 Months
1973-1971	Mercury	Monterey	5.8L V8 5753cc 351 CID		2AM240530A	530	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1970	Mercury	Monterey	5.8L V8 5752cc 351 CID		1AM035550A	550	24 Months
1974-1970	Mercury	Monterey	5.8L V8 5752cc 351 CID		2AM035500A	500	18 Months
1974-1970	Mercury	Monterey	5.8L V8 5752cc 351 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Monterey	6.6L V8 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Monterey	6.6L V8 6555cc 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Monterey	6.6L V8 6556cc 400 CID		1AM035550A	550	24 Months
1974-1971	Mercury	Monterey	6.6L V8 400 CID		1AM270710A	710	24 Months
1974-1971	Mercury	Monterey	6.6L V8 6555cc 400 CID		1AM270710A	710	24 Months
1974-1971	Mercury	Monterey	6.6L V8 6556cc 400 CID		1AM270710A	710	24 Months
1974-1971	Mercury	Monterey	6.6L V8 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Monterey	6.6L V8 6555cc 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Monterey	6.6L V8 6556cc 400 CID		2AM035500A	500	18 Months
1974-1971	Mercury	Monterey	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Monterey	6.6L V8 6555cc 400 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Monterey	6.6L V8 6556cc 400 CID		2AM240530A	530	18 Months
1974-1971	Mercury	Monterey	6.6L V8 400 CID		2AM240530A	530	18 Months
1974-1972	Mercury	Monterey	7.5L V8 460 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Monterey	7.5L V8 7539cc 460 CID		1AM035550A	550	24 Months
1974-1972	Mercury	Monterey	7.5L V8 460 CID		1AM270710A	710	24 Months
1974-1972	Mercury	Monterey	7.5L V8 7539cc 460 CID		1AM270710A	710	24 Months
1974-1972	Mercury	Monterey	7.5L V8 460 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Monterey	7.5L V8 7539cc 460 CID		2AM035500A	500	18 Months
1974-1972	Mercury	Monterey	7.5L V8 460 CID		2AM240530A	530	18 Months
1974-1972	Mercury	Monterey	7.5L V8 7539cc 460 CID		2AM240530A	530	18 Months
2007-2004	Mercury	Monterey	4.2L V6 256 CID		1AM065750A	750	24 Months
2007-2004	Mercury	Monterey	4.2L V6 256 CID		BB065850AB	850	36 Months
2001-1997	Mercury	Mountaineer	5.0L V8 302 CID		1AM065750A	750	24 Months
2001-1997	Mercury	Mountaineer	5.0L V8 302 CID		2AM065650A	650	18 Months
2001-1997	Mercury	Mountaineer	5.0L V8 302 CID		BB065675AA	675	36 Months
2001-1997	Mercury	Mountaineer	5.0L V8 302 CID		BB065850AB	850	36 Months
2010-1998	Mercury	Mountaineer	4.0L V6 245 CID		1AM065750A	750	24 Months
2010-1998	Mercury	Mountaineer	4.0L V6 245 CID		2AM065650A	650	18 Months
2010-1998	Mercury	Mountaineer	4.0L V6 245 CID		BB065675AA	675	36 Months
2010-1998	Mercury	Mountaineer	4.0L V6 245 CID		BB065850AB	850	36 Months
2010-2002	Mercury	Mountaineer	4.6L V8 281 CID		1AM065750A	750	24 Months
2010-2002	Mercury	Mountaineer	4.6L V8 281 CID		2AM065650A	650	18 Months
2010-2002	Mercury	Mountaineer	4.6L V8 281 CID		BB065675AA	675	36 Months
2010-2002	Mercury	Mountaineer	4.6L V8 281 CID		BB065850AB	850	36 Months
2000-1995	Mercury	Mystique	2.0L L4 1989cc 121 CID		1AM960590A	590	24 Months
2000-1995	Mercury	Mystique	2.5L V6 2450cc 155 CID		1AM960590A	590	24 Months
1960-1958	Mercury	Park Lane	5.1L V8 5114cc 312 CID		1AM270710A	710	24 Months
1960-1958	Mercury	Park Lane	6.3L V8 6277cc 383 CID		1AM270710A	710	24 Months
1960-1958	Mercury	Park Lane	7.0L V8 7048cc 430 CID		1AM270710A	710	24 Months
1964	Mercury	Park Lane	6.4L V8 6391cc 390 CID		1AM270710A	710	24 Months
1967-1964	Mercury	Park Lane	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1965	Mercury	Park Lane	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1967-1965	Mercury	Park Lane	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1965	Mercury	Park Lane	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Park Lane	6.7L V8 6720cc 410 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Park Lane	6.7L V8 6720cc 410 CID		1AM270710A	710	24 Months
1967-1966	Mercury	Park Lane	6.7L V8 6720cc 410 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Park Lane	6.7L V8 6720cc 410 CID		2AM240530A	530	18 Months
1968	Mercury	Park Lane	6.4L V8 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1968	Mercury	Park Lane	7.0L V8 428 CID		1AM035550A	550	24 Months
1968	Mercury	Park Lane	6.4L V8 390 CID		1AM260575A	575	24 Months
1968	Mercury	Park Lane	7.0L V8 428 CID		1AM270710A	710	24 Months
1968	Mercury	Park Lane	6.4L V8 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1968	Mercury	Park Lane	7.0L V8 428 CID		2AM035500A	500	18 Months
1968	Mercury	Park Lane	6.4L V8 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1968	Mercury	Park Lane	7.0L V8 428 CID		2AM240530A	530	18 Months
1968	Mercury	Park Lane	6.4L V8 390 CID		BB26R540AD	540	36 Months
1968-1965	Mercury	Park Lane	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1968-1965	Mercury	Park Lane	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1968-1965	Mercury	Park Lane	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1968-1965	Mercury	Park Lane	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1968-1965	Mercury	Park Lane	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1968-1966	Mercury	Park Lane	7.0L V8 7014cc 428 CID		1AM035550A	550	24 Months
1968-1966	Mercury	Park Lane	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1968-1966	Mercury	Park Lane	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1968-1966	Mercury	Park Lane	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1986	Mercury	Sable	3.0L V6 2986cc 182 CID	w/Heated Windshield	BB065850AB	850	36 Months
1990-1988	Mercury	Sable	3.0L V6 2986cc 182 CID		BB065850AB	850	36 Months
1991	Mercury	Sable	3.8L V6 232 CID; Wagon		1AM065750A	750	24 Months
1991	Mercury	Sable	3.8L V6 232 CID; Wagon		2AM065650A	650	18 Months
1991	Mercury	Sable	3.8L V6 232 CID; Wagon		BB065675AA	675	36 Months
1992-1991	Mercury	Sable	3.0L V6 2986cc 182 CID	Optional; w/Heated Windshield or Police Pkg.	1AM065750A	750	24 Months
1992-1991	Mercury	Sable	3.0L V6 2986cc 182 CID	Optional; w/Heated Windshield or Police Pkg.	2AM065650A	650	18 Months
1992-1991	Mercury	Sable	3.0L V6 2986cc 182 CID	Optional; w/Heated Windshield or Police Pkg.	BB065675AA	675	36 Months
1992-1991	Mercury	Sable	3.0L V6 2986cc 182 CID	Optional; w/Heated Windshield or Police Pkg.	BB065850AB	850	36 Months
1995-1988	Mercury	Sable	3.8L V6 232 CID		BB065850AB	850	36 Months
1995-1992	Mercury	Sable	3.8L V6 232 CID		1AM065750A	750	24 Months
1995-1992	Mercury	Sable	3.8L V6 232 CID		2AM065650A	650	18 Months
1995-1992	Mercury	Sable	3.8L V6 232 CID		BB065675AA	675	36 Months
2004-2002	Mercury	Sable	3.0L V6 2967cc 181 CID		1AM360650A	650	24 Months
2005-1996	Mercury	Sable	3.0L V6 2968cc 181 CID		1AM360650A	650	24 Months
2005-1996	Mercury	Sable	3.0L V6 2986cc 182 CID		1AM360650A	650	24 Months
1990-1987	Mercury	Tracer	1.6L L4 1598cc 98 CID		1AM035550A	550	24 Months
1990-1987	Mercury	Tracer	1.6L L4 1598cc 98 CID		2AM035500A	500	18 Months
1996-1991	Mercury	Tracer	1.8L L4 112 CID		1AM035550A	550	24 Months
1996-1991	Mercury	Tracer	1.9L L4 116 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1996-1991	Mercury	Tracer	1.8L L4 112 CID		2AM035500A	500	18 Months
1996-1991	Mercury	Tracer	1.9L L4 116 CID		2AM035500A	500	18 Months
1962	Mercury	Villager	3.6L L6 3655cc 223 CID		1AM270710A	710	24 Months
1963-1962	Mercury	Villager	2.4L L6 2360cc 144 CID		1AM035550A	550	24 Months
1963-1962	Mercury	Villager	2.4L L6 2360cc 144 CID		1AM270710A	710	24 Months
1963-1962	Mercury	Villager	3.6L V8 3622cc 221 CID		1AM270710A	710	24 Months
1963-1962	Mercury	Villager	2.4L L6 2360cc 144 CID		2AM035500A	500	18 Months
1963-1962	Mercury	Villager	2.4L L6 2360cc 144 CID		2AM240530A	530	18 Months
1964	Mercury	Villager	3.3L L6 3277cc 200 CID		1AM035550A	550	24 Months
1964	Mercury	Villager	4.7L V8 4727cc 289 CID		1AM270710A	710	24 Months
1964	Mercury	Villager	3.3L L6 3277cc 200 CID		2AM035500A	500	18 Months
1964	Mercury	Villager	3.3L L6 3277cc 200 CID		2AM240530A	530	18 Months
1964-1963	Mercury	Villager	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1964-1963	Mercury	Villager	3.3L L6 3277cc 200 CID		1AM270710A	710	24 Months
1964-1963	Mercury	Villager	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1964-1963	Mercury	Villager	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1965-1962	Mercury	Villager	4.3L V8 4261cc 260 CID		1AM270710A	710	24 Months
1966-1965	Mercury	Villager	7.0L V8 6997cc 427 CID		1AM035550A	550	24 Months
1966-1965	Mercury	Villager	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1966-1965	Mercury	Villager	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1962	Mercury	Villager	2.8L L6 2786cc 170 CID		1AM270710A	710	24 Months
1967-1964	Mercury	Villager	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1964	Mercury	Villager	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1964	Mercury	Villager	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1964	Mercury	Villager	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1965	Mercury	Villager	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1967-1965	Mercury	Villager	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1967-1966	Mercury	Villager	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1967-1966	Mercury	Villager	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967-1966	Mercury	Villager	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1967-1966	Mercury	Villager	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1967-1966	Mercury	Villager	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1993	Mercury	Villager	3.0L V6 182 CID; Sold in United States		1AM035550A	550	24 Months
1998-1993	Mercury	Villager	3.0L V6 182 CID; Sold in United States		2AM035500A	500	18 Months
1998-1994	Mercury	Villager	3.0L V6 182 CID		1AM035550A	550	24 Months
1998-1994	Mercury	Villager	3.0L V6 182 CID		2AM240530A	530	18 Months
2002-1999	Mercury	Villager	3.3L V6 3275cc		1AM035550A	550	24 Months
2002-1999	Mercury	Villager	3.3L V6 3275cc; Sold in United States		2AM035500A	500	18 Months
2002-1999	Mercury	Villager	3.3L V6 3275cc		2AM240530A	530	18 Months
1967-1966	Mercury	Voyager	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1967-1966	Mercury	Voyager	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		1AM035550A	550	24 Months
1967-1966	Mercury	Voyager	3.3L L6 3277cc 200 CID		1AM260575A	575	24 Months
1967-1966	Mercury	Voyager	6.4L V8 6391cc 390 CID		1AM260575A	575	24 Months
1967-1966	Mercury	Voyager	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1967-1966	Mercury	Voyager	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM035500A	500	18 Months
1967-1966	Mercury	Voyager	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1966	Mercury	Voyager	6.4L V8 6391cc 390 CID; w/ Automatic Trans.		2AM240530A	530	18 Months
1967-1966	Mercury	Voyager	3.3L L6 3277cc 200 CID		BB26R540AD	540	36 Months
1967-1966	Mercury	Voyager	6.4L V8 6391cc 390 CID		BB26R540AD	540	36 Months
1982	Mercury	Zephyr	4.2L V8 255 CID		1AM035550A	550	24 Months
1982	Mercury	Zephyr	4.2L V8 255 CID		2AM035500A	500	18 Months
1982	Mercury	Zephyr	4.2L V8 255 CID		2AM240530A	530	18 Months
1983	Mercury	Zephyr	3.3L L6 200 CID	Police or Taxi	1AM035550A	550	24 Months
1983	Mercury	Zephyr	3.3L L6 200 CID	Police or Taxi	2AM035500A	500	18 Months
1983	Mercury	Zephyr	3.3L L6 200 CID	Police or Taxi	2AM240530A	530	18 Months
1989-1985	Merkur	XR4Ti	2.3L L4 140 CID	OE battery has type F terminals.	BB0H5500AB	500	36 Months
1989-1985	Merkur	XR4Ti	2.3L L4 140 CID	OE CCA: 490; OE Group: 47; OE battery has special terminals. Cable change is necessary.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1962-1958	Metropolitan	Series 1500	1.5L L4 1489cc 91 CID		1AM024700B	700	24 Months
1954	Metropolitan	Series A	1.2L L4 1198cc 73 CID		1AM024700B	700	24 Months
1954	Metropolitan	Series A	1.2L L4 1204cc 73 CID		1AM024700B	700	24 Months
1956-1955	Metropolitan	Series B	1.2L L4 1198cc 73 CID		1AM024700B	700	24 Months
1956-1955	Metropolitan	Series B	1.2L L4 1204cc 73 CID		1AM024700B	700	24 Months
1957-1956	Metropolitan	Series B	1.5L L4 1489cc 91 CID		1AM024700B	700	24 Months
1961-1959	MG	Magnette	1.5L L4 1489cc 91 CID		1AM024700B	700	24 Months
1965-1962	MG	Magnette	1.6L L4 1622cc 99 CID		1AM024700B	700	24 Months
1981-1975	MG	MGB	1.8L L4 1798cc		1AM024700B	700	24 Months
1962	MG	Midget	1.0L L4 1000cc 58 CID		1AM024700B	700	24 Months
1966-1963	MG	Midget	1.1L L4 1098cc 67 CID		1AM024700B	700	24 Months
1966-1963	MG	Midget	1.1L L4 67 CID		1AM024700B	700	24 Months
1969-1967	MG	Midget	1.3L L4 1275cc		1AM024700B	700	24 Months
1969-1967	MG	Midget	1.3L L4 1275cc 78 CID		1AM024700B	700	24 Months
1979	MG	Midget	1.5L L4 1493cc 91 CID		1AM024700B	700	24 Months
1953-1950	MG	TD	1.3L L4 1250cc 76 CID	Check Voltage	1AM024700B	700	24 Months
1953-1951	MG	TDC	1.3L L4 1250cc 76 CID	Check Voltage	1AM024700B	700	24 Months
1954	MG	TF	1.3L L4 1250cc 76 CID	Check Voltage	1AM024700B	700	24 Months
1955	MG	TF	1.5L L4 1466cc 90 CID	Check Voltage	1AM024700B	700	24 Months
1950	MG	YA	1.3L L4 1250cc 76 CID	Check Voltage	1AM024700B	700	24 Months
1953-1951	MG	YB	1.3L L4 1250cc 76 CID	Check Voltage	1AM024700B	700	24 Months
1950	MG	YT	1.3L L4 1250cc 76 CID	Check Voltage	1AM024700B	700	24 Months
1956-1954	MG	ZA	1.5L L4 1489cc 91 CID	Check Voltage	1AM024700B	700	24 Months
1958-1957	MG	ZB	1.5L L4 1489cc 91 CID	Check Voltage	1AM024700B	700	24 Months
2004-2002	Mini	Cooper	1.6L L4 1600cc; Naturally Aspirated	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2004-2002	Mini	Cooper	1.6L L4 1600cc; Supercharged	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H5500AB	500	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005	Mini	Cooper	1.6L L4 1600cc; Naturally Aspirated	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
2005	Mini	Cooper	1.6L L4 1600cc; Supercharged	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
2006	Mini	Cooper	1.6L L4 1600cc; Naturally Aspirated	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2006	Mini	Cooper	1.6L L4 1600cc; Supercharged	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2008-2002	Mini	Cooper	1.6L L4 1600cc; Naturally Aspirated	Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2008-2002	Mini	Cooper	1.6L L4 1600cc; Supercharged	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2008-2007	Mini	Cooper	1.6L L4 1600cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2009-2007	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2009-2007	Mini	Cooper	1.6L L4 1598cc; Naturally Aspirated	Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2009-2007	Mini	Cooper	1.6L L4 1598cc; Turbocharged	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2010	Mini	Cooper	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; Mfr. Recommended replacement battery shown, may vary from OE battery.; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2012	Mini	Cooper	1.6L L4 1598cc	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; Mfr. Recommended replacement battery shown, may vary from OE battery.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2012-2010	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012-2010	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2012-2010	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2012-2010	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	1AM0H6770A	770	24 Months
2013	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	2AM048615A	615	18 Months
2013	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
2013	Mini	Cooper	1.6L L4 1598cc 98 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.	BB0H6600AA	600	36 Months
2014-2010	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2010	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2014-2010	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2014-2010	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2014-2010	Mini	Cooper	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2014-2010	Mini	Cooper	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Mini	Cooper	1.5L L3 1499cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2015	Mini	Cooper	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2014	Mini	Cooper	1.5L L3 1499cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2012	Mini	Cooper Countryman	1.6L L4 1598cc	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; Mfr. Recommended replacement battery shown, may vary from OE battery.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2014-2011	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2011	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2014-2011	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2014-2011	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2015	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2011	Mini	Cooper Countryman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2011	Mini	Cooper Countryman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2016	Mini	Cooper Countryman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Mini	Cooper Countryman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Mini	Cooper Countryman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013	Mini	Cooper Paceman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; DIN/EN Size; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2014-2013	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2013	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2014-2013	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2014-2013	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; DIN/EN Size; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2015	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2013	Mini	Cooper Paceman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2014	Mini	Cooper Paceman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2016	Mini	Cooper Paceman	1.6L L4 1598cc	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2016	Mini	Cooper Paceman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Mini	Cooper Paceman	1.6L L4 1598cc	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
1995-1991	Mitsubishi	3000GT	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
1996-1992	Mitsubishi	Diamante	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
1998-1997	Mitsubishi	Diamante	3.5L V6 3497cc 215 CID		1AM024700B	700	24 Months
2003-1999	Mitsubishi	Diamante	3.5L V6 3497cc 215 CID		BB086525AB	525	36 Months
2004	Mitsubishi	Diamante	3.5L V6 3497cc 215 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM024700B	700	24 Months
1994-1990	Mitsubishi	Eclipse	1.8L L4 1755cc 107 CID		BB086525AB	525	36 Months
1999-1990	Mitsubishi	Eclipse	2.0L L4 1997cc 122 CID		BB086525AB	525	36 Months
1999-1996	Mitsubishi	Eclipse	2.4L L4 2351cc		BB086525AB	525	36 Months
2005-2000	Mitsubishi	Eclipse	2.4L L4 2351cc	Installation may take up to 30 minutes. Battery located under hood.	BB086525AB	525	36 Months
2005-2000	Mitsubishi	Eclipse	3.0L V6 2972cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	BB086525AB	525	36 Months
2012-2006	Mitsubishi	Eclipse	3.8L V6 3828cc 230 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM024700B	700	24 Months
2012-2006	Mitsubishi	Eclipse	2.4L L4 2378cc	Installation may take up to 30 minutes. Battery located under hood.	BB086525AB	525	36 Months
2004	Mitsubishi	Endeavor	3.8L V6 3797cc 230 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011-2010,2008-2004	Mitsubishi	Endeavor	3.8L V6 3828cc 230 CID		1AM024700B	700	24 Months
1995-1992	Mitsubishi	Expo	2.4L L4 2351cc		1AM024700B	700	24 Months
1994-1993	Mitsubishi	Expo LRV	2.4L L4 2351cc		1AM024700B	700	24 Months
1988	Mitsubishi	Galant	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
2003-1999	Mitsubishi	Galant	3.0L V6 2972cc 181 CID		BB086525AB	525	36 Months
2004-1999	Mitsubishi	Galant	2.4L L4 2351cc		BB086525AB	525	36 Months
2009-2004	Mitsubishi	Galant	3.8L V6 3828cc 230 CID		1AM024700B	700	24 Months
2012-2004	Mitsubishi	Galant	2.4L L4 2378cc		BB086525AB	525	36 Months
2002	Mitsubishi	Lancer	2.0L L4 2000cc		2AM035500A	500	18 Months
2004	Mitsubishi	Lancer	2.4L L4 2400cc		1AM035550A	550	24 Months
2004-2002	Mitsubishi	Lancer	2.0L L4 2000cc		1AM035550A	550	24 Months
2006-2005	Mitsubishi	Lancer	2.0L L4 1997cc 122 CID		1AM035550A	550	24 Months
2006-2005	Mitsubishi	Lancer	2.4L L4 2378cc		1AM035550A	550	24 Months
2007-2004	Mitsubishi	Lancer	2.0L L4 1999cc 122 CID		1AM035550A	550	24 Months
2008	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; GTS		1AM035550A	550	24 Months
2011-2010	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; Ralliart Sportback		1AM035550A	550	24 Months
2013-2011	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; GT Sportback		1AM035550A	550	24 Months
2014	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; Limited Edition		1AM035550A	550	24 Months
2014-2011	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; ES Sportback		1AM035550A	550	24 Months
2015	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; SE Limited Edition		1AM035550A	550	24 Months
2015	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; SE Limited Edition Sportback		1AM035550A	550	24 Months
2015-2008	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; DE		1AM035550A	550	24 Months
2015-2008	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; ES		1AM035550A	550	24 Months
2015-2009	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; Ralliart		1AM035550A	550	24 Months
2015-2009	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; SE		1AM035550A	550	24 Months
2015-2011	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; GT		1AM035550A	550	24 Months
2015-2011	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID; SE Sportback		1AM035550A	550	24 Months
2017-2009	Mitsubishi	Lancer	2.4L L4 2360cc 144 CID		1AM035550A	550	24 Months
2017-2016	Mitsubishi	Lancer	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
1983	Mitsubishi	Mighty Max	2.3L L4 2346cc 143 CID		1AM024700B	700	24 Months
1985-1983	Mitsubishi	Mighty Max	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
1987-1983	Mitsubishi	Mighty Max	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1990	Mitsubishi	Mighty Max	2.4L L4 2351cc; Sold in Canada		1AM024700B	700	24 Months
1994-1990	Mitsubishi	Mighty Max	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
1994-1991	Mitsubishi	Mighty Max	2.4L L4 2351cc; RWD; Sold in Canada		1AM024700B	700	24 Months
2002-1998	Mitsubishi	Mirage	1.5L L4 1468cc 90 CID		1AM035550A	550	24 Months
2002-1998	Mitsubishi	Mirage	1.8L L4 1834cc 112 CID		1AM035550A	550	24 Months
2002-1998	Mitsubishi	Mirage	1.5L L4 1468cc 90 CID		2AM035500A	500	18 Months
2002-1998	Mitsubishi	Mirage	1.8L L4 1834cc 112 CID		2AM035500A	500	18 Months
2017-2014	Mitsubishi	Mirage	1.2L L3 1193cc 73 CID		1AM035550A	550	24 Months
2017-2014	Mitsubishi	Mirage	1.2L L3 1193cc 73 CID		2AM035500A	500	18 Months
2017	Mitsubishi	Mirage G4	1.2L L3 1193cc 73 CID		1AM035550A	550	24 Months
2017	Mitsubishi	Mirage G4	1.2L L3 1193cc 73 CID		2AM035500A	500	18 Months
1996-1989	Mitsubishi	Montero	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
2000-1994	Mitsubishi	Montero	3.5L V6 3497cc 215 CID		1AM024700B	700	24 Months
2002	Mitsubishi	Montero	3.5L V6 3497cc 215 CID		1AM270710A	710	24 Months
1999-1997	Mitsubishi	Montero Sport	2.4L L4 2351cc		1AM024700B	700	24 Months
2003-1997	Mitsubishi	Montero Sport	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
2004-2002,2000-1999	Mitsubishi	Montero Sport	3.5L V6 3497cc 215 CID		1AM024700B	700	24 Months
2003	Mitsubishi	Outlander	2.4L L4 2351cc		1AM035550A	550	24 Months
2006	Mitsubishi	Outlander	2.4L L4 2378cc		1AM035550A	550	24 Months
2013	Mitsubishi	Outlander	3.0L V6 2998cc 183 CID		1AM035550A	550	24 Months
2013-2012	Mitsubishi	Outlander	3.0L V6 2998cc 182 CID		1AM035550A	550	24 Months
2017-2008	Mitsubishi	Outlander	2.4L L4 2360cc 144 CID		1AM035550A	550	24 Months
2013-2011	Mitsubishi	Outlander Sport	2.0L L4 1998cc 122 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
2017-2014	Mitsubishi	Outlander Sport	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2017-2015	Mitsubishi	Outlander Sport	2.4L L4 2360cc 144 CID		1AM035550A	550	24 Months
2009-2006	Mitsubishi	Raider	3.7L V6 226 CID		1AM065750A	750	24 Months
2009-2006	Mitsubishi	Raider	3.7L V6 226 CID		2AM065650A	650	18 Months
2009-2006	Mitsubishi	Raider	3.7L V6 226 CID		BB065675AA	675	36 Months
2009-2006	Mitsubishi	Raider	3.7L V6 226 CID		BB065850AB	850	36 Months
2017-2011	Mitsubishi	RVR	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2017-2015	Mitsubishi	RVR	2.4L L4 2360cc 144 CID		1AM035550A	550	24 Months
1990-1989	Mitsubishi	Sigma	3.0L V6 2972cc 181 CID		1AM024700B	700	24 Months
1988-1983	Mitsubishi	Tredia	1.8L L4 1795cc		1AM024700B	700	24 Months
1988-1984	Mitsubishi	Tredia	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
2015-2014	Mobility Ventures	MV-1	4.6L V8 281 CID		BB065850AB	850	36 Months
2017,2015	Mobility Ventures	MV-1	3.7L V6 3726cc 227 CID		1AM065750A	750	24 Months
2017-2015	Mobility Ventures	MV-1	3.7L V6 3726cc 227 CID		BB065850AB	850	36 Months
1952-1950	Morris	Minor	0.9L L4 919cc 56 CID		1AM024700B	700	24 Months
1956-1953	Morris	Minor	0.8L L4 803cc 49 CID		1AM024700B	700	24 Months
1969-1968	Morris	Minor	1.0L L4 997cc 61 CID		1AM024700B	700	24 Months
1970-1968	Morris	Minor	1.3L L4 1275cc 78 CID		1AM024700B	700	24 Months
1971-1968	Morris	Minor	1.0L L4 970cc 59 CID		1AM024700B	700	24 Months
1971-1968	Morris	Minor	1.0L L4 998cc 61 CID		1AM024700B	700	24 Months
1971-1968	Morris	Minor	1.1L L4 1098cc 67 CID		1AM024700B	700	24 Months
1956	Nash	Ambassador Custom	5.8L V8 5769cc 352 CID		1AM024700B	700	24 Months
1956	Nash	Ambassador Special	4.1L V8 250 CID		1AM024700B	700	24 Months
1956	Nash	Ambassador Super	4.1L L6 253 CID		1AM024700B	700	24 Months
1956	Nash	Ambassador Super	5.8L V8 352 CID		1AM024700B	700	24 Months
1957	Nash	Ambassador Super	5.4L V8 327 CID		1AM024700B	700	24 Months
1957	Nash	Rambler	4.1L V8 250 CID		1AM024700B	700	24 Months
1957-1956	Nash	Rambler	3.2L L6 196 CID		1AM024700B	700	24 Months
1956	Nash	Statesman	3.2L L6 196 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1973-1971	Nissan	1200	1.2L L4 1171cc		1AM024700B	700	24 Months
1973-1971	Nissan	1200	1.2L L4 1171cc 72 CID		1AM024700B	700	24 Months
1970-1966	Nissan	1600	1.6L L4 1595cc		1AM024700B	700	24 Months
1970-1966	Nissan	1600	1.6L L4 1595cc 97 CID		1AM024700B	700	24 Months
1970-1968	Nissan	2000	2.0L L4 1982cc		1AM024700B	700	24 Months
1970-1968	Nissan	2000	2.0L L4 1982cc 121 CID		1AM024700B	700	24 Months
1980-1977	Nissan	2005X	2.0L L4 1952cc		1AM024700B	700	24 Months
1981	Nissan	2005X	2.0L L4 1952cc; Sold in Canada		1AM024700B	700	24 Months
1983-1982	Nissan	2005X	2.2L L4 2187cc; Sold in Canada		1AM024700B	700	24 Months
1986-1984	Nissan	2005X	1.8L L4 1809cc; Sold in Canada		1AM024700B	700	24 Months
1987	Nissan	2005X	1.8L L4 1809cc		1AM024700B	700	24 Months
1987-1984	Nissan	2005X	2.0L L4 1974cc; Sold in Canada		1AM024700B	700	24 Months
1988	Nissan	2005X	2.0L L4 1974cc		1AM024700B	700	24 Months
1988-1987	Nissan	2005X	3.0L V6 2960cc 181 CID		1AM024700B	700	24 Months
1998-1995	Nissan	2005X	1.6L L4 1597cc 97 CID		1AM035550A	550	24 Months
1998-1995	Nissan	2005X	2.0L L4 1998cc		1AM035550A	550	24 Months
1998-1995	Nissan	2005X	1.6L L4 1597cc 97 CID; Sold in United States		2AM035500A	500	18 Months
1998-1995	Nissan	2005X	2.0L L4 1998cc; Sold in United States		2AM035500A	500	18 Months
1982-1979	Nissan	210	1.2L L4 1237cc		1AM024700B	700	24 Months
1982-1979	Nissan	210	1.4L L4 1393cc 85 CID		1AM024700B	700	24 Months
1982-1979	Nissan	210	1.5L L4 1488cc		1AM024700B	700	24 Months
1998-1989	Nissan	240SX	2.4L L4 2389cc		1AM024700B	700	24 Months
1973-1970	Nissan	240Z	2.4L L6 2393cc		1AM024700B	700	24 Months
1973-1970	Nissan	240Z	2.4L L6 2393cc 146 CID		1AM024700B	700	24 Months
1974	Nissan	260Z	2.6L L6 2565cc 156 CID		1AM024700B	700	24 Months
1974	Nissan	260Z	2.6L L6 2565cc 157 CID		1AM024700B	700	24 Months
1975-1974	Nissan	260Z	2.6L L6 2565cc		1AM024700B	700	24 Months
1978-1975	Nissan	280Z	2.8L L6 2753cc		1AM024700B	700	24 Months
1981-1979	Nissan	280ZX	2.8L L6 2753cc		1AM024700B	700	24 Months
1983-1982	Nissan	280ZX	2.8L L6 2753cc; Sold in Canada		1AM024700B	700	24 Months
1989-1984	Nissan	300ZX	3.0L V6 2960cc		1AM024700B	700	24 Months
1992-1990	Nissan	300ZX	3.0L V6 2960cc; w/ Standard Trans.		1AM035550A	550	24 Months
1992-1990	Nissan	300ZX	3.0L V6 2960cc; w/ Standard Trans.		2AM035500A	500	18 Months
1992-1990	Nissan	300ZX	3.0L V6 2960cc; w/ Standard Trans.		2AM240530A	530	18 Months
1996-1993	Nissan	300ZX	3.0L V6 2960cc; Convertible		1AM035550A	550	24 Months
1996-1993	Nissan	300ZX	3.0L V6 2960cc; Convertible		2AM035500A	500	18 Months
1980-1979	Nissan	310	1.4L L4 1393cc 85 CID		1AM024700B	700	24 Months
1982-1981	Nissan	310	1.5L L4 1488cc		1AM024700B	700	24 Months
1965-1961	Nissan	320	1.2L L4 1189cc 73 CID		1AM024700B	700	24 Months
1973-1970	Nissan	510	1.6L L4 1595cc		1AM024700B	700	24 Months
1973-1970	Nissan	510	1.6L L4 1595cc 97 CID		1AM024700B	700	24 Months
1981-1978	Nissan	510	2.0L L4 1952cc		1AM024700B	700	24 Months
1972-1970	Nissan	521 Pickup	1.6L L4 1595cc		1AM024700B	700	24 Months
1972-1970	Nissan	521 Pickup	1.6L L4 1595cc 97 CID		1AM024700B	700	24 Months
1973	Nissan	610	1.8L L4 1770cc		1AM024700B	700	24 Months
1973	Nissan	610	1.8L L4 1770cc 108 CID		1AM024700B	700	24 Months
1974	Nissan	610	2.0L L4 1952cc 119 CID		1AM024700B	700	24 Months
1976-1974	Nissan	610	2.0L L4 1952cc		1AM024700B	700	24 Months
1979-1975	Nissan	620	2.0L L4 1952cc		1AM024700B	700	24 Months
1973-1972	Nissan	620 Pickup	1.6L L4 1595cc		1AM024700B	700	24 Months
1973-1972	Nissan	620 Pickup	1.6L L4 1595cc 97 CID		1AM024700B	700	24 Months
1974	Nissan	620 Pickup	1.8L L4 1770cc		1AM024700B	700	24 Months
1974	Nissan	620 Pickup	1.8L L4 1770cc 108 CID		1AM024700B	700	24 Months
1974	Nissan	710	1.8L L4 1770cc		1AM024700B	700	24 Months
1974	Nissan	710	1.8L L4 1770cc 108 CID		1AM024700B	700	24 Months
1977-1975	Nissan	710	2.0L L4 1952cc		1AM024700B	700	24 Months
1983-1981	Nissan	720	2.2L L4 2164cc		1AM024700B	700	24 Months
1983-1981	Nissan	720	2.2L L4 2187cc		1AM024700B	700	24 Months
1986-1983	Nissan	720	2.4L L4 2389cc		1AM024700B	700	24 Months
1986-1983, 1980	Nissan	720	2.0L L4 1952cc		1AM024700B	700	24 Months
1981	Nissan	810	2.8L L6 2793cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1981-1977	Nissan	810	2.4L L6 2393cc		1AM024700B	700	24 Months
1995-1993	Nissan	Altima	2.4L L4 2389cc; Sold in United States		1AM035550A	550	24 Months
1995-1993	Nissan	Altima	2.4L L4 2389cc; Sold in United States		2AM035500A	500	18 Months
1996	Nissan	Altima	2.4L L4 2400cc 146 CID		1AM035550A	550	24 Months
2001-1996	Nissan	Altima	2.4L L4 2389cc		1AM035550A	550	24 Months
2017-2002	Nissan	Altima	3.5L V6 3498cc		1AM035550A	550	24 Months
2005	Nissan	Armada	5.6L V8 5600cc 342 CID	w/Tow Pkg.	1AM270710A	710	24 Months
2013	Nissan	Armada	5.6L V8 5552cc 339 CID	w/Tow Pkg.	1AM270710A	710	24 Months
2015-2005	Nissan	Armada	5.6L V8 5552cc	w/Tow Pkg.	1AM270710A	710	24 Months
1990	Nissan	Axxess	2.4L L4 2389cc; Sold in Canada		2AM240530A	530	18 Months
1992-1991	Nissan	Axxess	2.4L L4 2389cc		2AM240530A	530	18 Months
1995-1990	Nissan	Axxess	2.4L L4 2389cc		1AM035550A	550	24 Months
1995-1990	Nissan	Axxess	2.4L L4 2389cc		2AM035500A	500	18 Months
1974	Nissan	B210	1.3L L4 1288cc		1AM024700B	700	24 Months
1974	Nissan	B210	1.3L L4 1288cc 79 CID		1AM024700B	700	24 Months
1978-1975	Nissan	B210	1.4L L4 1393cc 85 CID		1AM024700B	700	24 Months
2014-2009	Nissan	Cube	1.8L L4 1798cc		1AM035550A	550	24 Months
2014-2009	Nissan	Cube	1.8L L4 1798cc		2AM035500A	500	18 Months
1989-1986	Nissan	D21	3.0L V6 2960cc		1AM024700B	700	24 Months
1994-1986	Nissan	D21	2.4L L4 2389cc		1AM024700B	700	24 Months
1994-1990	Nissan	D21	3.0L V6 2960cc 181 CID		1AM024700B	700	24 Months
1978-1976	Nissan	F10	1.4L L4 1393cc 85 CID		1AM024700B	700	24 Months
2003-2001	Nissan	Frontier	2.4L L4 2389cc 146 CID		1AM024700B	700	24 Months
2004-1998	Nissan	Frontier	2.4L L4 2389cc		1AM024700B	700	24 Months
2004-1999	Nissan	Frontier	3.3L V6 3275cc		1AM024700B	700	24 Months
2017-2005	Nissan	Frontier	4.0L V6 3954cc		1AM035550A	550	24 Months
1983-1981	Nissan	Maxima	2.8L L6 2793cc		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1984-1981	Nissan	Maxima	2.4L L6 2393cc; Sold in Canada		1AM024700B	700	24 Months
1988-1985	Nissan	Maxima	3.0L V6 2960cc 181 CID		1AM035550A	550	24 Months
1988-1985	Nissan	Maxima	3.0L V6 2960cc 181 CID		2AM035500A	500	18 Months
1988-1985	Nissan	Maxima	3.0L V6 2960cc 181 CID; Sold in Canada		2AM240530A	530	18 Months
1994-1985	Nissan	Maxima	3.0L V6 2960cc 181 CID; Sold in Canada		1AM270710A	710	24 Months
1994-1989	Nissan	Maxima	3.0L V6 2960cc 181 CID; Sold in United States		1AM035550A	550	24 Months
1994-1989	Nissan	Maxima	3.0L V6 2960cc 181 CID; Sold in United States		2AM035500A	500	18 Months
1995	Nissan	Maxima	3.0L V6 2988cc 182 CID; Sold in United States	Exc. Calif.	1AM035550A	550	24 Months
1995	Nissan	Maxima	3.0L V6 2988cc 182 CID; Sold in United States	Exc. Calif.	2AM035500A	500	18 Months
1999-1996	Nissan	Maxima	3.0L V6 2988cc 182 CID; Sold in United States		1AM035550A	550	24 Months
1999-1996	Nissan	Maxima	3.0L V6 2988cc 182 CID; Sold in United States		2AM035500A	500	18 Months
2017-2016,2014-2004	Nissan	Maxima	3.5L V6 3498cc		1AM035550A	550	24 Months
1988-1986	Nissan	Multi	2.0L L4 1974cc 122 CID		1AM035550A	550	24 Months
1988-1986	Nissan	Multi	2.0L L4 1974cc 122 CID		2AM035500A	500	18 Months
1988-1986	Nissan	Multi	2.0L L4 1974cc 122 CID		2AM240530A	530	18 Months
2008,2003	Nissan	Murano	3.5L V6 3498cc	Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
2008,2003	Nissan	Murano	3.5L V6 3498cc	Installation may take up to 30 minutes. Battery located under hood.	2AM035500A	500	18 Months
2017	Nissan	Murano	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood.	1AM035550A	550	24 Months
2016-2012	Nissan	NV2500	4.0L V6 3954cc	w/Tow Pkg.	1AM270710A	710	24 Months
2016-2012	Nissan	NV2500	5.6L V8 5552cc	w/Tow Pkg.	1AM270710A	710	24 Months
2016-2012	Nissan	NV3500	4.0L V6 3954cc	w/Tow Pkg.	1AM270710A	710	24 Months
2016-2012	Nissan	NV3500	5.6L V8 5552cc	w/Tow Pkg.	1AM270710A	710	24 Months
1993-1991	Nissan	NX	1.6L L4 1597cc 97 CID; Sold in United States		1AM035550A	550	24 Months
1993-1991	Nissan	NX	2.0L L4 1998cc; Sold in United States		1AM035550A	550	24 Months
1993-1991	Nissan	NX	1.6L L4 1597cc 97 CID; Sold in United States		2AM035500A	500	18 Months
1993-1991	Nissan	NX	2.0L L4 1998cc; Sold in United States		2AM035500A	500	18 Months
1988-1987	Nissan	Pathfinder	2.4L L4 2389cc		1AM024700B	700	24 Months
1995-1987	Nissan	Pathfinder	3.0L V6 2960cc 181 CID		1AM024700B	700	24 Months
2000-1996	Nissan	Pathfinder	3.3L V6 3275cc		1AM024700B	700	24 Months
2003-2001	Nissan	Pathfinder	3.5L V6 3462cc 211 CID		1AM024700B	700	24 Months
2004-2001	Nissan	Pathfinder	3.5L V6 3498cc		1AM024700B	700	24 Months
2012-2007	Nissan	Pathfinder	4.0L V6 3954cc		1AM035550A	550	24 Months
2017-2013	Nissan	Pathfinder	3.5L V6 3498cc		1AM035550A	550	24 Months
2004	Nissan	Pathfinder Armada	5.6L V8 5552cc		1AM270710A	710	24 Months
1995	Nissan	Pickup	3.0L V6 2960cc 181 CID; Sold in Canada		1AM024700B	700	24 Months
1997-1995	Nissan	Pickup	2.4L L4 2389cc; Sold in Canada		1AM024700B	700	24 Months
2004-1999	Nissan	Pickup	2.4L L4 2389cc		1AM024700B	700	24 Months
1983	Nissan	Pulsar	1.6L L4 1597cc		1AM035550A	550	24 Months
1983	Nissan	Pulsar	1.6L L4 1597cc		2AM035500A	500	18 Months
1983	Nissan	Pulsar	1.6L L4 1597cc		2AM240530A	530	18 Months
1984-1983	Nissan	Pulsar NX	1.5L L4 1488cc		1AM035550A	550	24 Months
1984-1983	Nissan	Pulsar NX	1.5L L4 1488cc		2AM035500A	500	18 Months
1984-1983	Nissan	Pulsar NX	1.5L L4 1488cc		2AM240530A	530	18 Months
1989-1988	Nissan	Pulsar NX	1.8L L4 1809cc		1AM035550A	550	24 Months
1989-1988	Nissan	Pulsar NX	1.8L L4 1809cc		2AM035500A	500	18 Months
1989-1988	Nissan	Pulsar NX	1.8L L4 1809cc		2AM240530A	530	18 Months
1990,1988-1983	Nissan	Pulsar NX	1.6L L4 1597cc		1AM035550A	550	24 Months
1990,1988-1983	Nissan	Pulsar NX	1.6L L4 1597cc		2AM035500A	500	18 Months
1990,1988-1983	Nissan	Pulsar NX	1.6L L4 1597cc		2AM240530A	530	18 Months
1990-1989	Nissan	Pulsar NX	1.6L L4 1597cc 97 CID		1AM035550A	550	24 Months
1990-1989	Nissan	Pulsar NX	1.6L L4 1597cc 97 CID		2AM035500A	500	18 Months
1990-1989	Nissan	Pulsar NX	1.6L L4 1597cc 97 CID		2AM240530A	530	18 Months
1998-1993	Nissan	Quest	3.0L V6 2960cc 181 CID		1AM035550A	550	24 Months
1998-1993	Nissan	Quest	3.0L V6 2960cc 181 CID; Sold in United States		2AM035500A	500	18 Months
1998-1993	Nissan	Quest	3.0L V6 2960cc 181 CID		2AM240530A	530	18 Months
2002-1999	Nissan	Quest	3.3L V6 3275cc		1AM035550A	550	24 Months
2002-1999	Nissan	Quest	3.3L V6 3275cc; Sold in United States		2AM035500A	500	18 Months
2002-1999	Nissan	Quest	3.3L V6 3275cc		2AM240530A	530	18 Months
2015-2011	Nissan	Quest	3.5L V6 3498cc	Installation may take up to 45 minutes. Battery located under hood, under cowling.	1AM035550A	550	24 Months
2016,2009-2004	Nissan	Quest	3.5L V6 3498cc		1AM035550A	550	24 Months
1983	Nissan	Sentra	1.6L L4 1597cc	Check polarity before connecting cables.	1AM035550A	550	24 Months
1983	Nissan	Sentra	1.6L L4 1597cc	Check polarity before connecting cables.	2AM035500A	500	18 Months
1983-1982	Nissan	Sentra	1.5L L4 1488cc; Sold in Canada		1AM024700B	700	24 Months
1983-1982	Nissan	Sentra	1.5L L4 1488cc; Sold in United States		1AM035550A	550	24 Months
1983-1982	Nissan	Sentra	1.5L L4 1488cc; Sold in United States		2AM035500A	500	18 Months
1984	Nissan	Sentra	1.6L L4 1597cc; Sold in Canada		1AM024700B	700	24 Months
1984	Nissan	Sentra	1.6L L4 1597cc; Sold in United States		1AM035550A	550	24 Months
1984	Nissan	Sentra	1.6L L4 1597cc; Sold in United States		2AM035500A	500	18 Months
1985	Nissan	Sentra	1.6L L4 1597cc		1AM270710A	710	24 Months
1986	Nissan	Sentra	1.6L L4 1597cc 97 CID		1AM270710A	710	24 Months
1987-1983	Nissan	Sentra	1.7L L4 1688cc		1AM270710A	710	24 Months
1990-1989,1987-1986	Nissan	Sentra	1.6L L4 1597cc 97 CID		2AM240530A	530	18 Months
1993-1990,1988-1987,1985	Nissan	Sentra	1.6L L4 1597cc		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1993-1990,1988-1987,1985	Nissan	Sentra	1.6L L4 1597cc		2AM035500A	500	18 Months
1993-1990,1988-1987,1985	Nissan	Sentra	1.6L L4 1597cc		2AM240530A	530	18 Months
1994-1991	Nissan	Sentra	2.0L L4 1998cc; Sold in United States		1AM035550A	550	24 Months
1994-1991	Nissan	Sentra	1.6L L4 1597cc 97 CID; Sold in Canada		2AM240530A	530	18 Months
1998,1994-1991	Nissan	Sentra	2.0L L4 1998cc; Sold in United States		2AM035500A	500	18 Months
1998-1995	Nissan	Sentra	1.6L L4 1597cc 97 CID; Sold in United States		2AM035500A	500	18 Months
2000-1989,1987-1986	Nissan	Sentra	1.6L L4 1597cc 97 CID		1AM035550A	550	24 Months
2000-1999,1994-1989,1987-1986	Nissan	Sentra	1.6L L4 1597cc 97 CID		2AM035500A	500	18 Months
2001-1996	Nissan	Sentra	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2001-1996	Nissan	Sentra	2.0L L4 1998cc 122 CID		2AM035500A	500	18 Months
2001-1998	Nissan	Sentra	2.0L L4 1998cc		1AM035550A	550	24 Months
2001-1999	Nissan	Sentra	2.0L L4 1998cc		2AM035500A	500	18 Months
2005-2000	Nissan	Sentra	1.8L L4 1809cc		2AM035500A	500	18 Months
2005-2001	Nissan	Sentra	1.8L L4 1769cc 108 CID		2AM035500A	500	18 Months
2005-2004	Nissan	Sentra	1.8L L4 1769cc		2AM035500A	500	18 Months
2006-2000	Nissan	Sentra	1.8L L4 1809cc		1AM035550A	550	24 Months
2006-2001	Nissan	Sentra	1.8L L4 1769cc 108 CID		1AM035550A	550	24 Months
2006-2004	Nissan	Sentra	1.8L L4 1769cc		1AM035550A	550	24 Months
2012-2007	Nissan	Sentra	2.0L L4 1997cc 122 CID		1AM035550A	550	24 Months
2012-2007	Nissan	Sentra	2.0L L4 1997cc 122 CID		2AM035500A	500	18 Months
2013	Nissan	Sentra	1.8L L4 1800cc 110 CID		1AM035550A	550	24 Months
2013	Nissan	Sentra	1.8L L4 1800cc 110 CID		2AM035500A	500	18 Months
2017-2013	Nissan	Sentra	1.8L L4 1798cc 110 CID		1AM035550A	550	24 Months
2017-2013	Nissan	Sentra	1.8L L4 1798cc 110 CID		2AM035500A	500	18 Months
1985-1983	Nissan	Stanza	2.0L L4 1974cc		1AM024700B	700	24 Months
1989-1987	Nissan	Stanza	2.0L L4 1974cc		1AM035550A	550	24 Months
1989-1987	Nissan	Stanza	2.0L L4 1974cc		2AM035500A	500	18 Months
1989-1987	Nissan	Stanza	2.0L L4 1974cc		2AM240530A	530	18 Months
1992-1990	Nissan	Stanza	2.4L L4 2389cc		1AM035550A	550	24 Months
1992-1990	Nissan	Stanza	2.4L L4 2389cc		2AM035500A	500	18 Months
1992-1990	Nissan	Stanza	2.4L L4 2389cc		2AM240530A	530	18 Months
2008	Nissan	Titan	5.6L V8 5552cc; FLEX		1AM270710A	710	24 Months
2009	Nissan	Titan	5.6L V8 5552cc		1AM270710A	710	24 Months
2009	Nissan	Titan	5.6L V8 5600cc 342 CID		1AM270710A	710	24 Months
2013,2007-2006	Nissan	Titan	5.6L V8 5600cc 342 CID	w/Tow Pkg.	1AM270710A	710	24 Months
2015-2010,2007-2004	Nissan	Titan	5.6L V8 5552cc	w/Tow Pkg.	1AM270710A	710	24 Months
2017-2016	Nissan	Titan XD	5.0L V8 305 CID		1AM035550A	550	24 Months
2011-2009	Nissan	Versa	1.6L L4 1598cc		BB0T5590AB	590	36 Months
2012	Nissan	Versa	1.6L L4 1598cc; w/ Standard Trans.		BB0T5590AB	590	36 Months
2012-2007	Nissan	Versa	1.8L L4 1798cc; w/ Automatic Trans.		BB0T5590AB	590	36 Months
2012-2007	Nissan	Versa	1.8L L4 1798cc; w/ Standard Trans.		BB0T5590AB	590	36 Months
2004-2000	Nissan	Xterra	2.4L L4 2389cc		1AM024700B	700	24 Months
2004-2000	Nissan	Xterra	3.3L V6 3275cc		1AM024700B	700	24 Months
2015-2005	Nissan	Xterra	4.0L V6 3954cc		1AM035550A	550	24 Months
1969-1965	Oldsmobile	442	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1969-1968	Oldsmobile	442	6.6L V8 400 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	442	7.5L V8 455 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	442	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1956-1954	Oldsmobile	88	5.3L V8 5310cc 324 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1957	Oldsmobile	88	6.1L V8 6081cc 371 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1999-1992	Oldsmobile	88	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1999-1992	Oldsmobile	88	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1956-1954	Oldsmobile	98	5.3L V8 5310cc 324 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1959-1957	Oldsmobile	98	6.1L V8 6081cc 371 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964-1959	Oldsmobile	98	6.5L V8 6458cc 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964-1963	Oldsmobile	98	6.5L V8 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1965	Oldsmobile	98	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	98	7.5L V8 455 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	98	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Oldsmobile	98	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	98	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	98	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	98	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1975	Oldsmobile	98	6.6L V8 400 CID		1AM075700A	700	24 Months
1975	Oldsmobile	98	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1971	Oldsmobile	98	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1971	Oldsmobile	98	7.5L V8 455 CID		BB078800AB	800	36 Months
1979-1977	Oldsmobile	98	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Oldsmobile	98	6.6L V8 403 CID		BB078800AB	800	36 Months
1983	Oldsmobile	98	4.1L V6 252 CID		BB078800AB	800	36 Months
1983-1981	Oldsmobile	98	4.1L V6 252 CID		1AM075700A	700	24 Months
1984-1977	Oldsmobile	98	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1977	Oldsmobile	98	5.7L V8 350 CID		BB078800AB	800	36 Months
1984-1980	Oldsmobile	98	5.0L V8 307 CID		1AM075700A	700	24 Months
1984-1983	Oldsmobile	98	5.0L V8 307 CID		BB078800AB	800	36 Months
1985	Oldsmobile	98	3.0L V6 181 CID		1AM075700A	700	24 Months
1985	Oldsmobile	98	3.0L V6 181 CID		BB078800AB	800	36 Months
1985	Oldsmobile	98	4.3L V6 260 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1994-1985	Oldsmobile	98	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1996-1985	Oldsmobile	98	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1993-1992	Oldsmobile	Achieva	3.3L V6 204 CID		1AM075700A	700	24 Months
1994-1992	Oldsmobile	Achieva	2.3L L4 140 CID		1AM075700A	700	24 Months
1995-1992	Oldsmobile	Achieva	2.3L L4 138 CID		1AM075700A	700	24 Months
1998-1994	Oldsmobile	Achieva	3.1L V6 189 CID		1AM075700A	700	24 Months
1998-1996	Oldsmobile	Achieva	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
2001-1999	Oldsmobile	Alero	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
2004-1999	Oldsmobile	Alero	3.4L V6 207 CID		1AM075700A	700	24 Months
2004-2002	Oldsmobile	Alero	2.2L L4 2198cc 134 CID		1AM075700A	700	24 Months
2002-2001	Oldsmobile	Aurora	3.5L V6 214 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	BB078800AB	800	36 Months
2003-2001	Oldsmobile	Aurora	4.0L V8 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	BB078800AB	800	36 Months
1994-1991	Oldsmobile	Bravada	4.3L V6 262 CID		BB078800AB	800	36 Months
2001-1996,1994-1991	Oldsmobile	Bravada	4.3L V6 262 CID		1AM075700A	700	24 Months
2004-2002	Oldsmobile	Bravada	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
1987	Oldsmobile	Calais	2.3L L4 138 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1987-1985	Oldsmobile	Calais	2.5L L4 2474cc 151 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1987-1985	Oldsmobile	Calais	3.0L V6 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1961	Oldsmobile	Classic 98	6.5L V8 6458cc 394 CID		1AM024700B	700	24 Months
1971	Oldsmobile	Custom Cruiser	7.5L V8 455 CID		1AM024700B	700	24 Months
1971	Oldsmobile	Custom Cruiser	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1972	Oldsmobile	Custom Cruiser	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Custom Cruiser	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Custom Cruiser	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Custom Cruiser	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1975	Oldsmobile	Custom Cruiser	6.6L V8 400 CID		1AM075700A	700	24 Months
1975	Oldsmobile	Custom Cruiser	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1972	Oldsmobile	Custom Cruiser	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Oldsmobile	Custom Cruiser	7.5L V8 455 CID		BB078800AB	800	36 Months
1979-1977	Oldsmobile	Custom Cruiser	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Oldsmobile	Custom Cruiser	6.6L V8 403 CID		BB078800AB	800	36 Months
1985-1977	Oldsmobile	Custom Cruiser	5.7L V8 350 CID		BB078800AB	800	36 Months
1990-1980	Oldsmobile	Custom Cruiser	5.0L V8 307 CID		1AM075700A	700	24 Months
1992,1985-1977	Oldsmobile	Custom Cruiser	5.7L V8 350 CID		1AM075700A	700	24 Months
1992-1991	Oldsmobile	Custom Cruiser	5.0L V8 305 CID		1AM075700A	700	24 Months
1963-1961	Oldsmobile	Cutlass	3.5L V8 3528cc 215 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1964	Oldsmobile	Cutlass	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1968	Oldsmobile	Cutlass	6.6L V8 400 CID		1AM024700B	700	24 Months
1968-1965	Oldsmobile	Cutlass	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Cutlass	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Cutlass	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Cutlass	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1971-1967	Oldsmobile	Cutlass	4.1L L6 250 CID		1AM260575A	575	24 Months
1971-1967	Oldsmobile	Cutlass	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1971-1967	Oldsmobile	Cutlass	4.1L L6 250 CID		BB26R540AD	540	36 Months
1971-1967	Oldsmobile	Cutlass	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1971-1968	Oldsmobile	Cutlass	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1971-1968	Oldsmobile	Cutlass	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1971-1970	Oldsmobile	Cutlass	7.5L V8 455 CID		1AM024700B	700	24 Months
1971-1970	Oldsmobile	Cutlass	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Oldsmobile	Cutlass	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1971	Oldsmobile	Cutlass	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Cutlass	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Cutlass	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Cutlass	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Cutlass	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1972	Oldsmobile	Cutlass	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Oldsmobile	Cutlass	7.5L V8 455 CID		BB078800AB	800	36 Months
1976-1975	Oldsmobile	Cutlass	4.1L L6 250 CID		1AM075700A	700	24 Months
1976-1975	Oldsmobile	Cutlass	4.1L L6 250 CID		BB078800AB	800	36 Months
1977	Oldsmobile	Cutlass	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Oldsmobile	Cutlass	6.6L V8 403 CID		BB078800AB	800	36 Months
1979	Oldsmobile	Cutlass	5.7L V8 350 CID; DIESEL		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass	5.7L V8 350 CID; DIESEL		BB078800AB	800	36 Months
1979,1977	Oldsmobile	Cutlass	3.8L V6 231 CID		1AM075700A	700	24 Months
1979,1977	Oldsmobile	Cutlass	3.8L V6 231 CID		BB078800AB	800	36 Months
1981	Oldsmobile	Cutlass	4.4L V8 267 CID		1AM075700A	700	24 Months
1981	Oldsmobile	Cutlass	4.4L V8 267 CID		BB078800AB	800	36 Months
1981-1972	Oldsmobile	Cutlass	5.7L V8 350 CID		1AM075700A	700	24 Months
1981-1975	Oldsmobile	Cutlass	4.3L V8 260 CID		1AM075700A	700	24 Months
1981-1975	Oldsmobile	Cutlass	4.3L V8 260 CID		BB078800AB	800	36 Months
1981-1978	Oldsmobile	Cutlass	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1981-1978	Oldsmobile	Cutlass	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1981-1979,1977-1971	Oldsmobile	Cutlass	5.7L V8 350 CID		BB078800AB	800	36 Months
1987-1985,1980-1978	Oldsmobile	Cutlass	5.0L V8 305 CID		1AM075700A	700	24 Months
1996-1995	Oldsmobile	Cutlass	3.1L V6 3097cc 189 CID		1AM075700A	700	24 Months
1997	Oldsmobile	Cutlass	3.1L V6 189 CID		BB078800AB	800	36 Months
1999-1997	Oldsmobile	Cutlass	3.1L V6 189 CID		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Calais	3.8L V6 231 CID		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Calais	4.3L V8 260 CID; DIESEL		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Calais	4.3L V8 260 CID; GAS		1AM075700A	700	24 Months
1980	Oldsmobile	Cutlass Calais	5.7L V8 350 CID		BB078800AB	800	36 Months
1982	Oldsmobile	Cutlass Calais	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1980,1978	Oldsmobile	Cutlass Calais	4.3L V8 260 CID		1AM075700A	700	24 Months
1984,1980-1978	Oldsmobile	Cutlass Calais	5.0L V8 305 CID		1AM075700A	700	24 Months
1984-1978	Oldsmobile	Cutlass Calais	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1984-1979	Oldsmobile	Cutlass Calais	5.7L V8 350 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1984-1982	Oldsmobile	Cutlass Calais	4.3L V6 260 CID		1AM075700A	700	24 Months
1984-1982	Oldsmobile	Cutlass Calais	5.0L V8 307 CID		1AM075700A	700	24 Months
1988	Oldsmobile	Cutlass Calais	3.0L V6 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1991-1988	Oldsmobile	Cutlass Calais	2.3L L4 138 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1991-1988	Oldsmobile	Cutlass Calais	2.5L L4 2474cc 151 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1991-1989	Oldsmobile	Cutlass Calais	2.3L L4 140 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1991-1989	Oldsmobile	Cutlass Calais	3.3L V6 204 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1983	Oldsmobile	Cutlass Ciera	2.8L V6 173 CID		BB078800AB	800	36 Months
1985-1982	Oldsmobile	Cutlass Ciera	3.0L V6 181 CID		1AM075700A	700	24 Months
1985-1984	Oldsmobile	Cutlass Ciera	4.3L V6 260 CID		BB078800AB	800	36 Months
1986-1984	Oldsmobile	Cutlass Ciera	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1988-1984	Oldsmobile	Cutlass Ciera	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1989-1982	Oldsmobile	Cutlass Ciera	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1989-1982	Oldsmobile	Cutlass Ciera	2.8L V6 173 CID		1AM075700A	700	24 Months
1990-1989	Oldsmobile	Cutlass Ciera	3.3L V6 3340cc 204 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1992-1990	Oldsmobile	Cutlass Ciera	2.5L L4 2474cc 151 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1993-1989	Oldsmobile	Cutlass Ciera	3.3L V6 204 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1996	Oldsmobile	Cutlass Ciera	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1996-1993	Oldsmobile	Cutlass Ciera	2.2L L4 2190cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1996-1994	Oldsmobile	Cutlass Ciera	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1982	Oldsmobile	Cutlass Cruiser	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1980	Oldsmobile	Cutlass Cruiser	4.3L V8 260 CID		1AM075700A	700	24 Months
1983-1980	Oldsmobile	Cutlass Cruiser	5.7L V8 350 CID		1AM075700A	700	24 Months
1983-1980	Oldsmobile	Cutlass Cruiser	5.7L V8 350 CID		BB078800AB	800	36 Months
1983-1981	Oldsmobile	Cutlass Cruiser	5.0L V8 307 CID		1AM075700A	700	24 Months
1983-1982,1980	Oldsmobile	Cutlass Cruiser	5.0L V8 305 CID		1AM075700A	700	24 Months
1988-1987,1983-1980	Oldsmobile	Cutlass Cruiser	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1989-1987	Oldsmobile	Cutlass Cruiser	2.8L V6 173 CID		1AM075700A	700	24 Months
1990-1987	Oldsmobile	Cutlass Cruiser	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1993-1989	Oldsmobile	Cutlass Cruiser	3.3L V6 204 CID		1AM075700A	700	24 Months
1994	Oldsmobile	Cutlass Cruiser	3.1L V6 189 CID		1AM075700A	700	24 Months
1976-1975	Oldsmobile	Cutlass Salon	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1975	Oldsmobile	Cutlass Salon	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Oldsmobile	Cutlass Salon	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Oldsmobile	Cutlass Salon	6.6L V8 403 CID		BB078800AB	800	36 Months
1979	Oldsmobile	Cutlass Salon	3.8L V6 231 CID		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Salon	4.3L V8 260 CID; DIESEL		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Salon	4.3L V8 260 CID; GAS		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Salon	3.8L V6 231 CID		BB078800AB	800	36 Months
1979	Oldsmobile	Cutlass Salon	4.3L V8 260 CID; DIESEL		BB078800AB	800	36 Months
1979	Oldsmobile	Cutlass Salon	4.3L V8 260 CID; GAS		BB078800AB	800	36 Months
1980,1978-1975	Oldsmobile	Cutlass Salon	4.3L V8 260 CID		1AM075700A	700	24 Months
1980,1978-1975	Oldsmobile	Cutlass Salon	4.3L V8 260 CID		BB078800AB	800	36 Months
1980-1978	Oldsmobile	Cutlass Salon	5.0L V8 305 CID		1AM075700A	700	24 Months
1980-1978	Oldsmobile	Cutlass Salon	5.0L V8 305 CID		BB078800AB	800	36 Months
1985,1980-1979,1977-1975	Oldsmobile	Cutlass Salon	5.7L V8 350 CID		1AM075700A	700	24 Months
1985,1980-1979,1977-1975	Oldsmobile	Cutlass Salon	5.7L V8 350 CID		BB078800AB	800	36 Months
1987	Oldsmobile	Cutlass Salon	5.0L V8 307 CID		BB078800AB	800	36 Months
1987-1985	Oldsmobile	Cutlass Salon	5.0L V8 307 CID		1AM075700A	700	24 Months
1987-1985,1980-1978	Oldsmobile	Cutlass Salon	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1987-1985,1980-1978	Oldsmobile	Cutlass Salon	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1967	Oldsmobile	Cutlass Supreme	5.4L V8 330 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Cutlass Supreme	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Cutlass Supreme	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1971	Oldsmobile	Cutlass Supreme	7.5L V8 455 CID		1AM024700B	700	24 Months
1971	Oldsmobile	Cutlass Supreme	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Oldsmobile	Cutlass Supreme	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Cutlass Supreme	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Cutlass Supreme	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1971	Oldsmobile	Cutlass Supreme	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Cutlass Supreme	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Cutlass Supreme	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1972	Oldsmobile	Cutlass Supreme	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Oldsmobile	Cutlass Supreme	7.5L V8 455 CID		BB078800AB	800	36 Months
1976-1975	Oldsmobile	Cutlass Supreme	4.1L L6 250 CID		1AM075700A	700	24 Months
1976-1975	Oldsmobile	Cutlass Supreme	4.1L L6 250 CID		BB078800AB	800	36 Months
1977	Oldsmobile	Cutlass Supreme	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Oldsmobile	Cutlass Supreme	6.6L V8 403 CID		BB078800AB	800	36 Months
1979	Oldsmobile	Cutlass Supreme	4.3L V8 260 CID; DIESEL		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Supreme	4.3L V8 260 CID; GAS		1AM075700A	700	24 Months
1979	Oldsmobile	Cutlass Supreme	4.3L V8 260 CID; DIESEL		BB078800AB	800	36 Months
1979	Oldsmobile	Cutlass Supreme	4.3L V8 260 CID; GAS		BB078800AB	800	36 Months
1979,1977	Oldsmobile	Cutlass Supreme	3.8L V6 231 CID		1AM075700A	700	24 Months
1982	Oldsmobile	Cutlass Supreme	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1980,1978-1975	Oldsmobile	Cutlass Supreme	4.3L V8 260 CID		1AM075700A	700	24 Months
1982-1980,1978-1975	Oldsmobile	Cutlass Supreme	4.3L V8 260 CID		BB078800AB	800	36 Months
1984-1982	Oldsmobile	Cutlass Supreme	4.3L V6 260 CID		1AM075700A	700	24 Months
1984-1982	Oldsmobile	Cutlass Supreme	4.3L V6 260 CID		BB078800AB	800	36 Months
1985-1971	Oldsmobile	Cutlass Supreme	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1979,1977-1971	Oldsmobile	Cutlass Supreme	5.7L V8 350 CID		BB078800AB	800	36 Months
1987-1978	Oldsmobile	Cutlass Supreme	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1987-1982	Oldsmobile	Cutlass Supreme	5.0L V8 307 CID		BB078800AB	800	36 Months
1987-1985,1983,1980-1978	Oldsmobile	Cutlass Supreme	5.0L V8 305 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1987-1985,1983,1980-1978	Oldsmobile	Cutlass Supreme	5.0L V8 305 CID		BB078800AB	800	36 Months
1988-1982	Oldsmobile	Cutlass Supreme	5.0L V8 307 CID		1AM075700A	700	24 Months
1989	Oldsmobile	Cutlass Supreme	3.1L V6 189 CID		1AM075700A	700	24 Months
1989-1988	Oldsmobile	Cutlass Supreme	2.8L V6 173 CID		1AM075700A	700	24 Months
1990	Oldsmobile	Cutlass Supreme	2.3L L4 140 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1991-1990	Oldsmobile	Cutlass Supreme	2.3L L4 138 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1995	Oldsmobile	Cutlass Supreme	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.; Late	BB078800AB	800	36 Months
1995	Oldsmobile	Cutlass Supreme	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.; Late	BB078800AB	800	36 Months
1996	Oldsmobile	Cutlass Supreme	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1996-1991	Oldsmobile	Cutlass Supreme	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1990	Oldsmobile	Cutlass Supreme	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1996	Oldsmobile	Cutlass Supreme	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1976	Oldsmobile	Cutlass Tiara	4.3L V8 260 CID		1AM075700A	700	24 Months
1976	Oldsmobile	Cutlass Tiara	5.7L V8 350 CID		1AM075700A	700	24 Months
1976	Oldsmobile	Cutlass Tiara	7.5L V8 455 CID		1AM075700A	700	24 Months
1976	Oldsmobile	Cutlass Tiara	7.5L V8 455 CID		BB078800AB	800	36 Months
1967	Oldsmobile	Delmont 88	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1967	Oldsmobile	Delmont 88	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1968	Oldsmobile	Delmont 88	5.7L V8 350 CID		1AM024700B	700	24 Months
1968	Oldsmobile	Delmont 88	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1968	Oldsmobile	Delmont 88	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1968	Oldsmobile	Delmont 88	7.5L V8 455 CID		1AM024700B	700	24 Months
1968	Oldsmobile	Delmont 88	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1967	Oldsmobile	Delta 88	7.0L V8 425 CID		1AM024700B	700	24 Months
1967-1965	Oldsmobile	Delta 88	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Delta 88	5.7L V8 350 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Delta 88	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Delta 88	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Delta 88	7.5L V8 455 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Delta 88	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Oldsmobile	Delta 88	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Delta 88	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Delta 88	7.5L V8 455 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Delta 88	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Delta 88	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1971	Oldsmobile	Delta 88	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1971	Oldsmobile	Delta 88	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Delta 88	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Delta 88	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1975	Oldsmobile	Delta 88	6.6L V8 400 CID		1AM075700A	700	24 Months
1975	Oldsmobile	Delta 88	6.6L V8 400 CID		BB078800AB	800	36 Months
1976-1971	Oldsmobile	Delta 88	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1971	Oldsmobile	Delta 88	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Oldsmobile	Delta 88	3.8L V6 231 CID		1AM075700A	700	24 Months
1977	Oldsmobile	Delta 88	3.8L V6 231 CID		BB078800AB	800	36 Months
1979	Oldsmobile	Delta 88	4.9L V8 301 CID		1AM075700A	700	24 Months
1979	Oldsmobile	Delta 88	4.9L V8 301 CID		BB078800AB	800	36 Months
1979-1977	Oldsmobile	Delta 88	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Oldsmobile	Delta 88	6.6L V8 403 CID		BB078800AB	800	36 Months
1982-1977	Oldsmobile	Delta 88	4.3L V8 260 CID		1AM075700A	700	24 Months
1982-1977	Oldsmobile	Delta 88	4.3L V8 260 CID		BB078800AB	800	36 Months
1982-1981	Oldsmobile	Delta 88	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1981	Oldsmobile	Delta 88	4.4L V8 267 CID		BB078800AB	800	36 Months
1985-1971	Oldsmobile	Delta 88	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1971	Oldsmobile	Delta 88	5.7L V8 350 CID		BB078800AB	800	36 Months
1985-1980	Oldsmobile	Delta 88	5.0L V8 307 CID		1AM075700A	700	24 Months
1985-1980	Oldsmobile	Delta 88	5.0L V8 307 CID		BB078800AB	800	36 Months
1986	Oldsmobile	Delta 88	3.0L V6 181 CID		1AM075700A	700	24 Months
1986	Oldsmobile	Delta 88	3.0L V6 181 CID		BB078800AB	800	36 Months
1991-1977	Oldsmobile	Delta 88	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1991-1977	Oldsmobile	Delta 88	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1956-1954	Oldsmobile	Deluxe 88	5.3L V8 5310cc 324 CID		1AM024700B	700	24 Months
1960-1958	Oldsmobile	Dynamic	6.1L V8 6081cc 371 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964-1959	Oldsmobile	Dynamic	6.5L V8 6458cc 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1966-1965	Oldsmobile	Dynamic	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1963-1961	Oldsmobile	F85	3.5L V8 3528cc 215 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1962	Oldsmobile	F85	3.5L V8 215 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Oldsmobile	F85	3.7L V6 225 CID	Check Termination; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Oldsmobile	F85	3.7L V6 3687cc 225 CID	Check Termination; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Oldsmobile	F85	5.4L V8 330 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Oldsmobile	F85	5.4L V8 5409cc 330 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1965	Oldsmobile	F85	3.7L V6 225 CID		1AM024700B	700	24 Months
1965	Oldsmobile	F85	3.7L V6 3687cc 225 CID		1AM024700B	700	24 Months
1966	Oldsmobile	F85	4.1L L6 250 CID		1AM024700B	700	24 Months
1966-1965	Oldsmobile	F85	5.4L V8 330 CID		1AM024700B	700	24 Months
1966-1965	Oldsmobile	F85	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1967-1965	Oldsmobile	F85	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1967-1966	Oldsmobile	F85	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1967-1966	Oldsmobile	F85	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1970	Oldsmobile	F85	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Oldsmobile	F85	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1971-1968	Oldsmobile	F85	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	F85	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	F85	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	F85	4.1L L6 250 CID		1AM260575A	575	24 Months
1971-1968	Oldsmobile	F85	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1971-1968	Oldsmobile	F85	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1971-1968	Oldsmobile	F85	4.1L L6 250 CID		BB26R540AD	540	36 Months
1971-1968	Oldsmobile	F85	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1971-1968	Oldsmobile	F85	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1972	Oldsmobile	F85	5.7L V8 350 CID		1AM075700A	700	24 Months
1972	Oldsmobile	F85	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1972	Oldsmobile	F85	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1972	Oldsmobile	F85	7.5L V8 455 CID		1AM075700A	700	24 Months
1972	Oldsmobile	F85	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1972	Oldsmobile	F85	5.7L V8 350 CID		BB078800AB	800	36 Months
1972	Oldsmobile	F85	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1972	Oldsmobile	F85	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1972	Oldsmobile	F85	7.5L V8 455 CID		BB078800AB	800	36 Months
1972	Oldsmobile	F85	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1960-1957	Oldsmobile	Fiesta	6.1L V8 6081cc 371 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1963-1959	Oldsmobile	Fiesta	6.5L V8 6458cc 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Oldsmobile	Fiesta	6.5L V8 6458cc 394 CID		1AM024700B	700	24 Months
1986-1982	Oldsmobile	Firenza	1.8L L4 112 CID		1AM075700A	700	24 Months
1987-1985	Oldsmobile	Firenza	2.8L V6 173 CID		1AM075700A	700	24 Months
1988-1983	Oldsmobile	Firenza	2.0L L4 122 CID		1AM075700A	700	24 Months
1957	Oldsmobile	Golden Rocket 88	6.1L V8 6081cc 371 CID		1AM024700B	700	24 Months
1999-1998	Oldsmobile	Intrigue	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1999-1998	Oldsmobile	Intrigue	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2002-1999	Oldsmobile	Intrigue	3.5L V6 214 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2002-1999	Oldsmobile	Intrigue	3.5L V6 214 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1963-1962	Oldsmobile	Jetfire	3.5L V8 3528cc 215 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1966-1964	Oldsmobile	Jetstar 88	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1964	Oldsmobile	Jetstar I	6.5L V8 6458cc 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1965	Oldsmobile	Jetstar I	7.0L V8 6966cc 425 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1999-1996	Oldsmobile	LSS	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1999-1996	Oldsmobile	LSS	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1973	Oldsmobile	Omega	5.7L V8 350 CID		BB078800AB	800	36 Months
1973	Oldsmobile	Omega	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1973	Oldsmobile	Omega	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	Oldsmobile	Omega	5.7L V8 350 CID		1AM024700B	700	24 Months
1974	Oldsmobile	Omega	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1974-1973	Oldsmobile	Omega	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1973	Oldsmobile	Omega	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1976-1973	Oldsmobile	Omega	4.1L L6 250 CID		1AM075700A	700	24 Months
1977	Oldsmobile	Omega	3.8L V6 231 CID		1AM075700A	700	24 Months
1977-1975	Oldsmobile	Omega	4.3L V8 260 CID		1AM075700A	700	24 Months
1978	Oldsmobile	Omega	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1979-1975	Oldsmobile	Omega	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1977	Oldsmobile	Omega	5.0L V8 305 CID		1AM075700A	700	24 Months
1979-1978	Oldsmobile	Omega	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1980	Oldsmobile	Omega	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1980	Oldsmobile	Omega	2.8L V6 173 CID		BB078800AB	800	36 Months
1984-1980	Oldsmobile	Omega	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1984-1980	Oldsmobile	Omega	2.8L V6 173 CID		1AM075700A	700	24 Months
1998	Oldsmobile	Regency	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1998-1997	Oldsmobile	Regency	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1994-1990	Oldsmobile	Silhouette	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1995-1992	Oldsmobile	Silhouette	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
2004-1996	Oldsmobile	Silhouette	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
2004-1997	Oldsmobile	Silhouette	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB078800AB	800	36 Months
1956-1954	Oldsmobile	Starfire	5.3L V8 5310cc 324 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1957	Oldsmobile	Starfire	6.1L V8 6081cc 371 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964-1961	Oldsmobile	Starfire	6.5L V8 6458cc 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1966-1965	Oldsmobile	Starfire	7.0L V8 6966cc 425 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1977-1975	Oldsmobile	Starfire	3.8L V6 231 CID		1AM075700A	700	24 Months
1977-1976	Oldsmobile	Starfire	2.3L L4 2294cc 140 CID		1AM075700A	700	24 Months
1979	Oldsmobile	Starfire	5.0L V8 305 CID		BB078800AB	800	36 Months
1979-1977	Oldsmobile	Starfire	5.0L V8 305 CID		1AM075700A	700	24 Months
1980-1977	Oldsmobile	Starfire	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1980-1978	Oldsmobile	Starfire	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1956-1954	Oldsmobile	Super 88	5.3L V8 5310cc 324 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1960-1957	Oldsmobile	Super 88	6.1L V8 6081cc 371 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964-1959	Oldsmobile	Super 88	6.5L V8 6458cc 394 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1966	Oldsmobile	Toronado	7.0L V8 425 CID		1AM024700B	700	24 Months
1967-1966	Oldsmobile	Toronado	7.0L V8 6966cc 425 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Toronado	7.5L V8 455 CID		1AM024700B	700	24 Months
1970-1968	Oldsmobile	Toronado	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1971	Oldsmobile	Toronado	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Oldsmobile	Toronado	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1971	Oldsmobile	Toronado	7.5L V8 455 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1976-1971	Oldsmobile	Toronado	7.5L V8 455 CID		BB078800AB	800	36 Months
1978-1977	Oldsmobile	Toronado	6.6L V8 403 CID		1AM075700A	700	24 Months
1978-1977	Oldsmobile	Toronado	6.6L V8 403 CID		BB078800AB	800	36 Months
1984-1981	Oldsmobile	Toronado	4.1L V6 252 CID		1AM075700A	700	24 Months
1984-1981	Oldsmobile	Toronado	4.1L V6 252 CID		BB078800AB	800	36 Months
1985-1979	Oldsmobile	Toronado	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1979	Oldsmobile	Toronado	5.7L V8 350 CID		BB078800AB	800	36 Months
1985-1980	Oldsmobile	Toronado	5.0L V8 307 CID		1AM075700A	700	24 Months
1985-1980	Oldsmobile	Toronado	5.0L V8 307 CID		BB078800AB	800	36 Months
1987-1986	Oldsmobile	Toronado	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1992-1986	Oldsmobile	Toronado	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1964	Oldsmobile	Vista Cruiser	5.4L V8 330 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1964	Oldsmobile	Vista Cruiser	5.4L V8 5409cc 330 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1965	Oldsmobile	Vista Cruiser	5.4L V8 330 CID		1AM024700B	700	24 Months
1967-1965	Oldsmobile	Vista Cruiser	5.4L V8 5409cc 330 CID		1AM024700B	700	24 Months
1969-1968	Oldsmobile	Vista Cruiser	6.6L V8 400 CID		1AM024700B	700	24 Months
1969-1968	Oldsmobile	Vista Cruiser	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	Vista Cruiser	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	Vista Cruiser	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1971-1968	Oldsmobile	Vista Cruiser	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1971-1970	Oldsmobile	Vista Cruiser	7.5L V8 455 CID		1AM024700B	700	24 Months
1971-1970	Oldsmobile	Vista Cruiser	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1974-1972	Oldsmobile	Vista Cruiser	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Vista Cruiser	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Vista Cruiser	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Oldsmobile	Vista Cruiser	5.7L V8 350 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Vista Cruiser	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Vista Cruiser	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1972	Oldsmobile	Vista Cruiser	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1975-1972	Oldsmobile	Vista Cruiser	5.7L V8 350 CID		1AM075700A	700	24 Months
1975-1972	Oldsmobile	Vista Cruiser	7.5L V8 455 CID		1AM075700A	700	24 Months
1975-1972	Oldsmobile	Vista Cruiser	7.5L V8 455 CID		BB078800AB	800	36 Months
1974-1971	Opel	1900	1.9L L4 1897cc 116 CID		1AM260575A	575	24 Months
1974-1971	Opel	1900	1.9L L4 1897cc 116 CID		BB26R540AD	540	36 Months
1975-1971	Opel	1900	1.9L L4 1898cc		1AM260575A	575	24 Months
1975-1971	Opel	1900	1.9L L4 1898cc		BB26R540AD	540	36 Months
1971	Opel	Deluxe	1.1L L4 1077cc		1AM260575A	575	24 Months
1971	Opel	Deluxe	1.1L L4 1077cc 66 CID		1AM260575A	575	24 Months
1971	Opel	Deluxe	1.1L L4 1077cc		BB26R540AD	540	36 Months
1971	Opel	Deluxe	1.1L L4 1077cc 66 CID		BB26R540AD	540	36 Months
1968	Opel	Kadett	1.5L L4 1491cc		1AM260575A	575	24 Months
1968	Opel	Kadett	1.5L L4 1492cc 91 CID		1AM260575A	575	24 Months
1968	Opel	Kadett	1.5L L4 1491cc		BB26R540AD	540	36 Months
1968	Opel	Kadett	1.5L L4 1492cc 91 CID		BB26R540AD	540	36 Months
1970,1968	Opel	Kadett	1.9L L4 1898cc		1AM260575A	575	24 Months
1970,1968	Opel	Kadett	1.9L L4 1898cc		BB26R540AD	540	36 Months
1970-1968	Opel	Kadett	1.9L L4 1897cc 116 CID		1AM260575A	575	24 Months
1970-1968	Opel	Kadett	1.9L L4 1897cc 116 CID		BB26R540AD	540	36 Months
1972-1967	Opel	Kadett	1.1L L4 1077cc		1AM260575A	575	24 Months
1972-1967	Opel	Kadett	1.1L L4 1077cc 66 CID		1AM260575A	575	24 Months
1972-1967	Opel	Kadett	1.1L L4 1077cc		BB26R540AD	540	36 Months
1972-1967	Opel	Kadett	1.1L L4 1077cc 66 CID		BB26R540AD	540	36 Months
1972-1971	Opel	Manta	1.9L L4 1897cc		1AM260575A	575	24 Months
1972-1971	Opel	Manta	1.9L L4 1897cc		2AM240530A	530	18 Months
1972-1971	Opel	Manta	1.9L L4 1897cc		BB26R540AD	540	36 Months
1974-1971	Opel	Manta	1.9L L4 1897cc 116 CID		1AM260575A	575	24 Months
1974-1971	Opel	Manta	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1974-1971	Opel	Manta	1.9L L4 1897cc 116 CID		BB26R540AD	540	36 Months
1975-1973	Opel	Manta	1.9L L4 1898cc		1AM260575A	575	24 Months
1975-1973	Opel	Manta	1.9L L4 1898cc		2AM240530A	530	18 Months
1975-1973	Opel	Manta	1.9L L4 1898cc		BB26R540AD	540	36 Months
1970-1969	Opel	Opel	1.1L L4 1077cc		1AM260575A	575	24 Months
1970-1969	Opel	Opel	1.1L L4 1077cc 66 CID		1AM260575A	575	24 Months
1970-1969	Opel	Opel	1.1L L4 1077cc		BB26R540AD	540	36 Months
1970-1969	Opel	Opel	1.1L L4 1077cc 66 CID		BB26R540AD	540	36 Months
1973-1969	Opel	Opel	1.9L L4 1897cc 116 CID		1AM260575A	575	24 Months
1973-1969	Opel	Opel	1.9L L4 1898cc		1AM260575A	575	24 Months
1973-1969	Opel	Opel	1.9L L4 1897cc 116 CID		BB26R540AD	540	36 Months
1973-1969	Opel	Opel	1.9L L4 1898cc		BB26R540AD	540	36 Months
1968	Opel	Rallye	1.5L L4 1491cc		1AM260575A	575	24 Months
1968	Opel	Rallye	1.5L L4 1491cc		BB26R540AD	540	36 Months
1970-1968	Opel	Rallye	1.1L L4 1077cc		1AM260575A	575	24 Months
1970-1968	Opel	Rallye	1.9L L4 1897cc 116 CID		1AM260575A	575	24 Months
1970-1968	Opel	Rallye	1.9L L4 1898cc		1AM260575A	575	24 Months
1970-1968	Opel	Rallye	1.1L L4 1077cc		BB26R540AD	540	36 Months
1970-1968	Opel	Rallye	1.9L L4 1897cc 116 CID		BB26R540AD	540	36 Months
1970-1968	Opel	Rallye	1.9L L4 1898cc		BB26R540AD	540	36 Months
1955	Packard	Caribbean	5.8L V8 5769cc 352 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1956	Packard	Caribbean	6.1L V8 6130cc 374 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1955	Packard	Clipper	5.2L V8 320 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1955	Packard	Clipper	5.2L V8 5245cc 320 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1956-1955	Packard	Clipper	5.8L V8 352 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1956-1955	Packard	Clipper	5.8L V8 5769cc 352 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1957	Packard	Clipper	4.7L V8 289 CID		1AM024700B	700	24 Months
1956	Packard	Executive	5.8L V8 5769cc 352 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1955	Packard	Four-Hundred	5.8L V8 5769cc 352 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1956	Packard	Four-Hundred	6.1L V8 6130cc 374 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1958	Packard	Hawk	4.7L V8 4737cc 289 CID		1AM024700B	700	24 Months
1958	Packard	Packard	4.7L V8 4737cc 289 CID		1AM024700B	700	24 Months
1955	Packard	Patrician	5.8L V8 5769cc 352 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1956	Packard	Patrician	6.1L V8 6130cc 374 CID	Best-fit estimate, check clearance and polarity before connecting cables.; Check polarity before connecting cables.	1AM024700B	700	24 Months
1957	Peugeot	203	1.3L L4 1290cc 79 CID		1AM024700B	700	24 Months
1972-1971	Peugeot	304	1.3L L4 1288cc 79 CID	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1972-1971	Peugeot	304	1.3L L4 1290cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1967-1955	Peugeot	403	1.5L L4 1468cc 90 CID		1AM024700B	700	24 Months
1966-1961	Peugeot	404	1.6L L4 1618cc 99 CID		1AM024700B	700	24 Months
1969-1967	Peugeot	404	1.6L L4 1618cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1970	Peugeot	404	1.8L L4 1796cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1970	Peugeot	404	1.8L L4 1796cc 110 CID	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1970-1967	Peugeot	404	1.6L L4 1618cc 99 CID	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1991-1989	Peugeot	405	1.9L L4 1905cc		1AM024700B	700	24 Months
1970	Peugeot	504	1.8L L4 1796cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	1AM024700B	700	24 Months
1970	Peugeot	504	1.8L L4 1796cc 110 CID	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	1AM024700B	700	24 Months
1974	Peugeot	504	2.1L L4 2112cc		1AM024700B	700	24 Months
1974	Peugeot	504	2.1L L4 2112cc 129 CID		1AM024700B	700	24 Months
1974-1971	Peugeot	504	2.0L L4 1971cc 120 CID	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	1AM024700B	700	24 Months
1976-1975	Peugeot	504	2.1L L4 2112cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	1AM024700B	700	24 Months
1976-1975	Peugeot	504	2.1L L4 2112cc	OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1977-1971	Peugeot	504	2.0L L4 1971cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	1AM024700B	700	24 Months
1978	Peugeot	504	2.0L L4 1971cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1980-1977	Peugeot	504	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	1AM024700B	700	24 Months
1980-1977	Peugeot	504	2.3L L4 2304cc	OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1983-1981	Peugeot	504	2.3L L4 2304cc		1AM024700B	700	24 Months
1980	Peugeot	505	2.3L L4 2304cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1984-1980	Peugeot	505	2.0L L4 1971cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM024700B	700	24 Months
1985	Peugeot	505	2.3L L4 2309cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	2AM049850A	850	18 Months
1985	Peugeot	505	2.5L L4 2498cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
1985	Peugeot	505	2.3L L4 2309cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	BBOH8800AC	800	36 Months
1985	Peugeot	505	2.5L L4 2498cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.	BBOH8800AC	800	36 Months
1985	Peugeot	505	2.3L L4 2309cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	BBEH8800AA	800	36 Months
1985	Peugeot	505	2.5L L4 2498cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
1985-1981	Peugeot	505	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	2AM049850A	850	18 Months
1985-1981	Peugeot	505	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	BBOH8800AC	800	36 Months
1985-1981	Peugeot	505	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	BBEH8800AA	800	36 Months
1986-1980	Peugeot	505	2.3L L4 2304cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1986-1985	Peugeot	505	2.0L L4 1971cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM048615A	615	18 Months
1986-1985	Peugeot	505	2.0L L4 1971cc	Best-fit estimate, check clearance and polarity before connecting cables.	BBOH6600AA	600	36 Months
1987-1985	Peugeot	505	2.0L L4 1971cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM0H6770A	770	24 Months
1987-1985	Peugeot	505	2.5L L4 2498cc	OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1988	Peugeot	505	2.5L L4 2498cc	OE CCA: 560; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1988-1985	Peugeot	505	2.5L L4 2498cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM0H6770A	770	24 Months
1988-1985	Peugeot	505	2.5L L4 2498cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM048615A	615	18 Months
1988-1985	Peugeot	505	2.5L L4 2498cc	Best-fit estimate, check clearance and polarity before connecting cables.	BBOH6600AA	600	36 Months
1989-1987	Peugeot	505	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM0H6770A	770	24 Months
1989-1987	Peugeot	505	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM048615A	615	18 Months
1989-1987	Peugeot	505	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.	BBOH6600AA	600	36 Months
1990	Peugeot	505	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
1991-1985	Peugeot	505	2.2L L4 2155cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM0H6770A	770	24 Months
1991-1985	Peugeot	505	2.2L L4 2155cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM048615A	615	18 Months
1991-1985	Peugeot	505	2.2L L4 2155cc	Best-fit estimate, check clearance and polarity before connecting cables.	BBOH6600AA	600	36 Months
1991-1987	Peugeot	505	2.2L L4 2165cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM0H6770A	770	24 Months
1991-1990	Peugeot	505	2.2L L4 2155cc; Turbocharged	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; OE CCA: 495; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1991-1990	Peugeot	505	2.2L L4 2155cc; Turbocharged	Best fit estimate, Mfr. Recommended replacement battery shown, may vary from OE battery.; OE CCA: 495; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1978-1977	Peugeot	604	2.7L L6 2664cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM035550A	550	24 Months
1978-1977	Peugeot	604	2.7L L6 2664cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM035550A	500	18 Months
1978-1977	Peugeot	604	2.7L L6 2664cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM240530A	530	18 Months
1979	Peugeot	604	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.	1AM035550A	550	24 Months
1979	Peugeot	604	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM035550A	500	18 Months
1979	Peugeot	604	2.8L V6 2849cc	Best-fit estimate, check clearance and polarity before connecting cables.	2AM240530A	530	18 Months
1984-1982	Peugeot	604	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	2AM049850A	850	18 Months
1984-1982	Peugeot	604	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	BBOH8800AC	800	36 Months
1984-1982	Peugeot	604	2.3L L4 2304cc	OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1984-1982	Peugeot	604	2.3L L4 2304cc	Special 12-volt: 14 15/16in. x 6 3/4in. x 7 3/8in.	BBEH8800AA	800	36 Months
1978-1976	Plymouth	Arrow	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
1980-1976	Plymouth	Arrow	1.6L L4 1597cc 98 CID		1AM024700B	700	24 Months
1980-1979	Plymouth	Arrow	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1982-1979	Plymouth	Arrow Pickup	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
1982-1979	Plymouth	Arrow Pickup	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1964	Plymouth	Barracuda	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1966-1964	Plymouth	Barracuda	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1968-1964	Plymouth	Barracuda	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1970	Plymouth	Barracuda	3.7L L6 225 CID		1AM024700B	700	24 Months
1971	Plymouth	Barracuda	3.2L L6 198 CID		1AM024700B	700	24 Months
1971	Plymouth	Barracuda	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1971-1967	Plymouth	Barracuda	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1967	Plymouth	Barracuda	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Barracuda	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1972-1964	Plymouth	Barracuda	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972-1970	Plymouth	Barracuda	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1973-1968	Plymouth	Barracuda	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1973-1972, 1969-1968	Plymouth	Barracuda	5.6L V8 340 CID		1AM024700B	700	24 Months
1974	Plymouth	Barracuda	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1966	Plymouth	Barracuda	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Barracuda	5.2L V8 318 CID		1AM024700B	700	24 Months
1956	Plymouth	Belvedere	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Plymouth	Belvedere	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1957	Plymouth	Belvedere	4.9L V8 299 CID		1AM024700B	700	24 Months
1957	Plymouth	Belvedere	4.9L V8 4933cc 301 CID		1AM024700B	700	24 Months
1957-1956	Plymouth	Belvedere	4.5L V8 4540cc 277 CID		1AM024700B	700	24 Months
1958	Plymouth	Belvedere	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Plymouth	Belvedere	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1959-1956	Plymouth	Belvedere	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1958	Plymouth	Belvedere	5.2L V8 317 CID		1AM024700B	700	24 Months
1964-1961	Plymouth	Belvedere	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1966-1959	Plymouth	Belvedere	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1967-1966	Plymouth	Belvedere	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1968, 1957-1956	Plymouth	Belvedere	4.5L V8 273 CID		1AM024700B	700	24 Months
1968-1964	Plymouth	Belvedere	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1969, 1967-1963	Plymouth	Belvedere	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1970	Plymouth	Belvedere	3.7L L6 225 CID		1AM024700B	700	24 Months
1970-1958	Plymouth	Belvedere	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1970-1960	Plymouth	Belvedere	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1970-1960	Plymouth	Belvedere	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1970-1968	Plymouth	Belvedere	5.2L V8 318 CID		1AM024700B	700	24 Months
1970-1968	Plymouth	Belvedere	6.3L V8 383 CID		1AM024700B	700	24 Months
1971	Plymouth	Belvedere	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1966	Plymouth	Belvedere II	5.9L V8 361 CID		1AM024700B	700	24 Months
1967	Plymouth	Belvedere II	7.2L V8 440 CID		1AM024700B	700	24 Months
1967-1965	Plymouth	Belvedere II	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1967-1965	Plymouth	Belvedere II	4.5L V8 273 CID		1AM024700B	700	24 Months
1967-1965	Plymouth	Belvedere II	5.2L V8 318 CID		1AM024700B	700	24 Months
1967-1965	Plymouth	Belvedere II	6.3L V8 383 CID		1AM024700B	700	24 Months
1967-1965	Plymouth	Belvedere II	7.0L V8 426 CID		1AM024700B	700	24 Months
2000-1996	Plymouth	Breeze	2.0L L4 1996cc 122 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
2000-1996	Plymouth	Breeze	2.4L L4 2429cc 148 CID	Installation may take up to 30 minutes. Battery located in wheelwell. Turn tire to the right, remove cowling by the fender. Disconnect battery and remove.	1AM075700A	700	24 Months
1979-1978	Plymouth	Caravelle	5.9L V8 360 CID		1AM024700B	700	24 Months
1983-1978	Plymouth	Caravelle	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1984-1978	Plymouth	Caravelle	5.2L V8 318 CID		1AM024700B	700	24 Months
1984-1983	Plymouth	Caravelle	2.2L L4 135 CID		1AM024700B	700	24 Months
1984-1983	Plymouth	Caravelle	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1982-1979	Plymouth	Champ	1.4L L4 1410cc		1AM024700B	700	24 Months
1982-1979	Plymouth	Champ	1.6L L4 1597cc 98 CID		1AM024700B	700	24 Months
1978-1976	Plymouth	Colt	2.0L L4 1995cc 122 CID		1AM024700B	700	24 Months
1979-1978	Plymouth	Colt	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1980-1976	Plymouth	Colt	1.6L L4 1597cc 98 CID		1AM024700B	700	24 Months
1982-1979	Plymouth	Colt	1.4L L4 1410cc		1AM024700B	700	24 Months
1984-1983	Plymouth	Colt	1.4L L4 1410cc; Sold in Canada		1AM024700B	700	24 Months
1986-1983	Plymouth	Colt	1.6L L4 1597cc 98 CID; Sold in Canada		1AM024700B	700	24 Months
1986-1984	Plymouth	Colt	2.0L L4 1997cc 122 CID; Sold in Canada		1AM024700B	700	24 Months
1992	Plymouth	Colt	1.8L L4 1834cc 112 CID; Wagon		1AM024700B	700	24 Months
1994-1992	Plymouth	Colt	2.4L L4 2351cc		1AM024700B	700	24 Months
1994-1993	Plymouth	Colt	1.8L L4 1834cc 112 CID; Sold in Canada		1AM024700B	700	24 Months
1994-1993, 1986-1985	Plymouth	Colt	1.5L L4 1468cc 90 CID; Sold in Canada		1AM024700B	700	24 Months
1973-1972	Plymouth	Cricket	1.5L L4 1498cc		1AM024700B	700	24 Months
1973-1972	Plymouth	Cricket	1.5L L4 1498cc 91 CID		1AM024700B	700	24 Months
1970	Plymouth	Cuda	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Cuda	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Cuda	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Cuda	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Cuda	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Cuda	7.2L V8 440 CID		1AM024700B	700	24 Months
1972-1970	Plymouth	Cuda	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1973-1970	Plymouth	Cuda	5.6L V8 340 CID		1AM024700B	700	24 Months
1973-1970	Plymouth	Cuda	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974	Plymouth	Cuda	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1973	Plymouth	Cuda	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1973	Plymouth	Cuda	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1958	Plymouth	Custom	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1961	Plymouth	Custom	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1961-1958	Plymouth	Custom	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1961-1959	Plymouth	Custom	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Custom	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Custom	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1972-1970	Plymouth	Duster	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1970	Plymouth	Duster	5.6L V8 340 CID		1AM024700B	700	24 Months
1973-1970	Plymouth	Duster	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Duster	3.2L L6 198 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Duster	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Duster	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1976-1970	Plymouth	Duster	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1976-1970	Plymouth	Duster	5.2L V8 318 CID		1AM024700B	700	24 Months
1976-1974	Plymouth	Duster	5.9L V8 360 CID		1AM024700B	700	24 Months
1963	Plymouth	Fleet Special	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1963-1960	Plymouth	Fleet Special	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1963-1960	Plymouth	Fleet Special	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1963-1960	Plymouth	Fleet Special	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1963-1960	Plymouth	Fleet Special	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1963-1961	Plymouth	Fleet Special	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1956	Plymouth	Fury	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Plymouth	Fury	4.5L V8 276 CID		1AM024700B	700	24 Months
1956	Plymouth	Fury	4.5L V8 4540cc 277 CID		1AM024700B	700	24 Months
1956	Plymouth	Fury	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1957	Plymouth	Fury	4.9L V8 299 CID		1AM024700B	700	24 Months
1957	Plymouth	Fury	4.9L V8 4933cc 301 CID		1AM024700B	700	24 Months
1958	Plymouth	Fury	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Plymouth	Fury	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1959-1956	Plymouth	Fury	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1957	Plymouth	Fury	5.2L V8 317 CID		1AM024700B	700	24 Months
1962	Plymouth	Fury	6.8L V8 413 CID		1AM024700B	700	24 Months
1964-1961	Plymouth	Fury	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1965	Plymouth	Fury	4.5L V8 273 CID		1AM024700B	700	24 Months
1965-1962,1959	Plymouth	Fury	5.9L V8 361 CID		1AM024700B	700	24 Months
1965-1963	Plymouth	Fury	7.0L V8 426 CID		1AM024700B	700	24 Months
1965-1964	Plymouth	Fury	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1966-1959	Plymouth	Fury	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1966-1963	Plymouth	Fury	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1960	Plymouth	Fury	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1963	Plymouth	Fury	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Fury	3.7L L6 225 CID		1AM024700B	700	24 Months
1974-1957	Plymouth	Fury	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1966	Plymouth	Fury	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Fury	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1978-1960	Plymouth	Fury	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978-1971	Plymouth	Fury	5.9L V8 360 CID		1AM024700B	700	24 Months
1978-1972	Plymouth	Fury	6.6L V8 400 CID		1AM024700B	700	24 Months
1978-1975, 1973-1965,1959	Plymouth	Fury	5.2L V8 318 CID		1AM024700B	700	24 Months
1978-1977, 1975-1966	Plymouth	Fury	7.2L V8 440 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Fury I	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Fury I	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1972-1970	Plymouth	Fury I	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1968	Plymouth	Fury I	5.2L V8 318 CID		1AM024700B	700	24 Months
1973-1968	Plymouth	Fury I	7.2L V8 440 CID		1AM024700B	700	24 Months
1973-1968	Plymouth	Fury I	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1973-1970	Plymouth	Fury I	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury I	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury I	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1971	Plymouth	Fury I	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury I	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury I	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury I	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1965	Plymouth	Fury II	4.5L V8 273 CID		1AM024700B	700	24 Months
1965	Plymouth	Fury II	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Fury II	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1968,1966-1965	Plymouth	Fury II	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Fury II	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1965	Plymouth	Fury II	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1965	Plymouth	Fury II	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury II	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury II	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury II	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Fury II	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1971	Plymouth	Fury II	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury II	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury II	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury II	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1965	Plymouth	Fury III	4.5L V8 273 CID		1AM024700B	700	24 Months
1965	Plymouth	Fury III	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1965	Plymouth	Fury III	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Fury III	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	Fury III	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1965	Plymouth	Fury III	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1973-1965	Plymouth	Fury III	5.2L V8 318 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury III	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury III	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Fury III	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Fury III	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1971	Plymouth	Fury III	5.9L V8 360 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury III	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury III	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Fury III	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Gran Fury	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Gran Fury	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Gran Fury	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Gran Fury	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Gran Fury	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1977-1972	Plymouth	Gran Fury	6.6L V8 400 CID		1AM024700B	700	24 Months
1977-1972	Plymouth	Gran Fury	7.2L V8 440 CID		1AM024700B	700	24 Months
1980,1977-1972	Plymouth	Gran Fury	5.9L V8 360 CID		1AM024700B	700	24 Months
1983-1980	Plymouth	Gran Fury	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1984-1980, 1977-1975,1973-1972	Plymouth	Gran Fury	5.2L V8 318 CID		1AM024700B	700	24 Months
1968	Plymouth	GTX	5.2L V8 318 CID		1AM024700B	700	24 Months
1968	Plymouth	GTX	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1968	Plymouth	GTX	6.3L V8 383 CID		1AM024700B	700	24 Months
1971,1968	Plymouth	GTX	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1967	Plymouth	GTX	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971-1967	Plymouth	GTX	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	GTX	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	GTX	7.2L V8 440 CID		1AM024700B	700	24 Months
1971-1970	Plymouth	GTX	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1994-1990	Plymouth	Laser	1.8L L4 1755cc 107 CID		BB086525AB	525	36 Months
1994-1990	Plymouth	Laser	2.0L L4 1997cc 122 CID		BB086525AB	525	36 Months
2001-2000	Plymouth	Neon	2.0L L4 1996cc 122 CID		1AM260575A	575	24 Months
2001-2000	Plymouth	Neon	2.0L L4 1996cc 122 CID		BB26R540AD	540	36 Months
1978-1976	Plymouth	PB100	5.9L V8 360 CID		1AM024700B	700	24 Months
1980-1975	Plymouth	PB100	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1975	Plymouth	PB100	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB100 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974	Plymouth	PB100 Van	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB100 Van	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB100 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1983,1981	Plymouth	PB150	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1983-1981	Plymouth	PB150	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1978-1976	Plymouth	PB200	6.6L V8 400 CID		1AM024700B	700	24 Months
1978-1976	Plymouth	PB200	7.2L V8 440 CID		1AM024700B	700	24 Months
1980,1978-1975	Plymouth	PB200	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1975	Plymouth	PB200	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Plymouth	PB200	5.9L V8 360 CID		1AM024700B	700	24 Months
1974	Plymouth	PB200 Van	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974	Plymouth	PB200 Van	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB200 Van	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB200 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1974	Plymouth	PB200 Van	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1981	Plymouth	PB250	5.9L V8 360 CID		1AM024700B	700	24 Months
1983-1981	Plymouth	PB250	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1983-1981	Plymouth	PB250	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1978-1976	Plymouth	PB300	6.6L V8 400 CID		1AM024700B	700	24 Months
1978-1976	Plymouth	PB300	7.2L V8 440 CID		1AM024700B	700	24 Months
1980-1975	Plymouth	PB300	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1980-1975	Plymouth	PB300	5.9L V8 360 CID		1AM024700B	700	24 Months
1974	Plymouth	PB300 Van	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB300 Van	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974	Plymouth	PB300 Van	5.9L V8 360 CID		1AM024700B	700	24 Months
1974	Plymouth	PB300 Van	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1983-1981	Plymouth	PB350	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1983-1981	Plymouth	PB350	5.9L V8 360 CID		1AM024700B	700	24 Months
1956	Plymouth	Plaza	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Plymouth	Plaza	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1957	Plymouth	Plaza	4.5L V8 273 CID		1AM024700B	700	24 Months
1957	Plymouth	Plaza	4.5L V8 4540cc 277 CID		1AM024700B	700	24 Months
1957	Plymouth	Plaza	4.9L V8 299 CID		1AM024700B	700	24 Months
1957	Plymouth	Plaza	4.9L V8 4933cc 301 CID		1AM024700B	700	24 Months
1958	Plymouth	Plaza	5.2L V8 317 CID		1AM024700B	700	24 Months
1958	Plymouth	Plaza	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1958	Plymouth	Plaza	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1956	Plymouth	Plaza	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1958-1957	Plymouth	Plaza	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1984-1981	Plymouth	Reliant	2.2L L4 135 CID		1AM024700B	700	24 Months
1984-1981	Plymouth	Reliant	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1968	Plymouth	Road Runner	4.5L V8 273 CID		1AM024700B	700	24 Months
1968	Plymouth	Road Runner	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Road Runner	6.3L V8 383 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Road Runner	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Road Runner	7.0L V8 426 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Road Runner	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1973-1971	Plymouth	Road Runner	5.6L V8 340 CID		1AM024700B	700	24 Months
1973-1971,1968	Plymouth	Road Runner	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974-1969	Plymouth	Road Runner	7.2L V8 440 CID		1AM024700B	700	24 Months
1974-1969	Plymouth	Road Runner	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974-1971,1968	Plymouth	Road Runner	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Road Runner	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Road Runner	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1972,1970	Plymouth	Road Runner	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1975,1973	Plymouth	Road Runner	6.6L V8 400 CID		1AM024700B	700	24 Months
1975-1972,1968	Plymouth	Road Runner	5.2L V8 318 CID		1AM024700B	700	24 Months
1975-1974	Plymouth	Road Runner	5.9L V8 360 CID		1AM024700B	700	24 Months
1979-1978	Plymouth	Sapporo	1.6L L4 1597cc 98 CID		1AM024700B	700	24 Months
1983-1978	Plymouth	Sapporo	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1966-1965	Plymouth	Satellite	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1967-1965	Plymouth	Satellite	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1968	Plymouth	Satellite	4.5L V8 273 CID		1AM024700B	700	24 Months
1968-1965	Plymouth	Satellite	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1971-1965	Plymouth	Satellite	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1971-1968	Plymouth	Satellite	6.3L V8 383 CID		1AM024700B	700	24 Months
1972	Plymouth	Satellite	3.7L L6 225 CID		1AM024700B	700	24 Months
1972	Plymouth	Satellite	5.6L V8 340 CID		1AM024700B	700	24 Months
1973-1968	Plymouth	Satellite	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974	Plymouth	Satellite	5.9L V8 360 CID		1AM024700B	700	24 Months
1974	Plymouth	Satellite	7.2L V8 440 CID		1AM024700B	700	24 Months
1974	Plymouth	Satellite	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Satellite	6.6L V8 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Satellite	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1974-1972	Plymouth	Satellite	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1974-1972,1970-1965	Plymouth	Satellite	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1974-1973,1967-1966	Plymouth	Satellite	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1974-1973,1970-1965	Plymouth	Satellite	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1973,1970-1968	Plymouth	Satellite	5.2L V8 318 CID		1AM024700B	700	24 Months
1956	Plymouth	Savoy	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Plymouth	Savoy	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1957	Plymouth	Savoy	4.9L V8 299 CID		1AM024700B	700	24 Months
1957	Plymouth	Savoy	4.9L V8 4933cc 301 CID		1AM024700B	700	24 Months
1957-1956	Plymouth	Savoy	4.5L V8 273 CID		1AM024700B	700	24 Months
1957-1956	Plymouth	Savoy	4.5L V8 4540cc 277 CID		1AM024700B	700	24 Months
1958	Plymouth	Savoy	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Plymouth	Savoy	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1959-1956	Plymouth	Savoy	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1958	Plymouth	Savoy	5.2L V8 317 CID		1AM024700B	700	24 Months
1961	Plymouth	Savoy	6.8L V8 413 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Savoy	5.2L V8 318 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Savoy	5.9L V8 361 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Savoy	6.3L V8 383 CID		1AM024700B	700	24 Months
1964	Plymouth	Savoy	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1964-1958	Plymouth	Savoy	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1964-1959	Plymouth	Savoy	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1964-1960	Plymouth	Savoy	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1964-1960	Plymouth	Savoy	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1964-1961	Plymouth	Savoy	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1964-1963	Plymouth	Savoy	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1971	Plymouth	Scamp	3.7L L6 225 CID		1AM024700B	700	24 Months
1974-1971	Plymouth	Scamp	3.2L L6 198 CID		1AM024700B	700	24 Months
1974-1971	Plymouth	Scamp	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1974-1971	Plymouth	Scamp	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1976-1971	Plymouth	Scamp	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1976-1971	Plymouth	Scamp	5.2L V8 318 CID		1AM024700B	700	24 Months
1961	Plymouth	Sport Wagon	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Sport Wagon	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Sport Wagon	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Sport Wagon	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Sport Wagon	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1956	Plymouth	Suburban	4.4L V8 270 CID		1AM024700B	700	24 Months
1956	Plymouth	Suburban	4.4L V8 4425cc 270 CID		1AM024700B	700	24 Months
1956	Plymouth	Suburban	5.0L V8 4966cc 303 CID		1AM024700B	700	24 Months
1957	Plymouth	Suburban	4.9L V8 299 CID		1AM024700B	700	24 Months
1957	Plymouth	Suburban	4.9L V8 4933cc 301 CID		1AM024700B	700	24 Months
1957-1956	Plymouth	Suburban	4.5L V8 273 CID		1AM024700B	700	24 Months
1957-1956	Plymouth	Suburban	4.5L V8 4540cc 277 CID		1AM024700B	700	24 Months
1958	Plymouth	Suburban	5.7L V8 350 CID		1AM024700B	700	24 Months
1958	Plymouth	Suburban	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1958-1957	Plymouth	Suburban	5.1L V8 5130cc 313 CID		1AM024700B	700	24 Months
1959-1956	Plymouth	Suburban	3.8L L6 230 CID		1AM024700B	700	24 Months
1959-1956	Plymouth	Suburban	3.8L L6 3770cc 230 CID		1AM024700B	700	24 Months
1959-1958	Plymouth	Suburban	5.2L V8 317 CID		1AM024700B	700	24 Months
1961	Plymouth	Suburban	6.7L V8 6769cc 413 CID		1AM024700B	700	24 Months
1961-1958	Plymouth	Suburban	5.2L V8 318 CID		1AM024700B	700	24 Months
1961-1958	Plymouth	Suburban	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1961-1959	Plymouth	Suburban	5.9L V8 5917cc 361 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Suburban	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Suburban	6.3L V8 383 CID		1AM024700B	700	24 Months
1961-1960	Plymouth	Suburban	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1961-1960,1958	Plymouth	Suburban	5.9L V8 361 CID		1AM024700B	700	24 Months
1970	Plymouth	Superbird	7.0L V8 6981cc 426 CID		1AM024700B	700	24 Months
1970	Plymouth	Superbird	7.2L V8 440 CID		1AM024700B	700	24 Months
1970	Plymouth	Superbird	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1970	Plymouth	Superbird	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1974	Plymouth	Trailduster	5.2L V8 318 CID		1AM024700B	700	24 Months
1974	Plymouth	Trailduster	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974	Plymouth	Trailduster	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1974	Plymouth	Trailduster	7.2L V8 7212cc 440 CID		1AM024700B	700	24 Months
1978-1974	Plymouth	Trailduster	7.2L V8 440 CID		1AM024700B	700	24 Months
1978-1977	Plymouth	Trailduster	6.6L V8 400 CID		1AM024700B	700	24 Months
1980-1974	Plymouth	Trailduster	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1981-1974	Plymouth	Trailduster	5.9L V8 360 CID		1AM024700B	700	24 Months
1981-1975	Plymouth	Trailduster	5.2L V8 5211cc 318 CID		1AM024700B	700	24 Months
1969-1964	Plymouth	Valiant	4.5L V8 273 CID		1AM024700B	700	24 Months
1969-1964	Plymouth	Valiant	4.5L V8 4473cc 273 CID		1AM024700B	700	24 Months
1969-1968,1966-1960	Plymouth	Valiant	2.8L L6 170 CID		1AM024700B	700	24 Months
1971-1960	Plymouth	Valiant	2.8L L6 2786cc 170 CID		1AM024700B	700	24 Months
1972-1970	Plymouth	Valiant	3.7L L6 225 CID		1AM024700B	700	24 Months
1973-1968	Plymouth	Valiant	5.6L V8 5572cc 340 CID		1AM024700B	700	24 Months
1974-1968	Plymouth	Valiant	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Valiant	3.2L L6 198 CID		1AM024700B	700	24 Months
1974-1970	Plymouth	Valiant	3.2L L6 3254cc 198 CID		1AM024700B	700	24 Months
1976	Plymouth	Valiant	5.9L V8 360 CID		1AM024700B	700	24 Months
1976-1961	Plymouth	Valiant	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1976-1968	Plymouth	Valiant	5.2L V8 318 CID		1AM024700B	700	24 Months
1967	Plymouth	VIP	5.2L V8 5212cc 318 CID		1AM024700B	700	24 Months
1967	Plymouth	VIP	6.3L V8 6286cc 383 CID		1AM024700B	700	24 Months
1967	Plymouth	VIP	7.2L V8 7211cc 440 CID		1AM024700B	700	24 Months
1980-1976	Plymouth	Volare	3.7L L6 3687cc 225 CID		1AM024700B	700	24 Months
1980-1976	Plymouth	Volare	5.2L V8 318 CID		1AM024700B	700	24 Months
1980-1976	Plymouth	Volare	5.9L V8 360 CID		1AM024700B	700	24 Months
1984	Plymouth	Voyager	2.2L L4 135 CID		1AM024700B	700	24 Months
1984	Plymouth	Voyager	2.6L L4 2555cc 156 CID		1AM024700B	700	24 Months
1983-1982	Pontiac	6000	4.3L V6 260 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1985-1984	Pontiac	6000	4.3L V6 260 CID	Installation may take up to 30 minutes. Battery located under hood.	BBO78800AB	800	36 Months
1989-1982	Pontiac	6000	2.8L V6 173 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1991-1982	Pontiac	6000	2.5L L4 2474cc 151 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1991-1988	Pontiac	6000	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1970-1968	Pontiac	Acadian	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1971-1967	Pontiac	Acadian	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1971-1968	Pontiac	Acadian	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1971-1968	Pontiac	Acadian	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1971-1968	Pontiac	Acadian	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1977-1976	Pontiac	Acadian	1.4L L4 1393cc 85 CID		1AM075700A	700	24 Months
1981	Pontiac	Acadian	1.8L L4 1819cc 110 CID; w/ Standard Trans.		1AM075700A	700	24 Months
1985-1982	Pontiac	Acadian	1.8L L4 1819cc 110 CID		BB078800AB	800	36 Months
1986-1982	Pontiac	Acadian	1.8L L4 1819cc 110 CID		1AM075700A	700	24 Months
1987-1976	Pontiac	Acadian	1.6L L4 1606cc 98 CID		1AM075700A	700	24 Months
1977	Pontiac	Astre	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1977-1975	Pontiac	Astre	2.3L L4 2294cc 140 CID		1AM075700A	700	24 Months
2005-2001	Pontiac	Aztek	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-2001	Pontiac	Aztek	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1957	Pontiac	Bonneville	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1958	Pontiac	Bonneville	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1962-1959	Pontiac	Bonneville	6.4L V8 389 CID		1AM024700B	700	24 Months
1966-1959	Pontiac	Bonneville	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1966-1963	Pontiac	Bonneville	6.9L V8 6900cc 421 CID		1AM024700B	700	24 Months
1969-1967	Pontiac	Bonneville	7.0L V8 7014cc 428 CID		1AM024700B	700	24 Months
1969-1968	Pontiac	Bonneville	7.0L V8 428 CID		1AM024700B	700	24 Months
1971	Pontiac	Bonneville	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1971	Pontiac	Bonneville	6.6L V8 400 CID	HD, Check Terminal Type; Optional	1AM075700A	700	24 Months
1971	Pontiac	Bonneville	6.6L V8 6555cc 400 CID	HD, Check Terminal Type; Optional	1AM075700A	700	24 Months
1971	Pontiac	Bonneville	6.6L V8 400 CID	HD, Check Terminal Type; Optional	BB078800AB	800	36 Months
1971	Pontiac	Bonneville	6.6L V8 6555cc 400 CID	HD, Check Terminal Type; Optional	BB078800AB	800	36 Months
1971-1967	Pontiac	Bonneville	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1971-1968	Pontiac	Bonneville	6.6L V8 400 CID		1AM024700B	700	24 Months
1971-1970	Pontiac	Bonneville	7.5L V8 455 CID	Check Terminal Type	BB078800AB	800	36 Months
1971-1970	Pontiac	Bonneville	7.5L V8 7456cc 455 CID	Check Terminal Type	BB078800AB	800	36 Months
1974	Pontiac	Bonneville	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974	Pontiac	Bonneville	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Bonneville	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Bonneville	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Bonneville	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Bonneville	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Bonneville	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Bonneville	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	Bonneville	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	Bonneville	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1976-1972	Pontiac	Bonneville	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Pontiac	Bonneville	7.5L V8 455 CID		BB078800AB	800	36 Months
1978-1972	Pontiac	Bonneville	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1972	Pontiac	Bonneville	6.6L V8 400 CID		BB078800AB	800	36 Months
1979-1977	Pontiac	Bonneville	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Bonneville	6.6L V8 403 CID		BB078800AB	800	36 Months
1980-1977	Pontiac	Bonneville	4.9L V8 301 CID		1AM075700A	700	24 Months
1980-1977	Pontiac	Bonneville	4.9L V8 301 CID		BB078800AB	800	36 Months
1981	Pontiac	Bonneville	5.0L V8 307 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Bonneville	4.3L V8 265 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Bonneville	4.3L V8 265 CID		BB078800AB	800	36 Months
1982	Pontiac	Bonneville	4.1L V6 252 CID		1AM075700A	700	24 Months
1984-1977	Pontiac	Bonneville	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1977	Pontiac	Bonneville	5.7L V8 350 CID		BB078800AB	800	36 Months
1986	Pontiac	Bonneville	4.3L V6 262 CID		1AM075700A	700	24 Months
1986	Pontiac	Bonneville	4.3L V6 262 CID		BB078800AB	800	36 Months
1986-1983	Pontiac	Bonneville	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1983	Pontiac	Bonneville	5.0L V8 305 CID		BB078800AB	800	36 Months
1996-1980	Pontiac	Bonneville	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1996-1992, 1990-1984, 1980	Pontiac	Bonneville	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1999-1997	Pontiac	Bonneville	3.8L V6 3791cc 231 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999-1997	Pontiac	Bonneville	3.8L V6 3800cc 231 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	1AM075700A	700	24 Months
1999-1997	Pontiac	Bonneville	3.8L V6 3791cc 231 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
1999-1997	Pontiac	Bonneville	3.8L V6 3800cc 231 CID	The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2002-2000	Pontiac	Bonneville	3.8L V6 3800cc 231 CID; Naturally Aspirated	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.; The fan blower must be turned to the OFF position when removing/replacing the battery.	BB078800AB	800	36 Months
2003	Pontiac	Bonneville	3.8L V6 3800cc 231 CID; Naturally Aspirated	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	BB078800AB	800	36 Months
2005-2004	Pontiac	Bonneville	3.8L V6 3800cc 231 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	BB078800AB	800	36 Months
2005-2004	Pontiac	Bonneville	4.6L V8 281 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under rear seat.	BB078800AB	800	36 Months
1955	Pontiac	Catalina	4.7L V8 4707cc 287 CID		1AM024700B	700	24 Months
1956	Pontiac	Catalina	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1957	Pontiac	Catalina	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1958	Pontiac	Catalina	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1966-1959	Pontiac	Catalina	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1966-1961	Pontiac	Catalina	6.9L V8 6900cc 421 CID		1AM024700B	700	24 Months
1969-1967	Pontiac	Catalina	7.0L V8 7014cc 428 CID		1AM024700B	700	24 Months
1969-1968	Pontiac	Catalina	7.0L V8 428 CID		1AM024700B	700	24 Months
1970	Pontiac	Catalina	5.7L V8 350 CID		1AM024700B	700	24 Months
1970	Pontiac	Catalina	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	Catalina	6.6L V8 400 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	Catalina	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1971	Pontiac	Catalina	5.7L V8 350 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971	Pontiac	Catalina	5.7L V8 5733cc 350 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971	Pontiac	Catalina	6.6L V8 400 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1971	Pontiac	Catalina	6.6L V8 6555cc 400 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971-1970	Pontiac	Catalina	7.5L V8 455 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971-1970	Pontiac	Catalina	7.5L V8 7456cc 455 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1973-1972	Pontiac	Catalina	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1973-1972	Pontiac	Catalina	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1973-1972	Pontiac	Catalina	6.6L V8 400 CID		BB078800AB	800	36 Months
1973-1972	Pontiac	Catalina	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1973-1972	Pontiac	Catalina	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974	Pontiac	Catalina	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974	Pontiac	Catalina	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Catalina	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Catalina	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Catalina	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Catalina	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Catalina	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Catalina	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Catalina	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Catalina	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1976-1972	Pontiac	Catalina	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Pontiac	Catalina	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Pontiac	Catalina	3.8L V6 231 CID		1AM075700A	700	24 Months
1978-1972	Pontiac	Catalina	6.6L V8 400 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Catalina	4.1L L6 250 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Catalina	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Catalina	4.1L L6 250 CID		BB078800AB	800	36 Months
1980	Pontiac	Catalina	3.8L V6 229 CID		1AM075700A	700	24 Months
1980-1977	Pontiac	Catalina	4.9L V8 301 CID		1AM075700A	700	24 Months
1981	Pontiac	Catalina	5.0L V8 307 CID		1AM075700A	700	24 Months
1981-1976,1973-1972	Pontiac	Catalina	5.7L V8 350 CID		1AM075700A	700	24 Months
1981-1977	Pontiac	Catalina	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Catalina	4.3L V8 265 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Catalina	4.4L V8 267 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Catalina	5.0L V8 305 CID		1AM075700A	700	24 Months
1981-1980,1973-1972	Pontiac	Catalina	5.7L V8 350 CID		BB078800AB	800	36 Months
1955	Pontiac	Chieftain	4.7L V8 4707cc 287 CID		1AM024700B	700	24 Months
1956	Pontiac	Chieftain	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1957	Pontiac	Chieftain	5.7L V8 347 CID		1AM024700B	700	24 Months
1957	Pontiac	Chieftain	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1958	Pontiac	Chieftain	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1969-1967	Pontiac	Executive	7.0L V8 7014cc 428 CID		1AM024700B	700	24 Months
1970	Pontiac	Executive	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	Executive	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1988-1984	Pontiac	Fiero	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1988-1985	Pontiac	Fiero	2.8L V6 173 CID		1AM075700A	700	24 Months
1967	Pontiac	Firebird	5.3L V8 5343cc 326 CID		1AM024700B	700	24 Months
1967	Pontiac	Firebird	3.8L L6 230 CID		1AM260575A	575	24 Months
1967	Pontiac	Firebird	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months
1967	Pontiac	Firebird	3.8L L6 230 CID		BB26R540AD	540	36 Months
1967	Pontiac	Firebird	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1970-1968	Pontiac	Firebird	4.1L L6 250 CID		1AM260575A	575	24 Months
1970-1968	Pontiac	Firebird	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1970-1968	Pontiac	Firebird	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1970-1968	Pontiac	Firebird	4.1L L6 250 CID		BB26R540AD	540	36 Months
1970-1968	Pontiac	Firebird	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1970-1968	Pontiac	Firebird	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1970-1969	Pontiac	Firebird	4.1L L6 250 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Firebird	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Firebird	4.1L L6 4098cc 250 CID		1AM024700B	700	24 Months
1971	Pontiac	Firebird	7.5L V8 455 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1971	Pontiac	Firebird	7.5L V8 7456cc 455 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1971	Pontiac	Firebird	7.5L V8 455 CID	Check polarity before connecting cables.; Optional; w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	Firebird	7.5L V8 7456cc 455 CID	Check polarity before connecting cables.; Optional; w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	Firebird	7.5L V8 455 CID	Check polarity before connecting cables.; Optional; w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971	Pontiac	Firebird	7.5L V8 7456cc 455 CID	Check polarity before connecting cables.; Optional; w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971-1967	Pontiac	Firebird	6.6L V8 400 CID		1AM024700B	700	24 Months
1971-1967	Pontiac	Firebird	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1971-1968	Pontiac	Firebird	5.7L V8 350 CID		1AM024700B	700	24 Months
1971-1968	Pontiac	Firebird	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1972-1971	Pontiac	Firebird	4.1L L6 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1972-1971	Pontiac	Firebird	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1972-1971	Pontiac	Firebird	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1974-1972	Pontiac	Firebird	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Firebird	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Firebird	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Firebird	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Firebird	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Firebird	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Firebird	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Firebird	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	Firebird	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	Firebird	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1976	Pontiac	Firebird	4.1L L6 250 CID		BB078800AB	800	36 Months
1976-1972	Pontiac	Firebird	7.5L V8 455 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1976-1972	Pontiac	Firebird	7.5L V8 455 CID		BB078800AB	800	36 Months
1976-1973	Pontiac	Firebird	4.1L L6 250 CID		1AM075700A	700	24 Months
1977	Pontiac	Firebird	3.8L V6 231 CID		1AM075700A	700	24 Months
1977	Pontiac	Firebird	3.8L V6 231 CID		BB078800AB	800	36 Months
1979-1972	Pontiac	Firebird	6.6L V8 400 CID		1AM075700A	700	24 Months
1979-1972	Pontiac	Firebird	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1972	Pontiac	Firebird	6.6L V8 400 CID		BB078800AB	800	36 Months
1979-1977	Pontiac	Firebird	6.6L V8 403 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Firebird	6.6L V8 403 CID		BB078800AB	800	36 Months
1980	Pontiac	Firebird	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1980-1977	Pontiac	Firebird	5.0L V8 305 CID		BB078800AB	800	36 Months
1980-1979,1977	Pontiac	Firebird	4.9L V8 301 CID		BB078800AB	800	36 Months
1981	Pontiac	Firebird	4.4L V8 267 CID		1AM075700A	700	24 Months
1981-1979,1977	Pontiac	Firebird	4.9L V8 301 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Firebird	4.3L V8 265 CID		1AM075700A	700	24 Months
1986-1982	Pontiac	Firebird	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1989-1982	Pontiac	Firebird	2.8L V6 173 CID		1AM075700A	700	24 Months
1992-1977	Pontiac	Firebird	5.0L V8 305 CID		1AM075700A	700	24 Months
1992-1990	Pontiac	Firebird	3.1L V6 189 CID		1AM075700A	700	24 Months
1995-1993	Pontiac	Firebird	3.4L V6 207 CID		1AM075700A	700	24 Months
2002-1987,1979-1972	Pontiac	Firebird	5.7L V8 350 CID		1AM075700A	700	24 Months
2002-1995,1989,1981-1978	Pontiac	Firebird	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
2000-1995	Pontiac	Firefly	1.0L L3 993cc 61 CID		1AM260575A	575	24 Months
2000-1995	Pontiac	Firefly	1.3L L4 1295cc 79 CID		1AM260575A	575	24 Months
2000-1995	Pontiac	Firefly	1.0L L3 993cc 61 CID		BB26R540AD	540	36 Months
2000-1995	Pontiac	Firefly	1.3L L4 1295cc 79 CID		BB26R540AD	540	36 Months
2005	Pontiac	G6	3.5L V6 211 CID		1AM075700A	700	24 Months
2006	Pontiac	G6	3.5L V6 214 CID		1AM075700A	700	24 Months
2007	Pontiac	G6	3.5L V6 3490cc 213 CID		1AM075700A	700	24 Months
2007-2005	Pontiac	G6	3.5L V6 3498cc 213 CID		1AM075700A	700	24 Months
2007-2006	Pontiac	G6	2.4L L4 2384cc 145 CID		1AM075700A	700	24 Months
2007-2006	Pontiac	G6	3.9L V6 3880cc 237 CID		1AM075700A	700	24 Months
2009-2008	Pontiac	G6	3.5L V6 3498cc 213 CID		BB075590AB	590	36 Months
2009-2008	Pontiac	G6	3.9L V6 3880cc 237 CID		BB075590AB	590	36 Months
2010-2008	Pontiac	G6	2.4L L4 2384cc 145 CID		BB075590AB	590	36 Months
2010-2008	Pontiac	G6	3.5L V6 3490cc 213 CID		BB075590AB	590	36 Months
2008	Pontiac	G8	6.0L V8 5967cc 364 CID	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009	Pontiac	G8	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2009	Pontiac	G8	6.2L V8 6162cc 376 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
2009-2008	Pontiac	G8	6.0L V8 5967cc 364 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	1AM940800A	800	24 Months
2009-2008	Pontiac	G8	6.0L V8 5967cc 364 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located in trunk.	BB0H7730AB	730	36 Months
1973	Pontiac	Grand Am	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1973	Pontiac	Grand Am	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974	Pontiac	Grand Am	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974	Pontiac	Grand Am	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974	Pontiac	Grand Am	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974	Pontiac	Grand Am	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	Grand Am	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	Grand Am	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	Grand Am	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	Grand Am	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	Grand Am	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	Grand Am	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1975,1973	Pontiac	Grand Am	5.7L V8 350 CID		1AM075700A	700	24 Months
1975,1973	Pontiac	Grand Am	5.7L V8 350 CID		BB078800AB	800	36 Months
1975-1973	Pontiac	Grand Am	6.6L V8 400 CID		1AM075700A	700	24 Months
1975-1973	Pontiac	Grand Am	7.5L V8 455 CID		1AM075700A	700	24 Months
1975-1973	Pontiac	Grand Am	6.6L V8 400 CID		BB078800AB	800	36 Months
1975-1973	Pontiac	Grand Am	7.5L V8 455 CID		BB078800AB	800	36 Months
1979	Pontiac	Grand Am	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1980-1978	Pontiac	Grand Am	4.9L V8 301 CID		1AM075700A	700	24 Months
1980-1978	Pontiac	Grand Am	5.0L V8 305 CID		1AM075700A	700	24 Months
1980-1978	Pontiac	Grand Am	4.9L V8 301 CID		BB078800AB	800	36 Months
1980-1978	Pontiac	Grand Am	5.0L V8 305 CID		BB078800AB	800	36 Months
1987-1985	Pontiac	Grand Am	3.0L V6 181 CID		1AM075700A	700	24 Months
1989-1987	Pontiac	Grand Am	2.0L L4 122 CID		1AM075700A	700	24 Months
1991-1985	Pontiac	Grand Am	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1993-1992	Pontiac	Grand Am	3.3L V6 204 CID		1AM075700A	700	24 Months
1994-1989	Pontiac	Grand Am	2.3L L4 140 CID		1AM075700A	700	24 Months
1995-1988	Pontiac	Grand Am	2.3L L4 138 CID		1AM075700A	700	24 Months
1998-1994	Pontiac	Grand Am	3.1L V6 189 CID		1AM075700A	700	24 Months
2001-1996	Pontiac	Grand Am	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
2004-1999	Pontiac	Grand Am	3.4L V6 3350cc 204 CID		1AM075700A	700	24 Months
2005-1999	Pontiac	Grand Am	3.4L V6 207 CID		1AM075700A	700	24 Months
2005-2002	Pontiac	Grand Am	2.2L L4 2198cc 134 CID		1AM075700A	700	24 Months
1976	Pontiac	Grand LeMans	4.3L V8 260 CID		1AM075700A	700	24 Months
1976-1975	Pontiac	Grand LeMans	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1975	Pontiac	Grand LeMans	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Pontiac	Grand LeMans	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Pontiac	Grand LeMans	6.6L V8 403 CID		BB078800AB	800	36 Months
1977-1975	Pontiac	Grand LeMans	4.1L L6 250 CID		1AM075700A	700	24 Months
1977-1975	Pontiac	Grand LeMans	6.6L V8 400 CID		1AM075700A	700	24 Months
1977-1975	Pontiac	Grand LeMans	6.6L V8 400 CID		BB078800AB	800	36 Months
1979-1975	Pontiac	Grand LeMans	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1978	Pontiac	Grand LeMans	3.3L V6 200 CID		1AM075700A	700	24 Months
1980-1979,1977	Pontiac	Grand LeMans	4.9L V8 301 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1981-1978	Pontiac	Grand LeMans	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1981-1979, 1977	Pontiac	Grand LeMans	4.9L V8 301 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Grand LeMans	3.8L V6 229 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	Grand LeMans	4.3L V8 265 CID		1AM075700A	700	24 Months
1982	Pontiac	Grand LeMans	4.1L V6 252 CID		1AM075700A	700	24 Months
1982	Pontiac	Grand LeMans	4.4L V8 267 CID		BB078800AB	800	36 Months
1982-1979	Pontiac	Grand LeMans	4.4L V8 267 CID		1AM075700A	700	24 Months
1983, 1979-1975	Pontiac	Grand LeMans	5.7L V8 350 CID		1AM075700A	700	24 Months
1983-1976	Pontiac	Grand LeMans	5.0L V8 305 CID		1AM075700A	700	24 Months
1983-1976	Pontiac	Grand LeMans	5.0L V8 305 CID		BB078800AB	800	36 Months
1983-1982, 1979, 1977	Pontiac	Grand LeMans	3.8L V6 231 CID		1AM075700A	700	24 Months
1966-1962	Pontiac	Grand Prix	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1966-1963	Pontiac	Grand Prix	6.9L V8 6900cc 421 CID		1AM024700B	700	24 Months
1969-1967	Pontiac	Grand Prix	7.0L V8 7014cc 428 CID		1AM024700B	700	24 Months
1969-1968	Pontiac	Grand Prix	7.0L V8 428 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	Grand Prix	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970-1968	Pontiac	Grand Prix	6.6L V8 400 CID		1AM024700B	700	24 Months
1971	Pontiac	Grand Prix	6.6L V8 400 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971	Pontiac	Grand Prix	6.6L V8 6555cc 400 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971-1970	Pontiac	Grand Prix	7.5L V8 455 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1971-1970	Pontiac	Grand Prix	7.5L V8 7456cc 455 CID	Check polarity before connecting cables.	BB078800AB	800	36 Months
1973	Pontiac	Grand Prix	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1973	Pontiac	Grand Prix	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Prix	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Prix	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Prix	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Prix	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Prix	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Prix	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976-1972	Pontiac	Grand Prix	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Pontiac	Grand Prix	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Pontiac	Grand Prix	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Pontiac	Grand Prix	6.6L V8 403 CID		BB078800AB	800	36 Months
1977-1972	Pontiac	Grand Prix	6.6L V8 400 CID		1AM075700A	700	24 Months
1977-1972	Pontiac	Grand Prix	6.6L V8 400 CID		BB078800AB	800	36 Months
1979	Pontiac	Grand Prix	3.8L V6 231 CID		1AM075700A	700	24 Months
1980-1977	Pontiac	Grand Prix	4.9L V8 301 CID		1AM075700A	700	24 Months
1980-1977	Pontiac	Grand Prix	4.9L V8 301 CID		BB078800AB	800	36 Months
1981-1980	Pontiac	Grand Prix	4.3L V8 265 CID		1AM075700A	700	24 Months
1982	Pontiac	Grand Prix	4.1L V6 252 CID		1AM075700A	700	24 Months
1982-1981	Pontiac	Grand Prix	4.4L V8 267 CID		1AM075700A	700	24 Months
1984-1981, 1977-1976	Pontiac	Grand Prix	5.7L V8 350 CID		1AM075700A	700	24 Months
1984-1981, 1977-1976	Pontiac	Grand Prix	5.7L V8 350 CID		BB078800AB	800	36 Months
1985-1983, 1980-1978	Pontiac	Grand Prix	5.0L V8 305 CID		BB078800AB	800	36 Months
1985-1984	Pontiac	Grand Prix	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1987-1978	Pontiac	Grand Prix	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1987-1983, 1980-1978	Pontiac	Grand Prix	5.0L V8 305 CID		1AM075700A	700	24 Months
1987-1986	Pontiac	Grand Prix	4.3L V6 262 CID		1AM075700A	700	24 Months
1989	Pontiac	Grand Prix	3.1L V6 189 CID		1AM075700A	700	24 Months
1989-1988	Pontiac	Grand Prix	2.8L V6 173 CID		1AM075700A	700	24 Months
1991-1990	Pontiac	Grand Prix	2.3L L4 138 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1995	Pontiac	Grand Prix	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.; Late	BB078800AB	800	36 Months
1995	Pontiac	Grand Prix	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.; Late	BB078800AB	800	36 Months
1996	Pontiac	Grand Prix	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1996-1991	Pontiac	Grand Prix	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997	Pontiac	Grand Prix	3.1L V6 3136cc 191 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997	Pontiac	Grand Prix	3.8L V6 3791cc 231 CID; Naturally Aspirated	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997	Pontiac	Grand Prix	3.8L V6 3800cc 231 CID; Naturally Aspirated	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997	Pontiac	Grand Prix	3.1L V6 3136cc 191 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1997	Pontiac	Grand Prix	3.8L V6 3791cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1997	Pontiac	Grand Prix	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1997-1990	Pontiac	Grand Prix	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	1AM075700A	700	24 Months
1997-1996	Pontiac	Grand Prix	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under washer bottle.	BB078800AB	800	36 Months
1998	Pontiac	Grand Prix	3.1L V6 3136cc 191 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1998	Pontiac	Grand Prix	3.1L V6 3136cc 191 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2001-1998	Pontiac	Grand Prix	3.8L V6 3791cc 231 CID; Naturally Aspirated	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2001-1998	Pontiac	Grand Prix	3.8L V6 3791cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2003-1998	Pontiac	Grand Prix	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-1998	Pontiac	Grand Prix	3.8L V6 3800cc 231 CID; Naturally Aspirated	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-1998	Pontiac	Grand Prix	3.1L V6 189 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2003-1998	Pontiac	Grand Prix	3.8L V6 3800cc 231 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1971	Pontiac	Grand Safari	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1971	Pontiac	Grand Safari	6.6L V8 400 CID		1AM024700B	700	24 Months
1971	Pontiac	Grand Safari	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1971	Pontiac	Grand Safari	7.5L V8 455 CID	Check Terminal Connection	1AM024700B	700	24 Months
1971	Pontiac	Grand Safari	7.5L V8 7456cc 455 CID	Check Terminal Connection	1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1971	Pontiac	Grand Safari	7.5L V8 455 CID	Check Terminal Connection; Optional; w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	Grand Safari	7.5L V8 7456cc 455 CID	Check Terminal Connection; Optional; w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	Grand Safari	7.5L V8 455 CID	Check Terminal Connection; Optional; w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971	Pontiac	Grand Safari	7.5L V8 7456cc 455 CID	Check Terminal Connection; Optional; w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Safari	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Safari	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Safari	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Safari	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grand Safari	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Safari	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Safari	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grand Safari	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	Grand Safari	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	Grand Safari	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1976-1972	Pontiac	Grand Safari	7.5L V8 455 CID		1AM075700A	700	24 Months
1976-1972	Pontiac	Grand Safari	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Pontiac	Grand Safari	4.9L V8 301 CID		1AM075700A	700	24 Months
1977	Pontiac	Grand Safari	5.7L V8 350 CID		1AM075700A	700	24 Months
1977	Pontiac	Grand Safari	4.9L V8 301 CID		BB078800AB	800	36 Months
1977	Pontiac	Grand Safari	5.7L V8 350 CID		BB078800AB	800	36 Months
1978-1973	Pontiac	Grand Safari	6.6L V8 400 CID		1AM075700A	700	24 Months
1978-1973	Pontiac	Grand Safari	6.6L V8 400 CID		BB078800AB	800	36 Months
1978-1977	Pontiac	Grand Safari	6.6L V8 403 CID		1AM075700A	700	24 Months
1978-1977	Pontiac	Grand Safari	6.6L V8 403 CID		BB078800AB	800	36 Months
1971	Pontiac	Grandville	7.5L V8 455 CID	Check Terminal Connection	BB078800AB	800	36 Months
1971	Pontiac	Grandville	7.5L V8 7456cc 455 CID	Check Terminal Connection	BB078800AB	800	36 Months
1974-1972	Pontiac	Grandville	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grandville	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grandville	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1974-1972	Pontiac	Grandville	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grandville	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Grandville	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1975,1973	Pontiac	Grandville	6.6L V8 400 CID		1AM075700A	700	24 Months
1975,1973	Pontiac	Grandville	6.6L V8 400 CID		BB078800AB	800	36 Months
1975-1972	Pontiac	Grandville	7.5L V8 455 CID		1AM075700A	700	24 Months
1975-1972	Pontiac	Grandville	7.5L V8 455 CID		BB078800AB	800	36 Months
1966-1964	Pontiac	GTO	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1970	Pontiac	GTO	7.5L V8 455 CID		1AM024700B	700	24 Months
1970	Pontiac	GTO	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	GTO	6.6L V8 400 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	GTO	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1971	Pontiac	GTO	7.5L V8 455 CID	Check Terminal Connection	1AM024700B	700	24 Months
1971	Pontiac	GTO	7.5L V8 7456cc 455 CID	Check Terminal Connection	1AM024700B	700	24 Months
1973-1971	Pontiac	GTO	6.6L V8 400 CID		1AM075700A	700	24 Months
1973-1971	Pontiac	GTO	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1973-1971	Pontiac	GTO	7.5L V8 455 CID		1AM075700A	700	24 Months
1973-1971	Pontiac	GTO	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1973-1971	Pontiac	GTO	6.6L V8 400 CID		BB078800AB	800	36 Months
1973-1971	Pontiac	GTO	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1973-1971	Pontiac	GTO	7.5L V8 455 CID		BB078800AB	800	36 Months
1973-1971	Pontiac	GTO	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1983	Pontiac	J2000	2.0L L4 122 CID		1AM075700A	700	24 Months
1983-1982	Pontiac	J2000	1.8L L4 112 CID		1AM075700A	700	24 Months
1985-1984	Pontiac	J2000 Sunbird	1.8L L4 112 CID		1AM075700A	700	24 Months
1985-1984	Pontiac	J2000 Sunbird	2.0L L4 122 CID		1AM075700A	700	24 Months
1957-1955	Pontiac	Laurentian	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1962-1955	Pontiac	Laurentian	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1962-1958	Pontiac	Laurentian	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1967-1957	Pontiac	Laurentian	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1969-1962	Pontiac	Laurentian	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1966	Pontiac	Laurentian	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1969-1966	Pontiac	Laurentian	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1968	Pontiac	Laurentian	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970	Pontiac	Laurentian	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	Laurentian	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Laurentian	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Laurentian	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1974,1971	Pontiac	Laurentian	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974,1971	Pontiac	Laurentian	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Laurentian	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Laurentian	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Laurentian	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Laurentian	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1976	Pontiac	Laurentian	6.6L V8 400 CID		1AM075700A	700	24 Months
1976	Pontiac	Laurentian	7.5L V8 455 CID		1AM075700A	700	24 Months
1976	Pontiac	Laurentian	6.6L V8 400 CID		BB078800AB	800	36 Months
1976	Pontiac	Laurentian	7.5L V8 455 CID		BB078800AB	800	36 Months
1976,1974-1971	Pontiac	Laurentian	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1976,1974-1971	Pontiac	Laurentian	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1979-1977	Pontiac	Laurentian	4.1L L6 250 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Laurentian	4.1L L6 250 CID		BB078800AB	800	36 Months
1980	Pontiac	Laurentian	3.8L V6 229 CID		1AM075700A	700	24 Months
1980	Pontiac	Laurentian	3.8L V6 229 CID		BB078800AB	800	36 Months
1980	Pontiac	Laurentian	4.4L V8 267 CID		BB078800AB	800	36 Months
1981	Pontiac	Laurentian	3.8L V6 231 CID		1AM075700A	700	24 Months
1981	Pontiac	Laurentian	4.3L V8 265 CID		1AM075700A	700	24 Months
1981	Pontiac	Laurentian	5.0L V8 307 CID		1AM075700A	700	24 Months
1981	Pontiac	Laurentian	3.8L V6 231 CID		BB078800AB	800	36 Months
1981	Pontiac	Laurentian	5.0L V8 307 CID		BB078800AB	800	36 Months
1981-1977	Pontiac	Laurentian	5.0L V8 305 CID		1AM075700A	700	24 Months
1981-1977	Pontiac	Laurentian	5.7L V8 350 CID		1AM075700A	700	24 Months
1981-1977	Pontiac	Laurentian	5.0L V8 305 CID		BB078800AB	800	36 Months
1981-1977	Pontiac	Laurentian	5.7L V8 350 CID		BB078800AB	800	36 Months
1981-1980	Pontiac	Laurentian	4.4L V8 267 CID		1AM075700A	700	24 Months
1963	Pontiac	LeMans	3.2L L4 3196cc 195 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1965-1964	Pontiac	LeMans	3.5L L6 3524cc 215 CID		1AM024700B	700	24 Months
1967-1963	Pontiac	LeMans	5.3L V8 5343cc 326 CID		1AM024700B	700	24 Months
1967-1966	Pontiac	LeMans	3.8L L6 3769cc 230 CID		1AM024700B	700	24 Months
1971	Pontiac	LeMans	6.6L V8 400 CID	Check Terminal Connection	1AM024700B	700	24 Months
1971	Pontiac	LeMans	6.6L V8 6555cc 400 CID	Check Terminal Connection	1AM024700B	700	24 Months
1971	Pontiac	LeMans	6.6L V8 400 CID	w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	LeMans	6.6L V8 6555cc 400 CID	w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	LeMans	7.5L V8 455 CID	w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	LeMans	7.5L V8 7456cc 455 CID	w/AC or Rear Window Defogger	1AM075700A	700	24 Months
1971	Pontiac	LeMans	6.6L V8 400 CID	w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971	Pontiac	LeMans	6.6L V8 6555cc 400 CID	w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971	Pontiac	LeMans	7.5L V8 455 CID	w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971	Pontiac	LeMans	7.5L V8 7456cc 455 CID	w/AC or Rear Window Defogger	BB078800AB	800	36 Months
1971-1970	Pontiac	LeMans	7.5L V8 455 CID		1AM024700B	700	24 Months
1971-1970	Pontiac	LeMans	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1972	Pontiac	LeMans	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1972	Pontiac	LeMans	6.6L V8 6556cc 400 CID		1AM024700B	700	24 Months
1972	Pontiac	LeMans	7.5L V8 455 CID	Check Terminal Connection	BB078800AB	800	36 Months
1972	Pontiac	LeMans	7.5L V8 7456cc 455 CID	Check Terminal Connection	BB078800AB	800	36 Months
1972	Pontiac	LeMans	7.5L V8 7457cc 455 CID	Check Terminal Connection	BB078800AB	800	36 Months
1972,1970-1968	Pontiac	LeMans	6.6L V8 400 CID		1AM024700B	700	24 Months
1972,1970-1968	Pontiac	LeMans	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1972-1968	Pontiac	LeMans	5.7L V8 350 CID		1AM024700B	700	24 Months
1972-1968	Pontiac	LeMans	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1972-1968	Pontiac	LeMans	4.1L L6 250 CID		1AM260575A	575	24 Months
1972-1968	Pontiac	LeMans	4.1L L6 4097cc 250 CID		1AM260575A	575	24 Months
1972-1968	Pontiac	LeMans	4.1L L6 4098cc 250 CID		1AM260575A	575	24 Months
1972-1968	Pontiac	LeMans	4.1L L6 250 CID		BB26R540AD	540	36 Months
1972-1968	Pontiac	LeMans	4.1L L6 4097cc 250 CID		BB26R540AD	540	36 Months
1972-1968	Pontiac	LeMans	4.1L L6 4098cc 250 CID		BB26R540AD	540	36 Months
1973	Pontiac	LeMans	7.5L V8 7457cc 455 CID		1AM075700A	700	24 Months
1973	Pontiac	LeMans	7.5L V8 7457cc 455 CID		BB078800AB	800	36 Months
1974	Pontiac	LeMans	6.6L V8 6556cc 400 CID		1AM075700A	700	24 Months
1974	Pontiac	LeMans	6.6L V8 6556cc 400 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	LeMans	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	LeMans	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	LeMans	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	LeMans	5.7L V8 5737cc 350 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	LeMans	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	LeMans	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1973	Pontiac	LeMans	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	LeMans	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	LeMans	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	LeMans	5.7L V8 5737cc 350 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	LeMans	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1973	Pontiac	LeMans	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976	Pontiac	LeMans	4.3L V8 260 CID		1AM075700A	700	24 Months
1976	Pontiac	LeMans	4.3L V8 260 CID		BB078800AB	800	36 Months
1976,1974-1973	Pontiac	LeMans	7.5L V8 455 CID		1AM075700A	700	24 Months
1976,1974-1973	Pontiac	LeMans	4.1L L6 250 CID		BB078800AB	800	36 Months
1976,1974-1973	Pontiac	LeMans	7.5L V8 455 CID		BB078800AB	800	36 Months
1977	Pontiac	LeMans	6.6L V8 403 CID		1AM075700A	700	24 Months
1977	Pontiac	LeMans	6.6L V8 403 CID		BB078800AB	800	36 Months
1977-1973	Pontiac	LeMans	4.1L L6 250 CID		1AM075700A	700	24 Months
1977-1973	Pontiac	LeMans	6.6L V8 400 CID		1AM075700A	700	24 Months
1977-1973	Pontiac	LeMans	6.6L V8 400 CID		BB078800AB	800	36 Months
1979,1977	Pontiac	LeMans	3.8L V6 231 CID		1AM075700A	700	24 Months
1979,1977	Pontiac	LeMans	3.8L V6 231 CID		BB078800AB	800	36 Months
1979-1973	Pontiac	LeMans	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1973	Pontiac	LeMans	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1978	Pontiac	LeMans	3.3L V6 200 CID		1AM075700A	700	24 Months
1980	Pontiac	LeMans	3.8L V6 229 CID		BB078800AB	800	36 Months
1980	Pontiac	LeMans	4.3L V8 265 CID		BB078800AB	800	36 Months
1980	Pontiac	LeMans	4.4L V8 267 CID		BB078800AB	800	36 Months
1980-1976	Pontiac	LeMans	5.0L V8 305 CID		BB078800AB	800	36 Months
1980-1978	Pontiac	LeMans	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1980-1979,1977	Pontiac	LeMans	4.9L V8 301 CID		BB078800AB	800	36 Months
1981-1976	Pontiac	LeMans	5.0L V8 305 CID		1AM075700A	700	24 Months
1981-1978	Pontiac	LeMans	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1981-1979	Pontiac	LeMans	4.4L V8 267 CID		1AM075700A	700	24 Months
1981-1979,1977	Pontiac	LeMans	4.9L V8 301 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	LeMans	3.8L V6 229 CID		1AM075700A	700	24 Months
1981-1980	Pontiac	LeMans	4.3L V8 265 CID		1AM075700A	700	24 Months
1990-1989	Pontiac	LeMans	2.0L L4 122 CID		1AM260575A	575	24 Months
1993-1988	Pontiac	LeMans	1.6L L4 1588cc 98 CID		1AM260575A	575	24 Months
2005-1999	Pontiac	Montana	3.4L V6 207 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
2005-1999	Pontiac	Montana	3.4L V6 207 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.	BB078800AB	800	36 Months
1990-1988	Pontiac	Optima	2.0L L4 122 CID		1AM260575A	575	24 Months
1991-1988	Pontiac	Optima	1.6L L4 1606cc 98 CID		1AM260575A	575	24 Months
1962-1959	Pontiac	Parisienne	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1962-1959	Pontiac	Parisienne	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1965-1961	Pontiac	Parisienne	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1967-1959	Pontiac	Parisienne	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1969-1962	Pontiac	Parisienne	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1966	Pontiac	Parisienne	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1966	Pontiac	Parisienne	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1970	Pontiac	Parisienne	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970	Pontiac	Parisienne	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1970	Pontiac	Parisienne	7.5L V8 7456cc 455 CID		1AM024700B	700	24 Months
1970-1966	Pontiac	Parisienne	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1967	Pontiac	Parisienne	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970-1968	Pontiac	Parisienne	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Parisienne	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1970-1969	Pontiac	Parisienne	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1974	Pontiac	Parisienne	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974	Pontiac	Parisienne	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Parisienne	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Parisienne	5.7L V8 5736cc 350 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Parisienne	6.6L V8 6555cc 400 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Parisienne	7.5L V8 7456cc 455 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Parisienne	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Parisienne	5.7L V8 5736cc 350 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Parisienne	6.6L V8 6555cc 400 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Parisienne	7.5L V8 7456cc 455 CID		BB078800AB	800	36 Months
1976	Pontiac	Parisienne	6.6L V8 400 CID		1AM075700A	700	24 Months
1976	Pontiac	Parisienne	7.5L V8 455 CID		1AM075700A	700	24 Months
1976	Pontiac	Parisienne	6.6L V8 400 CID		BB078800AB	800	36 Months
1976	Pontiac	Parisienne	7.5L V8 455 CID		BB078800AB	800	36 Months
1979-1977	Pontiac	Parisienne	4.1L L6 250 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Parisienne	4.1L L6 250 CID		BB078800AB	800	36 Months
1980	Pontiac	Parisienne	3.8L V6 229 CID		1AM075700A	700	24 Months
1980	Pontiac	Parisienne	5.7L V8 350 CID; DIESEL		1AM075700A	700	24 Months
1980	Pontiac	Parisienne	5.7L V8 350 CID; GAS		1AM075700A	700	24 Months
1980	Pontiac	Parisienne	5.7L V8 350 CID; DIESEL		BB078800AB	800	36 Months
1980	Pontiac	Parisienne	5.7L V8 350 CID; GAS		BB078800AB	800	36 Months
1981	Pontiac	Parisienne	4.3L V8 265 CID		1AM075700A	700	24 Months
1981	Pontiac	Parisienne	5.0L V8 307 CID		BB078800AB	800	36 Months
1982-1980	Pontiac	Parisienne	4.4L V8 267 CID		1AM075700A	700	24 Months
1982-1980	Pontiac	Parisienne	4.4L V8 267 CID		BB078800AB	800	36 Months
1984	Pontiac	Parisienne	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1984-1977	Pontiac	Parisienne	5.0L V8 305 CID		BB078800AB	800	36 Months
1985,1983-1981	Pontiac	Parisienne	3.8L V6 231 CID		1AM075700A	700	24 Months
1985-1981,1979-1976	Pontiac	Parisienne	5.7L V8 350 CID		1AM075700A	700	24 Months
1985-1981,1979-1976	Pontiac	Parisienne	5.7L V8 350 CID		BB078800AB	800	36 Months
1986,1981	Pontiac	Parisienne	5.0L V8 307 CID		1AM075700A	700	24 Months
1986-1977	Pontiac	Parisienne	5.0L V8 305 CID		1AM075700A	700	24 Months
1986-1985	Pontiac	Parisienne	4.3L V6 262 CID		1AM075700A	700	24 Months
1957-1955	Pontiac	Pathfinder	4.3L V8 4343cc 265 CID		1AM024700B	700	24 Months
1958-1955	Pontiac	Pathfinder	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1958-1957	Pontiac	Pathfinder	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1977	Pontiac	Phoenix	3.8L V6 231 CID		1AM075700A	700	24 Months
1977	Pontiac	Phoenix	3.8L V6 231 CID		BB078800AB	800	36 Months
1979-1977	Pontiac	Phoenix	5.0L V8 305 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Phoenix	5.7L V8 350 CID		1AM075700A	700	24 Months
1979-1977	Pontiac	Phoenix	5.0L V8 305 CID		BB078800AB	800	36 Months
1979-1977	Pontiac	Phoenix	5.7L V8 350 CID		BB078800AB	800	36 Months
1979-1978	Pontiac	Phoenix	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1980	Pontiac	Phoenix	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1980	Pontiac	Phoenix	2.8L V6 173 CID		BB078800AB	800	36 Months
1984-1980	Pontiac	Phoenix	2.8L V6 173 CID		1AM075700A	700	24 Months
1984-1980,1978-1977	Pontiac	Phoenix	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1989-1987	Pontiac	Safari	5.0L V8 307 CID		1AM075700A	700	24 Months
1955	Pontiac	Star Chief	4.7L V8 287 CID		1AM024700B	700	24 Months
1955	Pontiac	Star Chief	4.7L V8 4707cc 287 CID		1AM024700B	700	24 Months
1956	Pontiac	Star Chief	5.2L V8 316 CID		1AM024700B	700	24 Months
1956	Pontiac	Star Chief	5.2L V8 5179cc 316 CID		1AM024700B	700	24 Months
1957	Pontiac	Star Chief	5.7L V8 347 CID		1AM024700B	700	24 Months
1957	Pontiac	Star Chief	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1958	Pontiac	Star Chief	6.1L V8 370 CID		1AM024700B	700	24 Months
1958	Pontiac	Star Chief	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1961-1955	Pontiac	Star Chief	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1966-1959	Pontiac	Star Chief	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1966-1963	Pontiac	Star Chief	6.9L V8 6900cc 421 CID		1AM024700B	700	24 Months
1962-1958	Pontiac	Strato-Chief	4.3L L6 4278cc 261 CID		1AM024700B	700	24 Months
1965,1962-1958	Pontiac	Strato-Chief	5.7L V8 5704cc 348 CID		1AM024700B	700	24 Months
1965-1961	Pontiac	Strato-Chief	6.7L V8 6704cc 409 CID		1AM024700B	700	24 Months
1967-1958	Pontiac	Strato-Chief	4.6L V8 4638cc 283 CID		1AM024700B	700	24 Months
1969-1962	Pontiac	Strato-Chief	5.3L V8 5358cc 327 CID		1AM024700B	700	24 Months
1969-1965	Pontiac	Strato-Chief	6.5L V8 6489cc 396 CID		1AM024700B	700	24 Months
1969-1966	Pontiac	Strato-Chief	7.0L V8 6998cc 427 CID		1AM024700B	700	24 Months
1970	Pontiac	Strato-Chief	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1970	Pontiac	Strato-Chief	6.6L V8 6588cc 402 CID		1AM024700B	700	24 Months
1970	Pontiac	Strato-Chief	7.4L V8 7439cc 454 CID		1AM024700B	700	24 Months
1970-1966	Pontiac	Strato-Chief	4.1L L6 4097cc 250 CID		1AM024700B	700	24 Months
1970-1968	Pontiac	Strato-Chief	5.0L V8 5031cc 307 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Strato-Chief	5.7L V8 5736cc 350 CID		1AM024700B	700	24 Months
1977	Pontiac	Sunbird	3.8L V6 231 CID		BB078800AB	800	36 Months
1977-1976	Pontiac	Sunbird	2.3L L4 2294cc 140 CID		1AM075700A	700	24 Months
1977-1976	Pontiac	Sunbird	3.8L V6 231 CID		1AM075700A	700	24 Months
1979	Pontiac	Sunbird	5.0L V8 305 CID		BB078800AB	800	36 Months
1979,1977	Pontiac	Sunbird	2.5L L4 2474cc 151 CID		BB078800AB	800	36 Months
1979,1977	Pontiac	Sunbird	3.8L V6 3800cc 231 CID		BB078800AB	800	36 Months
1979-1978	Pontiac	Sunbird	5.0L V8 305 CID		1AM075700A	700	24 Months
1980-1977	Pontiac	Sunbird	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1980-1977	Pontiac	Sunbird	3.8L V6 3800cc 231 CID		1AM075700A	700	24 Months
1986	Pontiac	Sunbird	1.8L L4 112 CID		1AM075700A	700	24 Months
1994-1986	Pontiac	Sunbird	2.0L L4 122 CID		1AM075700A	700	24 Months
1994-1991	Pontiac	Sunbird	3.1L V6 189 CID		1AM075700A	700	24 Months
1988-1985	Pontiac	Sunburst	1.5L L4 1471cc 92 CID		1AM035550A	550	24 Months
1988-1985	Pontiac	Sunburst	1.5L L4 1471cc 92 CID		2AM035550A	500	18 Months
1995	Pontiac	Sunfire	2.3L L4 138 CID		1AM075700A	700	24 Months
2002	Pontiac	Sunfire	2.2L L4 2200cc 134 CID		1AM075700A	700	24 Months
2002-1995	Pontiac	Sunfire	2.2L L4 2190cc 134 CID		1AM075700A	700	24 Months
2002-1996	Pontiac	Sunfire	2.4L L4 2392cc 146 CID		1AM075700A	700	24 Months
2005-2002	Pontiac	Sunfire	2.2L L4 2198cc 134 CID		1AM075700A	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1997-1995	Pontiac	Sunrunner	1.6L L4 1588cc 98 CID		1AM260575A	575	24 Months
1997-1995	Pontiac	Sunrunner	1.6L L4 1588cc 98 CID		BB26R540AD	540	36 Months
1957	Pontiac	Super Chief	5.7L V8 5687cc 347 CID		1AM024700B	700	24 Months
1958	Pontiac	Super Chief	6.1L V8 6064cc 370 CID		1AM024700B	700	24 Months
1987-1984, 1982-1981	Pontiac	T1000	1.6L L4 98 CID		1AM075700A	700	24 Months
1961	Pontiac	Tempest	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1962-1961	Pontiac	Tempest	3.5L V8 3528cc 215 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1962-1961	Pontiac	Tempest	3.5L V8 3528cc 215 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1963	Pontiac	Tempest	5.3L V8 5343cc 326 CID		1AM024700B	700	24 Months
1963-1961	Pontiac	Tempest	3.2L L4 3196cc 195 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1963-1961	Pontiac	Tempest	3.2L L4 3196cc 195 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1965	Pontiac	Tempest	3.8L L6 3769cc 230 CID		1AM260575A	575	24 Months
1965	Pontiac	Tempest	3.8L L6 3769cc 230 CID		BB26R540AD	540	36 Months
1965-1964	Pontiac	Tempest	3.5L L6 3524cc 215 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1965-1964	Pontiac	Tempest	3.5L L6 3524cc 215 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1967-1964	Pontiac	Tempest	5.3L V8 5343cc 326 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1967-1966	Pontiac	Tempest	3.8L L6 3769cc 230 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1967-1966	Pontiac	Tempest	3.8L L6 3769cc 230 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1968	Pontiac	Tempest	5.7L V8 5733cc 350 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1968	Pontiac	Tempest	6.6L V8 6555cc 400 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969-1968	Pontiac	Tempest	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1969-1968	Pontiac	Tempest	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	1AM024700B	700	24 Months
1970	Pontiac	Tempest	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970	Pontiac	Tempest	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	1AM260575A	575	24 Months
1970	Pontiac	Tempest	4.1L L6 4097cc 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970	Pontiac	Tempest	4.1L L6 4098cc 250 CID	Check polarity before connecting cables.	BB26R540AD	540	36 Months
1970-1969	Pontiac	Tempest	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1970-1969	Pontiac	Tempest	6.6L V8 6555cc 400 CID		1AM024700B	700	24 Months
1989-1987	Pontiac	Tempest	2.0L L4 122 CID		1AM075700A	700	24 Months
1989-1987	Pontiac	Tempest	2.8L V6 173 CID		1AM075700A	700	24 Months
1991-1990	Pontiac	Tempest	2.2L L4 134 CID		1AM075700A	700	24 Months
1991-1990	Pontiac	Tempest	3.1L V6 189 CID		1AM075700A	700	24 Months
2006	Pontiac	Torrent	3.4L V6 207 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2006	Pontiac	Torrent	3.4L V6 3350cc 204 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1995-1990	Pontiac	Trans Sport	3.1L V6 189 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1995-1992	Pontiac	Trans Sport	3.8L V6 3800cc 231 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1999-1996	Pontiac	Trans Sport	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM075700A	700	24 Months
1999-1997	Pontiac	Trans Sport	3.4L V6 207 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB078800AB	800	36 Months
1961	Pontiac	Ventura	6.9L V8 6900cc 421 CID		1AM024700B	700	24 Months
1961-1960	Pontiac	Ventura	6.4L V8 6376cc 389 CID		1AM024700B	700	24 Months
1971	Pontiac	Ventura	5.7L V8 5733cc 350 CID		1AM075700A	700	24 Months
1971	Pontiac	Ventura	5.0L V8 307 CID	Check Terminal Connection	BB078800AB	800	36 Months
1971	Pontiac	Ventura	5.0L V8 5031cc 307 CID	Check Terminal Connection	BB078800AB	800	36 Months
1971	Pontiac	Ventura	5.7L V8 5733cc 350 CID		BB078800AB	800	36 Months
1972	Pontiac	Ventura	5.0L V8 307 CID		1AM075700A	700	24 Months
1972	Pontiac	Ventura	5.0L V8 5031cc 307 CID		1AM075700A	700	24 Months
1973-1972	Pontiac	Ventura	5.0L V8 307 CID		BB078800AB	800	36 Months
1973-1972	Pontiac	Ventura	5.0L V8 5031cc 307 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Ventura	4.1L L6 4097cc 250 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Ventura	4.1L L6 4098cc 250 CID		1AM075700A	700	24 Months
1974-1971	Pontiac	Ventura	4.1L L6 4097cc 250 CID		BB078800AB	800	36 Months
1974-1971	Pontiac	Ventura	4.1L L6 4098cc 250 CID		BB078800AB	800	36 Months
1974-1972	Pontiac	Ventura	5.7L V8 350 CID		1AM024700B	700	24 Months
1974-1972	Pontiac	Ventura	5.7L V8 5733cc 350 CID		1AM024700B	700	24 Months
1974-1972	Pontiac	Ventura	5.7L V8 5737cc 350 CID		1AM024700B	700	24 Months
1976-1971	Pontiac	Ventura	4.1L L6 250 CID		1AM075700A	700	24 Months
1976-1971	Pontiac	Ventura	4.1L L6 250 CID		BB078800AB	800	36 Months
1976-1975	Pontiac	Ventura	4.3L V8 260 CID		1AM075700A	700	24 Months
1976-1975	Pontiac	Ventura	4.3L V8 260 CID		BB078800AB	800	36 Months
1977	Pontiac	Ventura	2.5L L4 2474cc 151 CID		1AM075700A	700	24 Months
1977	Pontiac	Ventura	3.8L V6 231 CID		1AM075700A	700	24 Months
1977	Pontiac	Ventura	4.9L V8 301 CID		1AM075700A	700	24 Months
1977	Pontiac	Ventura	5.0L V8 305 CID		1AM075700A	700	24 Months
1977	Pontiac	Ventura	3.8L V6 231 CID		BB078800AB	800	36 Months
1977	Pontiac	Ventura	4.9L V8 301 CID		BB078800AB	800	36 Months
1977	Pontiac	Ventura	5.0L V8 305 CID		BB078800AB	800	36 Months
1977-1975	Pontiac	Ventura	5.7L V8 350 CID		1AM075700A	700	24 Months
1977-1975	Pontiac	Ventura	5.7L V8 350 CID		BB078800AB	800	36 Months
2006-2003	Pontiac	Vibe	1.8L L4 1795cc		1AM035550A	550	24 Months
2006-2003	Pontiac	Vibe	1.8L L4 1795cc		2AM035550A	500	18 Months
2008-2003	Pontiac	Vibe	1.8L L4 1794cc		1AM035550A	550	24 Months
2008-2003	Pontiac	Vibe	1.8L L4 1794cc		2AM035550A	500	18 Months
2009	Pontiac	Vibe	1.8L L4 1798cc		1AM035550A	550	24 Months
2009	Pontiac	Vibe	1.8L L4 1798cc		2AM035550A	500	18 Months
2010	Pontiac	Vibe	1.8L L4 1798cc	w/o Upgrade electrical pkg.	1AM035550A	550	24 Months
2010	Pontiac	Vibe	2.4L L4 2362cc	w/o Upgrade electrical pkg.	1AM035550A	550	24 Months
2010	Pontiac	Vibe	1.8L L4 1798cc	w/o Upgrade electrical pkg.	2AM035550A	500	18 Months
2010	Pontiac	Vibe	2.4L L4 2362cc	w/o Upgrade electrical pkg.	2AM035550A	500	18 Months
1976-1974	Porsche	911	2.7L H6 2688cc	OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985-1984	Porsche	911	3.2L H6 3163cc		2AM049850A	850	18 Months
1985-1984	Porsche	911	3.3L H6 3294cc		2AM049850A	850	18 Months
1988-1986	Porsche	911	3.2L H6 3163cc	Battery is vented to outside of vehicle.; Exc. Slant Nose	2AM049850A	850	18 Months
1988-1986	Porsche	911	3.2L H6 3163cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1988-1987	Porsche	911	3.3L H6 3294cc	OE CCA: 650; OE Group: 49; Reserve Capacity: 150; Slantnose	BBAH8800AB	800	36 Months
1989	Porsche	911	3.2L H6 3163cc; Carrera	Battery is vented to outside of vehicle.; Exc. Slant Nose	2AM049850A	850	18 Months
1989	Porsche	911	3.2L H6 3163cc; Carrera	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1989-1986	Porsche	911	3.2L H6 3163cc	Battery is vented to outside of vehicle.; Slant Nose	1AM0H6770A	770	24 Months
1989-1986	Porsche	911	3.3L H6 3294cc	Battery is vented to outside of vehicle.; Exc. Slant Nose	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1992-1991	Porsche	911	3.3L H6 3294cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1992-1991,1989	Porsche	911	3.3L H6 3294cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1994-1989	Porsche	911	3.6L H6 3606cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1998-1989	Porsche	911	3.6L H6 3606cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001	Porsche	911	3.6L H6 3606cc; GT3	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Mfr. Recommended replacement battery shown, may vary from OE battery.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001-1999	Porsche	911	3.4L H6 3400cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2001-1999	Porsche	911	3.4L H6 3400cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2003-2001,1998-1995	Porsche	911	3.6L H6 3606cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2003-2002	Porsche	911	3.6L H6 3596cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2008-2005	Porsche	911	3.8L H6 3824cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2008-2007	Porsche	911	3.6L H6 3598cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2009	Porsche	911	3.6L H6 3614cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2009	Porsche	911	3.8L H6 3800cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2009	Porsche	911	3.6L H6 3596cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2002	Porsche	911	3.6L H6 3596cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2009-2007,2005-2002	Porsche	911	3.6L H6 3606cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2011	Porsche	911	3.6L H6 3600cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2011	Porsche	911	4.0L H6 3996cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2011	Porsche	911	3.6L H6 3600cc 220 CID	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2012-2010	Porsche	911	3.6L H6 3614cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2012-2010	Porsche	911	3.6L H6 3614cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2010	Porsche	911	3.8L H6 3824cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2013-2010	Porsche	911	3.8L H6 3824cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2010	Porsche	911	3.8L H6 3800cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2014-2012	Porsche	911	3.4L H6 3436cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2015	Porsche	911	3.4L H6 3436cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2015	Porsche	911	3.8L H6 3800cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 750; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Porsche	911	4.0L H6 3996cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2016	Porsche	911	4.0L H6 3996cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2016	Porsche	911	4.0L H6 3996cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2016,2011	Porsche	911	4.0L H6 3996cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016,2014-2010	Porsche	911	3.8L H6 3800cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016,2014-2012	Porsche	911	3.4L H6 3436cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2015	Porsche	911	3.4L H6 3436cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2016-2015	Porsche	911	3.8L H6 3800cc	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2016-2015	Porsche	911	3.4L H6 3436cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2016-2015	Porsche	911	3.8L H6 3800cc	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2016-2015	Porsche	911	3.4L H6 3436cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2016-2015	Porsche	911	3.8L H6 3800cc	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
1981	Porsche	928	4.5L V8 4474cc	w/AC	2AM049850A	850	18 Months
1982	Porsche	928	4.5L V8 4474cc	Battery is vented to outside of vehicle.; w/AC	2AM049850A	850	18 Months
1982	Porsche	928	4.5L V8 4474cc	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1984-1983	Porsche	928	4.7L V8 4671cc	Battery is vented to outside of vehicle.; w/o AC	1AM0H6770A	770	24 Months
1984-1983	Porsche	928	4.7L V8 4671cc	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1986-1985	Porsche	928	5.0L V8 4950cc	Battery is vented to outside of vehicle.; w/o AC	1AM0H6770A	770	24 Months
1986-1985	Porsche	928	5.0L V8 4950cc	Battery is vented to outside of vehicle.; w/AC	2AM049850A	850	18 Months
1986-1985	Porsche	928	5.0L V8 4950cc	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1987	Porsche	928	5.0L V8 4950cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1991-1988	Porsche	928	5.0L V8 4950cc		1AM0H6770A	770	24 Months
1991-1990,1987	Porsche	928	5.0L V8 4950cc	OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1995-1993	Porsche	928	5.4L V8 5392cc		1AM0H6770A	770	24 Months
1995-1993	Porsche	928	5.4L V8 5392cc	OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1979	Porsche	930	3.3L H6 3294cc	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1999-1997	Porsche	Boxster	2.5L H6 2480cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
1999-1997	Porsche	Boxster	2.5L H6 2480cc	Battery gasses need to be vented to outside.; Installation may take over 30 mins.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2000	Porsche	Boxster	2.7L H6 2687cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005-2000	Porsche	Boxster	3.2L H6 3179cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2005-2000	Porsche	Boxster	2.7L H6 2687cc	Battery gasses need to be vented to outside.; Installation may take over 30 mins.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2000	Porsche	Boxster	3.2L H6 3179cc	Battery gasses need to be vented to outside.; Installation may take over 30 mins.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2000	Porsche	Boxster	3.2L H6 3179cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2006-2000	Porsche	Boxster	3.2L H6 3179cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2006-2000	Porsche	Boxster	3.2L H6 3179cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2006-2001	Porsche	Boxster	3.2L H6 3179cc	Battery gasses need to be vented to outside.; Installation may take over 30 mins.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008-2000	Porsche	Boxster	2.7L H6 2687cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2008-2000	Porsche	Boxster	2.7L H6 2687cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2008-2000	Porsche	Boxster	2.7L H6 2687cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2008-2001	Porsche	Boxster	2.7L H6 2687cc	Battery gasses need to be vented to outside.; Installation may take over 30 mins.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2007	Porsche	Boxster	3.4L H6 3387cc	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010	Porsche	Boxster	3.4L H6 3387cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2010-2007	Porsche	Boxster	3.4L H6 3387cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2010-2007	Porsche	Boxster	3.4L H6 3387cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2010-2007	Porsche	Boxster	3.4L H6 3387cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2012-2009	Porsche	Boxster	2.9L H6 2893cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2012-2009	Porsche	Boxster	2.9L H6 2893cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2012-2009	Porsche	Boxster	2.9L H6 2893cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2012-2010	Porsche	Boxster	2.9L H6 2893cc	Battery gasses need to be vented to outside.; Battery located in front trunk; Installation may take over 30 mins.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013	Porsche	Boxster	3.4L H6 3436cc 210 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2013	Porsche	Boxster	3.4L H6 3436cc 210 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2013	Porsche	Boxster	3.4L H6 3436cc 210 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2014-2011	Porsche	Boxster	3.4L H6 3436cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2014-2011	Porsche	Boxster	3.4L H6 3436cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2014-2011	Porsche	Boxster	3.4L H6 3436cc	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2014-2011	Porsche	Boxster	3.4L H6 3436cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2014-2013	Porsche	Boxster	2.7L H6 2706cc 165 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2014-2013	Porsche	Boxster	2.7L H6 2706cc 165 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2014-2013	Porsche	Boxster	2.7L H6 2706cc 165 CID	Battery gasses need to be vented to outside.; Battery located in front trunk; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2014-2013	Porsche	Boxster	2.7L H6 2706cc 165 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2005-2004	Porsche	Carrera GT	5.7L V10 5733cc 348 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2005-2004	Porsche	Carrera GT	5.7L V10 5733cc 348 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2005-2004	Porsche	Carrera GT	5.7L V10 5733cc 348 CID	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2004	Porsche	Carrera GT	5.7L V10 5733cc 348 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2006-2004	Porsche	Carrera GT	5.7L V10 5733cc 348 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2006-2003	Porsche	Cayenne	4.5L V8 4511cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2006-2003	Porsche	Cayenne	4.5L V8 4511cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BB0H8800AC	800	36 Months
2006-2003	Porsche	Cayenne	4.5L V8 4511cc	Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2003	Porsche	Cayenne	4.5L V8 4511cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH8800AA	800	36 Months
2006-2004	Porsche	Cayenne	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM940800A	800	24 Months
2006-2004	Porsche	Cayenne	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BB0H7730AB	730	36 Months
2006-2004	Porsche	Cayenne	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside.; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2006-2004	Porsche	Cayenne	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH7680AA	680	36 Months
2009-2008	Porsche	Cayenne	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside.; OE CCA: 650; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2008	Porsche	Cayenne	4.8L V8 4806cc	Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013	Porsche	Cayenne	3.6L V6 3598cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014	Porsche	Panamera	3.0L V6 2997cc 183 CID; ELECTRIC/GAS	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2014	Porsche	Panamera	3.0L V6 2997cc 183 CID; ELECTRIC/GAS	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBOH8800AC	800	36 Months
2014	Porsche	Panamera	3.0L V6 2997cc 183 CID; ELECTRIC/GAS	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH8800AA	800	36 Months
2014-2010	Porsche	Panamera	4.8L V8 4806cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2014-2010	Porsche	Panamera	4.8L V8 4806cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBOH8800AC	800	36 Months
2014-2010	Porsche	Panamera	4.8L V8 4806cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2010	Porsche	Panamera	4.8L V8 4806cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH8800AA	800	36 Months
2014-2011	Porsche	Panamera	3.6L V6 3605cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2014-2011	Porsche	Panamera	3.6L V6 3605cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBOH8800AC	800	36 Months
2014-2011	Porsche	Panamera	3.6L V6 3605cc 220 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014-2011	Porsche	Panamera	3.6L V6 3605cc 220 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH8800AA	800	36 Months
2014-2012	Porsche	Panamera	3.0L V6 2997cc 183 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2012-2011	Ram	1500	3.7L V6 226 CID		1AM940800A	800	24 Months
2012-2011	Ram	1500	3.7L V6 226 CID		BBOH7730AB	730	36 Months
2015-2014	Ram	1500	3.0L V6 2987cc 182 CID	AGM Valve-Regulated Battery Required; Battery located in engine compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Ram	1500	3.0L V6 2987cc 182 CID	AGM Valve-Regulated Battery Required.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	1500	3.0L V6 2987cc 182 CID	AGM Valve-Regulated Battery Required.; Battery located in engine compartment; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017-2011	Ram	1500	5.7L V8 345 CID		1AM940800A	800	24 Months
2017-2011	Ram	1500	5.7L V8 345 CID		BBOH7730AB	730	36 Months
2017-2013	Ram	1500	3.6L V6 3604cc 220 CID		1AM940800A	800	24 Months
2017-2013	Ram	1500	3.6L V6 3604cc 220 CID		BBOH7730AB	730	36 Months
2017-2014	Ram	1500	3.0L V6 2987cc 182 CID	AGM Valve Regulated Lead Acid (VRLA) is required;	2AM049850A	850	18 Months
2017-2014	Ram	1500	3.0L V6 2987cc 182 CID	AGM Valve Regulated Lead Acid (VRLA) is required;	BBOH8800AC	800	36 Months
2017-2014	Ram	1500	3.0L V6 2987cc 182 CID	AGM Valve Regulated Lead Acid (VRLA) is required;	BBEH8800AA	800	36 Months
2017-2011	Ram	2500	5.7L V8 345 CID		1AM940800A	800	24 Months
2017-2011	Ram	2500	6.7L L6 408 CID		1AM940800A	800	24 Months
2017-2011	Ram	2500	5.7L V8 345 CID		BBOH7730AB	730	36 Months
2017-2011	Ram	2500	6.7L L6 408 CID		BBOH7730AB	730	36 Months
2017-2014	Ram	2500	6.4L V8 6424cc 392 CID		1AM940800A	800	24 Months
2017-2014	Ram	2500	6.4L V8 6424cc 392 CID		BBOH7730AB	730	36 Months
2017-2011	Ram	3500	5.7L V8 345 CID		1AM940800A	800	24 Months
2017-2011	Ram	3500	6.7L L6 408 CID		1AM940800A	800	24 Months
2017-2011	Ram	3500	5.7L V8 345 CID		BBOH7730AB	730	36 Months
2017-2011	Ram	3500	6.7L L6 408 CID		BBOH7730AB	730	36 Months
2017-2014	Ram	3500	6.4L V8 6424cc 392 CID		1AM940800A	800	24 Months
2017-2014	Ram	3500	6.4L V8 6424cc 392 CID		BBOH7730AB	730	36 Months
2017-2011	Ram	4500	6.7L L6 408 CID		1AM940800A	800	24 Months
2017-2011	Ram	4500	6.7L L6 408 CID		BBOH7730AB	730	36 Months
2017-2014	Ram	4500	6.4L V8 6424cc 392 CID		1AM940800A	800	24 Months
2017-2014	Ram	4500	6.4L V8 6424cc 392 CID		BBOH7730AB	730	36 Months
2017-2011	Ram	5500	6.7L L6 408 CID		1AM940800A	800	24 Months
2017-2011	Ram	5500	6.7L L6 408 CID		BBOH7730AB	730	36 Months
2017-2014	Ram	5500	6.4L V8 6424cc 392 CID		1AM940800A	800	24 Months
2017-2014	Ram	5500	6.4L V8 6424cc 392 CID		BBOH7730AB	730	36 Months
2015-2012	Ram	C/V	3.6L V6 3604cc 220 CID		1AM940800A	800	24 Months
2015-2012	Ram	C/V	3.6L V6 3604cc 220 CID		BBOH7730AB	730	36 Months
2011	Ram	Dakota	3.7L V6 226 CID		1AM065750A	750	24 Months
2011	Ram	Dakota	3.7L V6 226 CID		2AM065650A	650	18 Months
2011	Ram	Dakota	3.7L V6 226 CID		BBO65675AA	675	36 Months
2011	Ram	Dakota	3.7L V6 226 CID		BBO65850AB	850	36 Months
2016-2014	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID		2AM049850A	850	18 Months
2016-2014	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID		2AM049850A	850	18 Months
2016-2014	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID		BBOH8800AC	800	36 Months
2016-2014	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID		BBOH8800AC	800	36 Months
2016-2014	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID	OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID	OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID		BBEH8800AA	800	36 Months
2016-2014	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID		BBEH8800AA	800	36 Months
2017	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	1AM0H9950A	950	24 Months
2017	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	1AM0H9950A	950	24 Months
2017	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2017	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BBOH8800AC	800	36 Months
2017	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	ProMaster 1500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017	Ram	ProMaster 1500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2016-2014	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID		2AM049850A	850	18 Months
2016-2014	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID		2AM049850A	850	18 Months
2016-2014	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID		BBOH8800AC	800	36 Months
2016-2014	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID		BBOH8800AC	800	36 Months
2016-2014	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID	OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID	OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID		BBEH8800AA	800	36 Months
2016-2014	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID		BBEH8800AA	800	36 Months
2017	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	1AM0H9950A	950	24 Months
2017	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	1AM0H9950A	950	24 Months
2017	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	ProMaster 2500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017	Ram	ProMaster 2500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2016-2014	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID		2AM049850A	850	18 Months
2016-2014	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID		2AM049850A	850	18 Months
2016-2014	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID		BB0H8800AC	800	36 Months
2016-2014	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID		BB0H8800AC	800	36 Months
2016-2014	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID	OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID	OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016-2014	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID		BBEH8800AA	800	36 Months
2016-2014	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID		BBEH8800AA	800	36 Months
2017	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	1AM0H9950A	950	24 Months
2017	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	1AM0H9950A	950	24 Months
2017	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	2AM049850A	850	18 Months
2017	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BB0H8800AC	800	36 Months
2017	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID	Battery Located Under Driver's Footwell.; Battery gasses need to be vented to outside.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2017	Ram	ProMaster 3500	3.0L L4 2998cc 183 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017	Ram	ProMaster 3500	3.6L V6 3604cc 220 CID	Battery is vented to outside of vehicle.	BBEH8800AA	800	36 Months
2017-2015	Ram	ProMaster City	2.4L L4 2360cc 144 CID		1AM0H6770A	770	24 Months
1962-1960	Renault	Caravelle	0.8L L4 845cc 52 CID		1AM024700B	700	24 Months
1966-1963	Renault	Caravelle	1.0L L4 956cc		1AM024700B	700	24 Months
1966-1963	Renault	Caravelle	1.1L L4 1108cc 68 CID		1AM024700B	700	24 Months
1967-1963	Renault	Caravelle	1.0L L4 956cc 58 CID		1AM024700B	700	24 Months
1966-1959	Renault	Dauphine	0.8L L4 845cc 52 CID		1AM024700B	700	24 Months
1962-1961	Renault	Gordini	0.8L L4 845cc		1AM024700B	700	24 Months
1984-1980	Renault	LeCar	1.4L L4 1397cc 85 CID		1AM260575A	575	24 Months
1984-1980	Renault	LeCar	1.4L L4 1397cc 85 CID		BB26R540AD	540	36 Months
1985-1984	Renault	LeCar	2.2L L4 2152cc 131 CID		1AM260575A	575	24 Months
1985-1984	Renault	LeCar	2.2L L4 2152cc 131 CID		BB26R540AD	540	36 Months
1981	Renault	R18	1.6L L4 1647cc 100 CID		1AM260575A	575	24 Months
1981	Renault	R18	1.6L L4 1647cc 100 CID		BB26R540AD	540	36 Months
1983-1981	Renault	R18i	1.6L L4 1647cc 100 CID		1AM260575A	575	24 Months
1983-1981	Renault	R18i	1.6L L4 1647cc 100 CID		BB26R540AD	540	36 Months
1984	Renault	R18i	2.2L L4 2152cc 131 CID		1AM260575A	575	24 Months
1984	Renault	R18i	2.2L L4 2152cc 131 CID		BB26R540AD	540	36 Months
1986	Renault	R5	2.2L L4 2152cc 131 CID		1AM260575A	575	24 Months
1986	Renault	R5	2.2L L4 2152cc 131 CID		BB26R540AD	540	36 Months
1967-1964	Rover	2000	2.0L L4 1978cc 121 CID		1AM260575A	575	24 Months
1967-1964	Rover	2000	2.0L L4 1978cc 121 CID		BB26R540AD	540	36 Months
1971-1968	Rover	2000	2.0L L4 1978cc 121 CID		1AM024700B	700	24 Months
1980	Rover	3500	3.5L V8 3528cc 215 CID		1AM024700B	700	24 Months
1971-1969	Rover	3500S	3.5L V8 3528cc 215 CID		1AM024700B	700	24 Months
1968-1965	Rover	3-Litre	3.0L L6 2995cc 183 CID		1AM024700B	700	24 Months
1957-1954	Rover	60	2.0L L4 1997cc 122 CID		1AM024700B	700	24 Months
1954-1950	Rover	75	2.1L L6 2103cc 128 CID		1AM024700B	700	24 Months
1957-1955	Rover	75	2.2L L6 2230cc 136 CID		1AM024700B	700	24 Months
1957-1954	Rover	90	2.6L L6 2638cc 161 CID		1AM024700B	700	24 Months
1980-1979	Saab	900	2.0L L4 1985cc		1AM035550A	550	24 Months
1980-1979	Saab	900	2.0L L4 1985cc		2AM035500A	500	18 Months
1980-1979	Saab	900	2.0L L4 1985cc		2AM240530A	530	18 Months
1994	Saab	900	2.1L L4 2119cc		BB0T5590AB	590	36 Months
1994	Saab	900	2.1L L4 2119cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1997-1994	Saab	900	2.5L V6 2498cc		BB0T5590AB	590	36 Months
1997-1994	Saab	900	2.5L V6 2498cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1998-1994	Saab	900	2.0L L4 1985cc		BB0T5590AB	590	36 Months
1998-1994	Saab	900	2.3L L4 2290cc 140 CID		BB0T5590AB	590	36 Months
1998-1994	Saab	900	2.0L L4 1985cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1998-1994	Saab	900	2.3L L4 2290cc 140 CID	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1990	Saab	9000	2.3L L4 2290cc 140 CID	Battery located in engine compartment; Hood or cover clearance may not be sufficient. Check polarity to avoid explosion.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1990-1986	Saab	9000	2.0L L4 1985cc		1AM260575A	575	24 Months
1990-1986	Saab	9000	2.0L L4 1985cc		BB0H5500AB	500	36 Months
1990-1986	Saab	9000	2.0L L4 1985cc		BB26R540AD	540	36 Months
1990-1986	Saab	9000	2.0L L4 1985cc	Battery located in engine compartment; Hood or cover clearance may not be sufficient. Check polarity to avoid explosion.; OE CCA: 450; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1991	Saab	9000	2.3L L4 2290cc		1AM260575A	575	24 Months
1991	Saab	9000	2.3L L4 2290cc		BB0H5500AB	500	36 Months
1991	Saab	9000	2.3L L4 2290cc		BB26R540AD	540	36 Months
1991-1990	Saab	9000	2.3L L4 2290cc 140 CID		1AM260575A	575	24 Months
1991-1990	Saab	9000	2.3L L4 2290cc 140 CID		BB0H5500AB	500	36 Months
1991-1990	Saab	9000	2.3L L4 2290cc 140 CID		BB26R540AD	540	36 Months
1993-1991	Saab	9000	2.3L L4 2290cc	Battery located in engine compartment; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1993-1991	Saab	9000	2.3L L4 2290cc 140 CID	Battery located in engine compartment; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006	Saab	9-2X	2.5L H4 2458cc		1AM035550A	550	24 Months
1957-1956	Saab	93	0.7L L3 748cc 46 CID		1AM260575A	575	24 Months
1957-1956	Saab	93	0.7L L3 748cc 46 CID		BB26R540AD	540	36 Months
2000-1999	Saab	9-3	2.3L L4 2290cc 140 CID		1AM0H6770A	770	24 Months
2002	Saab	9-3	2.3L L4 2290cc 140 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2003	Saab	9-3	2.0L L4 1985cc	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2006	Saab	9-3	2.8L V6 2792cc 170 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2011-2004	Saab	9-3	2.0L L4 1985cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1959-1958	Saab	93B	0.7L L3 748cc 46 CID		1AM260575A	575	24 Months
1959-1958	Saab	93B	0.7L L3 748cc 46 CID		BB26R540AD	540	36 Months
1960	Saab	93F	0.7L L3 748cc 46 CID		1AM260575A	575	24 Months
1960	Saab	93F	0.7L L3 748cc 46 CID		BB26R540AD	540	36 Months
2011-2010	Saab	9-3X	2.0L L4 1985cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2011	Saab	9-4X	2.8L V6 2792cc 170 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2011	Saab	9-4X	3.0L V6 182 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1967	Saab	95	0.8L L3 841cc		1AM260575A	575	24 Months
1967	Saab	95	0.8L L3 841cc		BB26R540AD	540	36 Months
1968	Saab	95	0.8L L3 795cc		1AM260575A	575	24 Months
1968	Saab	95	0.8L L3 795cc 49 CID		1AM260575A	575	24 Months
1968	Saab	95	0.8L L3 795cc		BB26R540AD	540	36 Months
1968	Saab	95	0.8L L3 795cc 49 CID		BB26R540AD	540	36 Months
1968-1967	Saab	95	0.8L L3 841cc 51 CID		1AM260575A	575	24 Months
1968-1967	Saab	95	0.8L L3 841cc 51 CID		BB26R540AD	540	36 Months
1970-1968	Saab	95	1.5L V4 1498cc		1AM260575A	575	24 Months
1970-1968	Saab	95	1.5L V4 1498cc 91 CID		1AM260575A	575	24 Months
1970-1968	Saab	95	1.5L V4 1498cc		BB26R540AD	540	36 Months
1970-1968	Saab	95	1.5L V4 1498cc 91 CID		BB26R540AD	540	36 Months
1973-1971	Saab	95	1.7L V4 1698cc		1AM035550A	550	24 Months
1973-1971	Saab	95	1.7L V4 1699cc 104 CID		1AM035550A	550	24 Months
1973-1971	Saab	95	1.7L V4 1698cc		2AM035500A	500	18 Months
1973-1971	Saab	95	1.7L V4 1699cc 104 CID		2AM035500A	500	18 Months
1973-1971	Saab	95	1.7L V4 1698cc		2AM240530A	530	18 Months
1973-1971	Saab	95	1.7L V4 1699cc 104 CID		2AM240530A	530	18 Months
2001-2000	Saab	9-5	2.3L L4 2290cc 140 CID	Battery located in engine compartment; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001-2000	Saab	9-5	3.0L V6 2961cc 181 CID	Battery located in engine compartment; OE CCA: 650; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	Saab	9-5	3.0L V6 2962cc 181 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2003-1999	Saab	9-5	3.0L V6 2961cc 181 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2009-1999	Saab	9-5	2.3L L4 2290cc 140 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2011	Saab	9-5	2.0L L4 1998cc 122 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2011-2010	Saab	9-5	2.8L V6 2792cc 170 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1967	Saab	96	0.8L L3 841cc		1AM260575A	575	24 Months
1967	Saab	96	0.8L L3 841cc		BB26R540AD	540	36 Months
1968	Saab	96	0.8L L3 795cc		1AM260575A	575	24 Months
1968	Saab	96	0.8L L3 795cc 49 CID		1AM260575A	575	24 Months
1968	Saab	96	0.8L L3 795cc		BB26R540AD	540	36 Months
1968	Saab	96	0.8L L3 795cc 49 CID		BB26R540AD	540	36 Months
1968-1967	Saab	96	0.8L L3 841cc 51 CID		1AM260575A	575	24 Months
1968-1967	Saab	96	0.8L L3 841cc 51 CID		BB26R540AD	540	36 Months
1970-1968	Saab	96	1.5L V4 1498cc		1AM260575A	575	24 Months
1970-1968	Saab	96	1.5L V4 1498cc 91 CID		1AM260575A	575	24 Months
1970-1968	Saab	96	1.5L V4 1498cc		BB26R540AD	540	36 Months
1970-1968	Saab	96	1.5L V4 1498cc 91 CID		BB26R540AD	540	36 Months
1973-1971	Saab	96	1.7L V4 1698cc		1AM035550A	550	24 Months
1973-1971	Saab	96	1.7L V4 1699cc 104 CID		1AM035550A	550	24 Months
1973-1971	Saab	96	1.7L V4 1698cc		2AM035500A	500	18 Months
1973-1971	Saab	96	1.7L V4 1699cc 104 CID		2AM035500A	500	18 Months
1973-1971	Saab	96	1.7L V4 1698cc		2AM240530A	530	18 Months
1973-1971	Saab	96	1.7L V4 1699cc 104 CID		2AM240530A	530	18 Months
2009-2005	Saab	9-7x	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	1AM075700A	700	24 Months
2009-2005	Saab	9-7x	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	1AM075700A	700	24 Months
2009-2005	Saab	9-7x	4.2L L6 256 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2009-2005	Saab	9-7x	5.3L V8 5328cc 325 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
2009-2008	Saab	9-7x	6.0L V8 5967cc 364 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	1AM075700A	700	24 Months
2009-2008	Saab	9-7x	6.0L V8 5967cc 364 CID	Battery is encased within an active cooling box with an air snorkel to the outside of the engine compartment.; Installation may take up to 30 minutes. Battery located under hood in active cooling box.	BB078800AB	800	36 Months
1971-1969	Saab	99	1.7L L4 1709cc		1AM024700B	700	24 Months
1971-1969	Saab	99	1.7L L4 1709cc 104 CID		1AM024700B	700	24 Months
1972	Saab	99	2.0L L4 1985cc		1AM024700B	700	24 Months
1972	Saab	99	2.0L L4 1985cc 121 CID		1AM024700B	700	24 Months
1972-1971	Saab	99	1.9L L4 1854cc		1AM024700B	700	24 Months
1972-1971	Saab	99	1.9L L4 1854cc 113 CID		1AM024700B	700	24 Months
1973	Saab	99	2.0L L4 1985cc 121 CID		1AM035550A	550	24 Months
1973	Saab	99	2.0L L4 1985cc 121 CID		2AM035500A	500	18 Months
1973	Saab	99	2.0L L4 1985cc 121 CID		2AM240530A	530	18 Months
1974	Saab	99	2.0L L4 1985cc	Check Termination before Installing	1AM035550A	550	24 Months
1974	Saab	99	2.0L L4 1985cc 121 CID	Check Termination before Installing	1AM035550A	550	24 Months
1974	Saab	99	2.0L L4 1985cc	Check Termination before Installing	2AM035500A	500	18 Months
1974	Saab	99	2.0L L4 1985cc 121 CID	Check Termination before Installing	2AM035500A	500	18 Months
1974	Saab	99	2.0L L4 1985cc	Check Termination before Installing	2AM240530A	530	18 Months
1974	Saab	99	2.0L L4 1985cc 121 CID	Check Termination before Installing	2AM240530A	530	18 Months
1980-1975, 1973	Saab	99	2.0L L4 1985cc		1AM035550A	550	24 Months
1980-1975, 1973	Saab	99	2.0L L4 1985cc		2AM035500A	500	18 Months
1980-1975, 1973	Saab	99	2.0L L4 1985cc		2AM240530A	530	18 Months
1960-1958	Saab	GT750	0.7L L3 748cc 46 CID		1AM260575A	575	24 Months
1960-1958	Saab	GT750	0.7L L3 748cc 46 CID		BB26R540AD	540	36 Months
1967	Saab	Monte Carlo	1.5L V4 1498cc		1AM260575A	575	24 Months
1967	Saab	Monte Carlo	1.5L V4 1498cc 91 CID		1AM260575A	575	24 Months
1967	Saab	Monte Carlo	1.5L V4 1498cc		BB26R540AD	540	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967	Saab	Monte Carlo	1.5L V4 1498cc 91 CID		BB26R540AD	540	36 Months
1967-1966	Saab	Monte Carlo	0.8L L3 841cc		1AM260575A	575	24 Months
1967-1966	Saab	Monte Carlo	0.8L L3 841cc 51 CID		1AM260575A	575	24 Months
1967-1966	Saab	Monte Carlo	0.8L L3 841cc		BB26R540AD	540	36 Months
1967-1966	Saab	Monte Carlo	0.8L L3 841cc 51 CID		BB26R540AD	540	36 Months
1967	Saab	Sonett	0.8L L3 841cc		1AM260575A	575	24 Months
1967	Saab	Sonett	0.8L L3 841cc 51 CID		1AM260575A	575	24 Months
1967	Saab	Sonett	0.8L L3 841cc		BB26R540AD	540	36 Months
1967	Saab	Sonett	0.8L L3 841cc 51 CID		BB26R540AD	540	36 Months
1969-1968	Saab	Sonett	1.5L V4 1498cc		1AM260575A	575	24 Months
1969-1968	Saab	Sonett	1.5L V4 1498cc 91 CID		1AM260575A	575	24 Months
1969-1968	Saab	Sonett	1.5L V4 1498cc		BB26R540AD	540	36 Months
1969-1968	Saab	Sonett	1.5L V4 1498cc 91 CID		BB26R540AD	540	36 Months
1970	Saab	Sonett	1.7L V4 1698cc		1AM260575A	575	24 Months
1970	Saab	Sonett	1.7L V4 1699cc 104 CID		1AM260575A	575	24 Months
1970	Saab	Sonett	1.7L V4 1698cc		BB26R540AD	540	36 Months
1970	Saab	Sonett	1.7L V4 1699cc 104 CID		BB26R540AD	540	36 Months
1974-1971	Saab	Sonett	1.7L V4 1698cc		1AM035550A	550	24 Months
1974-1971	Saab	Sonett	1.7L V4 1699cc 104 CID		1AM035550A	550	24 Months
1974-1971	Saab	Sonett	1.7L V4 1698cc		2AM035500A	500	18 Months
1974-1971	Saab	Sonett	1.7L V4 1699cc 104 CID		2AM035500A	500	18 Months
1974-1971	Saab	Sonett	1.7L V4 1698cc		2AM240530A	530	18 Months
1974-1971	Saab	Sonett	1.7L V4 1699cc 104 CID		2AM240530A	530	18 Months
2007	Saturn	Aura	3.5L V6 3490cc 213 CID		1AM075700A	700	24 Months
2008	Saturn	Aura	3.5L V6 3490cc 213 CID		BB075590AB	590	36 Months
2005-2003	Saturn	Ion	2.2L L4 2198cc 134 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM075700A	700	24 Months
2005-2004	Saturn	Ion	2.0L L4 122 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM075700A	700	24 Months
2006	Saturn	Ion	2.0L L4 122 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; To 6/06	1AM075700A	700	24 Months
2006	Saturn	Ion	2.2L L4 2198cc 134 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; To 6/06	1AM075700A	700	24 Months
2006	Saturn	Ion	2.4L L4 2384cc 145 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.; To 6/06	1AM075700A	700	24 Months
2006	Saturn	Ion	2.0L L4 122 CID	Battery is vented to outside of vehicle.; From 6/06; Installation may take up to 30 minutes. Battery located in trunk.	BB078800AB	800	36 Months
2006	Saturn	Ion	2.2L L4 2198cc 134 CID	Battery is vented to outside of vehicle.; From 6/06; Installation may take up to 30 minutes. Battery located in trunk.	BB078800AB	800	36 Months
2006	Saturn	Ion	2.4L L4 2384cc 145 CID	Battery is vented to outside of vehicle.; From 6/06; Installation may take up to 30 minutes. Battery located in trunk.	BB078800AB	800	36 Months
2007	Saturn	Ion	2.0L L4 122 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB078800AB	800	36 Months
2007	Saturn	Ion	2.2L L4 2198cc 134 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB078800AB	800	36 Months
2007	Saturn	Ion	2.4L L4 2384cc 145 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB078800AB	800	36 Months
2002	Saturn	L100	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2002-2001	Saturn	L100	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2001	Saturn	L200	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2002	Saturn	L200	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2004	Saturn	L300	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2004	Saturn	L300	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2005-2001	Saturn	L300	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2005-2002	Saturn	L300	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2000	Saturn	LS	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2000	Saturn	LS1	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2000	Saturn	LS2	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2000	Saturn	LW1	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2000	Saturn	LW2	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2001	Saturn	LW200	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2002	Saturn	LW200	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
2003-2001	Saturn	LW300	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2002	Saturn	LW300	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	BB078800AB	800	36 Months
1992-1991	Saturn	SC	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2002-1993	Saturn	SC1	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2002-1993	Saturn	SC2	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2002-1991	Saturn	SL	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2002-1991	Saturn	SL1	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2002-1991	Saturn	SL2	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
1999-1993	Saturn	SW1	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2001-1993	Saturn	SW2	1.9L L4 116 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2003-2002	Saturn	Vue	3.0L V6 3000cc 181 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2007-2006	Saturn	Vue	2.2L L4 2198cc 134 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM075700A	700	24 Months
2010-2008	Saturn	Vue	3.5L V6 3490cc 213 CID	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2016-2013	Scion	FR-S	2.0L H4 1998cc 122 CID		1AM035550A	550	24 Months
2016-2013	Scion	FR-S	2.0L H4 1998cc 122 CID		2AM035500A	500	18 Months
2009-2005	Scion	tC	2.4L L4 2398cc		1AM024700B	700	24 Months
2010	Scion	tC	2.4L L4 2362cc		1AM024700B	700	24 Months
2016	Scion	tC	2.5L L4 2494cc 152 CID		1AM035550A	550	24 Months
2016	Scion	tC	2.5L L4 2494cc 152 CID		2AM240530A	530	18 Months
2014-2008	Scion	xD	1.8L L4 1798cc		1AM035550A	550	24 Months
1962	Shelby	Cobra	4.3L V8 260 CID		1AM035550A	550	24 Months
1962	Shelby	Cobra	4.3L V8 4261cc 260 CID		1AM035550A	550	24 Months
1962	Shelby	Cobra	4.3L V8 260 CID		2AM035500A	500	18 Months
1962	Shelby	Cobra	4.3L V8 4261cc 260 CID		2AM035500A	500	18 Months
1962	Shelby	Cobra	4.3L V8 260 CID		2AM240530A	530	18 Months
1962	Shelby	Cobra	4.3L V8 4261cc 260 CID		2AM240530A	530	18 Months
1965-1963	Shelby	Cobra	4.7L V8 289 CID		1AM035550A	550	24 Months
1965-1963	Shelby	Cobra	4.7L V8 4727cc 289 CID		1AM035550A	550	24 Months
1965-1963	Shelby	Cobra	4.7L V8 289 CID		2AM035500A	500	18 Months
1965-1963	Shelby	Cobra	4.7L V8 4727cc 289 CID		2AM035500A	500	18 Months
1965-1963	Shelby	Cobra	4.7L V8 289 CID		2AM240530A	530	18 Months
1965-1963	Shelby	Cobra	4.7L V8 4727cc 289 CID		2AM240530A	530	18 Months
1967-1966	Shelby	Cobra	7.0L V8 427 CID		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1967-1966	Shelby	Cobra	7.0L V8 428 CID		1AM03550A	550	24 Months
1967-1966	Shelby	Cobra	7.0L V8 6997cc 427 CID		1AM03550A	550	24 Months
1967-1966	Shelby	Cobra	7.0L V8 7014cc 428 CID		1AM03550A	550	24 Months
1967-1966	Shelby	Cobra	7.0L V8 427 CID		1AM270710A	710	24 Months
1967-1966	Shelby	Cobra	7.0L V8 428 CID		1AM270710A	710	24 Months
1967-1966	Shelby	Cobra	7.0L V8 6997cc 427 CID		1AM270710A	710	24 Months
1967-1966	Shelby	Cobra	7.0L V8 7014cc 428 CID		1AM270710A	710	24 Months
1967-1966	Shelby	Cobra	7.0L V8 427 CID		2AM035500A	500	18 Months
1967-1966	Shelby	Cobra	7.0L V8 428 CID		2AM035500A	500	18 Months
1967-1966	Shelby	Cobra	7.0L V8 6997cc 427 CID		2AM035500A	500	18 Months
1967-1966	Shelby	Cobra	7.0L V8 7014cc 428 CID		2AM035500A	500	18 Months
1967-1966	Shelby	Cobra	7.0L V8 427 CID		2AM240530A	530	18 Months
1967-1966	Shelby	Cobra	7.0L V8 428 CID		2AM240530A	530	18 Months
1967-1966	Shelby	Cobra	7.0L V8 6997cc 427 CID		2AM240530A	530	18 Months
1967-1966	Shelby	Cobra	7.0L V8 7014cc 428 CID		2AM240530A	530	18 Months
1968-1962	Simca	1000	0.9L L4 944cc 58 CID		1AM024700B	700	24 Months
1971-1969	Simca	1118	1.1L L4 1108cc 68 CID		1AM024700B	700	24 Months
1971-1969	Simca	1118	1.1L L4 1118cc 68 CID		1AM024700B	700	24 Months
1971-1969	Simca	1204	1.2L L4 1204cc 73 CID		1AM024700B	700	24 Months
1966-1962	Simca	5	1.3L L4 1290cc 79 CID		1AM024700B	700	24 Months
1966-1962	Simca	5	1.3L L4 1294cc 79 CID		1AM024700B	700	24 Months
2007-2005	Smart	Fortwo	0.8L L3 799cc	Battery gasses need to be vented to outside.; Battery located under floor on passenger side.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013-2008	Smart	Fortwo	1.0L L3 1000cc 61 CID	Battery gasses need to be vented to outside.; Battery located in passenger side front wheel well; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Smart	Fortwo	1.0L L3 1000cc 61 CID	Battery gasses need to be vented to outside.; Battery located in passenger footwell; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015	Smart	Fortwo	1.0L L3 1000cc 61 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Smart	Fortwo	0.9L L3 898cc 55 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes.	BB0H5500AB	500	36 Months
2016	Smart	Fortwo	0.9L L3 898cc 55 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2011	Smart	Fortwo	-L --	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2015	Smart	Fortwo	-L --	Battery is vented to outside of vehicle.	BB0H5500AB	500	36 Months
2014-2013	SRT	Viper	8.4L V10 8448cc 515 CID	Battery is vented to outside of vehicle.	BB0T5590AB	590	36 Months
1964	Studebaker	Challenger	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1964	Studebaker	Challenger	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1960	Studebaker	Champ	4.0L L6 246 CID		1AM024700B	700	24 Months
1964-1960	Studebaker	Champ	2.8L L6 170 CID		1AM024700B	700	24 Months
1964-1960	Studebaker	Champ	4.2L V8 259 CID		1AM024700B	700	24 Months
1964-1960	Studebaker	Champ	4.8L V8 289 CID		1AM024700B	700	24 Months
1958-1956	Studebaker	Champion	3.0L L6 3042cc 186 CID		1AM024700B	700	24 Months
1964	Studebaker	Commander	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1964,1958-1956	Studebaker	Commander	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1966-1965	Studebaker	Commander	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1963	Studebaker	Cruiser	4.7L V8 4737cc 289 CID		1AM024700B	700	24 Months
1964	Studebaker	Cruiser	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1964	Studebaker	Cruiser	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1966-1965	Studebaker	Cruiser	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1964	Studebaker	Daytona	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1964	Studebaker	Daytona	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1966	Studebaker	Daytona	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
1959	Studebaker	Deluxe	4.0L L6 246 CID		1AM024700B	700	24 Months
1959	Studebaker	Deluxe	4.8L V8 289 CID		1AM024700B	700	24 Months
1956	Studebaker	Flight Hawk	3.0L L6 3042cc 186 CID		1AM024700B	700	24 Months
1956	Studebaker	Golden Hawk	5.8L V8 5769cc 352 CID		1AM024700B	700	24 Months
1963	Studebaker	Gran	4.2L V8 259 CID		1AM024700B	700	24 Months
1963-1962	Studebaker	Gran	4.7L V8 289 CID		1AM024700B	700	24 Months
1964-1962	Studebaker	Gran	2.8L L6 170 CID		1AM024700B	700	24 Months
1962-1960	Studebaker	Hawk	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1962-1960	Studebaker	Hawk	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1963-1959	Studebaker	Lark	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1963-1959	Studebaker	Lark	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1956	Studebaker	Power Hawk	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1958	Studebaker	Scotsman	3.0L L6 186 CID		1AM024700B	700	24 Months
1959	Studebaker	Scotsman	2.8L L6 170 CID		1AM024700B	700	24 Months
1959	Studebaker	Scotsman	4.0L L6 246 CID		1AM024700B	700	24 Months
1959	Studebaker	Scotsman	4.2L V8 259 CID		1AM024700B	700	24 Months
1958-1957	Studebaker	Silver Hawk	3.0L L6 3042cc 186 CID		1AM024700B	700	24 Months
1959	Studebaker	Silver Hawk	2.8L L6 2780cc 170 CID		1AM024700B	700	24 Months
1959-1957	Studebaker	Silver Hawk	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1956	Studebaker	Transtar	3.7L V8 3671cc 224 CID		1AM024700B	700	24 Months
1957	Studebaker	Transtar	4.0L L6 4025cc 246 CID		1AM024700B	700	24 Months
1957	Studebaker	Transtar	4.2L V8 4245cc 259 CID		1AM024700B	700	24 Months
1957-1956	Studebaker	Transtar	3.0L L6 3042cc 186 CID		1AM024700B	700	24 Months
1958	Studebaker	Transtar	3.0L L6 186 CID		1AM024700B	700	24 Months
1958	Studebaker	Transtar	4.0L L6 246 CID		1AM024700B	700	24 Months
1958	Studebaker	Transtar	4.2L V8 259 CID		1AM024700B	700	24 Months
1966	Studebaker	Wagonaire	3.2L L6 3180cc 194 CID		1AM024700B	700	24 Months
2007-2006	Subaru	B9 Tribeca	3.0L H6 3000cc		1AM03550A	550	24 Months
2007-2006	Subaru	B9 Tribeca	3.0L H6 3000cc		2AM035500A	500	18 Months
2006-2003	Subaru	Baja	2.5L H4 2458cc		1AM03550A	550	24 Months
2006-2003	Subaru	Baja	2.5L H4 2458cc		2AM035500A	500	18 Months
1980	Subaru	Brat	1.8L H4 1781cc		1AM024700B	700	24 Months
1980-1978	Subaru	Brat	1.6L H4 1595cc		1AM024700B	700	24 Months
1982-1981	Subaru	Brat	1.8L H4 1781cc; w/ Automatic Trans.		1AM024700B	700	24 Months
2017-2013	Subaru	BRZ	2.0L H4 1998cc 122 CID		1AM03550A	550	24 Months
2017-2016	Subaru	Crosstrek	2.0L H4 1995cc		1AM03550A	550	24 Months
2017-2016	Subaru	Crosstrek	2.0L H4 1995cc		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972	Subaru	Deluxe	1.3L H4 1267cc		1AM024700B	700	24 Months
1972	Subaru	Deluxe	1.3L H4 1267cc 77 CID		1AM024700B	700	24 Months
1973	Subaru	Deluxe	1.4L H4 1361cc 83 CID		1AM024700B	700	24 Months
1974-1973	Subaru	DL	1.4L H4 1361cc 83 CID		1AM024700B	700	24 Months
1976-1974	Subaru	DL	1.4L H4 1361cc		1AM024700B	700	24 Months
1980	Subaru	DL	1.8L H4 1781cc		1AM024700B	700	24 Months
1980-1976	Subaru	DL	1.6L H4 1595cc		1AM024700B	700	24 Months
1983-1981	Subaru	DL	1.6L H4 1595cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1983-1981	Subaru	DL	1.8L H4 1781cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1979	Subaru	FE	1.6L H4 1595cc		1AM024700B	700	24 Months
2005-1998	Subaru	Forester	2.5L H4 2458cc; w/ Standard Trans.		2AM035500A	500	18 Months
2009-2006	Subaru	Forester	2.5L H4 2458cc		2AM035500A	500	18 Months
2013-1998	Subaru	Forester	2.5L H4 2458cc		1AM035550A	550	24 Months
2017-2014	Subaru	Forester	2.0L H4 1998cc 122 CID		1AM035550A	550	24 Months
2017-2016	Subaru	Forester	2.0L H4 1998cc 122 CID		2AM035500A	500	18 Months
2017-2016	Subaru	Forester	2.5L H4 2498cc 152 CID		2AM035500A	500	18 Months
2017-2016,2014-2011	Subaru	Forester	2.5L H4 2498cc 152 CID		1AM035550A	550	24 Months
1976-1975	Subaru	GF	1.4L H4 1361cc		1AM024700B	700	24 Months
1979-1976	Subaru	GF	1.6L H4 1595cc		1AM024700B	700	24 Months
1972	Subaru	GL	1.3L H4 1267cc		1AM024700B	700	24 Months
1972	Subaru	GL	1.3L H4 1267cc 77 CID		1AM024700B	700	24 Months
1974-1973	Subaru	GL	1.4L H4 1361cc 83 CID		1AM024700B	700	24 Months
1975-1973	Subaru	GL	1.4L H4 1361cc		1AM024700B	700	24 Months
1987-1986,1980-1979	Subaru	GL	1.6L H4 1595cc		1AM024700B	700	24 Months
1980	Subaru	GLF	1.6L H4 1595cc		1AM024700B	700	24 Months
1997-1993	Subaru	Impreza	1.8L H4 1781cc		1AM035550A	550	24 Months
2001-1995	Subaru	Impreza	2.2L H4 2212cc		1AM035550A	550	24 Months
2004-2002	Subaru	Impreza	2.0L H4 1994cc		2AM035500A	500	18 Months
2005-2002	Subaru	Impreza	2.0L H4 1994cc		1AM035550A	550	24 Months
2013	Subaru	Impreza	2.0L H4 1995cc 122 CID		1AM035550A	550	24 Months
2014-1998	Subaru	Impreza	2.5L H4 2458cc		1AM035550A	550	24 Months
2017-2012	Subaru	Impreza	2.0L H4 1995cc		1AM035550A	550	24 Months
1995-1987	Subaru	Justy	1.2L L3 1189cc		1AM035550A	550	24 Months
1995-1987	Subaru	Justy	1.2L L3 1189cc		2AM035500A	500	18 Months
1997-1990	Subaru	Legacy	2.2L H4 2212cc		1AM260575A	575	24 Months
1997-1990	Subaru	Legacy	2.2L H4 2212cc		BB26R540AD	540	36 Months
1999-1990	Subaru	Legacy	2.2L H4 2212cc		1AM035550A	550	24 Months
1999-1990	Subaru	Legacy	2.2L H4 2212cc		2AM035500A	500	18 Months
2008,1997-1996	Subaru	Legacy	2.5L H4 2458cc		1AM260575A	575	24 Months
2008,1997-1996	Subaru	Legacy	2.5L H4 2458cc		BB26R540AD	540	36 Months
2009,2007-1996	Subaru	Legacy	2.5L H4 2458cc		1AM035550A	550	24 Months
2009,2007-1996	Subaru	Legacy	2.5L H4 2458cc		2AM035500A	500	18 Months
2009-2008	Subaru	Legacy	3.0L H6 3000cc		1AM035550A	550	24 Months
2009-2008	Subaru	Legacy	3.0L H6 3000cc		2AM035500A	500	18 Months
1990	Subaru	Loyale	1.8L H4 1781cc		1AM024700B	700	24 Months
2009-2000	Subaru	Outback	2.5L H4 2458cc		1AM035550A	550	24 Months
2009-2000	Subaru	Outback	2.5L H4 2458cc		2AM035500A	500	18 Months
2009-2001	Subaru	Outback	3.0L H6 3000cc		1AM035550A	550	24 Months
2009-2001	Subaru	Outback	3.0L H6 3000cc		2AM035500A	500	18 Months
1987-1986	Subaru	RX	1.8L H4 1781cc		1AM024700B	700	24 Months
1989-1988,1985	Subaru	RX	1.8L H4 1781cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1976	Subaru	Standard	1.4L H4 1361cc		1AM024700B	700	24 Months
1982-1981	Subaru	Standard	1.8L H4 1781cc		1AM024700B	700	24 Months
1985-1977	Subaru	Standard	1.6L H4 1595cc		1AM024700B	700	24 Months
1971	Subaru	Star	1.1L H4 1088cc		1AM024700B	700	24 Months
1971	Subaru	Star	1.1L H4 1088cc 66 CID		1AM024700B	700	24 Months
1972	Subaru	Star	1.3L H4 1267cc		1AM024700B	700	24 Months
1972	Subaru	Star	1.3L H4 1267cc 77 CID		1AM024700B	700	24 Months
1997-1992	Subaru	SVX	3.3L H6 3318cc		1AM024700B	700	24 Months
2014-2008	Subaru	Tribeca	3.6L H6 3630cc		1AM035550A	550	24 Months
2014-2008	Subaru	Tribeca	3.6L H6 3630cc		2AM035500A	500	18 Months
2014-2013	Subaru	WRX	2.5L H4 2458cc		1AM035550A	550	24 Months
2014-2013	Subaru	WRX	2.5L H4 2458cc		2AM035500A	500	18 Months
2015-2012	Subaru	WRX	2.5L H4 2457cc 150 CID		1AM035550A	550	24 Months
2015-2012	Subaru	WRX	2.5L H4 2457cc 150 CID		2AM035500A	500	18 Months
2017-2015	Subaru	WRX	2.0L H4 1998cc 122 CID		1AM035550A	550	24 Months
2017-2015	Subaru	WRX	2.0L H4 1998cc 122 CID		2AM035500A	500	18 Months
2017-2013	Subaru	WRX STI	2.5L H4 2458cc		1AM035550A	550	24 Months
2017-2013	Subaru	WRX STI	2.5L H4 2458cc		2AM035500A	500	18 Months
1989	Subaru	XT	2.7L H6 2672cc; w/ Automatic Trans.		1AM024700B	700	24 Months
1989-1985	Subaru	XT	1.8L H4 1781cc; w/ Automatic Trans.		1AM024700B	700	24 Months
2015-2013	Subaru	XV Crosstrek	2.0L H4 1995cc	Non-BCI group size.	1AM035550A	550	24 Months
2015-2013	Subaru	XV Crosstrek	2.0L H4 1995cc	Non-BCI group size.	2AM035500A	500	18 Months
1955-1953	Sunbeam	Alpine	2.3L L4 2267cc 138 CID		1AM024700B	700	24 Months
1965-1962	Sunbeam	Alpine	1.6L L4 1592cc 97 CID		1AM024700B	700	24 Months
1967-1965	Sunbeam	Alpine	1.7L L4 1725cc 105 CID		1AM024700B	700	24 Months
1969-1968	Sunbeam	Arrow	1.7L L4 1725cc 105 CID		1AM024700B	700	24 Months
1955	Sunbeam	MK III	2.3L L4 2267cc 138 CID		1AM024700B	700	24 Months
1958-1956	Sunbeam	Rapier	1.4L L4 1390cc 85 CID		1AM024700B	700	24 Months
1961-1958	Sunbeam	Rapier	1.5L L4 1494cc 91 CID		1AM024700B	700	24 Months
1964-1962	Sunbeam	Rapier	1.6L L4 1592cc 97 CID		1AM024700B	700	24 Months
1950	Sunbeam	Sunbeam-Talbot 80	1.2L L4 1185cc 72 CID		1AM024700B	700	24 Months
1954-1951	Sunbeam	Sunbeam-Talbot 90	2.3L L4 2267cc 138 CID		1AM024700B	700	24 Months
1967	Sunbeam	Tiger	4.7L V8 289 CID		1AM024700B	700	24 Months
1967	Sunbeam	Tiger	4.7L V8 4727cc 289 CID		1AM024700B	700	24 Months
1967-1964	Sunbeam	Tiger	4.3L V8 260 CID		1AM024700B	700	24 Months
1967-1964	Sunbeam	Tiger	4.3L V8 4261cc 260 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012-2009	Suzuki	Equator	4.0L V6 3954cc		1AM035550A	550	24 Months
2001-1995	Suzuki	Esteem	1.6L L4 1590cc 97 CID		1AM260575A	575	24 Months
2001-1995	Suzuki	Esteem	1.6L L4 1590cc 97 CID		BB26R540AD	540	36 Months
2002-1999	Suzuki	Esteem	1.8L L4 1790cc		1AM260575A	575	24 Months
2002-1999	Suzuki	Esteem	1.8L L4 1790cc		BB26R540AD	540	36 Months
2003-1999	Suzuki	Grand Vitara	2.5L V6 2500cc		1AM260575A	575	24 Months
1998-1996	Suzuki	Sidekick	1.6L L4 1590cc 97 CID		1AM260575A	575	24 Months
1998-1996	Suzuki	Sidekick	1.8L L4 1840cc		1AM260575A	575	24 Months
1998-1996	Suzuki	Sidekick	1.6L L4 1590cc 97 CID		BB26R540AD	540	36 Months
2001-1995	Suzuki	Swift	1.3L L4 1298cc 79 CID		1AM260575A	575	24 Months
2001-1995	Suzuki	Swift	1.3L L4 1298cc 79 CID		BB26R540AD	540	36 Months
2009-2007	Suzuki	Swift	1.5L L4 1490cc 91 CID		1AM260575A	575	24 Months
2009-2004	Suzuki	Swift+	1.6L L4 1598cc 98 CID		1AM260575A	575	24 Months
2013-2007	Suzuki	SX4	2.0L L4 1995cc		1AM024700B	700	24 Months
2013-2008	Suzuki	SX4	2.0L L4 1995cc 122 CID		1AM024700B	700	24 Months
2012	Suzuki	SX4 Crossover	2.0L L4 1995cc		1AM024700B	700	24 Months
2002-1999	Suzuki	Vitara	1.6L L4 1590cc 97 CID		1AM260575A	575	24 Months
2003-1999	Suzuki	Vitara	2.0L L4 2000cc		1AM260575A	575	24 Months
2004	Suzuki	Vitara	2.5L V6 2500cc		1AM260575A	575	24 Months
1998-1996	Suzuki	X-90	1.6L L4 1590cc 97 CID		1AM260575A	575	24 Months
1998-1996	Suzuki	X-90	1.6L L4 1590cc 97 CID		BB26R540AD	540	36 Months
1995-1988	Toyota	4Runner	3.0L V6 2959cc		1AM024700B	700	24 Months
1995-1991	Toyota	4Runner	2.4L L4 2366cc		1AM024700B	700	24 Months
2000-1996	Toyota	4Runner	3.4L V6 3378cc		1AM035550A	550	24 Months
2000-1996	Toyota	4Runner	3.4L V6 3378cc		2AM035500A	500	18 Months
2009-2003	Toyota	4Runner	4.7L V8 4663cc 285 CID		1AM270710A	710	24 Months
2010	Toyota	4Runner	2.7L L4 2694cc		1AM270710A	710	24 Months
2013-2003	Toyota	4Runner	4.0L V6 3956cc 241 CID		1AM270710A	710	24 Months
2017	Toyota	86	2.0L H4 1998cc 122 CID		1AM035550A	550	24 Months
2017	Toyota	86	2.0L H4 1998cc 122 CID		2AM035500A	500	18 Months
2002-1995	Toyota	Avalon	3.0L V6 2995cc; Sold in United States		1AM035550A	550	24 Months
2002-1995	Toyota	Avalon	3.0L V6 2995cc; Sold in United States		2AM035500A	500	18 Months
2004-2003	Toyota	Avalon	3.0L V6 2995cc		1AM035550A	550	24 Months
2004-2003	Toyota	Avalon	3.0L V6 2995cc		2AM035500A	500	18 Months
1986	Toyota	Camry	2.0L L4 1974cc		1AM035550A	550	24 Months
1986	Toyota	Camry	2.0L L4 1974cc		2AM035500A	500	18 Months
1986-1983	Toyota	Camry	2.0L L4 1995cc		1AM035550A	550	24 Months
1986-1983	Toyota	Camry	2.0L L4 1995cc		2AM035500A	500	18 Months
1986-1984	Toyota	Camry	1.8L L4 1839cc		1AM035550A	550	24 Months
1986-1984	Toyota	Camry	1.8L L4 1839cc		2AM035500A	500	18 Months
1991-1987	Toyota	Camry	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
1991-1987	Toyota	Camry	2.0L L4 1998cc 122 CID		2AM035500A	500	18 Months
1991-1988	Toyota	Camry	2.5L V6 2508cc		1AM035550A	550	24 Months
1991-1988	Toyota	Camry	2.5L V6 2508cc		2AM035500A	500	18 Months
1993-1992	Toyota	Camry	3.0L V6 2959cc		1AM035550A	550	24 Months
1993-1992	Toyota	Camry	3.0L V6 2959cc		2AM035500A	500	18 Months
1994	Toyota	Camry	3.0L V6 2995cc		1AM035550A	550	24 Months
1994	Toyota	Camry	3.0L V6 2995cc		2AM035500A	500	18 Months
2001-1992	Toyota	Camry	2.2L L4 2164cc		1AM035550A	550	24 Months
2001-1992	Toyota	Camry	2.2L L4 2164cc		2AM035500A	500	18 Months
2003-2002	Toyota	Camry	2.4L L4 2357cc 144 CID		1AM035550A	550	24 Months
2003-2002	Toyota	Camry	2.4L L4 2362cc		1AM035550A	550	24 Months
2003-2002	Toyota	Camry	2.4L L4 2357cc 144 CID		2AM035500A	500	18 Months
2003-2002	Toyota	Camry	2.4L L4 2362cc		2AM035500A	500	18 Months
1973	Toyota	Carina	1.6L L4 1588cc 97 CID		1AM024700B	700	24 Months
1973-1972	Toyota	Carina	1.6L L4 1588cc		1AM024700B	700	24 Months
1971	Toyota	Celica	1.9L L4 1858cc 113 CID		1AM035550A	550	24 Months
1971	Toyota	Celica	1.9L L4 1898cc		1AM035550A	550	24 Months
1971	Toyota	Celica	1.9L L4 1858cc 113 CID		2AM035500A	500	18 Months
1971	Toyota	Celica	1.9L L4 1898cc		2AM035500A	500	18 Months
1971	Toyota	Celica	1.9L L4 1858cc 113 CID		2AM240530A	530	18 Months
1971	Toyota	Celica	1.9L L4 1898cc		2AM240530A	530	18 Months
1974-1972	Toyota	Celica	2.0L L4 1968cc		1AM035550A	550	24 Months
1974-1972	Toyota	Celica	2.0L L4 1968cc 120 CID		1AM035550A	550	24 Months
1974-1972	Toyota	Celica	2.0L L4 1968cc		2AM035500A	500	18 Months
1974-1972	Toyota	Celica	2.0L L4 1968cc 120 CID		2AM035500A	500	18 Months
1974-1972	Toyota	Celica	2.0L L4 1968cc 120 CID		2AM240530A	530	18 Months
1974-1972	Toyota	Celica	2.0L L4 1968cc 120 CID		2AM240530A	530	18 Months
1975	Toyota	Celica	2.2L L4 2189cc		1AM035550A	550	24 Months
1975	Toyota	Celica	2.2L L4 2189cc		2AM035500A	500	18 Months
1975	Toyota	Celica	2.2L L4 2189cc		2AM240530A	530	18 Months
1980-1976	Toyota	Celica	2.2L L4 2189cc		1AM024700B	700	24 Months
1980-1979	Toyota	Celica	2.6L L6 2563cc		1AM024700B	700	24 Months
1981	Toyota	Celica	2.8L L6 2759cc		1AM035550A	550	24 Months
1981	Toyota	Celica	2.8L L6 2759cc		2AM035500A	500	18 Months
1981	Toyota	Celica	2.8L L6 2759cc		2AM240530A	530	18 Months
1982-1981	Toyota	Celica	2.4L L4 2366cc		1AM024700B	700	24 Months
1983	Toyota	Celica	2.4L L4 2366cc; 2BBL		1AM024700B	700	24 Months
1983	Toyota	Celica	2.4L L4 2366cc; MFI		1AM035550A	550	24 Months
1983	Toyota	Celica	2.4L L4 2366cc; MFI		2AM035500A	500	18 Months
1983	Toyota	Celica	2.4L L4 2366cc; MFI		2AM240530A	530	18 Months
1985-1984	Toyota	Celica	2.4L L4 2366cc		1AM035550A	550	24 Months
1985-1984	Toyota	Celica	2.4L L4 2366cc		2AM035500A	500	18 Months
1985-1984	Toyota	Celica	2.4L L4 2366cc		2AM240530A	530	18 Months
1986	Toyota	Celica	2.0L L4 1995cc		1AM035550A	550	24 Months
1986	Toyota	Celica	2.0L L4 1995cc		2AM035500A	500	18 Months
1986-1982	Toyota	Celica	2.8L L6 2754cc		1AM035550A	550	24 Months
1986-1982	Toyota	Celica	2.8L L6 2754cc		2AM035500A	500	18 Months
1986-1982	Toyota	Celica	2.8L L6 2754cc		2AM240530A	530	18 Months
1989-1986	Toyota	Celica	2.0L L4 1998cc		1AM035550A	550	24 Months
1989-1986	Toyota	Celica	2.0L L4 1998cc		2AM035500A	500	18 Months
1993-1987	Toyota	Celica	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
1993-1987	Toyota	Celica	2.0L L4 1998cc 122 CID		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1993-1990	Toyota	Celica	1.6L L4 1587cc		1AM035550A	550	24 Months
1993-1990	Toyota	Celica	1.6L L4 1587cc		2AM035500A	500	18 Months
1993-1992	Toyota	Celica	2.2L L4 2164cc		2AM240530A	530	18 Months
1997-1994	Toyota	Celica	1.8L L4 1762cc 107 CID		1AM035550A	550	24 Months
1997-1994	Toyota	Celica	1.8L L4 1762cc 107 CID		2AM035500A	500	18 Months
1999-1990	Toyota	Celica	2.2L L4 2164cc		1AM035550A	550	24 Months
1999-1990	Toyota	Celica	2.2L L4 2164cc		2AM035500A	500	18 Months
2005-2000	Toyota	Celica	1.8L L4 1794cc		1AM035550A	550	24 Months
2005-2000	Toyota	Celica	1.8L L4 1795cc		1AM035550A	550	24 Months
2005-2000	Toyota	Celica	1.8L L4 1794cc		2AM035500A	500	18 Months
2005-2000	Toyota	Celica	1.8L L4 1795cc		2AM035500A	500	18 Months
1969	Toyota	Corolla	1.2L L4 1166cc		1AM260575A	575	24 Months
1969	Toyota	Corolla	1.2L L4 1166cc 71 CID		1AM260575A	575	24 Months
1969	Toyota	Corolla	1.2L L4 1166cc		BB26R540AD	540	36 Months
1969	Toyota	Corolla	1.2L L4 1166cc 71 CID		BB26R540AD	540	36 Months
1969-1968	Toyota	Corolla	1.1L L4 1077cc		1AM260575A	575	24 Months
1969-1968	Toyota	Corolla	1.1L L4 1077cc 66 CID		1AM260575A	575	24 Months
1969-1968	Toyota	Corolla	1.1L L4 1077cc		BB26R540AD	540	36 Months
1969-1968	Toyota	Corolla	1.1L L4 1077cc 66 CID		BB26R540AD	540	36 Months
1974-1970	Toyota	Corolla	1.2L L4 1166cc		1AM024700B	700	24 Months
1974-1970	Toyota	Corolla	1.2L L4 1166cc 71 CID		1AM024700B	700	24 Months
1974-1971	Toyota	Corolla	1.6L L4 1588cc 97 CID		1AM035550A	550	24 Months
1974-1971	Toyota	Corolla	1.6L L4 1588cc 97 CID		2AM035500A	500	18 Months
1974-1971	Toyota	Corolla	1.6L L4 1588cc 97 CID		2AM240530A	530	18 Months
1979-1971	Toyota	Corolla	1.6L L4 1588cc		1AM035550A	550	24 Months
1979-1971	Toyota	Corolla	1.6L L4 1588cc		2AM035500A	500	18 Months
1979-1971	Toyota	Corolla	1.6L L4 1588cc		2AM240530A	530	18 Months
1979-1975	Toyota	Corolla	1.2L L4 1166cc		1AM035550A	550	24 Months
1979-1975	Toyota	Corolla	1.2L L4 1166cc		2AM035500A	500	18 Months
1979-1975	Toyota	Corolla	1.2L L4 1166cc		2AM240530A	530	18 Months
1982-1980	Toyota	Corolla	1.8L L4 1770cc		1AM035550A	550	24 Months
1982-1980	Toyota	Corolla	1.8L L4 1770cc		2AM035500A	500	18 Months
1982-1980	Toyota	Corolla	1.8L L4 1770cc		2AM240530A	530	18 Months
1985-1984	Toyota	Corolla	1.8L L4 1839cc		1AM270710A	710	24 Months
1987-1983	Toyota	Corolla	1.6L L4 1587cc		2AM240530A	530	18 Months
1997-1983	Toyota	Corolla	1.6L L4 1587cc		1AM035550A	550	24 Months
1997-1983	Toyota	Corolla	1.6L L4 1587cc		2AM035500A	500	18 Months
1997-1993	Toyota	Corolla	1.8L L4 1762cc 107 CID		1AM035550A	550	24 Months
1997-1993	Toyota	Corolla	1.8L L4 1762cc 107 CID		2AM035500A	500	18 Months
2006-2005	Toyota	Corolla	1.8L L4 1795cc		1AM035550A	550	24 Months
2006-2005	Toyota	Corolla	1.8L L4 1795cc		2AM035500A	500	18 Months
2008-1998	Toyota	Corolla	1.8L L4 1794cc		1AM035550A	550	24 Months
2008-1998	Toyota	Corolla	1.8L L4 1794cc		2AM035500A	500	18 Months
2013	Toyota	Corolla	1.8L L4 1800cc 110 CID		1AM035550A	550	24 Months
2013	Toyota	Corolla	2.4L L4 2400cc 146 CID		1AM035550A	550	24 Months
2013	Toyota	Corolla	1.8L L4 1800cc 110 CID		2AM035500A	500	18 Months
2013	Toyota	Corolla	2.4L L4 2400cc 146 CID		2AM035500A	500	18 Months
2014-2013	Toyota	Corolla	1.8L L4 1794cc 109 CID		1AM035550A	550	24 Months
2014-2013	Toyota	Corolla	1.8L L4 1794cc 109 CID		2AM035500A	500	18 Months
2017-2009	Toyota	Corolla	1.8L L4 1798cc		1AM035550A	550	24 Months
2017-2009	Toyota	Corolla	1.8L L4 1798cc		2AM035500A	500	18 Months
2017	Toyota	Corolla iM	1.8L L4 1798cc 110 CID		1AM035550A	550	24 Months
2017	Toyota	Corolla iM	1.8L L4 1798cc 110 CID		2AM035500A	500	18 Months
1969	Toyota	Corona	1.9L L4 1858cc		1AM035550A	550	24 Months
1969	Toyota	Corona	1.9L L4 1858cc 113 CID		1AM035550A	550	24 Months
1969	Toyota	Corona	1.9L L4 1858cc		2AM035500A	500	18 Months
1969	Toyota	Corona	1.9L L4 1858cc 113 CID		2AM035500A	500	18 Months
1969	Toyota	Corona	1.9L L4 1858cc		2AM240530A	530	18 Months
1969	Toyota	Corona	1.9L L4 1858cc 113 CID		2AM240530A	530	18 Months
1969-1968	Toyota	Corona	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1969-1968	Toyota	Corona	1.9L L4 1898cc		1AM035550A	550	24 Months
1969-1968	Toyota	Corona	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1969-1968	Toyota	Corona	1.9L L4 1898cc		2AM035500A	500	18 Months
1969-1968	Toyota	Corona	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1969-1968	Toyota	Corona	1.9L L4 1898cc		2AM240530A	530	18 Months
1970	Toyota	Corona	1.9L L4 1898cc		2AM240530A	530	18 Months
1971-1970	Toyota	Corona	1.9L L4 1858cc		1AM024700B	700	24 Months
1971-1970	Toyota	Corona	1.9L L4 1858cc 113 CID		1AM024700B	700	24 Months
1972	Toyota	Corona	2.3L L6 2253cc 138 CID		1AM024700B	700	24 Months
1973	Toyota	Corona	2.6L L6 2563cc 156 CID		1AM024700B	700	24 Months
1974-1972	Toyota	Corona	2.0L L4 1968cc		1AM024700B	700	24 Months
1974-1972	Toyota	Corona	2.0L L4 1968cc 120 CID		1AM024700B	700	24 Months
1980-1975	Toyota	Corona	2.2L L4 2189cc		1AM024700B	700	24 Months
1980-1978	Toyota	Cressida	2.6L L6 2563cc		1AM035550A	550	24 Months
1980-1978	Toyota	Cressida	2.6L L6 2563cc		2AM035500A	500	18 Months
1980-1978	Toyota	Cressida	2.6L L6 2563cc		2AM240530A	530	18 Months
1982-1981	Toyota	Cressida	2.8L L6 2759cc		1AM035550A	550	24 Months
1982-1981	Toyota	Cressida	2.8L L6 2759cc		1AM270710A	710	24 Months
1982-1981	Toyota	Cressida	2.8L L6 2759cc		2AM035500A	500	18 Months
1982-1981	Toyota	Cressida	2.8L L6 2759cc		2AM240530A	530	18 Months
1988-1983	Toyota	Cressida	2.8L L6 2754cc		1AM035550A	550	24 Months
1988-1983	Toyota	Cressida	2.8L L6 2754cc		1AM270710A	710	24 Months
1988-1983	Toyota	Cressida	2.8L L6 2754cc		2AM035500A	500	18 Months
1988-1983	Toyota	Cressida	2.8L L6 2754cc		2AM240530A	530	18 Months
1992-1989	Toyota	Cressida	3.0L L6 2954cc		1AM035550A	550	24 Months
1992-1989	Toyota	Cressida	3.0L L6 2954cc		1AM270710A	710	24 Months
1992-1989	Toyota	Cressida	3.0L L6 2954cc		2AM035500A	500	18 Months
1992-1989	Toyota	Cressida	3.0L L6 2954cc		2AM240530A	530	18 Months
1970-1967	Toyota	Crown	2.3L L6 2253cc		1AM035550A	550	24 Months
1970-1967	Toyota	Crown	2.3L L6 2253cc 138 CID		1AM035550A	550	24 Months
1970-1967	Toyota	Crown	2.3L L6 2253cc		2AM035500A	500	18 Months
1970-1967	Toyota	Crown	2.3L L6 2253cc 138 CID		2AM035500A	500	18 Months
1970-1967	Toyota	Crown	2.3L L6 2253cc		2AM240530A	530	18 Months
1970-1967	Toyota	Crown	2.3L L6 2253cc 138 CID		2AM240530A	530	18 Months
1971	Toyota	Crown	2.6L L6 2563cc		1AM035550A	550	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1971	Toyota	Crown	2.6L L6 2563cc		1AM270710A	710	24 Months
1971	Toyota	Crown	2.6L L6 2563cc		2AM035500A	500	18 Months
1971	Toyota	Crown	2.6L L6 2563cc		2AM240530A	530	18 Months
1972-1971	Toyota	Crown	2.6L L6 2563cc 156 CID		1AM035550A	550	24 Months
1972-1971	Toyota	Crown	2.6L L6 2563cc 156 CID		1AM270710A	710	24 Months
1972-1971	Toyota	Crown	2.6L L6 2563cc 156 CID		2AM035500A	500	18 Months
1972-1971	Toyota	Crown	2.6L L6 2563cc 156 CID		2AM240530A	530	18 Months
2010-2007	Toyota	FJ Cruiser	4.0L V6 3956cc 241 CID		1AM270710A	710	24 Months
1964-1960	Toyota	Land Cruiser	3.9L L6 3878cc 237 CID		1AM024700B	700	24 Months
1968-1965	Toyota	Land Cruiser	3.9L L6 3878cc		1AM024700B	700	24 Months
1974-1969	Toyota	Land Cruiser	3.9L L6 3878cc	Check Termination before Installing	1AM024700B	700	24 Months
1981-1975	Toyota	Land Cruiser	4.2L L6 4227cc	Check Termination before Installing	1AM024700B	700	24 Months
1984-1981	Toyota	Land Cruiser	4.2L L6 4228cc 258 CID	Passenger Side	1AM024700B	700	24 Months
1984-1981	Toyota	Land Cruiser	4.2L L6 4228cc 258 CID	Driver Side	1AM035550A	550	24 Months
1984-1981	Toyota	Land Cruiser	4.2L L6 4228cc 258 CID	Driver Side	1AM270710A	710	24 Months
1984-1981	Toyota	Land Cruiser	4.2L L6 4228cc 258 CID	Driver Side	2AM035500A	500	18 Months
1984-1981	Toyota	Land Cruiser	4.2L L6 4228cc 258 CID	Driver Side	2AM240530A	530	18 Months
1985-1981	Toyota	Land Cruiser	3.4L L4 3431cc 209 CID	Passenger Side	1AM024700B	700	24 Months
1985-1981	Toyota	Land Cruiser	3.4L L4 3431cc 209 CID	Driver Side	1AM035550A	550	24 Months
1985-1981	Toyota	Land Cruiser	3.4L L4 3431cc 209 CID	Driver Side	1AM270710A	710	24 Months
1985-1981	Toyota	Land Cruiser	3.4L L4 3431cc 209 CID	Driver Side	2AM035500A	500	18 Months
1985-1981	Toyota	Land Cruiser	3.4L L4 3431cc 209 CID	Driver Side	2AM240530A	530	18 Months
1986	Toyota	Land Cruiser	4.2L L6 4228cc 258 CID		1AM024700B	700	24 Months
1987	Toyota	Land Cruiser	2.4L L4 2366cc		1AM024700B	700	24 Months
1987-1982	Toyota	Land Cruiser	4.2L L6 4227cc		1AM024700B	700	24 Months
1987-1986	Toyota	Land Cruiser	3.4L L4 3431cc 209 CID		1AM024700B	700	24 Months
1992-1988	Toyota	Land Cruiser	4.0L L6 3956cc		1AM024700B	700	24 Months
1997-1993	Toyota	Land Cruiser	4.5L L6 4477cc		1AM035550A	550	24 Months
1997-1993	Toyota	Land Cruiser	4.5L L6 4477cc		1AM270710A	710	24 Months
1997-1993	Toyota	Land Cruiser	4.5L L6 4477cc		2AM035500A	500	18 Months
1997-1993	Toyota	Land Cruiser	4.5L L6 4477cc		2AM240530A	530	18 Months
2007-2001	Toyota	Land Cruiser	4.7L V8 4663cc 285 CID		1AM270710A	710	24 Months
2017-2013,2011-2008	Toyota	Land Cruiser	5.7L V8 5663cc 345 CID		1AM270710A	710	24 Months
1972	Toyota	Mark II	2.0L L4 1968cc 120 CID		1AM024700B	700	24 Months
1972	Toyota	Mark II	2.3L L6 2253cc		1AM024700B	700	24 Months
1972	Toyota	Mark II	2.3L L6 2253cc 138 CID		1AM024700B	700	24 Months
1974-1973	Toyota	Mark II	2.6L L6 2563cc 156 CID		1AM024700B	700	24 Months
1976-1973	Toyota	Mark II	2.6L L6 2563cc		1AM024700B	700	24 Months
2006-2003	Toyota	Matrix	1.8L L4 1795cc		1AM035550A	550	24 Months
2008-2003	Toyota	Matrix	1.8L L4 1794cc		1AM035550A	550	24 Months
2014-2009	Toyota	Matrix	1.8L L4 1798cc		1AM035550A	550	24 Months
2014-2009	Toyota	Matrix	1.8L L4 1798cc		2AM035500A	500	18 Months
1989-1985	Toyota	MR2	1.6L L4 1587cc		1AM035550A	550	24 Months
1989-1985	Toyota	MR2	1.6L L4 1587cc		2AM035500A	500	18 Months
1995-1991	Toyota	MR2	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
1995-1991	Toyota	MR2	2.2L L4 2164cc		1AM035550A	550	24 Months
1995-1991	Toyota	MR2	2.0L L4 1998cc 122 CID		2AM035500A	500	18 Months
1995-1991	Toyota	MR2	2.2L L4 2164cc		2AM240530A	530	18 Months
1995-1993	Toyota	MR2	2.2L L4 2164cc		2AM240530A	530	18 Months
1969	Toyota	Pickup	1.9L L4 1898cc		1AM035550A	550	24 Months
1969	Toyota	Pickup	1.9L L4 1897cc 116 CID		1AM270710A	710	24 Months
1969	Toyota	Pickup	1.9L L4 1898cc		1AM270710A	710	24 Months
1969	Toyota	Pickup	1.9L L4 1898cc		2AM035500A	500	18 Months
1969	Toyota	Pickup	1.9L L4 1898cc		2AM240530A	530	18 Months
1970-1969	Toyota	Pickup	1.9L L4 1897cc 116 CID		1AM035550A	550	24 Months
1970-1969	Toyota	Pickup	1.9L L4 1897cc 116 CID		2AM035500A	500	18 Months
1970-1969	Toyota	Pickup	1.9L L4 1897cc 116 CID		2AM240530A	530	18 Months
1971-1970	Toyota	Pickup	1.9L L4 1858cc		1AM035550A	550	24 Months
1971-1970	Toyota	Pickup	1.9L L4 1858cc 113 CID		1AM035550A	550	24 Months
1971-1970	Toyota	Pickup	1.9L L4 1858cc		2AM035500A	500	18 Months
1971-1970	Toyota	Pickup	1.9L L4 1858cc 113 CID		2AM035500A	500	18 Months
1971-1970	Toyota	Pickup	1.9L L4 1858cc		2AM240530A	530	18 Months
1971-1970	Toyota	Pickup	1.9L L4 1858cc 113 CID		2AM240530A	530	18 Months
1974-1972	Toyota	Pickup	2.0L L4 1968cc		1AM035550A	550	24 Months
1974-1972	Toyota	Pickup	2.0L L4 1968cc 120 CID		1AM035550A	550	24 Months
1974-1972	Toyota	Pickup	2.0L L4 1968cc		2AM035500A	500	18 Months
1974-1972	Toyota	Pickup	2.0L L4 1968cc 120 CID		2AM035500A	500	18 Months
1974-1972	Toyota	Pickup	2.0L L4 1968cc		2AM240530A	530	18 Months
1974-1972	Toyota	Pickup	2.0L L4 1968cc 120 CID		2AM240530A	530	18 Months
1978-1975	Toyota	Pickup	2.2L L4 2189cc		1AM035550A	550	24 Months
1978-1975	Toyota	Pickup	2.2L L4 2189cc		2AM035500A	500	18 Months
1978-1975	Toyota	Pickup	2.2L L4 2189cc		2AM240530A	530	18 Months
1980-1979	Toyota	Pickup	2.2L L4 2189cc		1AM024700B	700	24 Months
1981	Toyota	Pickup	2.2L L4 2188cc		1AM035550A	550	24 Months
1981	Toyota	Pickup	2.2L L4 2188cc		2AM035500A	500	18 Months
1981	Toyota	Pickup	2.2L L4 2188cc		2AM240530A	530	18 Months
1983-1982	Toyota	Pickup	2.2L L4 2188cc	Passenger Side	1AM024700B	700	24 Months
1983-1982	Toyota	Pickup	2.2L L4 2188cc	Driver Side	1AM035550A	550	24 Months
1983-1982	Toyota	Pickup	2.2L L4 2188cc	Driver Side	2AM035500A	500	18 Months
1983-1982	Toyota	Pickup	2.2L L4 2188cc	Driver Side	2AM240530A	530	18 Months
1985-1984	Toyota	Pickup	2.4L L4 2446cc	Passenger Side	1AM024700B	700	24 Months
1987-1983	Toyota	Pickup	2.4L L4 2366cc	w/Extra Long Wheelbase	1AM024700B	700	24 Months
1987-1986	Toyota	Pickup	2.4L L4 2466cc	Passenger Side	1AM024700B	700	24 Months
1995-1988	Toyota	Pickup	3.0L V6 2959cc		1AM024700B	700	24 Months
1995-1991,1982-1981	Toyota	Pickup	2.4L L4 2366cc		1AM024700B	700	24 Months
1997-1991	Toyota	Previa	2.4L L4 2438cc	Installation may take up to 30 minutes. Battery located under hood.	1AM035550A	550	24 Months
1997-1991	Toyota	Previa	2.4L L4 2438cc	Installation may take up to 30 minutes. Battery located under hood.	2AM035500A	500	18 Months
2000-1996	Toyota	RAV4	2.0L L4 1998cc 122 CID		1AM035550A	550	24 Months
2000-1996	Toyota	RAV4	2.0L L4 1998cc 122 CID		2AM035500A	500	18 Months
2000-1998	Toyota	RAV4	-L --		1AM035550A	550	24 Months
2000-1998	Toyota	RAV4	-L --		2AM035500A	500	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003-2001	Toyota	RAV4	-L --	Installation may take up to 30 minutes. Battery located under hood, under cowling.	1AM035550A	550	24 Months
2003-2001	Toyota	RAV4	2.0L L4 1998cc 122 CID	Installation may take up to 30 minutes. Battery located under hood, under cowling.	1AM035550A	550	24 Months
2003-2001	Toyota	RAV4	-L --	Installation may take up to 30 minutes. Battery located under hood, under cowling.	2AM035500A	500	18 Months
2003-2001	Toyota	RAV4	2.0L L4 1998cc 122 CID	Installation may take up to 30 minutes. Battery located under hood, under cowling.	2AM035500A	500	18 Months
2012	Toyota	RAV4	-L --	Installation may take up to 30 minutes. Remove cowling to get to top holddown bolt.; Non-BCI group size.	1AM035550A	550	24 Months
2012	Toyota	RAV4	-L --	Installation may take up to 30 minutes. Remove cowling to get to top holddown bolt.; Non-BCI group size.	2AM035500A	500	18 Months
2014-2013	Toyota	RAV4	-L --	Non-BCI group size.	1AM035550A	550	24 Months
2014-2013	Toyota	RAV4	-L --	Non-BCI group size.	2AM035500A	500	18 Months
2015-2014	Toyota	RAV4	2.5L L4 2494cc 152 CID		1AM035550A	550	24 Months
2015-2014	Toyota	RAV4	2.5L L4 2494cc 152 CID		2AM035500A	500	18 Months
2017-2016	Toyota	RAV4	2.5L L4 2494cc 152 CID; GAS		1AM035550A	550	24 Months
2017-2016	Toyota	RAV4	2.5L L4 2494cc 152 CID; GAS		2AM035500A	500	18 Months
2009-2001	Toyota	Sequoia	4.7L V8 4663cc 285 CID		1AM270710A	710	24 Months
2012-2010	Toyota	Sequoia	4.6L V8 4608cc		1AM270710A	710	24 Months
2016-2008	Toyota	Sequoia	5.7L V8 5663cc 345 CID		1AM270710A	710	24 Months
2003	Toyota	Sienna	3.0L V6 2995cc 183 CID	Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM035550A	550	24 Months
2003	Toyota	Sienna	3.0L V6 2995cc 183 CID	Professional installation required.; Vehicle computer system must be reset, contact your service specialist	2AM035500A	500	18 Months
2003-2002	Toyota	Sienna	3.0L V6 2995cc	Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM035550A	550	24 Months
2003-2002	Toyota	Sienna	3.0L V6 2995cc	Professional installation required.; Vehicle computer system must be reset, contact your service specialist	2AM035500A	500	18 Months
2001-1999	Toyota	Solara	2.2L L4 2164cc; Sold in United States		1AM035550A	550	24 Months
2001-1999	Toyota	Solara	3.0L V6 2995cc; Sold in United States		1AM035550A	550	24 Months
2001-1999	Toyota	Solara	2.2L L4 2164cc; Sold in United States		2AM035500A	500	18 Months
2001-1999	Toyota	Solara	3.0L V6 2995cc; Sold in United States		2AM035500A	500	18 Months
2005-2002	Toyota	Solara	2.4L L4 2362cc		1AM035550A	550	24 Months
2005-2002	Toyota	Solara	2.4L L4 2362cc		2AM035500A	500	18 Months
1992-1986	Toyota	Supra	3.0L L6 2954cc		1AM035550A	550	24 Months
1992-1986	Toyota	Supra	3.0L L6 2954cc		1AM270710A	710	24 Months
1992-1986	Toyota	Supra	3.0L L6 2954cc		2AM035500A	500	18 Months
1992-1986	Toyota	Supra	3.0L L6 2954cc		2AM240530A	530	18 Months
2000-1995	Toyota	Tacoma	3.4L V6 3378cc		2AM035500A	500	18 Months
2000-1995	Toyota	Tacoma	3.4L V6 3378cc		2AM240530A	530	18 Months
2003-2001	Toyota	Tacoma	2.4L L4 2438cc; Sold in United States		1AM035550A	550	24 Months
2003-2001	Toyota	Tacoma	2.7L L4 2694cc; Sold in United States		1AM035550A	550	24 Months
2003-2001	Toyota	Tacoma	3.4L V6 3378cc; Sold in United States		1AM035550A	550	24 Months
2003-2001	Toyota	Tacoma	2.4L L4 2438cc; Sold in United States		2AM035500A	500	18 Months
2003-2001	Toyota	Tacoma	2.7L L4 2694cc; Sold in United States		2AM035500A	500	18 Months
2003-2001	Toyota	Tacoma	3.4L V6 3378cc; Sold in United States		2AM035500A	500	18 Months
2003-2001	Toyota	Tacoma	3.4L V6 3378cc; Sold in United States		2AM240530A	530	18 Months
2004,1998	Toyota	Tacoma	2.7L L4 2694cc		1AM035550A	550	24 Months
2004,1998	Toyota	Tacoma	2.7L L4 2694cc		2AM035500A	500	18 Months
2004,2000-1995	Toyota	Tacoma	2.4L L4 2438cc		1AM035550A	550	24 Months
2004,2000-1995	Toyota	Tacoma	3.4L V6 3378cc		1AM035550A	550	24 Months
2004,2000-1995	Toyota	Tacoma	2.4L L4 2438cc		2AM035500A	500	18 Months
2006	Toyota	Tacoma	4.0L V6 3956cc 241 CID	w/Tow Pkg.	1AM270710A	710	24 Months
2015-2007	Toyota	Tacoma	4.0L V6 3956cc 241 CID		1AM270710A	710	24 Months
2016	Toyota	Tacoma	3.5L V6 3456cc		1AM270710A	710	24 Months
1980	Toyota	Tercel	1.5L L4 1452cc		1AM035550A	550	24 Months
1980	Toyota	Tercel	1.5L L4 1452cc		2AM035500A	500	18 Months
1980	Toyota	Tercel	1.5L L4 1452cc		2AM240530A	530	18 Months
1984	Toyota	Tercel	1.5L L4 1452cc		1AM024700B	700	24 Months
1988-1987	Toyota	Tercel	1.5L L4 1452cc; Hatchback		1AM035550A	550	24 Months
1988-1987	Toyota	Tercel	1.5L L4 1452cc; Sedan		1AM035550A	550	24 Months
1988-1987	Toyota	Tercel	1.5L L4 1456cc; Hatchback		1AM035550A	550	24 Months
1988-1987	Toyota	Tercel	1.5L L4 1456cc; Sedan		1AM035550A	550	24 Months
1988-1987	Toyota	Tercel	1.5L L4 1452cc; Hatchback		2AM035500A	500	18 Months
1988-1987	Toyota	Tercel	1.5L L4 1452cc; Sedan		2AM035500A	500	18 Months
1988-1987	Toyota	Tercel	1.5L L4 1456cc; Hatchback		2AM035500A	500	18 Months
1988-1987	Toyota	Tercel	1.5L L4 1456cc; Sedan		2AM035500A	500	18 Months
1990-1989	Toyota	Tercel	1.5L L4 1456cc		1AM035550A	550	24 Months
1990-1989	Toyota	Tercel	1.5L L4 1456cc		2AM035500A	500	18 Months
2004-2000	Toyota	Tundra	3.4L V6 3378cc; w/ Standard Trans.		1AM035550A	550	24 Months
2004-2000	Toyota	Tundra	3.4L V6 3378cc; w/ Standard Trans.		2AM035500A	500	18 Months
2009-2002,2000	Toyota	Tundra	4.7L V8 4663cc 285 CID		1AM270710A	710	24 Months
2014-2005	Toyota	Tundra	4.0L V6 3956cc 241 CID		1AM270710A	710	24 Months
2015-2010	Toyota	Tundra	4.6L V8 4608cc		1AM270710A	710	24 Months
2016-2007	Toyota	Tundra	5.7L V8 5663cc 345 CID		1AM270710A	710	24 Months
1973-1967	Triumph	GT6	2.0L L6 1998cc 122 CID		1AM024700B	700	24 Months
1973-1968	Triumph	GT6	2.0L L6 1998cc		1AM024700B	700	24 Months
1953-1950	Triumph	Mayflower	1.2L L4 1247cc 76 CID		1AM024700B	700	24 Months
1953-1950	Triumph	Renown	2.1L L4 2088cc 127 CID		1AM024700B	700	24 Months
1967-1963	Triumph	Spitfire	1.1L L4 1147cc 70 CID		1AM024700B	700	24 Months
1967-1963	Triumph	Spitfire	1.2L L4 70 CID		1AM024700B	700	24 Months
1972-1967	Triumph	Spitfire	1.3L L4 1296cc 79 CID		1AM024700B	700	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1972-1968	Triumph	Spitfire	1.3L L4 1296cc		1AM024700B	700	24 Months
1974-1973	Triumph	Spitfire	1.5L L4 1493cc 91 CID		1AM024700B	700	24 Months
1980-1973	Triumph	Spitfire	1.5L L4 1493cc		1AM024700B	700	24 Months
1973-1971	Triumph	Stag	3.0L V8 2997cc		1AM024700B	700	24 Months
1973-1971	Triumph	Stag	3.0L V8 2997cc 183 CID		1AM024700B	700	24 Months
1955-1954	Triumph	TR2	2.0L L4 1991cc 122 CID		1AM024700B	700	24 Months
1957-1956	Triumph	TR3	2.0L L4 1991cc 122 CID		1AM024700B	700	24 Months
1961-1958	Triumph	TR3A	2.0L L4 1991cc 122 CID		1AM024700B	700	24 Months
1962	Triumph	TR3B	2.0L L4 1991cc 122 CID		1AM024700B	700	24 Months
1962	Triumph	TR3B	2.1L L4 130 CID		1AM024700B	700	24 Months
1962	Triumph	TR3B	2.1L L4 2138cc 130 CID		1AM024700B	700	24 Months
1964-1962	Triumph	TR4	2.1L L4 130 CID		1AM024700B	700	24 Months
1964-1962	Triumph	TR4	2.1L L4 2138cc 130 CID		1AM024700B	700	24 Months
1967-1965	Triumph	TR4A	2.1L L4 130 CID		1AM024700B	700	24 Months
1967-1965	Triumph	TR4A	2.1L L4 2138cc 130 CID		1AM024700B	700	24 Months
1974-1969	Triumph	TR6	2.5L L6 2498cc 152 CID		1AM024700B	700	24 Months
1976-1969	Triumph	TR6	2.5L L6 2498cc		1AM024700B	700	24 Months
1977	Triumph	TR7	2.0L L4 1998cc		1AM024700B	700	24 Months
1977-1975	Triumph	TR7	2.0L L4 1998cc 122 CID		1AM024700B	700	24 Months
1991,1989	UD	1100	3.5L L4 211 CID		1AM024700B	700	24 Months
2004-1999	UD	1200	4.6L L6 282 CID		1AM024700B	700	24 Months
1993-1992	UD	1300	4.2L L6 254 CID		1AM024700B	700	24 Months
2007-2005	UD	1300	4.7L L4 289 CID		1AM024700B	700	24 Months
1998-1994	UD	1400	4.2L L6 254 CID		1AM024700B	700	24 Months
2004-1999	UD	1400	4.6L L6 282 CID		1AM024700B	700	24 Months
2004-2003	UD	1400	6.9L L6 423 CID		1AM024700B	700	24 Months
2010-2005	UD	1400	4.7L L4 289 CID		1AM024700B	700	24 Months
1991	UD	1800	6.9L L6 423 CID		1AM027810A	810	24 Months
2004-1989	UD	1800	6.9L L6 423 CID		1AM024700B	700	24 Months
2013-2011	UD	1800	7.0L L6 7013cc 427 CID		1AM024700B	700	24 Months
2004	UD	1800CS	6.9L L6 423 CID		1AM024700B	700	24 Months
2004-1999	UD	1800CS	4.6L L6 282 CID		1AM024700B	700	24 Months
2010-2005	UD	1800CS	4.7L L4 289 CID		1AM024700B	700	24 Months
2010-2005	UD	1800HD	7.7L L6 469 CID		1AM024700B	700	24 Months
2004-1998,1994-1989	UD	2000	6.9L L6 423 CID		1AM024700B	700	24 Months
2010-2005	UD	2000	7.7L L6 469 CID		1AM024700B	700	24 Months
2013-2011	UD	2000	7.0L L6 7013cc 427 CID		1AM024700B	700	24 Months
2004-1989	UD	2300	6.9L L6 423 CID		1AM024700B	700	24 Months
2010-2005	UD	2300DH	7.7L L6 469 CID		1AM024700B	700	24 Months
2013-2011	UD	2300DH	7.0L L6 7013cc 427 CID		1AM024700B	700	24 Months
2010-2005	UD	2300LP	7.7L L6 469 CID		1AM024700B	700	24 Months
2013-2011	UD	2300LP	7.0L L6 7013cc 427 CID		1AM024700B	700	24 Months
2004-1989	UD	2600	6.9L L6 423 CID		1AM024700B	700	24 Months
2010-2005	UD	2600	7.7L L6 469 CID		1AM024700B	700	24 Months
2013-2011	UD	2600	7.0L L6 7013cc 427 CID		1AM024700B	700	24 Months
1994-1989	UD	2800	6.9L L6 423 CID		1AM024700B	700	24 Months
1991-1989	UD	3000	7.4L L6 452 CID		1AM024700B	700	24 Months
2000-1995	UD	3000	6.9L L6 423 CID		1AM024700B	700	24 Months
1994-1992	UD	3000HD	7.4L L6 452 CID		1AM024700B	700	24 Months
1994-1992	UD	3000SD	6.9L L6 423 CID		1AM024700B	700	24 Months
1994-1989	UD	3300	7.4L L6 452 CID		1AM024700B	700	24 Months
2004-1999	UD	3300	6.9L L6 423 CID		1AM024700B	700	24 Months
2010-2005	UD	3300	7.7L L6 469 CID		1AM024700B	700	24 Months
2013-2011	UD	3300	7.0L L6 7013cc 427 CID		1AM024700B	700	24 Months
1991,1989	UD	550T	7.4L L6 452 CID		1AM024700B	700	24 Months
1994-1992	UD	600T	7.4L L6 452 CID		1AM024700B	700	24 Months
1962-1957	Vauxhall	Victor	1.5L L4 1507cc 92 CID		1AM024700B	700	24 Months
1962-1957	Vauxhall	Victor	1.5L L4 1508cc 92 CID		1AM024700B	700	24 Months
2002-1998	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery located under hood, under the fuse box. Power steering reservoir must be moved.; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-1998	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Battery located under hood, under the fuse box. Power steering reservoir must be moved.; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2000	Volkswagen	Beetle	1.8L L4 1781cc	Battery located under hood, under the fuse box. Power steering reservoir must be moved.; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-2003,1999	Volkswagen	Beetle	1.8L L4 1781cc	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.	1AM0H6770A	770	24 Months
2004-2003,1999	Volkswagen	Beetle	1.8L L4 1781cc	Battery located under hood, under the fuse box. Power steering reservoir must be moved.; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.	2AM048615A	615	18 Months
2005	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.	BBOH6600AA	600	36 Months
2005	Volkswagen	Beetle	1.8L L4 1781cc	Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Beetle	1.8L L4 1781cc	Battery located in engine compartment; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005,2002-2000	Volkswagen	Beetle	1.8L L4 1781cc	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.	BBOH5500AB	500	36 Months
2005-1998	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.	1AM0H6770A	770	24 Months
2005-1998	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.	BBOH5500AB	500	36 Months
2005-2003	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery located in engine compartment; OE CCA: 480; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBOH5500AB	500	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2006	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2006	Volkswagen	Beetle	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2007-2006	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.	BB0H5500AB	500	36 Months
2007-2006	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Installation may take up to 60 minutes. Battery located under hood under fuse box.; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2010-2006	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2010-2006	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside. For proper vent; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside. For proper vent; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside. For proper vent; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside. For proper vent; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2013	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2013-2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2013-2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2014	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2014-2012	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2014-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2013	Volkswagen	Beetle	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2014-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2014-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2014-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	AGM Valve-Regulated Battery Required.; Battery gasses need to be vented to outside. For proper vent; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J2D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015,2013	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015-2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015-2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015-2013	Volkswagen	Beetle	2.0L L4 1968cc 120 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist.	1AM0H6770A	770	24 Months
2015-2013	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2013	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2012	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2014	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Professional installation required.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2014	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2014	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2014	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017-2014	Volkswagen	Beetle	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017-2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017-2016	Volkswagen	Beetle	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Installation may take up to 60 minutes. Battery located under hood under fuse box.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1L; Professional installation required.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2011-2009	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2011-2009	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H8800AC	800	36 Months
2011-2009	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2011-2009	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2009	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2011-2009	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H5500AB	500	36 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2013-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2014	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2014	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2014	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2014	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2014	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2014	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2014	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2014-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2014-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2014-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2014-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located in trunk.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015,2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015,2013-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015,2013-2012	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015,2013-2012	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2016	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2017-2015	Volkswagen	CC	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2015	Volkswagen	CC	3.6L V6 3597cc 219 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2015	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2015	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2017-2015	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2017-2015	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2017-2015	Volkswagen	CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2017-2015	Volkswagen	CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Volkswagen	e-Golf	-L --	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	e-Golf	-L --	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2017-2015	Volkswagen	e-Golf	-L --	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2007	Volkswagen	Eos	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008	Volkswagen	Eos	3.2L V6 3197cc 195 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2008	Volkswagen	Eos	3.2L V6 3189cc 195 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008	Volkswagen	Eos	3.2L V6 3197cc 195 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; Exc Auxiliary, PR-J2K Code; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2008-2007	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; DIN/EN Size; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2008-2007	Volkswagen	Eos	3.2L V6 3189cc 195 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; Exc Auxiliary, PR-J2K Code; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2011-2007	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; Exc Auxiliary, PR-J2K Code; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2011-2009	Volkswagen	Eos	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; DIN/EN Size; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2014-2012	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Best performance estimate.; See the vehicle owner's manual for safe and proper battery installation.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015-2007	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015-2012	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Eos	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2015	Volkswagen	Eos	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2000	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Battery located under hood, under the fuse box.; OE CCA: 620; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2003	Volkswagen	Golf	3.2L V6 3189cc 195 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB0H5500AB	500	36 Months
2004	Volkswagen	Golf	3.2L V6 3189cc	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB0H5500AB	500	36 Months
2004	Volkswagen	Golf	3.2L V6 3189cc	Battery located in engine compartment; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005-2003	Volkswagen	Golf	2.8L V6 2792cc	Battery located under hood, under the fuse box.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005-2003	Volkswagen	Golf	2.8L V6 2792cc	Battery located under hood, under the fuse box.; OE CCA: 700; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005-2004	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Battery located under hood, under the fuse box.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005-2004,2000	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	1AM940800A	800	24 Months
2005-2004,2000	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB0H7730AB	730	36 Months
2005-2004,2000	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BBEH7680AA	680	36 Months
2006	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	2AM048615A	615	18 Months
2006	Volkswagen	Golf	1.8L L4 1781cc	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB0H5500AB	500	36 Months
2006	Volkswagen	Golf	2.0L L4 1984cc 121 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB0H5500AB	500	36 Months
2006	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	BB0H6600AA	600	36 Months
2006	Volkswagen	Golf	1.8L L4 1781cc	Battery located under hood, under the fuse box.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006	Volkswagen	Golf	2.0L L4 1984cc 121 CID	Battery located under hood, under the fuse box.; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Battery located under hood, under the fuse box.; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006,1999,1997	Volkswagen	Golf	1.9L L4 1896cc 116 CID	Installation may take up to 30 minutes. Battery located under hood under fuse box.	1AM0H6770A	770	24 Months
2013	Volkswagen	Golf	2.0L L4 1984cc 121 CID		BB0H5500AB	500	36 Months
2013	Volkswagen	Golf	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013	Volkswagen	Golf	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2010	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Best performance estimate.	BB0H5500AB	500	36 Months
2014-2010	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Best performance estimate.	1AM0H6770A	770	24 Months
2014-2010	Volkswagen	Golf	2.5L L5 2480cc 151 CID	Best performance estimate.	1AM0H6770A	770	24 Months
2014-2010	Volkswagen	Golf	2.5L L5 2480cc 151 CID	Best performance estimate.	BB0H5500AB	500	36 Months
2014-2010	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2010	Volkswagen	Golf	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2010	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2010	Volkswagen	Golf	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2015	Volkswagen	Golf	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Volkswagen	Golf	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Volkswagen	Golf	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016	Volkswagen	Golf	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Volkswagen	Golf	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Volkswagen	Golf	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2017	Volkswagen	Golf	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Volkswagen	Golf Alltrack	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2010-2007	Volkswagen	Golf City	2.0L L4 1984cc 121 CID	Battery located in engine compartment; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2015	Volkswagen	Golf R	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016-2015	Volkswagen	Golf R	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2017-2015	Volkswagen	Golf R	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Golf SportWagen	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Golf SportWagen	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JON, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Golf SportWagen	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JON, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Golf SportWagen	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Golf SportWagen	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Golf SportWagen	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-JON, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Golf SportWagen	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2015	Volkswagen	Golf SportWagen	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2008-2006	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2009	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2006	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Best performance estimate.	BB0H5500AB	500	36 Months
2014-2011	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Best performance estimate.	1AM0H6770A	770	24 Months
2014-2011	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Best performance estimate.	2AM048615A	615	18 Months
2014-2011	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Best performance estimate.	BB0H6600AA	600	36 Months
2015-2011	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015-2011	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2016	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2016-2015	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016-2015	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2016-2015	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.	BBOH6600AA	600	36 Months
2017	Volkswagen	GTI	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Volkswagen	GTI	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Volkswagen	GTI	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017	Volkswagen	GTI	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J2D; Vehicle computer system must be reset, contact your service specialist	BBOH6600AA	600	36 Months
1999-1998	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1999-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1999-1998	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1999-1998	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1999-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1999-1998	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1999-1998	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1999-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1999-1998	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2001	Volkswagen	Jetta	1.8L L4 1781cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2001	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2001	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2001	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2002-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM0H6770A	770	24 Months
2002-1998	Volkswagen	Jetta	2.8L V6 2792cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM0H6770A	770	24 Months
2002-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM940800A	800	24 Months
2002-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	2AM048615A	615	18 Months
2002-1998	Volkswagen	Jetta	2.8L V6 2792cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	2AM048615A	615	18 Months
2002-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BBOH6600AA	600	36 Months
2002-1998	Volkswagen	Jetta	2.8L V6 2792cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BBOH6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2002-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB0H7730AB	730	36 Months
2002-1998	Volkswagen	Jetta	2.8L V6 2792cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB0H7730AB	730	36 Months
2002-1998	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BBEH7680AA	680	36 Months
2002-1998	Volkswagen	Jetta	2.8L V6 2792cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BBEH7680AA	680	36 Months
2002-1999	Volkswagen	Jetta	2.8L V6 2792cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM940800A	800	24 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM0H6770A	770	24 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM940800A	800	24 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	2AM048615A	615	18 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB0H6600AA	600	36 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB0H7730AB	730	36 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2000	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2000	Volkswagen	Jetta	1.8L L4 1781cc	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BBEH7680AA	680	36 Months
2004-2000	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	1AM940800A	800	24 Months
2004-2000	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB0H5500AB	500	36 Months
2004-2000	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BB0H7730AB	730	36 Months
2004-2000	Volkswagen	Jetta	1.8L L4 1781cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-2000	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-2000	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-2000	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-2000	Volkswagen	Jetta	1.8L L4 1781cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2004-2000	Volkswagen	Jetta	2.8L V6 2792cc	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2004-2000	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Installation may take up to 45 minutes. Battery located under hood under fuse box.	BBEH7680AA	680	36 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc		1AM0H6770A	770	24 Months
2005	Volkswagen	Jetta	1.9L L4 1896cc 116 CID		1AM940800A	800	24 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc		2AM048615A	615	18 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc		BB0H6600AA	600	36 Months
2005	Volkswagen	Jetta	1.9L L4 1896cc 116 CID		BB0H7730AB	730	36 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc	Battery located under hood, under the fuse box.; Early Model; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc	Battery located under hood, under the fuse box.; Late Model; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located under hood, under the fuse box.; Best Performance Estimate; Early Model; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located under hood, under the fuse box.; Best Performance Estimate; Late Model; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; Early Model; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2005	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; Late Model; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; Early Model; OE CCA: 520; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; Late Model; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc	Battery located under hood, under the fuse box.; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005	Volkswagen	Jetta	1.8L L4 1781cc	Battery located under hood, under the fuse box.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005	Volkswagen	Jetta	1.9L L4 1896cc 116 CID		BBEH7680AA	680	36 Months
2006	Volkswagen	Jetta	1.9L L4 1896cc 116 CID		2AM048615A	615	18 Months
2006	Volkswagen	Jetta	1.9L L4 1896cc 116 CID		BB0H6600AA	600	36 Months
2006	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006	Volkswagen	Jetta	2.0L L4 1984cc 121 CID; Turbocharged	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006,1997	Volkswagen	Jetta	1.9L L4 1896cc 116 CID		1AM0H6770A	770	24 Months
2006-2000	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2006-2005,2002-2000	Volkswagen	Jetta	1.9L L4 1896cc 116 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007-2005	Volkswagen	Jetta	2.0L L4 1984cc 121 CID		BB0H5500AB	500	36 Months
2008-2005	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Best performance estimate.	BB0H5500AB	500	36 Months
2008-2006	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Best performance estimate.	1AM0H6770A	770	24 Months
2008-2006	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Best performance estimate.	2AM048615A	615	18 Months
2008-2006	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Best performance estimate.	BB0H6600AA	600	36 Months
2009	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2000	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2005	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2009-2008	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H5500AB	500	36 Months
2012-2009	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H5500AB	500	36 Months
2014	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Best performance estimate.	1AM0H6770A	770	24 Months
2014	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Best performance estimate.	2AM048615A	615	18 Months
2014	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Best performance estimate.	BB0H6600AA	600	36 Months
2014	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2005	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2005,2002-2000	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2006	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2007	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2009	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014-2009	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014-2009	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.	2AM048615A	615	18 Months
2014-2009	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.	2AM048615A	615	18 Months
2014-2009	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H6600AA	600	36 Months
2014-2009	Volkswagen	Jetta	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H6600AA	600	36 Months
2014-2009	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2009	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2010	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014-2010	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.	2AM048615A	615	18 Months
2014-2010	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H6600AA	600	36 Months
2014-2013	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2013	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2015	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2015	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 480; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016-2015	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2016-2015	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016-2015	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016-2015	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2016-2015	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2016-2015	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016-2015	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM048615A	615	18 Months
2017	Volkswagen	Jetta	1.4L L4 1395cc 85 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H6600AA	600	36 Months
2017-2015	Volkswagen	Jetta	1.8L L4 1798cc 110 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2015	Volkswagen	Jetta	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2009-2007	Volkswagen	Jetta City	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2009-2007	Volkswagen	Jetta City	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2007	Volkswagen	Jetta City	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
1997	Volkswagen	Passat	1.9L L4 1896cc 116 CID		1AM0H6770A	770	24 Months
2000	Volkswagen	Passat	2.8L V6 2771cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2000	Volkswagen	Passat	2.8L V6 2771cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2000	Volkswagen	Passat	2.8L V6 2771cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2000	Volkswagen	Passat	2.8L V6 2771cc	Battery located under hood, under the fuse box.; Best Performance Estimate; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2000	Volkswagen	Passat	2.8L V6 2771cc 170 CID	Battery located under hood, under the fuse box.; Best Performance Estimate; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2000	Volkswagen	Passat	2.8L V6 2771cc	Battery located under hood, under the fuse box.; Best Performance Estimate; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2000	Volkswagen	Passat	2.8L V6 2771cc 170 CID	Battery located under hood, under the fuse box.; Best Performance Estimate; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2002	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2002	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2002	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery located under hood, under the fuse box.; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2001,1999-1998	Volkswagen	Passat	2.8L V6 2771cc	Battery located under hood, under the fuse box.; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2002-2001,1999-1998	Volkswagen	Passat	2.8L V6 2771cc	Battery located under hood, under the fuse box.; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2003-1998	Volkswagen	Passat	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2003-1998	Volkswagen	Passat	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2003-1998	Volkswagen	Passat	1.8L L4 1781cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2004	Volkswagen	Passat	1.8L L4 1781cc; 1.8T	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004	Volkswagen	Passat	1.8L L4 1781cc; GL	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004	Volkswagen	Passat	1.8L L4 1781cc; GLS	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004	Volkswagen	Passat	2.0L L4 1967cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004	Volkswagen	Passat	2.0L L4 1967cc 120 CID	Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2004-1998	Volkswagen	Passat	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004-1998	Volkswagen	Passat	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2004-1998	Volkswagen	Passat	2.8L V6 2771cc	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2004-1999	Volkswagen	Passat	2.8L V6 2771cc 169 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004-1999	Volkswagen	Passat	2.8L V6 2771cc 169 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2004-1999	Volkswagen	Passat	2.8L V6 2771cc 169 CID	Battery is vented to outside of vehicle.; Installation may take up to 45 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2004-2003	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM940800A	800	24 Months
2004-2003	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H7730AB	730	36 Months
2004-2003	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery located under hood, under the fuse box.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2004-2003	Volkswagen	Passat	4.0L W8 3998cc 244 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BBEH7680AA	680	36 Months
2005	Volkswagen	Passat	2.8L V6 2771cc	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2005	Volkswagen	Passat	2.8L V6 2771cc 169 CID	Installation may take up to 45 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2005	Volkswagen	Passat	1.8L L4 1781cc; 1.8T	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2005	Volkswagen	Passat	1.8L L4 1781cc; GL	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2005	Volkswagen	Passat	1.8L L4 1781cc; GLS	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2005	Volkswagen	Passat	2.0L L4 1967cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM940800A	800	24 Months
2005	Volkswagen	Passat	2.8L V6 2771cc	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2005	Volkswagen	Passat	2.8L V6 2771cc 169 CID	Installation may take up to 45 minutes. Battery located under hood.	2AM048615A	615	18 Months
2005	Volkswagen	Passat	2.8L V6 2771cc	Installation may take up to 45 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2005	Volkswagen	Passat	2.8L V6 2771cc 169 CID	Installation may take up to 45 minutes. Battery located under hood.	BB0H6600AA	600	36 Months
2005	Volkswagen	Passat	2.0L L4 1967cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H7730AB	730	36 Months
2005	Volkswagen	Passat	2.0L L4 1967cc 120 CID	Battery located under hood, under the fuse box.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2005	Volkswagen	Passat	1.8L L4 1781cc; 1.8T	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; Battery located under hood, under the fuse box.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005	Volkswagen	Passat	1.8L L4 1781cc; GL	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; Battery located under hood, under the fuse box.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005	Volkswagen	Passat	1.8L L4 1781cc; GLS	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; Battery located under hood, under the fuse box.; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005	Volkswagen	Passat	2.0L L4 1967cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBEH7680AA	680	36 Months
2005-1998	Volkswagen	Passat	1.8L L4 1781cc	Battery located under hood, under the fuse box.; OE CCA: 570; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2003	Volkswagen	Passat	2.8L V6 2771cc	Battery located in engine compartment; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2005-2003	Volkswagen	Passat	2.8L V6 2771cc	Battery located in engine compartment; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2006	Volkswagen	Passat	2.0L L4 1984cc 121 CID	Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2006	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2009-2006	Volkswagen	Passat	2.0L L4 1984cc 121 CID	Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2010	Volkswagen	Passat	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2006	Volkswagen	Passat	2.0L L4 1984cc 121 CID	Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2010-2006	Volkswagen	Passat	2.0L L4 1984cc 121 CID	Battery located in engine compartment; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2010-2006	Volkswagen	Passat	2.0L L4 1984cc 121 CID	Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2006	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery located under hood, under the fuse box.; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2013-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.	2AM049850A	850	18 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H8800AC	800	36 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2014	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BBEH8800AA	800	36 Months
2014-2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2014-2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2014-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months
2014-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2014-2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2014-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2014-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H8800AC	800	36 Months
2014-2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H8800AC	800	36 Months
2014-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2012	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2014-2012	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2014-2012	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BBEH8800AA	800	36 Months
2014-2012,2010	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2013	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2014-2013	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H8800AC	800	36 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2015	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015	Volkswagen	Passat	2.5L L5 2480cc 151 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 150; Vehicle computer system must be reset. Contact your service specialists.	BBAH8800AB	800	36 Months
2015	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Volkswagen	Passat	2.0L L4 1968cc 120 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2015	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH8800AA	800	36 Months
2016	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J0N, PR-J1L Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; PR-J1D Code; PR= Production Run. A PR code is used to identify the options built into a vehicle.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2016	Volkswagen	Passat	1.8L L4 1798cc 110 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2017-2016	Volkswagen	Passat	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; PR Codes denote factory installed options for the vehicle.; PR-J1D; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2010-2009	Volkswagen	Passat CC	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2010-2009	Volkswagen	Passat CC	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	BB0H5500AB	500	36 Months
2010-2009	Volkswagen	Passat CC	2.0L L4 1984cc 121 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 480; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2010-2009	Volkswagen	Passat CC	3.6L V6 3597cc 219 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004	Volkswagen	Phaeton	6.0L W12 6000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2004	Volkswagen	Phaeton	6.0L W12 6000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004	Volkswagen	Phaeton	6.0L W12 6000cc	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2004	Volkswagen	Phaeton	6.0L W12 6000cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2005	Volkswagen	Phaeton	6.0L W12 5998cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005	Volkswagen	Phaeton	6.0L W12 5998cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2005	Volkswagen	Phaeton	6.0L W12 5998cc	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005	Volkswagen	Phaeton	6.0L W12 5998cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006	Volkswagen	Phaeton	6.0L W12 5998cc 366 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006	Volkswagen	Phaeton	6.0L W12 5998cc 366 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006	Volkswagen	Phaeton	6.0L W12 5998cc 366 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006	Volkswagen	Phaeton	6.0L W12 5998cc 366 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2004	Volkswagen	Phaeton	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006-2004	Volkswagen	Phaeton	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006-2004	Volkswagen	Phaeton	4.2L V8 4172cc	Battery Located in Trunk.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2004	Volkswagen	Phaeton	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2008	Volkswagen	R32	3.2L V6 3189cc 195 CID	Best performance estimate.	1AM940800A	800	24 Months
2008	Volkswagen	R32	3.2L V6 3189cc 195 CID	Best performance estimate.	BB0H7730AB	730	36 Months
2008	Volkswagen	R32	3.2L V6 3189cc 195 CID	Battery located under hood, under the fuse box.; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2008	Volkswagen	R32	3.2L V6 3189cc 195 CID	Best performance estimate.	BBEH7680AA	680	36 Months
2009-2006	Volkswagen	Rabbit	2.5L L5 2480cc 151 CID	Best performance estimate.	BB0H5500AB	500	36 Months
2009-2006	Volkswagen	Rabbit	2.5L L5 2480cc 151 CID	Battery located in engine compartment; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2009-2006	Volkswagen	Rabbit	2.5L L5 2480cc 151 CID	Battery located in engine compartment; OE CCA: 540; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011	Volkswagen	Routan	3.6L V6 3604cc 220 CID	Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2014-2011	Volkswagen	Routan	3.6L V6 3604cc 220 CID		1AM940800A	800	24 Months
2014-2011	Volkswagen	Routan	3.6L V6 3604cc 220 CID		BB0H7730AB	730	36 Months
2014-2013	Volkswagen	Routan	3.6L V6 3604cc 220 CID	OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2014-2009	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014-2009	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery is vented to outside of vehicle.; Best performance estimate.	BB0H5500AB	500	36 Months
2014-2009	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2014-2009	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instruct; Battery located in engine compartment; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2015	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2016	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 540; OE Group: 47; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 90; Vehicle computer system must be reset. Contact your service specialists.	BBAH5550AA	550	36 Months
2016	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100; Vehicle computer system must be reset. Contact your service specialists.	BBAH6650AA	650	36 Months
2017-2015	Volkswagen	Tiguan	2.0L L4 1984cc 121 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H6770A	770	24 Months
2004	Volkswagen	Touareg	4.9L V10 4921cc 300 CID	Auxiliary Battery; Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM0H9950A	950	24 Months
2004	Volkswagen	Touareg	3.2L V6 3200cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM940800A	800	24 Months
2004	Volkswagen	Touareg	4.9L V10 4921cc 300 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 30 minutes. Battery located under hood.	2AM049850A	850	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004	Volkswagen	Touareg	3.2L V6 3200cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BB0H7730AB	730	36 Months
2004	Volkswagen	Touareg	3.2L V6 3200cc 195 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 640; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004	Volkswagen	Touareg	3.2L V6 3200cc 195 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2004	Volkswagen	Touareg	3.2L V6 3200cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH7680AA	680	36 Months
2005-2004	Volkswagen	Touareg	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2005-2004	Volkswagen	Touareg	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BB0H8800AC	800	36 Months
2005-2004	Volkswagen	Touareg	4.2L V8 4172cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 740; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005-2004	Volkswagen	Touareg	4.2L V8 4172cc	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH8800AA	800	36 Months
2006-2005	Volkswagen	Touareg	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM940800A	800	24 Months
2006-2005	Volkswagen	Touareg	5.0L V10 4921cc 300 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2006-2005	Volkswagen	Touareg	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BB0H7730AB	730	36 Months
2006-2005	Volkswagen	Touareg	3.2L V6 3189cc 195 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 640; OE Group: 94R; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2005	Volkswagen	Touareg	3.2L V6 3189cc 195 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery; OE CCA: 640; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2006-2005	Volkswagen	Touareg	3.2L V6 3189cc 195 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH7680AA	680	36 Months
2010-2007	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM0H9950A	950	24 Months
2010-2007	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	2AM049850A	850	18 Months
2010-2007	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BB0H8800AC	800	36 Months
2010-2007	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	BBEH8800AA	800	36 Months
2010-2009	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM0H9950A	950	24 Months
2012-2007	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 760; OE Group: 49; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2013-2007	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2013-2009	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2013-2011	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM0H6770A	770	24 Months
2013-2011	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM940800A	800	24 Months
2013-2011	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2011	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2013-2011	Volkswagen	Touareg	3.0L V6 2995cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2014	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2014	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Best Performance Estimate; OE CCA: 640; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2014	Volkswagen	Touareg	3.0L V6 2995cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2014	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attached to battery.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; Reserve Capacity: 180	BBAH9850AA	850	36 Months
2014-2011	Volkswagen	Touareg	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM0H6770A	770	24 Months
2014-2011	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM0H6770A	770	24 Months
2014-2011	Volkswagen	Touareg	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.	1AM940800A	800	24 Months
2014-2011	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; Installation may take up to 45 minutes. Battery located under driver's seat.	1AM940800A	800	24 Months
2014-2011	Volkswagen	Touareg	3.0L V6 2995cc	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside. For proper venting see instruct; Best Performance Estimate; OE CCA: 640; OE Group: 48; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery gasses need to be vented to outside. For proper venting see instructions on vent kit attache; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2015	Volkswagen	Touareg	3.0L V6 2995cc	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2016	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2016	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 640; OE Group: 94R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 120; Vehicle computer system must be reset. Contact your service specialists.	BBAH7700AA	700	36 Months
2016	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery Located Under Driver's Seat.; Battery gasses need to be vented to outside.; Best Performance Estimate; OE CCA: 850; OE Group: 95R; OEM Used various size batteries in production. Check original battery for size and correct fit.; Reserve Capacity: 180; Vehicle computer system must be reset. Contact your service specialists.	BBAH9850AA	850	36 Months
2016-2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016-2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2016-2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016-2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2016-2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016-2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	2AM049850A	850	18 Months
2016-2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2016-2015	Volkswagen	Touareg	3.0L V6 2967cc 181 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
2017	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM0H9950A	950	24 Months
2017	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	1AM940800A	800	24 Months
2017-2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BB0H7730AB	730	36 Months
2017-2015	Volkswagen	Touareg	3.6L V6 3597cc 219 CID	Battery is vented to outside of vehicle.; Best performance estimate.; OE manufacturer used various size batteries in production. Carefully size to fit.; Vehicle computer system must be reset, contact your service specialist	BBEH7680AA	680	36 Months
1968	Volvo	122	1.8L L4 1780cc 112 CID		1AM024700B	700	24 Months
1968-1962	Volvo	122	1.8L L4 1780cc 109 CID		1AM024700B	700	24 Months
1968	Volvo	142	1.8L L4 1780cc 109 CID		1AM035550A	550	24 Months
1968	Volvo	142	1.8L L4 1780cc 112 CID		1AM035550A	550	24 Months
1968	Volvo	142	1.8L L4 1780cc 109 CID		2AM035500A	500	18 Months
1968	Volvo	142	1.8L L4 1780cc 112 CID		2AM035500A	500	18 Months
1968	Volvo	142	1.8L L4 1780cc 109 CID		2AM240530A	530	18 Months
1968	Volvo	142	1.8L L4 1780cc 112 CID		2AM240530A	530	18 Months
1968	Volvo	144	1.8L L4 1780cc 112 CID		1AM035550A	550	24 Months
1968	Volvo	144	1.8L L4 1780cc 112 CID		2AM035500A	500	18 Months
1968	Volvo	144	1.8L L4 1780cc 112 CID		2AM240530A	530	18 Months
1968-1967	Volvo	144	1.8L L4 1780cc 109 CID		1AM035550A	550	24 Months
1968-1967	Volvo	144	1.8L L4 1780cc 109 CID		2AM035500A	500	18 Months
1968-1967	Volvo	144	1.8L L4 1780cc 109 CID		2AM240530A	530	18 Months
1968	Volvo	145	1.8L L4 1780cc 109 CID		1AM035550A	550	24 Months
1968	Volvo	145	1.8L L4 1780cc 112 CID		1AM035550A	550	24 Months
1968	Volvo	145	1.8L L4 1780cc 109 CID		2AM035500A	500	18 Months
1968	Volvo	145	1.8L L4 1780cc 112 CID		2AM035500A	500	18 Months
1968	Volvo	145	1.8L L4 1780cc 109 CID		2AM240530A	530	18 Months
1968	Volvo	145	1.8L L4 1780cc 112 CID		2AM240530A	530	18 Months
1967	Volvo	1800	1.8L L4 1780cc		1AM024700B	700	24 Months
1968-1961	Volvo	1800	1.8L L4 1780cc 109 CID		1AM024700B	700	24 Months
1973-1969	Volvo	1800	2.0L L4 1986cc 121 CID		1AM024700B	700	24 Months
1973-1970	Volvo	1800	2.0L L4 1990cc 121 CID		1AM024700B	700	24 Months
1992-1991	Volvo	240	2.3L L4 2316cc		1AM0H6770A	770	24 Months
1992-1991	Volvo	240	2.3L L4 2316cc		2AM048615A	615	18 Months
1992-1991	Volvo	240	2.3L L4 2316cc		BB0H6600AA	600	36 Months
1993-1990	Volvo	240	2.3L L4 2316cc		BB0H5500AB	500	36 Months
1993-1990	Volvo	240	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1993-1990	Volvo	240	2.3L L4 2316cc	OE CCA: 500; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1984-1982	Volvo	244	2.4L L6 2383cc		2AM049850A	850	18 Months
1984-1982	Volvo	244	2.4L L6 2383cc		BB0H8800AC	800	36 Months
1984-1982	Volvo	244	2.4L L6 2383cc	OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1984-1982	Volvo	244	2.4L L6 2383cc		BBEH8800AA	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
1989-1988	Volvo	244	2.3L L4 2316cc		BB0H5500AB	500	36 Months
1989-1988	Volvo	244	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1989-1988	Volvo	244	2.3L L4 2316cc	OE CCA: 460; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1984-1982	Volvo	245	2.4L L6 2383cc		2AM049850A	850	18 Months
1984-1982	Volvo	245	2.4L L6 2383cc		BB0H8800AC	800	36 Months
1984-1982	Volvo	245	2.4L L6 2383cc	OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1984-1982	Volvo	245	2.4L L6 2383cc		BBEH8800AA	800	36 Months
1989-1988	Volvo	245	2.3L L4 2316cc		BB0H5500AB	500	36 Months
1989-1988	Volvo	245	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1989-1988	Volvo	245	2.3L L4 2316cc	OE CCA: 460; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1981	Volvo	264	2.4L L6 2383cc		2AM049850A	850	18 Months
1981	Volvo	264	2.4L L6 2383cc		BB0H8800AC	800	36 Months
1981	Volvo	264	2.4L L6 2383cc		BBEH8800AA	800	36 Months
1967-1964	Volvo	544	1.8L L4 1780cc 109 CID		1AM024700B	700	24 Months
1985	Volvo	740	2.4L L6 2377cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1985	Volvo	740	2.4L L6 2377cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1986	Volvo	740	2.4L L6 2377cc	OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1986-1985	Volvo	740	2.4L L6 2377cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
1986-1985	Volvo	740	2.4L L6 2377cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
1986-1985	Volvo	740	2.4L L6 2377cc	Battery is vented to outside of vehicle.	BB0H6600AA	600	36 Months
1990-1989	Volvo	740	2.3L L4 2316cc; Naturally Aspirated		1AM0H6770A	770	24 Months
1990-1989	Volvo	740	2.3L L4 2316cc; Naturally Aspirated		2AM048615A	615	18 Months
1990-1989	Volvo	740	2.3L L4 2316cc; Turbocharged		BB0H5500AB	500	36 Months
1990-1989	Volvo	740	2.3L L4 2316cc; Naturally Aspirated		BB0H6600AA	600	36 Months
1990-1989	Volvo	740	2.3L L4 2316cc; Turbocharged		BB0T5590AB	590	36 Months
1992-1985	Volvo	740	2.3L L4 2316cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1992-1985	Volvo	740	2.3L L4 2316cc	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1992-1991	Volvo	740	2.3L L4 2316cc		BB0H5500AB	500	36 Months
1992-1991	Volvo	740	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1992-1991, 1988-1985	Volvo	740	2.3L L4 2316cc		1AM0H6770A	770	24 Months
1992-1991, 1988-1985	Volvo	740	2.3L L4 2316cc		2AM048615A	615	18 Months
1992-1991, 1988-1985	Volvo	740	2.3L L4 2316cc		BB0H6600AA	600	36 Months
1985	Volvo	745	2.3L L4 2316cc		1AM0H6770A	770	24 Months
1985	Volvo	745	2.3L L4 2316cc		2AM048615A	615	18 Months
1985	Volvo	745	2.4L L6 2383cc		2AM049850A	850	18 Months
1985	Volvo	745	2.3L L4 2316cc		BB0H6600AA	600	36 Months
1985	Volvo	745	2.4L L6 2383cc		BB0H8800AC	800	36 Months
1985	Volvo	745	2.4L L6 2383cc	OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1985	Volvo	745	2.4L L6 2383cc		BBEH8800AA	800	36 Months
1984-1983	Volvo	760	2.4L L6 2383cc		2AM049850A	850	18 Months
1984-1983	Volvo	760	2.4L L6 2383cc		BB0H8800AC	800	36 Months
1984-1983	Volvo	760	2.4L L6 2383cc	OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1984-1983	Volvo	760	2.4L L6 2383cc		BBEH8800AA	800	36 Months
1985	Volvo	760	2.4L L6 2377cc		1AM0H6770A	770	24 Months
1985	Volvo	760	2.4L L6 2377cc		2AM048615A	615	18 Months
1985	Volvo	760	2.4L L6 2377cc		BB0H6600AA	600	36 Months
1985	Volvo	760	2.4L L6 2377cc	OE CCA: 600; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
1987-1985	Volvo	760	2.3L L4 2316cc		1AM0H6770A	770	24 Months
1987-1985	Volvo	760	2.3L L4 2316cc		2AM048615A	615	18 Months
1987-1985	Volvo	760	2.3L L4 2316cc		BB0H6600AA	600	36 Months
1989, 1987-1985	Volvo	760	2.8L V6 2849cc		1AM0H6770A	770	24 Months
1989, 1987-1985	Volvo	760	2.8L V6 2849cc		2AM048615A	615	18 Months
1989, 1987-1985	Volvo	760	2.8L V6 2849cc		BB0H6600AA	600	36 Months
1990, 1988	Volvo	760	2.8L V6 2849cc		BB0H5500AB	500	36 Months
1990, 1988	Volvo	760	2.8L V6 2849cc		BB0T5590AB	590	36 Months
1990-1984	Volvo	760	2.3L L4 2316cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1990-1984	Volvo	760	2.3L L4 2316cc	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1990-1985	Volvo	760	2.8L V6 2849cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1990-1985	Volvo	760	2.8L V6 2849cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1990-1988	Volvo	760	2.3L L4 2316cc		BB0H5500AB	500	36 Months
1990-1988	Volvo	760	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1990-1987	Volvo	780	2.8L V6 2849cc		1AM0H6770A	770	24 Months
1990-1987	Volvo	780	2.8L V6 2849cc		2AM048615A	615	18 Months
1990-1987	Volvo	780	2.8L V6 2849cc		BB0H6600AA	600	36 Months
1990-1987	Volvo	780	2.8L V6 2849cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1990-1987	Volvo	780	2.8L V6 2849cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1990-1989	Volvo	780	2.3L L4 2316cc		1AM0H6770A	770	24 Months
1990-1989	Volvo	780	2.3L L4 2316cc		2AM048615A	615	18 Months
1990-1989	Volvo	780	2.3L L4 2316cc		BB0H6600AA	600	36 Months
1990-1989	Volvo	780	2.3L L4 2316cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1990-1989	Volvo	780	2.3L L4 2316cc	OE CCA: 500; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
1991	Volvo	780	2.3L L4 2316cc		BB0H5500AB	500	36 Months
1991	Volvo	780	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1991	Volvo	780	2.3L L4 2316cc	OE CCA: 450; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1997-1993	Volvo	850	2.4L L5 2435cc		BB0T5590AB	590	36 Months
1997-1993	Volvo	850	2.4L L5 2435cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1997-1994	Volvo	850	2.3L L5 2319cc		BB0T5590AB	590	36 Months
1997-1994	Volvo	850	2.3L L5 2319cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1992-1991	Volvo	940	2.3L L4 2316cc		1AM0H6770A	770	24 Months
1992-1991	Volvo	940	2.3L L4 2316cc		2AM048615A	615	18 Months
1992-1991	Volvo	940	2.3L L4 2316cc		BB0H6600AA	600	36 Months
1995-1991	Volvo	940	2.3L L4 2316cc		BB0T5590AB	590	36 Months
1995-1991	Volvo	940	2.3L L4 2316cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
1997-1992	Volvo	960	2.9L L6 2922cc		1AM0H6770A	770	24 Months
1997-1992	Volvo	960	2.9L L6 2922cc		2AM048615A	615	18 Months
1997-1992	Volvo	960	2.9L L6 2922cc		BB0H6600AA	600	36 Months
1997-1992	Volvo	960	2.9L L6 2922cc	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2007	Volvo	C30	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2010-2007	Volvo	C30	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BBOH7730AB	730	36 Months
2010-2007	Volvo	C30	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2012-2007	Volvo	C30	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013	Volvo	C30	2.5L L5 2521cc 154 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months
2013	Volvo	C30	2.5L L5 2521cc 154 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BBOH7730AB	730	36 Months
2013	Volvo	C30	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013-2007	Volvo	C30	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months
2013-2007	Volvo	C30	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BBOH7730AB	730	36 Months
2000-1998	Volvo	C70	2.3L L5 2319cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2000-1998	Volvo	C70	2.4L L5 2435cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2002-2001	Volvo	C70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2002-2001	Volvo	C70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2002-2001	Volvo	C70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2002-2001	Volvo	C70	2.3L L5 2319cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2002-2001	Volvo	C70	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2003	Volvo	C70	2.3L L5 2319cc	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004-2003	Volvo	C70	2.3L L5 2319cc	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2004-2003	Volvo	C70	2.3L L5 2319cc	Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2004-2003	Volvo	C70	2.3L L5 2319cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2003	Volvo	C70	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2001	Volvo	C70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2005-2001	Volvo	C70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2005-2001	Volvo	C70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2012-2006	Volvo	C70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013	Volvo	C70	2.5L L5 2521cc 154 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months
2013	Volvo	C70	2.5L L5 2521cc 154 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BBOH7730AB	730	36 Months
2013	Volvo	C70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120	BBAH7700AA	700	36 Months
2013-2006	Volvo	C70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months
2013-2006	Volvo	C70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BBOH7730AB	730	36 Months
2003-2000	Volvo	S40	1.9L L4 1948cc	Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2003-2000	Volvo	S40	1.9L L4 1948cc	Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2003-2000	Volvo	S40	1.9L L4 1948cc	Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2003-2000	Volvo	S40	1.9L L4 1948cc	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004	Volvo	S40	1.9L L4 1948cc	Early; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004	Volvo	S40	2.4L L5 2435cc	Early; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004	Volvo	S40	2.5L L5 2521cc	Early; Installation may take up to 30 minutes. Battery located under hood.	1AM0H6770A	770	24 Months
2004	Volvo	S40	1.9L L4 1948cc	Installation may take up to 30 minutes. Battery located under hood.; Late, w/Premium Stereo	1AM940800A	800	24 Months
2004	Volvo	S40	2.4L L5 2435cc	Installation may take up to 30 minutes. Battery located under hood.; Late, w/Premium Stereo	1AM940800A	800	24 Months
2004	Volvo	S40	2.5L L5 2521cc	Installation may take up to 30 minutes. Battery located under hood.; Late, w/Premium Stereo	1AM940800A	800	24 Months
2004	Volvo	S40	1.9L L4 1948cc	Early; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2004	Volvo	S40	2.4L L5 2435cc	Early; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2004	Volvo	S40	2.5L L5 2521cc	Early; Installation may take up to 30 minutes. Battery located under hood.	2AM048615A	615	18 Months
2004	Volvo	S40	1.9L L4 1948cc	Early; Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2004	Volvo	S40	2.4L L5 2435cc	Early; Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2004	Volvo	S40	2.5L L5 2521cc	Early; Installation may take up to 30 minutes. Battery located under hood.	BBOH6600AA	600	36 Months
2004	Volvo	S40	1.9L L4 1948cc	Installation may take up to 30 minutes. Battery located under hood.; Late, w/Premium Stereo	BBOH7730AB	730	36 Months
2004	Volvo	S40	2.4L L5 2435cc	Installation may take up to 30 minutes. Battery located under hood.; Late, w/Premium Stereo	BBOH7730AB	730	36 Months
2004	Volvo	S40	2.5L L5 2521cc	Installation may take up to 30 minutes. Battery located under hood.; Late, w/Premium Stereo	BBOH7730AB	730	36 Months
2004	Volvo	S40	1.9L L4 1948cc	Battery located in engine compartment; Early Model; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004	Volvo	S40	2.4L L5 2435cc	Battery located in engine compartment; Early Model; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2004	Volvo	S40	2.5L L5 2521cc	Battery located in engine compartment; Early Model; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004	Volvo	S40	1.9L L4 1948cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; w/Premium Audio	BBAH7700AA	700	36 Months
2010-2004	Volvo	S40	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; w/Premium Audio	BBAH7700AA	700	36 Months
2010-2005	Volvo	S40	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months
2010-2005	Volvo	S40	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BB0H7730AB	730	36 Months
2011-2005	Volvo	S40	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	1AM940800A	800	24 Months
2011-2005	Volvo	S40	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/Premium Stereo	BB0H7730AB	730	36 Months
2011-2005	Volvo	S40	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; w/Premium Audio	BBAH7700AA	700	36 Months
2004-2001	Volvo	S60	2.3L L5 2319cc; Turbocharged	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2001	Volvo	S60	2.3L L5 2319cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005,2003-2001	Volvo	S60	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005,2003-2001	Volvo	S60	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2005,2003-2001	Volvo	S60	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2005-2001	Volvo	S60	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2005-2001	Volvo	S60	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2005-2001	Volvo	S60	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2005-2004	Volvo	S60	2.5L L5 2500cc 153 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2005-2004	Volvo	S60	2.5L L5 2500cc 153 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2005-2004	Volvo	S60	2.5L L5 2500cc 153 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005-2004	Volvo	S60	2.5L L5 2500cc 153 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2005-2004	Volvo	S60	2.5L L5 2500cc 153 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2005-2004	Volvo	S60	2.5L L5 2500cc 153 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006	Volvo	S60	2.4L L5 2401cc 147 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2006	Volvo	S60	2.4L L5 2401cc 147 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2006	Volvo	S60	2.4L L5 2401cc 147 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006	Volvo	S60	2.4L L5 2401cc 147 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2006	Volvo	S60	2.4L L5 2401cc 147 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006	Volvo	S60	2.4L L5 2401cc 147 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2009-2001	Volvo	S60	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2009-2001	Volvo	S60	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2009-2001	Volvo	S60	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2009-2001	Volvo	S60	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2001	Volvo	S60	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2009-2003	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2009-2006,2003-2001	Volvo	S60	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2009-2006,2003-2001	Volvo	S60	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2009-2006,2003-2001	Volvo	S60	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2013	Volvo	S60	3.0L L6 2953cc 180 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2013	Volvo	S60	3.0L L6 2953cc 180 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2013	Volvo	S60	3.0L L6 2953cc 180 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2015-2011	Volvo	S60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2011	Volvo	S60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2011	Volvo	S60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2015-2011	Volvo	S60	3.0L L6 2953cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015-2012	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2012	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2012	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2015-2012	Volvo	S60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	S60	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	S60	3.0L L6 2953cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	S60	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Inscription	1AM940800A	800	24 Months
2016	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016	Volvo	S60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016	Volvo	S60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2016	Volvo	S60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2016	Volvo	S60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	S60	3.0L L6 2953cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	S60 Cross Country	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	S60 Cross Country	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Inscription	1AM940800A	800	24 Months
2016	Volvo	S60 Cross Country	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016	Volvo	S60 Cross Country	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2016	Volvo	S60 Cross Country	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2017	Volvo	S60 Cross Country	2.0L L4 1969cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2017	Volvo	S60 Cross Country	2.0L L4 1969cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Inscription	1AM940800A	800	24 Months
2017	Volvo	S60 Cross Country	2.0L L4 1969cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2017	Volvo	S60 Cross Country	2.0L L4 1969cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2000-1998	Volvo	S70	2.3L L5 2319cc	w/VIN up to #141304	1AM0H6770A	770	24 Months
2000-1998	Volvo	S70	2.4L L5 2435cc	w/VIN up to #141304	1AM0H6770A	770	24 Months
2000-1998	Volvo	S70	2.3L L5 2319cc	w/VIN up to #141304	2AM048615A	615	18 Months
2000-1998	Volvo	S70	2.4L L5 2435cc	w/VIN up to #141304	2AM048615A	615	18 Months
2000-1998	Volvo	S70	2.3L L5 2319cc	w/VIN up to #141304	BBOH6600AA	600	36 Months
2000-1998	Volvo	S70	2.4L L5 2435cc	w/VIN up to #141304	BBOH6600AA	600	36 Months
2000-1998	Volvo	S70	2.3L L5 2319cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90; w/VIN above #141304	BBAH5550AA	550	36 Months
2000-1998	Volvo	S70	2.4L L5 2435cc	OE CCA: 520; OE Group: 47; Reserve Capacity: 90; w/VIN above #141304	BBAH5550AA	550	36 Months
2000-1998	Volvo	S70	2.3L L5 2319cc	OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/VIN up to #141304	BBAH6650AA	650	36 Months
2000-1998	Volvo	S70	2.4L L5 2435cc	OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/VIN up to #141304	BBAH6650AA	650	36 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH6600AA	600	36 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2001-1999	Volvo	S80	2.8L L6 2798cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2003-2001	Volvo	S80	2.8L L6 2783cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2003-2001	Volvo	S80	2.8L L6 2783cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2003-2001	Volvo	S80	2.8L L6 2783cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2003-2001	Volvo	S80	2.8L L6 2783cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH6600AA	600	36 Months
2003-2001	Volvo	S80	2.8L L6 2783cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2003-2001	Volvo	S80	2.8L L6 2783cc 170 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2005,2003-1999	Volvo	S80	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2005-1999	Volvo	S80	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2006-2004	Volvo	S80	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2006-2004	Volvo	S80	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006-2004	Volvo	S80	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2006-2004	Volvo	S80	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006-2004	Volvo	S80	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2006-2004	Volvo	S80	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-2004	Volvo	S80	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2009-2007	Volvo	S80	3.2L L6 3192cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2009-2007	Volvo	S80	4.4L V8 4414cc 269 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2009-2008	Volvo	S80	3.0L L6 2953cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2010	Volvo	S80	4.4L V8 4414cc 269 CID	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2010-2007	Volvo	S80	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	1AM0H6770A	770	24 Months
2010-2007	Volvo	S80	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	2AM048615A	615	18 Months
2010-2007	Volvo	S80	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.	BB0H6600AA	600	36 Months
2014-2007	Volvo	S80	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2014-2007	Volvo	S80	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2014-2007	Volvo	S80	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2014-2010	Volvo	S80	3.2L L6 3192cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015	Volvo	S80	2.0L L4 1969cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015	Volvo	S80	2.0L L4 1969cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015	Volvo	S80	2.0L L4 1969cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015	Volvo	S80	2.0L L4 1969cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015-2008	Volvo	S80	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2008	Volvo	S80	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2008	Volvo	S80	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015-2010	Volvo	S80	3.0L L6 2953cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
1998-1997	Volvo	S90	2.9L L6 2917cc		1AM0H6770A	770	24 Months
1998-1997	Volvo	S90	2.9L L6 2917cc		2AM048615A	615	18 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
	Volvo	S90	2.9L L6 2917cc		BBOH6600AA	600	36 Months
1998-1997	Volvo	S90	2.9L L6 2917cc	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2000	Volvo	V40	1.9L L4 1948cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2004-2000	Volvo	V40	1.9L L4 1948cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2004-2000	Volvo	V40	1.9L L4 1948cc	Battery is vented to outside of vehicle.	BBOH6600AA	600	36 Months
2004-2000	Volvo	V40	1.9L L4 1948cc	Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2010-2005	Volvo	V50	2.4L L5 2435cc	Battery is vented to outside of vehicle.; w/Premium Stereo	1AM940800A	800	24 Months
2010-2005	Volvo	V50	2.4L L5 2435cc	Battery is vented to outside of vehicle.; w/Premium Stereo	BBOH7730AB	730	36 Months
2010-2005	Volvo	V50	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; w/Premium Audio	BBAH7700AA	700	36 Months
2011-2005	Volvo	V50	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/Premium Stereo	1AM940800A	800	24 Months
2011-2005	Volvo	V50	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/Premium Stereo	BBOH7730AB	730	36 Months
2011-2005	Volvo	V50	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 700; OE Group: 94R; Reserve Capacity: 120; w/Premium Audio	BBAH7700AA	700	36 Months
2015	Volvo	V60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015	Volvo	V60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015	Volvo	V60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2015	Volvo	V60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2015	Volvo	V60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015	Volvo	V60	3.0L L6 2953cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	V60	3.0L L6 2953cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	V60	3.0L L6 2953cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016-2015	Volvo	V60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016-2015	Volvo	V60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2015	Volvo	V60 Cross Country	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015	Volvo	V60 Cross Country	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	V60 Cross Country	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	V60 Cross Country	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Inscription	1AM940800A	800	24 Months
2016	Volvo	V60 Cross Country	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016-2015	Volvo	V60 Cross Country	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016-2015	Volvo	V60 Cross Country	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BBOH6600AA	600	36 Months
2000-1998	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2000-1998	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2000-1998	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2000-1998	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.	2AM048615A	615	18 Months
2000-1998	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.	BBOH6600AA	600	36 Months
2000-1998	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.	BBOH6600AA	600	36 Months
2004-1998	Volvo	V70	2.3L L5 2319cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2004-1998	Volvo	V70	2.3L L5 2319cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2004-2001	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2004-2001	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2004-2001	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH6600AA	600	36 Months
2004-2002	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2004-2002	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBOH8800AC	800	36 Months
2004-2002	Volvo	V70	2.3L L5 2319cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2004-2002	Volvo	V70	2.3L L5 2319cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2006-1998	Volvo	V70	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006-1998	Volvo	V70	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2003	Volvo	V70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2006-2003	Volvo	V70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	Volvo	V70	2.4L L5 2435cc	Battery Located in Trunk.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2007	Volvo	V70	2.5L L5 2521cc	Battery Located in Trunk.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2007	Volvo	V70	2.4L L5 2435cc	Battery Located in Trunk.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007	Volvo	V70	2.5L L5 2521cc	Battery Located in Trunk.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007-2001	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2001	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2007-2001	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2007-2002	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2007-2002	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2007-2002	Volvo	V70	2.4L L5 2435cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2007-2002	Volvo	V70	2.4L L5 2435cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	1AM0H6770A	770	24 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM048615A	615	18 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	2AM049850A	850	18 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H6600AA	600	36 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BB0H8800AC	800	36 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2007-2003	Volvo	V70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in trunk.	BBEH8800AA	800	36 Months
2010-2008	Volvo	V70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2010-2008	Volvo	V70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2010-2008	Volvo	V70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2010-2008	Volvo	V70	3.2L L6 3192cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
1998-1997	Volvo	V90	2.9L L6 2917cc		1AM0H6770A	770	24 Months
1998-1997	Volvo	V90	2.9L L6 2917cc		2AM048615A	615	18 Months
1998-1997	Volvo	V90	2.9L L6 2917cc		BB0H6600AA	600	36 Months
1998-1997	Volvo	V90	2.9L L6 2917cc	OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2015	Volvo	XC60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015	Volvo	XC60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015	Volvo	XC60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015	Volvo	XC60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015-2010	Volvo	XC60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2010	Volvo	XC60	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2010	Volvo	XC60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2010	Volvo	XC60	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2010	Volvo	XC60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015-2010	Volvo	XC60	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015-2010	Volvo	XC60	3.0L L6 2953cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015-2010	Volvo	XC60	3.2L L6 3192cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	XC60	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	XC60	3.0L L6 2953cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	XC60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016	Volvo	XC60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016	Volvo	XC60	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2016	Volvo	XC60	3.0L L6 2953cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2016	Volvo	XC60	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2016	Volvo	XC60	3.0L L6 2953cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	1AM0H6770A	770	24 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM048615A	615	18 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM049850A	850	18 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H6600AA	600	36 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H8800AC	800	36 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 520; OE Group: 47; Reserve Capacity: 90	BBAH5550AA	550	36 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; Battery located in trunk. Spare tire may have to be removed; Installation may take over 30 mins.; OE CCA: 800; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2007-2003	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BBEH8800AA	800	36 Months
2012-2008	Volvo	XC70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2012-2008	Volvo	XC70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.; w/o Premium Stereo	2AM048615A	615	18 Months
2012-2008	Volvo	XC70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2012-2009	Volvo	XC70	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2012-2009	Volvo	XC70	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.; w/o Premium Stereo	2AM048615A	615	18 Months
2012-2009	Volvo	XC70	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015-2008	Volvo	XC70	3.2L L6 3192cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015-2009	Volvo	XC70	3.0L L6 2953cc	Battery gasses need to be vented to outside.; Battery located in engine compartment; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2015-2013	Volvo	XC70	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2013	Volvo	XC70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	1AM0H6770A	770	24 Months
2015-2013	Volvo	XC70	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2013	Volvo	XC70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	2AM048615A	615	18 Months
2015-2013	Volvo	XC70	3.0L L6 2953cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2015-2013	Volvo	XC70	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located under hood by firewall.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2016	Volvo	XC70	2.5L L5 2521cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.	1AM0H6770A	770	24 Months
2016	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	2AM048615A	615	18 Months
2016	Volvo	XC70	2.5L L5 2521cc	Battery is vented to outside of vehicle.; w/o Premium Stereo	BB0H6600AA	600	36 Months
2016	Volvo	XC70	2.5L L5 2521cc	Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100; w/o Premium Audio	BBAH6650AA	650	36 Months
2004	Volvo	XC90	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	1AM0H6770A	770	24 Months
2004	Volvo	XC90	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM048615A	615	18 Months
2004	Volvo	XC90	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM049850A	850	18 Months
2004	Volvo	XC90	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H6600AA	600	36 Months
2004	Volvo	XC90	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H8800AC	800	36 Months
2004	Volvo	XC90	2.9L L6 2922cc 178 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BBEH8800AA	800	36 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	1AM0H6770A	770	24 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM048615A	615	18 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM049850A	850	18 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H6600AA	600	36 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H8800AC	800	36 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Exc Electrical upgrade; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 760; OE Group: 49; Reserve Capacity: 150; w/Electrical upgrade	BBAH8800AB	800	36 Months
2005-2003	Volvo	XC90	2.9L L6 2917cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BBEH8800AA	800	36 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	1AM0H6770A	770	24 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM048615A	615	18 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM049850A	850	18 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H6600AA	600	36 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H8800AC	800	36 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Exc Electrical upgrade; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 760; OE Group: 49; Reserve Capacity: 150; w/Electrical upgrade	BBAH8800AB	800	36 Months
2006-2003	Volvo	XC90	2.5L L5 2521cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BBEH8800AA	800	36 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	1AM0H6770A	770	24 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM048615A	615	18 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM049850A	850	18 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H6600AA	600	36 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H8800AC	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Exc Electrical upgrade; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 760; OE Group: 49; Reserve Capacity: 150; w/Electrical upgrade	BBAH8800AB	800	36 Months
2011-2005	Volvo	XC90	4.4L V8 4414cc 269 CID	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BBEH8800AA	800	36 Months
2011-2007	Volvo	XC90	3.2L L6 3192cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; Exc Electrical upgrade; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2011-2007	Volvo	XC90	3.2L L6 3192cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 760; OE Group: 49; Reserve Capacity: 150; w/Electrical upgrade	BBAH8800AB	800	36 Months
2014-2007	Volvo	XC90	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	1AM0H6770A	770	24 Months
2014-2007	Volvo	XC90	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM048615A	615	18 Months
2014-2007	Volvo	XC90	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	2AM049850A	850	18 Months
2014-2007	Volvo	XC90	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H6600AA	600	36 Months
2014-2007	Volvo	XC90	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BB0H8800AC	800	36 Months
2014-2007	Volvo	XC90	3.2L L6 3192cc	Battery is vented to outside of vehicle.; Installation may take up to 30 minutes. Battery located in rear.	BBEH8800AA	800	36 Months
2014-2012	Volvo	XC90	3.2L L6 3192cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 600; OE Group: 48; Reserve Capacity: 100	BBAH6650AA	650	36 Months
2014-2012	Volvo	XC90	3.2L L6 3192cc	Battery Located in Trunk.; Battery gasses need to be vented to outside.; OE CCA: 760; OE Group: 49; Reserve Capacity: 150	BBAH8800AB	800	36 Months
2016	Volvo	XC90	2.0L L4 1969cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Late	1AM940800A	800	24 Months
2016	Volvo	XC90	2.0L L4 1969cc	AGM Valve Regulated Lead Acid (VRLA) is required; Battery is vented to outside of vehicle.; Early	2AM049850A	850	18 Months
2004-2002	Workhorse	FasTrack FT1061	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1061	4.8L V8 294 CID		BB078800AB	800	36 Months
2001-2000	Workhorse	FasTrack FT1260	5.7L V8 350 CID		BB078800AB	800	36 Months
2005	Workhorse	FasTrack FT1261	4.8L V8 294 CID		BB078800AB	800	36 Months
2005-2002	Workhorse	FasTrack FT1261	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1261	3.9L L4 238 CID		BB078800AB	800	36 Months
2002-2000	Workhorse	FasTrack FT1460	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2002	Workhorse	FasTrack FT1461	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1461	3.9L L4 238 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1461	4.8L V8 294 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1461	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2001-2000	Workhorse	FasTrack FT1600	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2002	Workhorse	FasTrack FT1601	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1601	3.9L L4 238 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1601	4.8L V8 294 CID		BB078800AB	800	36 Months
2001-2000	Workhorse	FasTrack FT1800	5.7L V8 350 CID		BB078800AB	800	36 Months
2004-2002	Workhorse	FasTrack FT1801	5.7L V8 350 CID		BB078800AB	800	36 Months
2005-2002	Workhorse	FasTrack FT1801	6.5L V8 395 CID		BB078800AB	800	36 Months
2005-2004	Workhorse	FasTrack FT1801	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2003-2002	Workhorse	FasTrack FT1802	5.7L V8 350 CID		BB078800AB	800	36 Months
2003-2002	Workhorse	FasTrack FT1802	6.5L V8 395 CID		BB078800AB	800	36 Months
2003-2002	Workhorse	FasTrack FT931	4.3L V6 262 CID		BB078800AB	800	36 Months
2011-2005	Workhorse	LF72	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2005-2000	Workhorse	P30	5.7L V8 350 CID		1AM075700A	700	24 Months
2005-2000	Workhorse	P30	5.7L V8 350 CID		BB078800AB	800	36 Months
2000-1999	Workhorse	P32	7.4L V8 454 CID		BB078800AB	800	36 Months
2002-2001	Workhorse	P32	5.7L V8 350 CID		BB078800AB	800	36 Months
2003-1999	Workhorse	P32	6.5L V8 395 CID		BB078800AB	800	36 Months
2005-2001	Workhorse	P32	8.1L V8 496 CID		BB078800AB	800	36 Months
2005-1999	Workhorse	P42	6.5L V8 395 CID		BB078800AB	800	36 Months
2005-1999	Workhorse	P42	7.4L V8 454 CID		BB078800AB	800	36 Months
2009-2007	Workhorse	R26	6.7L L6 6690cc 408 CID		BB078800AB	800	36 Months
2009-2007	Workhorse	R26	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2003	Workhorse	R32	8.3L L6 505 CID		BB078800AB	800	36 Months
2009-2003	Workhorse	R32	8.9L L6 8849cc 540 CID		BB078800AB	800	36 Months
2009-2006	Workhorse	W16	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2006	Workhorse	W18	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2001	Workhorse	W20	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2007	Workhorse	W21	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2001	Workhorse	W22	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2004	Workhorse	W24	8.1L V8 496 CID		BB078800AB	800	36 Months
2009-2005	Workhorse	W25	8.1L V8 496 CID		BB078800AB	800	36 Months
2004	Workhorse	W42	6.5L V8 395 CID		BB078800AB	800	36 Months
2009-2005	Workhorse	W42	4.5L V6 275 CID		BB078800AB	800	36 Months
2011-2006	Workhorse	W42	4.8L V8 294 CID		BB078800AB	800	36 Months
2011-2007	Workhorse	W62	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2005-1999	Workhorse Custom Chassis	P32	6.5L V8 395 CID		BB078800AB	800	36 Months
2006-2001	Workhorse Custom Chassis	P32	8.1L V8 496 CID		BB078800AB	800	36 Months
2007-2001-1999	Workhorse Custom Chassis	P32	7.4L V8 454 CID		BB078800AB	800	36 Months
2004-1999	Workhorse Custom Chassis	P42	5.7L V8 350 CID		BB078800AB	800	36 Months
2005	Workhorse Custom Chassis	P42	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2005-1999	Workhorse Custom Chassis	P42	6.5L V8 395 CID		BB078800AB	800	36 Months
2005-2002	Workhorse Custom Chassis	P42	3.9L L4 3921cc 239 CID		BB078800AB	800	36 Months
2005-2003	Workhorse Custom Chassis	P42	6.0L V8 5972cc 365 CID		BB078800AB	800	36 Months
2005-2004	Workhorse Custom Chassis	P42	4.8L V8 4800cc 293 CID		BB078800AB	800	36 Months
2004	Workhorse Custom Chassis	R20	8.9L L6 8900cc 543 CID		BB078800AB	800	36 Months
2007-2004	Workhorse Custom Chassis	R20	8.3L L6 8277cc 505 CID		BB078800AB	800	36 Months
2008	Workhorse Custom Chassis	R20	7.2L L6 441 CID		BB078800AB	800	36 Months
2008-2007	Workhorse Custom Chassis	R26	8.1L V8 496 CID		BB078800AB	800	36 Months
2010-2006	Workhorse Custom Chassis	W18	8.1L V8 496 CID		BB078800AB	800	36 Months
2010-2009	Workhorse Custom Chassis	W22	6.4L V8 6400cc 389 CID		BB078800AB	800	36 Months
2011,2009-2001	Workhorse Custom Chassis	W22	8.1L V8 496 CID		BB078800AB	800	36 Months

Mopar & Magneti Marelli Offered by Mopar

Product: Batteries Application Guide

Part numbers and applications are subject to change without notice.

Year Range	Make	Model	Application	Qualifier	Part Number	CCA	Warranty
2011,2009-2007,2005-2004	Workhorse Custom Chassis	W24	8.1L V8 496 CID		BB078800AB	800	36 Months
2006	Workhorse Custom Chassis	W42	8.9L L6 8900cc 543 CID		BB078800AB	800	36 Months
2009-2006	Workhorse Custom Chassis	W42	4.5L V6 275 CID		BB078800AB	800	36 Months
2010-2006	Workhorse Custom Chassis	W42	6.0L V8 5972cc 365 CID		BB078800AB	800	36 Months
2012-2006	Workhorse Custom Chassis	W42	4.8L V8 294 CID		BB078800AB	800	36 Months
2005-2002	Workhorse Custom Chassis	W52	8.1L V8 496 CID		BB078800AB	800	36 Months
2010-2007	Workhorse Custom Chassis	W62	8.1L V8 496 CID		BB078800AB	800	36 Months
2012-2011	Workhorse Custom Chassis	W62	6.0L V8 5967cc 364 CID		BB078800AB	800	36 Months
2006	Workhorse Custom Chassis	W72	8.1L V8 496 CID		BB078800AB	800	36 Months
2007	Workhorse Custom Chassis	W72	6.6L V8 6599cc 403 CID		BB078800AB	800	36 Months
2015-2013	Yamaha	LAT1100 AR210	-L -- 1052cc		1AM024700B	700	24 Months
2015-2013	Yamaha	LAT1100 SX210	-L -- 1052cc		1AM024700B	700	24 Months
2016-2013	Yamaha	RM1800 AR192	-L -- 1812cc		1AM024700B	700	24 Months
2016-2013	Yamaha	RM1800 SX192	-L -- 1812cc		1AM024700B	700	24 Months
2016-2013	Yamaha	RX1800 AR190	-L -- 1812cc		1AM024700B	700	24 Months
2016-2013	Yamaha	RX1800 SX190	-L -- 1812cc		1AM024700B	700	24 Months
2016-2015	Yamaha	SAT1800 242 Limited	-L -- 1812cc		1AM024700B	700	24 Months
2016-2015	Yamaha	SAT1800 242 Limited S	-L -- 1812cc		1AM024700B	700	24 Months
2016-2015	Yamaha	SAT1800 AR240 HO	-L -- 1812cc		1AM024700B	700	24 Months
2016-2015	Yamaha	SAT1800 SX240 HO	-L -- 1812cc		1AM024700B	700	24 Months
2014-2013	Yamaha	SXT1800 242 Limited	-L -- 1812cc		1AM024700B	700	24 Months
2014-2013	Yamaha	SXT1800 242 Limited S	-L -- 1812cc		1AM024700B	700	24 Months
2014-2013	Yamaha	SXT1800 AR240 HO	-L -- 1812cc		1AM024700B	700	24 Months
2014-2013	Yamaha	SXT1800 SX240 HO	-L -- 1812cc		1AM024700B	700	24 Months
2016-2013	Yamaha	XAT1800 212SS	-L -- 1812cc		1AM024700B	700	24 Months
2016-2013	Yamaha	XAT1800 212X	-L -- 1812cc		1AM024700B	700	24 Months
2005-2004	Yamaha	YXP1000A Pro Hauler 1000	-L -- 357cc		1AM024700B	700	24 Months
2006-2004	Yamaha	YXP700A Pro Hauler 700	-L -- 357cc		1AM024700B	700	24 Months