



2017 MAGNETI MARELLI OFFERED BY MOPAR[®] TPMS SENSORS AND SERVICE KIT APPLICATION GUIDE



Magneti Marelli Offered by Mopar Tire Pressure Monitoring System Programmable Sensors and Service Kits



Make/Model	Model Year	Application	Qualifier	Product	Part Number
SLS AMG	2015-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
SLS AMG	2015-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
SLS AMG	2015-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Sprinter 2500	2017-2010		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Sprinter 2500	2017-2010		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Sprinter 2500	2017-2010		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Sprinter 3500	2017-2012		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Sprinter 3500	2017-2010		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Sprinter 3500	2017-2010		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
MERCURY					
Grand Marquis	2011-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Grand Marquis	2011-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Grand Marquis	2011-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Mariner	2011-2005		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Mariner	2011-2005		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Mariner	2011-2005		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Milan	2011-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Milan	2011-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Milan	2011-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Montego	2007-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Montego	2007-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Montego	2007-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Monterey	2007-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Monterey	2007-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Monterey	2007-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Mountaineer	2010-2002		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Mountaineer	2010-2002		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Mountaineer	2010-2002		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Sable	2009-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Sable	2009-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Sable	2009-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
MINI					
Cooper	2016-2014		Programming Tool Required. Fits vehicles built after Mar2014; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Cooper	2016-2014		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cooper	2016-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cooper Countryman	2016-2014		Programming Tool Required. Fits vehicles built after Feb2014; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Cooper Countryman	2016-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cooper Countryman	2016-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cooper Paceman	2016-2014		Programming Tool Required. Fits vehicles built after Feb2014; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Cooper Paceman	2016-2014		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cooper Paceman	2016-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
MINI					
Eclipse	2012-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Eclipse	2012-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Eclipse	2012-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Endeavor	2011-2010,2008,2005-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Endeavor	2011-2010,2008-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Endeavor	2011-2010,2008-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Endeavor	2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m; W/315 MHz Sensor	TPMS Programmable Sensor	1AMTP3350A
Endeavor	2006		Programming Tool Required; Sept. 1 & Newer; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Galant	2012-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Galant	2012-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Galant	2012-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Lancer	2016-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Lancer	2016-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Lancer	2016-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Mirage	2017,2015-2014		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Mirage	2017,2015-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Mirage	2017,2015-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Montero	2006-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Montero	2006-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Montero	2006-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Montero Sport	2004-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Montero Sport	2004-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Montero Sport	2004-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Outlander	2016-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Outlander	2016-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Outlander	2016-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Outlander Sport	2017-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Outlander Sport	2017-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Outlander Sport	2017-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
RVR	2015-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
RVR	2015-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
RVR	2015-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Raider	2009-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Raider	2009-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Raider	2009-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
i-MiEV	2016,2014,2012		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
i-MiEV	2016,2014,2012		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
i-MiEV	2016,2014,2012		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
NISSAN/NISSAN TRUCK					
350Z	2009-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A

Magneti Marelli Offered by Mopar Tire Pressure Monitoring System Programmable Sensors and Service Kits



Make/Model	Model Year	Application	Qualifier	Product	Part Number
350Z	2009-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
350Z	2009-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
370Z	2017-2009		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
370Z	2017-2009		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
370Z	2017-2009		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Altima	2015-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Altima	2015-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Altima	2015-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Armada	2015-2005		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Armada	2015-2005		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Armada	2015-2005		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cube	2014-2013,2010-2009		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Cube	2014-2013,2010-2009		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cube	2014-2013,2010-2009		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cube	2012-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m; non-Ikey	TPMS Programmable Sensor	1AMTP3350A
Cube	2012-2011		Ikey; Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cube	2012-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m; non-Ikey	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cube	2012-2011		Aluminium Valve; Ikey; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cube	2012-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m; non-Ikey	TPMS Programmable Sensor Service Kit	1AMTP3400A
Frontier	2016-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Frontier	2016-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Frontier	2016-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
GT-R	2017-2010		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m; When installing EZ-Sensor the rubber valve MUST be removed and replaced with Schrader Aluminium valve kit 34000	TPMS Programmable Sensor	1AMTP3350A
GT-R	2017-2009		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
GT-R	2017-2009		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
GT-R	2009		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Juke	2017-2013,2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Juke	2017-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Juke	2017-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Juke	2012		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m; non-Ikey	TPMS Programmable Sensor	1AMTP3350A
Leaf	2013-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Leaf	2013-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Leaf	2013-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Maxima	2014-2013		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m; exc GCC	TPMS Programmable Sensor	1AMTP3350A
Maxima	2014-2013		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m; exc GCC	TPMS Programmable Sensor Service Kit	1AMTP2001A
Maxima	2014-2013		Aluminium Valve; Torque: 62in-lbs , 7N.m; exc GCC	TPMS Programmable Sensor Service Kit	1AMTP3400A
Maxima	2012-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Maxima	2012-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Maxima	2012-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Murano	2014-2009,2007-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Murano	2014-2009,2007-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Murano	2014-2009,2007-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
NV200	2016-2013		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
NV200	2016-2013		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
NV200	2016-2013		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Pathfinder	2012-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Pathfinder	2012-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Pathfinder	2012-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Quest	2016-2011,2009-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Quest	2016-2011,2009-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Quest	2016-2011,2009-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Rogue	2016-2011,2009-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Rogue	2016-2011,2009-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Rogue	2016-2011,2009-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Rogue Select	2015-2014		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Rogue Select	2015-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Rogue Select	2015-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Sentra	2013-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Sentra	2013-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Sentra	2013-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Titan	2015-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Titan	2015-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Titan	2015-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Versa	2012-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Versa	2012-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Versa	2012-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Xterra	2015-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Xterra	2015-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Xterra	2015-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
PLYMOUTH					
Prowler	2001-1999,1997		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Prowler	2001-1999,1997		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Prowler	2001-1999,1997		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
PONTIAC/PONTIAC TRUCK					
G3	2010-2009		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
G3	2010-2009		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
G3	2010-2009		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
G3 Wave	2009		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
G3 Wave	2009		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
G3 Wave	2009		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
G5	2010-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
G5	2010-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
G5	2010-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
G6	2010-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
G6	2010-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
G6	2010-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
G8	2009-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A

Magneti Marelli Offered by Mopar Tire Pressure Monitoring System Programmable Sensors and Service Kits



Make/Model	Model Year	Application	Qualifier	Product	Part Number
G8	2009-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
G8	2009-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Grand Prix	2008-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Grand Prix	2008-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Grand Prix	2008-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Montana	2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Montana	2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Montana	2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Solstice	2009-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Solstice	2009-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Solstice	2009-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Torrent	2009-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Torrent	2009-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Torrent	2009-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Vibe	2010-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Vibe	2010-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Vibe	2010-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Wave	2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Wave	2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Wave	2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
PORSCHE					
911	2017-2016		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m; When installing EZ-Sensor the rubber valve MUST be removed and replaced with Schrader Aluminium valve kit 34000	TPMS Programmable Sensor	1AMTP3350A
911	2017-2016,2014-2005		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
911	2017-2016,2014-2005		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
911	2012-2005		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Boxster	2011-2005		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Boxster	2011-2005		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Boxster	2007-2005		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Carrera GT	2005-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Carrera GT	2005-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Carrera GT	2005-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cayenne	2006-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Cayenne	2006-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cayenne	2006-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Cayman	2008-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Cayman	2008-2006		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Cayman	2008-2006		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Panamera	2015-2014		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Panamera	2015-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Panamera	2015-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
RAM TRUCK					
1500	2017-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
1500	2017-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
1500	2017-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
2500	2017-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
2500	2017-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
2500	2017-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
3500	2017-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
3500	2017-2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
3500	2017-2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
C/V	2015-2012		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
C/V	2015-2012		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
C/V	2015-2012		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
ProMaster 1500	2017-2014		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
ProMaster 1500	2017-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
ProMaster 1500	2017-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
ProMaster 2500	2017-2014		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
ProMaster 2500	2017-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
ProMaster 2500	2017-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
ProMaster 3500	2017-2014		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
ProMaster 3500	2017-2014		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
ProMaster 3500	2017-2014		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
SAAB					
9-3	2011-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
9-3	2011-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
9-3	2011-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
9-4X	2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
9-4X	2011		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
9-4X	2011		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
9-5	2011-2003		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
9-5	2011-2003		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
9-5	2011-2003		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
9-7x	2009-2005		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
9-7x	2009-2005		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
9-7x	2009-2005		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
SATURN					
Astra	2009-2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Astra	2009-2008		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Astra	2009-2008		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Aura	2010-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Aura	2010-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Aura	2010-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Outlook	2010-2007		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Outlook	2010-2007		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Outlook	2010-2007		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A

Magneti Marelli Offered by Mopar Tire Pressure Monitoring System Programmable Sensors and Service Kits



Make/Model	Model Year	Application	Qualifier	Product	Part Number
Passat	2010-2006		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Passat	2010-2006		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Phaeton	2006-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Phaeton	2006-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Phaeton	2006-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
R32	2008		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
R32	2008		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
R32	2008		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Rabbit	2009-2006		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Rabbit	2009-2006		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Rabbit	2009-2006		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Routan	2014-2011		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Routan	2014-2011		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Routan	2014-2011		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Tiguan	2017-2009		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Tiguan	2017-2009		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Tiguan	2017-2009		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
Touareg	2006-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
Touareg	2006-2004		Rubber Valve; Torque: 11.5in-lbs , 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
Touareg	2006-2004		Aluminium Valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
VOLVO					
S60	2014,2009-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
S60	2014,2009-2004		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
S60	2014,2009-2004		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
S80	2015,2006-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
S80	2015,2006-2004		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
S80	2006-2004		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
V70	2007-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
V70	2007-2004		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
V70	2007-2004		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
XC60	2017-2015		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
XC60	2017-2015		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
XC60	2017-2015		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
XC70	2015,2007-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
XC70	2015,2007-2004		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
XC70	2015,2007-2004		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A
XC90	2016,2014-2004		Programming Tool Required; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor	1AMTP3350A
XC90	2016,2014-2004		Rubber Valve; Torque: 11.5in-lbs, 1.3 N.m	TPMS Programmable Sensor Service Kit	1AMTP2001A
XC90	2016,2014-2004		Aluminum valve; Torque: 62in-lbs , 7N.m	TPMS Programmable Sensor Service Kit	1AMTP3400A